

Appendix Test Data



Report No.:	18220WC30255501	Test Sample No.:	1-2-2
Start Test Date:	2023.12.01	Finish Test Date:	2023.12.05
Test Engineer:	Hayman Chen	Auditor:	Rick Luo
Temperature:	25.2°C	Relative Humidity:	43%
Pressure:	101kPa		



Table of Contents

1. -20dB Bandwidth	2
2. 99% Occupied Bandwidth	6
3. Peak Output Power	10
4. Spurious Emissions	14
5. Bandedge	21
6. Carrier Frequencies Separation (Hopping)	30
7. Number of Hopping Channel (Hopping)	31
8. Dwell Time (Hopping)	33








**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com






Hotline
400-003-0500
www.anbotek.com.cn






2. 99% Occupied Bandwidth

Condition	Antenna	Modulation	Frequency (MHz)	99% BW(MHz)
NVNT	ANT1	1-DH5	2402	0.892
NVNT	ANT1	1-DH5	2441	0.886
NVNT	ANT1	1-DH5	2480	0.888
NVNT	ANT1	2-DH5	2402	1.207
NVNT	ANT1	2-DH5	2441	1.198
NVNT	ANT1	2-DH5	2480	1.206







**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn



3. Peak Output Power

Condition	Antenna	Modulation	Frequency (MHz)	Max. Conducted Power(dBm)	Max. Conducted Power(mW)	Limit(mW)	Result
NVNT	ANT1	1-DH5	2402	5.32	3.40	125	Pass
NVNT	ANT1	1-DH5	2441	5.09	3.23	125	Pass
NVNT	ANT1	1-DH5	2480	5.43	3.49	125	Pass
NVNT	ANT1	2-DH5	2402	5.88	3.88	125	Pass
NVNT	ANT1	2-DH5	2441	5.71	3.72	125	Pass
NVNT	ANT1	2-DH5	2480	6.05	4.03	125	Pass



Peak Output Power_NVNT ANT1 1-DH5_2441



Peak Output Power_NVNT ANT1 1-DH5_2480



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



Peak Output Power_NVNT ANT1 2-DH5_2402



Peak Output Power_NVNT ANT1 2-DH5_2441



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com





Hotline
400-003-0500
www.anbotek.com.cn



4. Spurious Emissions

Condition	Antenna	Modulation	TX Mode	Spurious MAX.Value(dBm)	Limit	Result
NVNT	ANT1	1-DH5	2402	-34.543	-14.887	Pass
NVNT	ANT1	1-DH5	2441	-38.072	-15.142	Pass
NVNT	ANT1	1-DH5	2480	-31.553	-14.688	Pass
NVNT	ANT1	2-DH5	2402	-41.247	-14.703	Pass
NVNT	ANT1	2-DH5	2441	-42.510	-15.038	Pass
NVNT	ANT1	2-DH5	2480	-43.133	-14.674	Pass





2_Spurious_Emissions_NVNT_ANT1_1-DH5_2441


Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn





Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn



1 Reference Level NVNT ANT1 1-DH5 2480



2 Spurious Emissions NVNT ANT1 1-DH5 2480



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn



1 Reference Level NVNT ANT1 2-DH5 2402




2 Spurious Emissions NVNT ANT1 2-DH5 2402



1 Reference Level NVNT ANT1 2-DH5 2441



2 Spurious Emissions NVNT ANT1 2-DH5 2441



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn



1 Reference Level NVNT ANT1 2-DH5 2480



2 Spurious Emissions NVNT ANT1 2-DH5 2480



Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn




5. Bandedge


Condition	Antenna	Modulation	TX Mode	Bandedge MAX.Value	Limit	Result
NVNT	ANT1	1-DH5	2402	-47.344	-14.887	Pass
NVNT	ANT1	1-DH5	Hopping_LCH	-49.144	-14.339	Pass
NVNT	ANT1	1-DH5	2480	-56.601	-14.688	Pass
NVNT	ANT1	1-DH5	Hopping_HCH	-46.384	-14.629	Pass
NVNT	ANT1	2-DH5	2402	-44.023	-14.703	Pass
NVNT	ANT1	2-DH5	Hopping_LCH	-49.127	-14.297	Pass
NVNT	ANT1	2-DH5	2480	-53.808	-14.674	Pass
NVNT	ANT1	2-DH5	Hopping_HCH	-47.112	-14.969	Pass




2_Bandedge_NVNT_ANT1_1-DH5_2402



1_Reference_Level_Hopping_NVNT_ANT1_1-DH5_Hopping



2 Band Edge (Hopping) NVNT ANT1 1-DH5 Hopping



1 Reference Level NVNT ANT1 1-DH5 2480



Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn




2_Bandedge_NVNT_ANT1_1-DH5_2480



1 Reference_Level_Hopping_NVNT_ANT1_1-DH5_Hopping





2 Band Edge (Hopping) NVNT ANT1 1-DH5 Hopping




1 Reference Level NVNT ANT1 2-DH5 2402





2 Band Edge (Hopping) NVNT ANT1 2-DH5 Hopping



1 Reference Level NVNT ANT1 2-DH5 2480



Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn



2_Bandedge_NVNT_ANT1_2-DH5_2480



1_Reference_Level_Hopping_NVNT_ANT1_2-DH5_Hopping




Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn



**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline
400-003-0500
www.anbotek.com.cn



6. Carrier Frequencies Separation (Hopping)

Condition	Antenna	Modulation	Frequency(MHz)	Hopping NO.0 (MHz)	Hopping NO.1 (MHz)	Carrier Frequencies Separation(MHz)	Limit(MHz)	Result
NVNT	ANT1	1-DH5	2441.00	2441.131	2441.974	0.84	0.678	Pass
NVNT	ANT1	2-DH5	2441.00	2440.852	2441.782	0.93	0.880	Pass




Carrier_Frequencies_Separation_(Hopping)_NVNT_ANT1_2-DH5_Hopping






7. Number of Hopping Channel (Hopping)

Condition	Antenna	Modulation	Hopping Num	Limit	Result
NVNT	ANT1	1-DH5	79	15	Pass
NVNT	ANT1	2-DH5	79	15	Pass



**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com






Hotline
400-003-0500
www.anbotek.com.cn







8. Dwell Time (Hopping)



Condition	Antenna	Packet Type	Pulse Time(ms)	Hops	Dwell Time(ms)	Limit(s)	Result
NVNT	ANT1	1-DH5	2.888	107.00	309.016	0.40	Pass
NVNT	ANT1	2-DH5	2.893	114.00	329.802	0.40	Pass
NVNT	ANT1	1-DH1	0.385	318.00	122.430	0.40	Pass
NVNT	ANT1	1-DH3	1.640	163.00	267.320	0.40	Pass
NVNT	ANT1	2-DH1	0.393	320.00	125.760	0.40	Pass
NVNT	ANT1	2-DH3	1.645	158.00	259.910	0.40	Pass


















---End---

Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline
400-003-0500
www.anbotek.com.cn

