




Band40(2350-2360) 16QAM BW=5MHz Channel=39225 RB Size=1 Position=#0




Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=1 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=1 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39200 RB Size=1 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=1 Position=#0




Band41 16QAM BW=10MHz Channel=39700 RB Size=1 Position=#0




Band41 16QAM BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 16QAM BW=10MHz Channel=41540 RB Size=1 Position=#0




Band41 16QAM BW=15MHz Channel=39725 RB Size=1 Position=#0




Band41 16QAM BW=15MHz Channel=40620 RB Size=1 Position=#0




Band41 16QAM BW=15MHz Channel=41515 RB Size=1 Position=#0




Band41 16QAM BW=20MHz Channel=39750 RB Size=1 Position=#0




Band41 16QAM BW=20MHz Channel=40620 RB Size=1 Position=#0




Band41 16QAM BW=20MHz Channel=41490 RB Size=1 Position=#0




Band41 16QAM BW=5MHz Channel=39675 RB Size=1 Position=#0




Band41 16QAM BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 16QAM BW=5MHz Channel=41565 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=39700 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=10MHz Channel=41540 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=39725 RB Size=1 Position=#0




Band41 QPSK BW=15MHz Channel=40620 RB Size=1 Position=#0



Band41 QPSK BW=15MHz Channel=41515 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=39750 RB Size=1 Position=#0




Ba


nd41 QPSK BW=20MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=20MHz Channel=41490 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=39675 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=40620 RB Size=1 Position=#0




Band41 QPSK BW=5MHz Channel=41565 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=1 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=1 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=1 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=1 Position=#0



Band66 QPSK BW=5MHz Channel=132322 RB Size=1 Position=#0



Band66 QPSK BW=5MHz Channel=132647 RB Size=1 Position=#0



RADIATED SPURIOUS EMISSION

Note:

- (1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.
- (2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.34	-24.88	7.00	12.93	-30.81	-13.00	-17.81	H
5580.37	-28.74	8.40	17.11	-37.45	-13.00	-24.45	H
7440.11	-25.59	8.10	22.20	-39.69	-13.00	-26.69	H
3720.34	-26.77	7.00	12.93	-32.70	-13.00	-19.70	V
5580.37	-25.79	8.40	17.11	-34.50	-13.00	-21.50	V
7440.11	-26.29	8.10	22.20	-40.39	-13.00	-27.39	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.77	-24.98	7.00	12.93	-30.91	-13.00	-17.91	H
5639.88	-25.85	8.40	17.11	-34.56	-13.00	-21.56	H
7519.86	-23.82	8.10	22.20	-37.92	-13.00	-24.92	H
3759.77	-29.88	7.00	12.93	-35.81	-13.00	-22.81	V
5639.88	-28.00	8.40	17.11	-36.71	-13.00	-23.71	V
7519.86	-26.12	8.10	22.20	-40.22	-13.00	-27.22	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.10	-28.34	7.00	12.93	-34.27	-13.00	-21.27	H
5700.08	-27.81	8.40	17.11	-36.52	-13.00	-23.52	H
7600.02	-25.96	8.10	22.20	-40.06	-13.00	-27.06	H
3800.10	-28.98	7.00	12.93	-34.91	-13.00	-21.91	V
5700.08	-27.33	8.40	17.11	-36.04	-13.00	-23.04	V
7600.02	-25.71	8.10	22.20	-39.81	-13.00	-26.81	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3439.93	-24.04	7.20	12.56	-29.40	-13.00	-16.40	H
5160.22	-27.28	8.10	16.32	-35.50	-13.00	-22.50	H
6880.79	-26.49	8.30	21.13	-39.32	-13.00	-26.32	H
3439.93	-29.48	7.20	12.56	-34.84	-13.00	-21.84	V
5160.22	-24.66	8.10	16.32	-32.88	-13.00	-19.88	V
6880.79	-26.40	8.30	21.13	-39.23	-13.00	-26.23	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.00	-25.72	7.20	12.56	-31.08	-13.00	-18.08	H
5196.59	-26.03	8.10	16.32	-34.25	-13.00	-21.25	H
6929.67	-22.99	8.30	21.13	-35.82	-13.00	-22.82	H
3465.00	-25.78	7.20	12.56	-31.14	-13.00	-18.14	V
5196.59	-24.63	8.10	16.32	-32.85	-13.00	-19.85	V
6929.67	-27.64	8.30	21.13	-40.47	-13.00	-27.47	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.40	-27.99	7.20	12.56	-33.35	-13.00	-20.35	H
5235.29	-26.27	8.10	16.32	-34.49	-13.00	-21.49	H
6979.45	-25.72	8.30	21.13	-38.55	-13.00	-25.55	H
3490.40	-29.09	7.20	12.56	-34.45	-13.00	-21.45	V
5235.29	-29.11	8.10	16.32	-37.33	-13.00	-24.33	V
6979.45	-26.66	8.30	21.13	-39.49	-13.00	-26.49	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.50	-28.67	7.40	9.72	-30.99	-13.00	-17.99	H
2486.14	-26.51	8.30	10.86	-29.07	-13.00	-16.07	H
3315.02	-26.37	7.20	11.57	-30.74	-13.00	-17.74	H
1657.50	-30.51	7.40	9.72	-32.83	-13.00	-19.83	V
2486.14	-28.63	8.30	10.86	-31.19	-13.00	-18.19	V
3315.02	-28.43	7.20	11.57	-32.80	-13.00	-19.80	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.56	-28.07	7.40	9.72	-30.39	-13.00	-17.39	H
2508.78	-28.13	8.30	10.86	-30.69	-13.00	-17.69	H
3345.49	-25.58	7.20	11.57	-29.95	-13.00	-16.95	H
1672.56	-26.17	7.40	9.72	-28.49	-13.00	-15.49	V
2508.78	-26.37	8.30	10.86	-28.93	-13.00	-15.93	V
3345.49	-27.45	7.20	11.57	-31.82	-13.00	-18.82	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.42	-28.74	7.40	9.72	-31.06	-13.00	-18.06	H
2531.63	-27.79	8.30	10.86	-30.35	-13.00	-17.35	H
3375.80	-26.66	7.20	11.57	-31.03	-13.00	-18.03	H
1687.42	-28.18	7.40	9.72	-30.50	-13.00	-17.50	V
2531.63	-25.72	8.30	10.86	-28.28	-13.00	-15.28	V
3375.80	-24.61	7.20	11.57	-28.98	-13.00	-15.98	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5020.89	-27.68	8.00	15.86	-35.54	-25.00	-10.54	H
7530.92	-28.80	8.30	19.28	-39.78	-25.00	-14.78	H
10258.67	-24.87	8.10	23.19	-39.96	-25.00	-14.96	H
5020.89	-28.28	8.00	15.86	-36.14	-25.00	-11.14	V
7530.92	-26.12	8.30	19.28	-37.10	-25.00	-12.10	V
10258.67	-28.24	8.10	23.19	-43.33	-25.00	-18.33	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.61	-28.26	8.00	15.86	-36.12	-25.00	-11.12	H
7604.70	-27.62	8.30	19.28	-38.60	-25.00	-13.60	H
10140.01	-24.72	8.10	23.19	-39.81	-25.00	-14.81	H
5069.61	-31.47	8.00	15.86	-39.33	-25.00	-14.33	V
7604.70	-26.24	8.30	19.28	-37.22	-25.00	-12.22	V
10140.01	-27.22	8.10	23.19	-42.31	-25.00	-17.31	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.97	-28.32	8.00	15.86	-36.18	-25.00	-11.18	H
7678.23	-26.61	8.30	19.28	-37.59	-25.00	-12.59	H
10237.97	-27.69	8.10	23.19	-42.78	-25.00	-17.78	H
5118.97	-30.24	8.00	15.86	-38.10	-25.00	-13.10	V
7678.23	-28.23	8.30	19.28	-39.21	-25.00	-14.21	V
10237.97	-26.17	8.10	23.19	-41.26	-25.00	-16.26	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.85	-28.42	6.70	9.34	-31.06	-13.00	-18.06	H
2111.74	-25.63	7.80	10.42	-28.25	-13.00	-15.25	H
2815.90	-25.70	8.00	11.12	-28.82	-13.00	-15.82	H
1407.85	-29.01	6.70	9.34	-31.65	-13.00	-18.65	V
2111.74	-26.59	7.80	10.42	-29.21	-13.00	-16.21	V
2815.90	-24.88	8.00	11.12	-28.00	-13.00	-15.00	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.66	-26.49	6.70	9.34	-29.13	-13.00	-16.13	H
2122.04	-29.35	7.80	10.42	-31.97	-13.00	-18.97	H
2829.93	-27.43	8.00	11.12	-30.55	-13.00	-17.55	H
1414.66	-26.49	6.70	9.34	-29.13	-13.00	-16.13	V
2122.04	-25.52	7.80	10.42	-28.14	-13.00	-15.14	V
2829.93	-24.50	8.00	11.12	-27.62	-13.00	-14.62	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.72	-26.32	6.70	9.34	-28.96	-13.00	-15.96	H
2132.67	-25.91	7.80	10.42	-28.53	-13.00	-15.53	H
2843.69	-24.83	8.00	11.12	-27.95	-13.00	-14.95	H
1421.72	-27.65	6.70	9.34	-30.29	-13.00	-17.29	V
2132.67	-27.36	7.80	10.42	-29.98	-13.00	-16.98	V
2843.69	-24.82	8.00	11.12	-27.94	-13.00	-14.94	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1563.78	-47.72	7.40	9.72	-50.04	-40.00	-10.04	H
2346.16	-36.50	8.30	10.86	-39.06	-13.00	-26.06	H
3127.76	-36.31	7.70	11.57	-40.18	-13.00	-27.18	H
1563.78	-48.85	7.40	9.72	-51.17	-40.00	-11.17	V
2346.16	-37.90	8.30	10.86	-40.46	-13.00	-27.46	V
3127.76	-35.66	7.70	11.57	-39.53	-13.00	-26.53	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.48	-26.48	6.90	9.34	-28.92	-13.00	-15.92	H
2127.60	-28.46	8.00	10.42	-30.88	-13.00	-17.88	H
2836.41	-25.75	8.00	11.12	-28.87	-13.00	-15.87	H
1418.48	-26.18	6.90	9.34	-28.62	-13.00	-15.62	V
2127.60	-27.58	8.00	10.42	-30.00	-13.00	-17.00	V
2836.41	-27.83	8.00	11.12	-30.95	-13.00	-17.95	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.01	-25.12	6.90	9.34	-27.56	-13.00	-14.56	H
2130.08	-26.14	8.00	10.42	-28.56	-13.00	-15.56	H
2840.06	-24.98	8.00	11.12	-28.10	-13.00	-15.10	H
1420.01	-30.84	6.90	9.34	-33.28	-13.00	-20.28	V
2130.08	-28.95	8.00	10.42	-31.37	-13.00	-18.37	V
2840.06	-27.85	8.00	11.12	-30.97	-13.00	-17.97	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1420.93	-29.03	6.90	9.34	-31.47	-13.00	-18.47	H
2132.00	-30.38	8.00	10.42	-32.80	-13.00	-19.80	H
2842.43	-27.72	8.00	11.12	-30.84	-13.00	-17.84	H
1420.93	-28.44	6.90	9.34	-30.88	-13.00	-17.88	V
2132.00	-26.98	8.00	10.42	-29.40	-13.00	-16.40	V
2842.43	-27.36	8.00	11.12	-30.48	-13.00	-17.48	V

LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.15	-25.81	7.00	12.93	-31.74	-13.00	-18.74	H
5580.38	-26.19	8.40	17.11	-34.90	-13.00	-21.90	H
7439.86	-23.30	8.10	22.20	-37.40	-13.00	-24.40	H
3720.15	-29.82	7.00	12.93	-35.75	-13.00	-22.75	V
5580.38	-28.62	8.40	17.11	-37.33	-13.00	-24.33	V
7439.86	-26.90	8.10	22.20	-41.00	-13.00	-28.00	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3760.03	-28.84	7.00	12.93	-34.77	-13.00	-21.77	H
5639.88	-28.37	8.40	17.11	-37.08	-13.00	-24.08	H
7520.24	-24.25	8.10	22.20	-38.35	-13.00	-25.35	H
3760.03	-25.34	7.00	12.93	-31.27	-13.00	-18.27	V
5639.88	-26.92	8.40	17.11	-35.63	-13.00	-22.63	V
7520.24	-24.14	8.10	22.20	-38.24	-13.00	-25.24	V
LTE Band 25 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.21	-25.89	7.00	12.93	-31.82	-13.00	-18.82	H
5700.09	-27.53	8.40	17.11	-36.24	-13.00	-23.24	H
7599.98	-27.46	8.10	22.20	-41.56	-13.00	-28.56	H
3800.21	-28.60	7.00	12.93	-34.53	-13.00	-21.53	V
5700.09	-24.89	8.40	17.11	-33.60	-13.00	-20.60	V
7599.98	-26.83	8.10	22.20	-40.93	-13.00	-27.93	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1663.23	-28.60	7.40	9.72	-30.92	-13.00	-17.92	H
2494.39	-29.40	8.30	10.86	-31.96	-13.00	-18.96	H
3325.84	-25.71	7.20	11.57	-30.08	-13.00	-17.08	H
1663.23	-28.44	7.40	9.72	-30.76	-13.00	-17.76	V
2494.39	-28.53	8.30	10.86	-31.09	-13.00	-18.09	V
3325.84	-29.71	7.20	11.57	-34.08	-13.00	-21.08	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.89	-27.14	7.40	9.72	-29.46	-13.00	-16.46	H
2509.00	-29.89	8.30	10.86	-32.45	-13.00	-19.45	H
3346.17	-29.58	7.20	11.57	-33.95	-13.00	-20.95	H
1672.89	-30.20	7.40	9.72	-32.52	-13.00	-19.52	V
2509.00	-29.51	8.30	10.86	-32.07	-13.00	-19.07	V
3346.17	-26.22	7.20	11.57	-30.59	-13.00	-17.59	V

LTE Band 26(824-849MHz) / 15MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1683.72	-30.41	7.40	9.72	-32.73	-13.00	-19.73	H
2524.08	-27.36	8.30	10.86	-29.92	-13.00	-16.92	H
3366.38	-29.01	7.20	11.57	-33.38	-13.00	-20.38	H
1683.72	-30.27	7.40	9.72	-32.59	-13.00	-19.59	V
2524.08	-28.11	8.30	10.86	-30.67	-13.00	-17.67	V
3366.38	-27.84	7.20	11.57	-32.21	-13.00	-19.21	V

LTE Band 26(814-824MHz)/ 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.77	-26.46	7.40	9.72	-28.78	-13.00	-15.78	H
2509.06	-27.89	8.30	10.86	-30.45	-13.00	-17.45	H
3346.16	-29.42	7.20	11.57	-33.79	-13.00	-20.79	H
1672.77	-28.29	7.40	9.72	-30.61	-13.00	-17.61	V
2509.06	-31.03	8.30	10.86	-33.59	-13.00	-20.59	V
3346.16	-27.32	7.20	11.57	-31.69	-13.00	-18.69	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5130.32	-33.61	8.10	15.86	-41.37	-25.00	-16.37	H
7694.81	-31.37	9.00	19.28	-41.65	-25.00	-16.65	H
10260.25	-30.39	8.70	23.19	-44.88	-25.00	-19.88	H
5130.32	-31.82	8.10	15.86	-39.58	-25.00	-14.58	V
7694.81	-34.25	9.00	19.28	-44.53	-25.00	-19.53	V
10260.25	-29.94	8.70	23.19	-44.43	-25.00	-19.43	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.89	-31.10	8.10	15.86	-38.86	-25.00	-13.86	H
7815.20	-34.90	9.00	19.28	-45.18	-25.00	-20.18	H
10420.00	-29.22	8.70	23.19	-43.71	-25.00	-18.71	H
5209.89	-33.51	8.10	15.86	-41.27	-25.00	-16.27	V
7815.20	-31.65	9.00	19.28	-41.93	-25.00	-16.93	V
10420.00	-28.76	8.70	23.19	-43.25	-25.00	-18.25	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5290.19	-31.02	8.10	15.86	-38.78	-25.00	-13.78	H
7935.12	-30.86	9.00	19.28	-41.14	-25.00	-16.14	H
10580.04	-28.76	8.70	23.19	-43.25	-25.00	-18.25	H
5290.19	-31.25	8.10	15.86	-39.01	-25.00	-14.01	V
7935.12	-34.70	9.00	19.28	-44.98	-25.00	-19.98	V
10580.04	-29.74	8.70	23.19	-44.23	-25.00	-19.23	V

LTE Band 40(2305-2315MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4619.94	-43.21	8.20	12.95	-47.96	-40.00	-7.96	H
6930.03	-40.17	8.10	17.02	-49.09	-40.00	-9.09	H
9239.84	-34.12	8.20	21.78	-47.70	-40.00	-7.70	H
4619.94	-42.38	8.20	12.95	-47.13	-40.00	-7.13	V
6930.03	-38.60	8.10	17.02	-47.52	-40.00	-7.52	V
9239.84	-35.76	8.20	21.78	-49.34	-40.00	-9.34	V

LTE Band 40(2350-2360MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4709.96	-43.91	8.20	12.95	-48.66	-40.00	-8.66	H
7064.97	-40.57	8.10	17.02	-49.49	-40.00	-9.49	H
9420.28	-32.98	8.20	21.78	-46.56	-40.00	-6.56	H
4709.96	-41.44	8.20	12.95	-46.19	-40.00	-6.19	V
7064.97	-42.06	8.10	17.02	-50.98	-40.00	-10.98	V
9420.28	-33.85	8.20	21.78	-47.43	-40.00	-7.43	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5012.17	-34.79	7.90	15.86	-42.75	-25.00	-17.75	H
7518.07	-31.77	9.00	19.28	-42.05	-25.00	-17.05	H
10024.15	-29.85	8.70	23.19	-44.34	-25.00	-19.34	H
5012.17	-33.82	7.90	15.86	-41.78	-25.00	-16.78	V
7518.07	-33.29	9.00	19.28	-43.57	-25.00	-18.57	V
10024.15	-29.34	8.70	23.19	-43.83	-25.00	-18.83	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5185.99	-31.87	7.90	15.86	-39.83	-25.00	-14.83	H
7779.22	-34.90	9.00	19.28	-45.18	-25.00	-20.18	H
10372.35	-29.04	8.70	23.19	-43.53	-25.00	-18.53	H
5185.99	-34.56	7.90	15.86	-42.52	-25.00	-17.52	V
7779.22	-33.44	9.00	19.28	-43.72	-25.00	-18.72	V
10372.35	-28.42	8.70	23.19	-42.91	-25.00	-17.91	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5360.13	-30.21	7.90	15.86	-38.17	-25.00	-13.17	H
8039.96	-34.62	9.00	19.28	-44.90	-25.00	-19.90	H
10720.05	-29.80	8.70	23.19	-44.29	-25.00	-19.29	H
5360.13	-34.28	7.90	15.86	-42.24	-25.00	-17.24	V
8039.96	-35.23	9.00	19.28	-45.51	-25.00	-20.51	V
10720.05	-32.52	8.70	23.19	-47.01	-25.00	-22.01	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.29	-24.45	7.20	12.56	-29.81	-13.00	-16.81	H
5159.84	-28.44	8.10	16.32	-36.66	-13.00	-23.66	H
6879.87	-26.02	8.30	21.13	-38.85	-13.00	-25.85	H
3440.29	-27.99	7.20	12.56	-33.35	-13.00	-20.35	V
5159.84	-26.08	8.10	16.32	-34.30	-13.00	-21.30	V
6879.87	-26.77	8.30	21.13	-39.60	-13.00	-26.60	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.04	-24.77	7.20	12.56	-30.13	-13.00	-17.13	H
5234.80	-28.88	8.10	16.32	-37.10	-13.00	-24.10	H
6980.02	-27.50	8.30	21.13	-40.33	-13.00	-27.33	H
3490.04	-26.60	7.20	12.56	-31.96	-13.00	-18.96	V
5234.80	-25.32	8.10	16.32	-33.54	-13.00	-20.54	V
6980.02	-24.92	8.30	21.13	-37.75	-13.00	-24.75	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3539.85	-28.15	7.20	12.56	-33.51	-13.00	-20.51	H
5309.85	-29.28	8.10	16.32	-37.50	-13.00	-24.50	H
7080.71	-24.37	8.30	21.13	-37.20	-13.00	-24.20	H
3539.85	-28.47	7.20	12.56	-33.83	-13.00	-20.83	V
5309.85	-25.78	8.10	16.32	-34.00	-13.00	-21.00	V
7080.71	-24.85	8.30	21.13	-37.68	-13.00	-24.68	V

APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see the attached OB-P10_EUT Photos.

※※※※※END OF THE REPORT※※※※※