

Page 1 of 163

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 24 SUBPART E and PART 27 SUBPART C & SUBPART L REQUIREMENT

OF

Applicant: **Novatel Wireless**

9605 Scranton Rd., Suite 300, San Diego, CA 92121, USA

Product Name: Voice Link Home Phone

Brand Name: Novatel Wireless

Model No.: T2050 Model Difference: N/A

FCC ID: PKRNVWT2050 ER/2017/90168 **Report Number: FCC Rule Part:** 2,24E,27C & L Issue Date: Oct. 20, 2017

Date of Test: Sep. 25, 2017~ Oct. 13, 2017

Sep. 25, 2017 Date of EUT Received:

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Prepared By:

Stefanie Yu / Clerk

Jim Chang / Asst. Manager





0513

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms_and_conditions.htm</u> and, for elec-

tronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

f (886-2) 2298-0488



Page 2 of 163

Revision History

Report Number	Revision	Description	Issue Date
ER/2017/90168	Rev.00	Initial creation of document	Oct. 20, 2017

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. documents. Inis document cannot be reproduced except in lan, wands apply a supply and document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page 3 of 163

Contents

1.	GENERAL PRODUCT INFORMATION	4
	SYSTEM TEST CONFIGURATION	
3.	SUMMARY OF TEST RESULTS	12
4.	DESCRIPTION OF TEST MODES	13
5.	MEASUREMENT UNCERTAINTY	17
6.	RF CONDUCTED OUTPUT POWER MEASUREMENT	18
7.	EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED	
	POWER MEASUREMENT	23
8.	OCCUPIED BANDWIDTH MEASUREMENT	47
9.	OUT OF BAND EMISSION AT ANTENNA TERMINALS	60
10.	FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT	83
11.	FREQUENCY STABILITY MEASUREMENT	149
12	PEAK TO AVERAGE RATIO	155

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. documents. Inits document cannot be reproduced except in lan, "Miscas p.i." in an additional document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 4 of 163

1. GENERAL PRODUCT INFORMATION

1.1. Product Description

General:

Octicial.						
Product Name:	Voice Link Home Phone					
Brand Name:	Novatel W	Novatel Wireless				
Model No.:	T2050					
Model Difference:	N/A					
Product SW/HW version:	N/A / N/A					
	3.6Vdc from AA Battery or 5Vdc from AC/DC Adapter					
Power Supply:	Adapter:	Model No.: ASSA76a-050200, Supplier: AQUIL STAR PRECISION INDUSTRIAL (SHENZHEN)CO.,LTD.				

LTE:

	Operating Frequency	Rated Power	
	LTE-Band 2 (Bandwidth 5MHz)	1852.5MHz – 1907.5MHz	23dBm
	LTE-Band 2 (Bandwidth 10MHz)	1855.0MHz – 1905.0MHz	23dBm
O III I I DI I I I	LTE-Band 2 (Bandwidth 15MHz)	1857.5MHz – 1902.5MHz	23dBm
Cellular Phone Standards Fre-	LTE-Band 2 (Bandwidth 20MHz)	1860.0MHz – 1900.0MHz	23dBm
quency Range and	LTE-Band 4 (Bandwidth 5MHz)	1712.5MHz – 1752.5MHz	23dBm
Power	LTE-Band 4 (Bandwidth 10MHz)	1715.0MHz – 1750.0MHz	23dBm
	LTE-Band 4 (Bandwidth 15MHz)	1717.5MHz – 1747.5MHz	23dBm
	LTE-Band 4 (Bandwidth 20MHz)	1720.0MHz – 1745.0MHz	23dBm
	LTE-Band 13 (5MHz)	779.5MHz - 784.5MHz	23dBm
	LTE-Band 13 (10MHz)	782.0MHz	23dBm

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 5 of 163

Type of Emission:

	1	1	T :
LTE Band	BW (MHz)	Modulation	Type of Emission
LTE Band 2	5MHz	QPSK	4M49G7D
LTE Band 2	5MHz	16QAM	4M90D7W
LTE Band 2	10MHz	QPSK	9M00G7D
LTE Band 2	10MHz	16QAM	8M96D7W
LTE Band 2	15MHz	QPSK	13M6G7D
LTE Band 2	15MHz	16QAM	13M5D7W
LTE Band 2	20MHz	QPSK	18M0G7D
LTE Band 2	20MHz	16QAM	18M0D7W
LTE Band 4	5MHz	QPSK	4M49G7D
LTE Band 4	5MHz	16QAM	4M89D7W
LTE Band 4	10MHz	QPSK	9M00G7D
LTE Band 4	10MHz	16QAM	8M96D7W
LTE Band 4	15MHz	QPSK	13M5G7D
LTE Band 4	15MHz	16QAM	13M5D7W
LTE Band 4	20MHz	QPSK	18M0G7D
LTE Band 4	20MHz	16QAM	18M0D7W
LTE Band 13	5MHz	QPSK	4M49G7D
LTE Band 13	5MHz	16QAM	4M50D7W
LTE Band 13	10MHz	QPSK	8M99G7D
LTE Band 13	10MHz	16QAM	9M70D7W

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of the content of the law. documents. Inits document cannot be reproduced except in lan, "Miscas p.i." in an additional document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 6 of 163

Max ERP/EIRP Power Measurement Result: (Internal Antenna)

LTE Band	Bandwidth	Modulation	(dBm)	ERP / EIRP	(W)
LTE Band 2	5MHz	QPSK	23.86	EIRP	0.243
LTE Band 2	5MHz	16QAM	24.10	EIRP	0.257
LTE Band 2	10MHz	QPSK	23.82	EIRP	0.241
LTE Band 2	10MHz	16QAM	23.62	EIRP	0.230
LTE Band 2	15MHz	QPSK	24.44	EIRP	0.278
LTE Band 2	15MHz	16QAM	25.62	EIRP	0.365
LTE Band 2	20MHz	QPSK	24.44	EIRP	0.278
LTE Band 2	20MHz	16QAM	24.94	EIRP	0.312
LTE Band 4	5MHz	QPSK	25.29	EIRP	0.338
LTE Band 4	5MHz	16QAM	25.43	EIRP	0.349
LTE Band 4	10MHz	QPSK	25.55	EIRP	0.359
LTE Band 4	10MHz	16QAM	25.73	EIRP	0.374
LTE Band 4	15MHz	QPSK	23.71	EIRP	0.235
LTE Band 4	15MHz	16QAM	23.37	EIRP	0.217
LTE Band 4	20MHz	QPSK	23.99	EIRP	0.251
LTE Band 4	20MHz	16QAM	23.94	EIRP	0.248
LTE Band 13	5MHz	QPSK	21.71	ERP	0.148
LTE Band 13	5MHz	16QAM	21.53	ERP	0.142
LTE Band 13	10MHz	QPSK	17.95	ERP	0.062
LTE Band 13	10MHz	16QAM	18.71	ERP	0.074

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of the content of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 7 of 163

(External Antenna)

•	,					
	LTE Band	Bandwidth	Modulation	(dBm)	ERP / EIRP	(W)
L	TE Band 2	5MHz	QPSK	26.15	EIRP	0.412
L	TE Band 2	5MHz	16QAM	26.45	EIRP	0.442
L	TE Band 2	10MHz	QPSK	25.91	EIRP	0.390
L	TE Band 2	10MHz	16QAM	25.92	EIRP	0.391
L	TE Band 2	15MHz	QPSK	26.58	EIRP	0.455
L	TE Band 2	15MHz	16QAM	26.23	EIRP	0.420
L	TE Band 2	20MHz	QPSK	26.41	EIRP	0.438
L	TE Band 2	20MHz	16QAM	26.48	EIRP	0.445
L	TE Band 4	5MHz	QPSK	27.79	EIRP	0.601
L	TE Band 4	5MHz	16QAM	28.48	EIRP	0.705
L	TE Band 4	10MHz	QPSK	28.37	EIRP	0.687
L	TE Band 4	10MHz	16QAM	27.68	EIRP	0.586
L	TE Band 4	15MHz	QPSK	27.43	EIRP	0.553
L	TE Band 4	15MHz	16QAM	23.28	EIRP	0.213
L	TE Band 4	20MHz	QPSK	26.25	EIRP	0.422
L	TE Band 4	20MHz	16QAM	28.76	EIRP	0.752
L.	TE Band 13	5MHz	QPSK	23.54	ERP	0.226
L.	TE Band 13	5MHz	16QAM	23.24	ERP	0.211
L.	TE Band 13	10MHz	QPSK	20.28	ERP	0.107
L.	TE Band 13	10MHz	16QAM	21.90	ERP	0.155

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of the content of the law. documents. Inits document cannot be reproduced except in lan, "Miscas p.i." in an additional document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 8 of 163

1.2. Test Methodology of Applied Standards

CC 47 CFR Part 2, 22, 24, 27.

ANSI / TIA / EIA 603-D-2010

KDB971168 D01 Power Meas license Digital System

KDB941225 of the Output power Procedure of (SAR Measurement Procedures for 3G Devices, WCDMA / HSPA) was used for EUT and Base station setting.

TS 151 010-1 is used to set, and measure the output power.

Note: All test items have been performed and record as per the above standards.

1.3. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan. (TAF code 0513)

FCC Registration Number and Designation numer are: 509634 / TW 0001

1.4. Special Accessories

No special accessories were used during testing.

1.5. Equipment Modifications

There were no modifications incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic

from a documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions for Electronic Documents at www.sgs.com/terms e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 9 of 163

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

The EUT (Transmitter) was operated in the continuous transmission mode employed with the simulator of the Base Station that fixates at test default channels to fix the Tx frequency which was for the purpose of the measurements.

2.3. Test Procedure

2.3.1 Conducted Measurement at Antenna Port

According to measurement procured TIA/EIA 603C, the EUT is placed on a turn table which is 0.8 m above ground plane. A low loss of RF cable was used to connect the antenna port of EUT to measurement equipment.

2.3.2 Radiated Emissions (ERP/EIRP)

According to measurement procured TIA/EIA 603C, The EUT is a placed on as turn table which is 0.8 m above ground plane. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both Horizontal and Vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna according to the requirements in Section 8 and 13.

2.4. Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 10 of 163

Note:

Offset = RF cable loss (dB)+ attenuation factor(dB) =4.7+10=14.7(dB)

2.5. Final Amplifier Voltage and Current Information:

<u> </u>					
Test Mode	DC voltage (V)	DC current (mA)			
LTE Band 2	3.6 Vdc	589			
LTE Band 4	3.6 Vdc	597			
LTE Band 13	3.6 Vdc	593			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 11 of 163

2.6. Configuration of Tested System

Fig. 2-1 Configuration of Tested System (Fixed Channel-Conducted)




Fig. 2-2 Configuration of Tested System (Fixed Channel-Radiated)




Table 2-1 Equipment Used in

Item	Equipment	Mfr/Brand	Model/ Type No.	Series No.	Data Cable	Power Cord
1.	Universal Radio Communication Tester	R&S	CMU200	102189	shielded	Un-shielded
2.	Universal Radio Communication Tester	Anritsu	MT8820C	6200307563	shielded	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 12 of 163

3. SUMMARY OF TEST RESULTS

FCC Rules	Description Of Test	Result
§2.1046(a)	RF Power Output	Compliant
§2.1046(a) §22.913(a)(5) §24.232(c) §27.50(c)(10) §27.50(d)(4) §27.50(h)(2)	ERP/ EIRP measure- ment	Compliant
§2.1049(h)	99% & 26dB Oc- cuupied Bandwidth	Compliant
\$2.1051 \$22.917(a) \$24.238(a) \$27.53(g) \$27.50(c)(5) \$27.53(h) \$27.53(m)(4)(6)	Out of Band Emissions at Antenna Terminals and Band Edge / Emission mask requirements	Compliant
\$2.1053 \$22.917(a) \$24.238(a) \$27.53(c)(2),(4) \$27.50(c)(5) \$27.53(f) \$27.53(g) \$27.53(h) \$27.53(m)(4)	Field Strength of Spu- rious Radiation	Compliant
§24.232(d) §27.53(d) (5) §27.50(i) (B)	Peak to Average Ratio	Compliant
§2.1055(a)(1) §22.355 §24.235 §27.54	Frequency Stability	Compliant

台灣檢驗科技股份有限公司

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 13 of 163

4. DESCRIPTION OF TEST MODES

4.1. The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Pre-Scan has been conducted to determine the worst-case mode from all possible combinations between available modulations, data rates, X(E1)Y(E2)Z(H) axis and antenna ports. The worst case was found as listed below. Following channel(s) was (were) selected for the final test as listed below:

BAND	ERP/EIRP	RADIATED EMISSION
LTE Band 2	E2-plan	E2-plan
LTE Band 4	E2-plan	E2-plan
LTE Band 13	E2-plan	E2-plan

Note: The product supports internal and external antennas and evaluates in the relevant test items.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 14 of 163

LTE Band 2 MODE

TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
EIRP	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
EIKF	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	18650 to 19150	18900	10MHz	QPSK	Full RB
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK, 16QAM	Full RB
OCCUPIED	18650 to 19150	18650, 18900, 19150	10MHz	QPSK, 16QAM	Full RB
BANDWIDTH	18675 to 19125	18675, 18900, 19125	15MHz	QPSK, 16QAM	Full RB
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK, 16QAM	Full RB
	18625 to 19175	18625, 18900, 19175	5MHz	16QAM	Full RB
PEAK TO AV-	18650 to 19150	18650, 18900, 19150	10MHz	16QAM	Full RB
ERAGE RATIO	18675 to 19125	18675, 18900, 19125	15MHz	16QAM	Full RB
	18700 to 19100	18700, 18900, 19100	20MHz	16QAM	Full RB
	18625 to 19175	18625, 19175	5MHz	QPSK	1 RB/ 0,24 RB Offest Full RB
	18650 to 19150	18650, 19150	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
BAND EDGE	18675 to 19125	18675, 19125	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	18700 to 19100	18700, 19100	20MHz	QPSK	1 RB/ 0,99 RB Offest Full RB
	18625 to 19175	18625, 18900, 19175	5MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	18650 to 19150	18650, 18900, 19150	10MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	18675 to 19125	18675, 18900, 19125	15MHz	QPSK,	1 RB, 0 RB Offest
	18700 to 19100	18700, 18900, 19100	20MHz	QPSK	1 RB, 0 RB Offest
RADIATED EMIS- SION (Int.)	18675 to 19125	18675, 18900, 19125	15MHz	16QAM	1 RB, 74 RB Offest
RADIATED EMIS- SION (Ext.)	18675 to 19125	18675, 19125	15MHz	QPSK	1 RB, 74 RB Offest

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 15 of 163

LTE Band 4 MODE

	AVAILABLE	TESTED	CHANNEL		
TEST ITEM	CHANNEL	CHANNEL	BANDWIDTH	MODULATION	MODE
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
EIRP	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
LIKE	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	1 RB/ 0,74 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	1 RB/ 0,99 RB Offest
FREQUENCY STABILITY	20000 to 20350	20175	10MHz	QPSK,	Full RB
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK, 16QAM	Full RB
OCCUPIED	20000 to 20350	20000, 20175, 20350	10MHz	QPSK, 16QAM	Full RB
BANDWIDTH	20025 to 20325	20025, 20175, 20325	15MHz	QPSK, 16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK, 16QAM	Full RB
	19975 to 20375	19975, 20175, 20375	5MHz	16QAM	Full RB
PEAK TO AV-	20000 to 20350	20000, 20175, 20350	10MHz	16QAM	Full RB
ERAGE RATIO	20025 to 20325	20025, 20175, 20325	15MHz	16QAM	Full RB
	20050 to 20300	20050, 20175, 20300	20MHz	16QAM	Full RB
	19975 to 20375	19975, 20375	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	20000 to 20350	20000, 20350	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
BAND EDGE	20025 to 20325	20025, 20325	15MHz	QPSK,	1 RB/ 0,74 RB Offest Full RB
	20050 to 20300	20050, 20300	20MHz	QPSK,	1 RB/ 0,99 RB Offest Full RB
	19975 to 20375	19975, 20175, 20375	5MHz	QPSK,	1 RB, 0 RB Offest
CONDCUDETED	20000 to 20350	20000, 20175, 20350	10MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	20025 to 20325	20025, 20175, 20325	15MHz	QPSK,	1 RB, 0 RB Offest
	20050 to 20300	20050, 20175, 20300	20MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMIS- SION (Int.)	20000 to 20350	20000, 20175, 20350	10MHz	16QAM	1 RB/ 49 RB Offset
RADIATED EMIS- SION (Ext.)	20050 to 20300	20050, 20175, 20300	20MHz	16QAM	1 RB/ 0 RB Offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. documents. Inis document cannot be reproduced except in lan, wands produced accept in land, wands produc

t (886-2) 2299-3279



Page 16 of 163

LTF Band 13 MODE

LIE Band 13 MO					
TEST ITEM	AVAILABLE CHANNEL	TESTED CHANNEL	CHANNEL BANDWIDTH	MODULATION	MODE
ERP	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM	1 RB/ 0,24 RB Offest
	23230	23230	10MHz	QPSK, 16QAM	1 RB/ 0,49 RB Offest
FREQUENCY STABILITY	23230	23230	10MHz	QPSK,	Full RB
OCCUPIED	23205 to 23255	23205, 23230, 23255	5MHz	QPSK, 16QAM	Full RB
BANDWIDTH	23230	23230	10MHz	QPSK, 16QAM	Full RB
PEAK TO AV-	23205 to 23255	23205, 23230, 23255	5MHz	16QAM	Full RB
ERAGE RATIO	23230	23230	10MHz	16QAM	Full RB
BAND EDGE	23205 to 23255	23205, 23255	5MHz	QPSK,	1 RB/ 0,24 RB Offest Full RB
BAND EDGE	23230	23230	10MHz	QPSK,	1 RB/ 0,49 RB Offest Full RB
CONDCUDETED	23205 to 23255	23205, 23230, 23255	5MHz	QPSK,	1 RB, 0 RB Offest
EMISSION	23230	23230	10MHz	QPSK,	1 RB, 0 RB Offest
RADIATED EMIS- SION (Int.)	23205 to 23255	23205, 23230, 23255	5MHz	QPSK	1 RB, 0 RB Offset
RADIATED EMIS- SION (Ext.)	23205 to 23255	23205, 23230, 23255	5MHz	QPSK	1 RB, 0 RB Offset

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. documents. Inis document cannot be reproduced except in lan, wands produced accept in land, wands produ



Page 17 of 163

5. MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
RF Power Output	+/- 1.10 dB
ERP/ EIRP measurement	Vertical Polarization = +/- 4.74dB Horizontal Polarization =+/- 4.62dB
99% Occupied Bandwidth	+/- 5.19 Hz
Out of Band Emissions at Antenna Terminals and Band Edge	+/- 0.70 dB
Peak to Average Ratio	+/- 0.70 dB
Frequency Stability vs. Temperature	+/- 5.19 Hz
Frequency Stability vs. Voltage	+/- 5.19 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Spurious Emission:

	9kHz – 30MHz: +/- 2.87 dB
Managemanant con a mediate	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty (Polarization : Vertical)	180MHz -417MHz: +/- 3.19dB
(i sianzation : vortical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	9kHz – 30MHz: +/- 2.87 dB			
NA	30MHz - 167MHz: +/- 4.22dB			
Measurement uncertainty (Polarization : Horizontal)	167MHz -500MHz: +/- 3.44dB			
(i dianzardi i i i i zonia)	0.5GHz-1GHz: +/- 3.39dB			
	1GHz - 18GHz: +/- 4.08dB			
	18GHz - 40GHz: +/- 4.08dB			

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 18 of 163

6. RF CONDUCTED OUTPUT POWER MEASUREMENT

6.1. Standard Applicable

A base station simulator was used to establish communication with the EUT. Its parameters were set to transmit the maximum power on the EUT. The measured power in the radio frequency on the transmitter output terminals.

6.2. Test Set-up



Note: Measurement setup for testing on Antenna connector

6.3. Measurement Procedure

The transmitter output was connected to a calibrated attenuator, the other end of which was connected to a power meter. Transmitter output was read off the power meter in dBm. The power output at the transmitter antenna port was determined by adding the value of the attenuator to the power meter reading. TS 151 010-1 is reference to conduct the test measurement of output power.

The Procedure of KDB941225 (SAR Measurement Procedures for 3G devices, (WCD-MA/HSPA) was used for EUT and Base station setting. RMC 12.2kps is used for this testing, and KDB 971168 D01 Power Meas License Digital System as the supplemental test methodology to adjust the proper setting obtaining the measurement results

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 19 of 163

6.4. Measurement Equipment Used

Conduc	Conducted Emission (measured at antenna port) Test Site										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.						
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018						
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018						
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2016	12/11/2017						
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/13/2017	06/12/2018						
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017						
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2016	12/11/2017						
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017						
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 20 of 163

6.5. Measurement Result

LTE Band 2

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz								
		RB RB Size Offset	Conducted power(dBm)						
BW	DD			QPSK			16QAM		
(MHz)			CH (Low) 18625	CH (Mid) 18900	CH (High) 19175	CH (Low) 18625	CH (Mid) 18900	CH (High) 19175	
	1	0	23.5	23.55	23.43	21.54	21.62	21.83	
5	1	24	23.32	23.54	23.45	21.86	21.65	22.32	
	12	6	22.42	22.35	22.36	21.23	21.27	21.2	
	25	0	22.38	22.39	22.55	21.45	21.49	21.5	

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
		RB RB Size Offset	Conducted power(dBm)							
DVA	D.D.			QPSK			16QAM			
BW (MHz)			CH (Low) 18650	CH (Mid) 18900	CH (High) 19150	CH (Low) 18650	CH (Mid) 18900	CH (High) 19150		
	1	0	23.46	23.64	23.14	21.88	21.87	21.36		
10	1	49	23.18	23.51	23.57	21.52	21.91	21.74		
	25	12	22.3	22.44	22.3	21.4	21.34	21.21		
	50	0	22.32	22.48	22.31	21.33	21.59	21.4		

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
				Conducted power(dBm)						
BW	RB	RB		QPSK			16QAM			
(MHz)	Size	Offset	CH (Low) 18675	CH (Mid) 18900	CH (High) 19125	CH (Low) 18675	CH (Mid) 18900	CH (High) 19125		
	1	0	23.82	23.49	22.26	22.01	22.03	21.66		
15	1	74	23.32	23.54	23.61	21.53	22.23	21.76		
13	36	19	22.27	22.42	21.69	21.21	21.46	21.04		
	75	0	22.35	22.47	22.19	21.23	21.45	21.18		

	LTE Band 2_Uplink frequency band : 1850 to 1910 MHz									
				Conducted power(dBm)						
BW	DD	DD		QPSK			16QAM			
(MHz)	RB RB) Size Offset	CH (Low) 18700	CH (Mid) 18900	CH (High) 19100	CH (Low) 18700	CH (Mid) 18900	CH (High) 19100			
	1	0	23.44	23.33	23.44	21.76	21.81	21.82		
20	1	99	23.23	23.52	23.47	21.53	22.16	21.87		
20	50	25	22.24	22.4	22.05	21.26	21.43	21.06		
	100	0	22.29	22.5	22.31	21.24	21.4	21.21		

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 21 of 163

LTE Band 4

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
		Conducted power(dBm)								
BW	DD	RB RB		QPSK			16QAM			
(MHz)	Size	Offset	CH (Low) 19975	CH (Mid) 20175	CH (High) 20375	CH (Low) 19975	CH (Mid) 20175	CH (High) 20375		
	1	0	24.51	24.42	24.24	22.41	22.84	22.62		
5	1	24	24.43	24.43	24.1	22.73	22.87	22.19		
3	12	6	23.33	23.26	23.01	22.13	22.14	21.56		
	25	0	23.39	23.33	23.15	22.42	22.31	22.16		

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz									
			Conducted power(dBm)							
DVA	RB RB		QPSK			16QAM				
BW (MHz)	Size	Offset	CH (Low) 20000	CH (Mid) 20175	CH (High) 20350	CH (Low) 20000	CH (Mid) 20175	CH (High) 20350		
	1	0	24.42	24.26	24.25	22.58	22.19	22.58		
10	1	49	24.29	24.32	24.06	22.59	22.19	21.87		
	25	12	23.27	23.19	23.21	22.09	22.23	22.25		
	50	0	23.25	23.28	23.14	22.17	22.29	22.17		

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
				Conducted power(dBm)								
BW	DD	RB RB		QPSK		16QAM						
(MHz)	Size	Offset	CH (Low) 20025	CH (Mid) 20175	CH (High) 20325	CH (Low) 20025	CH (Mid) 20175	CH (High) 20325				
	1	0	24.42	24.39	24.38	22.75	22.56	22.45				
15	1	74	24.33	24.34	24.03	22.49	22.91	22.1				
13	36	19	23.28	23.26	23.13	22.31	22.19	22.08				
	75	0	23.23	23.18	23.17	22.15	22.16	22.06				

	LTE Band 4_Uplink frequency band : 1710 to 1755 MHz											
				Conducted power(dBm)								
BW	RB RB	DD.		QPSK		16QAM						
(MHz)	Size	Offset	CH (Low) 20050	CH (Mid) 20175	CH (High) 20300	CH (Low) 20050	CH (Mid) 20175	CH (High) 20300				
	1	0	24.41	24.35	24.37	22.64	22.18	22.39				
20	1	99	24.28	24.25	23.99	22.36	22.52	22.02				
20	50	25	23.22	23.24	23.1	22.24	22.22	22.25				
	100	0	23.25	23.23	23.22	22.19	22.11	22.26				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. documents. Inits document cannot be reproduced except in lan, "Miscas p.i." in an additional document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page 22 of 163

LTE Band 13

	LTE Band 13_Uplink frequency band : 777 to 787 MHz											
			Conducted power(dBm)									
BW	RB RB	DD		QPSK		16QAM						
(MHz)	Size	Offset	CH (Low) 23205	CH (Mid) 23230	CH (High) 23255	CH (Low) 23205	CH (Mid) 23230	CH (High) 23255				
	1	0	24.49	24.45	23.3	22.6	23.12	22.43				
5	1	24	24.26	24.39	24.22	22.22	22.45	22.39				
	12	6	23.49	23.05	23.1	22.5	21.46	21.53				
	25	0	23.36	23.08	23.09	22.32	22.21	22.12				

	LTE Band 13_Uplink frequency band : 777 to 787 MHz											
			Conducted power(dBm)									
BW RB	DD		QPSK			16QAM						
(MHz)	BW RB RB - Offset Offset	CH (Low)	CH (Mid) 23230	CH (High)	CH (Low)	CH (Mid) 23230	CH (High)					
	1	0		23.39			22.23					
10	1	49		23.24			22.38					
10	25	12		23.21			22.21					
	50	0		23.22			22.21					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份程製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unpowed to the one of the content of the law. documents. Inits document cannot be reproduced except in lan, "Miscas p.i." in an additional document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488



Page 23 of 163

7. EFFECTIVE RADIATED POWER AND EQUIVALENT ISOTROPIC RADIATED POWER MEASUREMENT

7.1. Standard Applicable

According to FCC §2.104

FCC 24.232(b) Mobile and portable stations are limited to 2 W EIRP.


FCC 27.50(c)(10) Portable stations (hand-held devices) are limited to 3 watts ERP.

FCC 27.50(d)(4) Fixed, mobile, and portable (hand-held) stations are limited to 1W EIRP.

FCC 27, 50(h)(2) Mobile and other user stations. Mobile stations are limited to 2 W EIRP

7.2. Test SET-UP

(A) Radiated Power Test Set-Up, Frequency Below1000MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279




Page 24 of 163

Radiated Power Test Set-UP Frequency Over 1 GHz



Substituted Method Test Set-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 25 of 163

7.3. Measurement Procedure

- The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 2. The EUT was placed on a non-conductive turntable using a non-conductive support. The radiated emission at the fundamental frequency was measured at 3 m with a test antenna and EMI spectrum analyzer.
- 3. During the measurement, the EUT was communication with the station. The highest emission was recorded with the rotation of the turntable and the lowering of the test antenna from 4m to 1m. The reading was recorded and the field strength (E in dBuV/m) was calculated
- 4. The testing follows the Measurement Procedure of FCC KDB 971168 D01
- 5. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a tx cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of spectrum reading equal to "Read Value" of step b. Record the power level of S.G.
- 6. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 7. ERP = S.G. output (dBm) + Antenna Gain (dBd) Cable Loss (dB)
- 8. Spectrum setting:
 - (1) Detector = Peak, marker the highest value of the detector by maximum hold, set RBW wide enough to capture the entire signal of emission, and VBW > =3xRBW.
 - (2) KDB 971168 D01 is adopted, and the procedure as lists under item 4, Measurement of the Average Power over the Fundamental Signal Bandwidth, is followed to set correspondingly for the acquisition of proper measurement data.

Set frequency = nominal signal center frequency;

Set span = 2 X occupied BW;

Set RBW ≈ 1~5% of the span, not to exceed 1 MHz

Set $VBW = 3 \times RBW$;

Select average power (RMS) detector

Set sweep time and number of measurement points to achieve a minimum of 1 millisecond/pt integration time (ex. Point = 601points, then sweet time = $601*10^{-3}$ = 6s.

Activate trace averaging routine over a minimum of 10 sweeps;

Activate marker/span pair and set span = signal or channel bandwidth;

Activate the band/interval power marker function;

Record the band power level:

Record adjusted value as the average signal power level. Then activate the occupied bandwidth measurement function.

The proper adjustment due to limitation of spectrum capability is given compensated to spectrum with conversion factor of 10*log (TBW/RBW), where TBW is the transmission of UE exceeding the maximum BW UE can extends, and RBW is the resolution BW in UE.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 26 of 163

7.4. Measurement Equipment Used

ERP,	EIRP MEASUREM	IENT EQUIPME	NT List 966 Ch	amber	
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
EMI Test Receiver	R&S	ESU 40	100363	04/18/2017	04/17/2018
Broadband Antenna	TESEQ	CBL 6112D	35240	11/03/2016	11/02/2017
Broadband Antenna	TESEQ	CBL 6112D	35243	11/09/2016	11/08/2017
Horn Antenna	ETS-Lindgren	3117	00143272	12/15/2016	12/16/2017
Horn Antenna	ETS-Lindgren	3117	143279	11/14/2016	11/13/2017
Horn Antenna	Schwarzbeck	BBHA9170	184	12/11/2016	12/10/2017
Horn Antenna	Schwarzbeck	BBHA9170	185	08/01/2017	07/31/2018
Pre Amplifier	EMC Instruments	EMC330	980096	12/12/2016	12/11/2017
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/12/2016	12/11/2017
Pre Amplifier	R&S	SCU-18	10204	12/12/2016	12/11/2017
Pre Amplifier	R&S	SCU-26	100780	12/12/2016	12/11/2017
Pre Amplifier	EMC Instruments	EMC184045B	980135	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2016	12/11/2017
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2016	12/11/2017
Attenuator	WOKEN	218FS-10	RF27	12/12/2016	12/11/2017
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018
Site NSA	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018
Site VSWR	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2017	05/03/2018
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.

f (886-2) 2298-0488

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 27 of 163

7.5. Measurement Result: (Peak) –using option of peak measurement (Int. Antenna)

	EUT				Measur	ement		
Operation	Fundamenta	СН	Antenn	S.G.	Antenna	Cable	EIRP	Limit
Band	1	СП	а	Output	Gain	Loss	LIKE	LIIIII
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1852.5	18625	V	17.68	9.95	-4.46	23.17	33.01
BAND 2	1652.5	10023	Н	15.55	9.95	-4.46	21.04	33.01
BW: 5M	1880.0	18900	V	18.33	10.04	-4.51	23.86	33.01
QPSK	1000.0	10900	Н	16.27	10.03	-4.51	21.79	33.01
RB: 1,0	1907.5	19175	V	16.66	10.12	-4.55	22.23	33.01
110. 1,0	1907.5	19175	Н	15.02	10.12	-4.55	20.59	33.01
LTE	1852.5	18625	V	17.54	9.95	-4.46	23.03	33.01
BAND 2	1652.5	10023	Н	15.3	9.95	-4.46	20.79	33.01
BW: 5M	1880.0	18900	V	17.81	10.04	-4.51	23.34	33.01
QPSK	1880.0	10900	Н	15.8	10.04	-4.51	21.33	33.01
RB: 1,24	1907.5	19175	V	16.76	10.12	-4.55	22.33	33.01
110. 1,24	1907.5	19173	Н	14.01	10.12	-4.55	19.58	33.01
LTE	1852.5	18625	V	17.26	9.95	-4.46	22.75	33.01
LTE BAND 2	1652.5	10023	Н	15.48	9.95	-4.46	20.97	33.01
BW: 5M	1880.0	18900	V	18.58	10.03	-4.51	24.1	33.01
16QAM	1880.0	10900	Н	15.95	10.03	-4.51	21.47	33.01
RB: 1,0	1907.5	19175	V	16.4	10.12	-4.55	21.97	33.01
17.0.1,0	1907.5	19175	Н	14.77	10.12	-4.55	20.34	33.01
LTE	1852.5	18625	V	17.55	9.95	-4.46	23.04	33.01
	1002.0	10023	Н	16.57	9.95	-4.46	22.06	33.01
BAND 2 BW: 5M 16QAM RB: 1,24	1880.0	18900	V	18.56	10.03	-4.51	24.08	33.01
	1880.0	10900	Н	16.82	10.03	-4.51	22.34	33.01
	1907.5 191	19175	V	16.62	10.12	-4.55	22.19	33.01
	1907.5	19113	Н	15.06	10.12	-4.55	20.63	33.01

(1) The RBW, VBW of SPA for frequency RBW=8MHz, VBW=8MHz Remark:

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 28 of 163

	EUT				Measur	ement		
Operation	Fundamenta	СН	Antenn	S.G.	Antenna	Cable	EIRP	l imit
Band	I	Сп	а	Output	Gain	Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1855.0	18650	V	17.51	9.95	-4.47	22.99	33.01
BAND 2	1000.0	10030	Н	15.61	9.95	-4.47	21.09	33.01
BW: 10M	1880.0	18900	V	18.3	10.03	-4.51	23.82	33.01
QPSK	1000.0	10000	Н	16.21	10.03	-4.51	21.73	33.01
RB: 1,0	1905.0	19150	V	16.59	10.09	-4.54	22.14	33.01
1(B. 1,0	1905.0	19150	Н	16.1	10.09	-4.54	21.65	33.01
LTE	1855.0	18650	V	17.07	9.96	-4.47	22.56	33.01
BAND 2	1000.0	10030	Н	16.48	9.96	-4.47	21.97	33.01
BW: 10M	1880.0	18900	V	17.45	10.04	-4.51	22.98	33.01
QPSK	1000.0	10000	Н	17.21	10.04	-4.51	22.74	33.01
RB: 1,49	1905.0	19150	V	15.88	10.12	-4.55	21.45	33.01
ND: 1,40	1903.0	19130	Н	15.36	10.12	-4.55	20.93	33.01
LTE	1855.0	18650	V	16.28	9.95	-4.47	21.76	33.01
BAND 2	1000.0	10000	Н	16.18	9.95	-4.47	21.66	33.01
BW: 10M	1880.0	18900	V	18.1	10.03	-4.51	23.62	33.01
16QAM	1000.0	10300	Н	17.06	10.03	-4.51	22.58	33.01
RB: 1,0	1905.0	19150	V	16.69	10.09	-4.54	22.24	33.01
	1303.0	13130	Н	16.12	10.11	-4.54	21.69	33.01
LTE	1855.0	18650	V	16.72	9.96	-4.47	22.21	33.01
	1000.0	10000	Н	16.66	9.96	-4.47	22.15	33.01
BAND 2 BW: 10M 16QAM RB: 1,49	1880.0	18900	V	17.85	10.04	-4.51	23.38	33.01
	1000.0	10000	Н	16.69	10.04	-4.51	22.22	33.01
	1905.0	19150	V	15.62	10.12	-4.55	21.19	33.01
112, .0	1000.0	10100	Н	15.51	10.12	-4.55	21.08	33.01

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. documents. This document carried be reproduced except in bit, "Miscas produced accept in bit,



Page 29 of 163

	EUT				Measur	ement		
Operation	Fundamenta	СН	Antenn	S.G.	Antenna		EIRP	Limit
Band	NALL-		a	Output	Gain	Loss	-ID	-ID
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1857.5	18675	V	17.83	9.95	-4.47	23.31	33.01
BAND 2			Н	16.7	9.95	-4.47	22.18	33.01
BW: 15M	1880.0	18900	V	18.92	10.02	-4.5	24.44	33.01
QPSK	1000.0	10000	Н	17.15	10.02	-4.5	22.67	33.01
RB: 1,0	1902.5	19125	V	17.79	10.09	-4.54	23.34	33.01
1.21.1,0	1302.3	15125	Н	16.99	10.08	-4.53	22.54	33.01
LTE	1857.5	18675	V	17.56	9.98	-4.48	23.06	33.01
LTE BAND 2	1057.5	10075	Н	16.71	9.98	-4.48	22.21	33.01
BAND 2 BW: 15M	1880.0	18900	V	17.59	10.05	-4.52	23.12	33.01
QPSK	1000.0	10900	Н	16.71	10.05	-4.52	22.24	33.01
RB: 1,74	1902.5	19125	V	16.54	10.12	-4.55	22.11	33.01
ND. 1,74	1902.5	19123	Н	16.46	10.12	-4.55	22.03	33.01
LTE	1857.5	18675	V	18.66	9.95	-4.47	24.14	33.01
LTE	1057.5	10075	Н	16.26	9.95	-4.47	21.74	33.01
BAND 2 BW: 15M	1880.0	18900	V	20.11	10.02	-4.5	25.63	33.01
16QAM	1000.0	10900	Н	17.33	10.02	-4.5	22.85	33.01
RB: 1,0	4000.5	40405	V	19.34	10.09	-4.54	24.89	33.01
ND. 1,0	1902.5	19125	Н	16.16	10.08	-4.53	21.71	33.01
	40575	40075	V	19.57	9.98	-4.48	25.07	33.01
LTE	1857.5	18675	Н	16.94	9.98	-4.48	22.44	33.01
BAND 2	40000	40000	V	20.09	10.05	-4.52	25.62	33.01
BW: 15M	1880.0	18900	Н	17.07	10.05	-4.51	22.61	33.01
16QAM RB: 1,74	1000 5	40405	V	18.53	10.12	-4.55	24.1	33.01
ND. 1,14	1902.5	19125	Н	16.34	10.12	-4.55	21.91	33.01

(1)The RBW,VBW of SPA for frequency RBW= 8MHz , VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 30 of 163

	EUT				Measur	ement		
Operation	Fundamenta	СН	Antenn	S.G.	Antenna	Cable	EIRP	Limit
Band	I	CII	a	Output	Gain	Loss	LIIXF	LIIIIL
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1860.0	18700	V	17.79	9.95	-4.47	23.27	33.01
BAND 2	1000.0	10700	Н	15.89	9.95	-4.47	21.37	33.01
BW: 20M	1880.0	18900	V	18.69	10.01	-4.5	24.2	33.01
QPSK	1000.0	10300	Н	15.73	10.02	-4.5	21.25	33.01
RB: 1,0	1900.0	19100	V	18.89	10.08	-4.53	24.44	33.01
17.5.1,0		19100	Н	16.52	10.08	-4.53	22.07	33.01
LTE	1860.0	18700	V	17.76	9.99	-4.49	23.26	33.01
BAND 2	1000.0	10700	Н	15.63	9.99	-4.49	21.13	33.01
	1880.0	18900	V	19.08	10.05	-4.52	24.61	33.01
BW: 20M QPSK	1000.0	10300	Н	16.31	10.05	-4.52	21.84	33.01
RB: 1,99	1900.0	19100	V	17.12	10.12	-4.55	22.69	33.01
ND. 1,99	1900.0	19100	Н	15.92	10.12	-4.55	21.49	33.01
LTE	1860.0	18700	V	17.44	9.95	-4.47	22.92	33.01
BAND 2	1000.0	10700	Н	16	9.95	-4.47	21.48	33.01
BW: 20M	1880.0	18900	V	18.94	10.01	-4.5	24.45	33.01
16QAM	1000.0	10300	Н	16.21	10.01	-4.5	21.72	33.01
RB: 1,0	1900.0	19100	V	19.39	10.08	-4.53	24.94	33.01
ND. 1,0	1900.0	19100	Н	16.18	10.08	-4.53	21.73	33.01
LTE	1860.0	18700	V	17.76	9.99	-4.49	23.26	33.01
LTE	1000.0	10700	Н	16.01	9.99	-4.49	21.51	33.01
BAND 2 BW: 15M 16QAM	1880.0	18900	V	19.06	10.05	-4.52	24.59	33.01
	1000.0	10300	Н	16.86	10.05	-4.52	22.39	33.01
RB: 1,99	1900.0 19	19100	V	17.41	10.12	-4.55	22.98	33.01
11. 1,00	1900.0	19100	Н	15.63	10.12	-4.55	21.2	33.01

(1) The RBW, VBW of SPA for frequency RBW = 8MHz, VBW = 8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 31 of 163

	EUT				Measur	ement		
Operation	Fundamenta	СН	Antenn	S.G.	Antenna	Cable	EIRP	Limit
Band	I		a	Output	Gain	Loss	(.	
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1712.5	19975	V	16.08	9.48	-4.31	21.26	30.00
BAND 4	1712.0	10070	Н	20.11	9.48	-4.31	25.29	30.00
BW: 5M	1732.5	20175	V	15.37	9.55	-4.31	20.61	30.00
QPSK	1702.0	20170	Н	18.81	9.55	-4.31	24.05	30.00
RB: 1,0	1752.5	20375	V	15.74	9.62	-4.34	21.02	30.00
11211,0	1732.3	20070	Н	19.24	9.62	-4.34	24.53	30.00
LTE	1712.5	19975	V	15.86	9.48	-4.31	21.03	30.00
BAND 4	1712.5	19975	Н	20.11	9.48	-4.31	25.28	30.00
BW: 5M	1732.5	20175	V	15.03	9.55	-4.31	20.27	30.00
QPSK	1732.3	20173	Н	18.31	9.55	-4.31	23.55	30.00
RB: 1,24	1752.5	20375	V	15.47	9.62	-4.34	20.75	30.00
110. 1,24	1752.5	20373	Н	18.7	9.62	-4.34	23.98	30.00
LTE	1712.5	19975	V	15.6	9.48	-4.31	20.77	30.00
BAND 4	1712.5	19975	Н	20.01	9.48	-4.31	25.19	30.00
BW: 5M	1732.5	20175	V	15.32	9.55	-4.31	20.56	30.00
16QAM	1732.3	20175	Н	18.63	9.55	-4.31	23.87	30.00
RB: 1,0	1752.5	20375	V	15.89	9.62	-4.34	21.17	30.00
10.1,0	1752.5	20373	Н	19.06	9.62	-4.33	24.35	30.00
1.75	1712.5	19975	V	16.16	9.48	-4.31	21.33	30.00
LTE	1712.5		Н	20.25	9.48	-4.31	25.43	30.00
BAND 4 BW:5M	1732.5	20175	V	15.18	9.55	-4.31	20.42	30.00
16QAM	1732.3	20173	Н	18.41	9.55	-4.31	23.66	30.00
RB: 1,24	1752.5 2037	20375	V	15.64	9.62	-4.34	20.93	30.00
110. 1,24	1752.5	20373	Н	18.92	9.62	-4.34	24.21	30.00

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 32 of 163

	EUT				Measur	ement		
Operation	Fundamenta	СН	Antenn	S.G.	Antenna	Cable	EIRP	Limit
Band	l		a	Output	Gain	Loss		
	MHz		V/H	dBm	dBi	dB	dBm	dBm
LTE	1715.0	20000	V	15.56	9.49	-4.31	20.74	30.00
BAND 4	1710.0	20000	Н	19.98	9.49	-4.31	25.16	30.00
BW: 10M	1732.0	20175	V	15.59	9.55	-4.31	20.83	30.00
QPSK	1732.0		Н	18.79	9.55	-4.31	24.02	30.00
RB: 1,0	1750.0	20350	V	15.72	9.61	-4.33	21	30.00
11.0.1,0	1730.0	20330	Н	18.8	9.61	-4.33	24.07	30.00
	1715.0	20000	V	16.58	9.5	-4.31	21.77	30.00
LTE	1715.0	20000	Н	20.36	9.5	-4.31	25.55	30.00
BAND 4	1732.0	20175	V	15.13	9.56	-4.31	20.38	30.00
BW: 10M QPSK	1732.0	20173	Н	18.21	9.56	-4.31	23.45	30.00
RB: 1,49	1750.0	20350	V	15.6	9.62	-4.33	20.88	30.00
ND. 1,49	1750.0	20330	Н	18.84	9.62	-4.33	24.12	30.00
	1715.0	20000	V	15.57	9.49	-4.31	20.75	30.00
LTE BAND 4	1715.0	20000	Н	19.96	9.49	-4.31	25.13	30.00
BW: 10M	1732.0	20175	V	15.7	9.54	-4.31	20.93	30.00
16QAM	1732.0	20173	Н	18.89	9.54	-4.31	24.13	30.00
RB: 1,0	1750.0	20350	V	15.7	9.6	-4.33	20.98	30.00
10. 1,0	1750.0	20350	Н	18.68	9.61	-4.33	23.96	30.00
	1715.0	20000	V	16.57	9.5	-4.31	21.76	30.00
LTE	1715.0	20000	Н	20.54	9.5	-4.31	25.73	30.00
BAND 4 BW: 10M 16QAM RB: 1,49	1732.0	20175	V	15.11	9.56	-4.31	20.35	30.00
	1/32.0	20175	Н	18.5	9.56	-4.31	23.75	30.00
	1750.0	20350	V	15.61	9.62	-4.33	20.89	30.00
10. 1,49	1750.0	20330	Н	19.22	9.62	-4.33	24.51	30.00

(1) The RBW, VBW of SPA for frequency RBW=8MHz, VBW=8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 33 of 163

	EUT				Measur	ement		
Operation Band	Fundamenta	СН	Antenn a	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
Band	MHz		V/H	dBm	dBi	dB	dBm	dBm
		00005	V	15.6	9.49	-4.31	20.78	30.00
LTE	1717.5	20025	Н	18.51	9.51	-4.31	23.71	30.00
BAND 4 BW: 15M	1722 F	20175	V	16	9.54	-4.31	21.23	30.00
QPSK	1732.5	20175	Н	18.32	9.53	-4.31	23.54	30.00
RB: 1,0	1747.5	20325	V	10.95	9.59	-4.32	16.22	30.00
11,0	1747.5	20323	Н	16.08	9.59	-4.32	21.35	30.00
LTE	1717.5	20025	V	11.42	9.52	-4.31	16.63	30.00
BAND 4	1717.5	20025	Н	17.97	9.52	-4.31	23.18	30.00
BW: 15M	1732.5	20175	V	10.03	9.57	-4.31	15.29	30.00
QPSK	1732.3	20170	Н	15.84	9.57	-4.31	21.09	30.00
RB: 1,74	1747.5	20325	V	10.86	9.62	-4.33	16.14	30.00
1 (2) 1,7	1747.0	20020	Н	15.82	9.62	-4.33	21.1	30.00
LTE	1717.5	20025	V	9.06	9.49	-4.31	14.24	30.00
BAND 4	1717.5	20020	Н	18.04	9.49	-4.31	23.22	30.00
BW: 15M	1732.5	20175	V	11.06	9.54	-4.31	16.29	30.00
16QAM	1702.0	20170	Н	17.38	9.54	-4.31	22.61	30.00
RB: 1,0	1747.5	20325	V	10.3	9.59	-4.32	15.57	30.00
,			Н	15.55	9.59	-4.32	20.82	30.00
LTE	1717.5	20025	V	11.3	9.51	-4.31	16.51	30.00
BAND 4			Н	18.17	9.51	-4.31	23.37	30.00
BAND 4 BW: 15M 16QAM RB: 1,74	1732.5	20175	V	10.12	9.57	-4.31	15.37	30.00
			Н	16	9.57	-4.31	21.25	30.00
	1747.5	20325	V	11.11	9.62	-4.33	16.39	30.00
·			Н	15.84	9.62	-4.33	21.13	30.00

(1) The RBW, VBW of SPA for frequency RBW=8MHz, VBW=8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 34 of 163

EUT			Measurement						
Operation	Fundamenta	СН	Antenn	S.G.	Antenna	Cable	EIRP	Limit	
Band	I		a	Output	Gain	Loss			
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
LTE BAND 4	1720.0	20050	V	9.11	9.49	-4.31	14.29	30.00	
			Н	18.58	9.49	-4.31	23.76	30.00	
BW: 20M	1732.5	20175	V	11.19	9.53	-4.31	16.41	30.00	
QPSK	1732.3		Н	18.77	9.53	-4.31	23.99	30.00	
RB: 1,0	1745.0	20300	V	10.08	9.57	-4.31	15.34	30.00	
112. 1,0	1743.0		Н	17.4	9.57	-4.31	22.67	30.00	
LTE	1720.0	20050	V	11.69	9.53	-4.31	16.91	30.00	
BAND 4			Н	18.54	9.53	-4.31	23.76	30.00	
BW: 20M	1732.5	20175	V	10.6	9.57	-4.31	15.86	30.00	
QPSK			Н	17.57	9.57	-4.31	22.83	30.00	
RB: 1,99	1745.0	20300	V	9.69	9.62	-4.33	14.97	30.00	
			Н	18.04	9.61	-4.33	23.32	30.00	
LTE	1720.0	20050	V	16.28	9.48	-4.31	21.44	30.00	
BAND 4 BW: 20M 16QAM RB: 1,0			Н	18.4	9.49	-4.31	23.57	30.00	
	1732.5	20175	V	16.64	9.53	-4.31	21.86	30.00	
			Н	18.72	9.53	-4.31	23.94	30.00	
	1745.0	20300	V	15.02	9.57	-4.31	20.29	30.00	
			Н	17.27	9.57	-4.31	22.53	30.00	
LTE BAND 4 BW: 20M 16QAM RB: 1,99	1720.0	20050	V	16.09	9.53	-4.31	21.31	30.00	
			Н	18.11	9.53	-4.31	23.33	30.00	
	1732.5	20175	V	15.24	9.57	-4.31	20.51	30.00	
			Н	17.32	9.57	-4.31	22.58	30.00	
	1745.0	20300	V	15.12	9.61	-4.33	20.4	30.00	
			Н	17.64	9.61	-4.33	22.92	30.00	

(1) The RBW, VBW of SPA for frequency RBW=8MHz, VBW=8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 35 of 163

EUT			Measurement						
Operation Band	Fundamenta I	СН	Antenn a	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
LTE BAND 13	779.5	23205	V	13.16	3.27	-2.91	13.52	34.77	
			Н	19.78	3.28	-2.91	20.15	34.77	
BW: 5M	782.0	23230	V	14.25	3.29	-2.91	14.63	34.77	
QPSK	702.0		Н	21.33	3.29	-2.91	21.71	34.77	
RB: 1,0	784.5	23255	V	12.17	3.29	-2.91	12.55	34.77	
11,0			Н	19.9	3.29	-2.91	20.29	34.77	
LTE	779.5	23205	V	12.18	3.28	-2.91	12.55	34.77	
BAND 13			Н	19.1	3.29	-2.91	19.48	34.77	
BW: 5M	782.0	23230	V	10.63	3.29	-2.91	11	34.77	
QPSK RB: 1,24			Н	18.1	3.3	-2.9	18.49	34.77	
	784.5	23255	V	10.98	3.29	-2.91	11.37	34.77	
			Н	19.53	3.29	-2.91	19.92	34.77	
LTE BAND 13 BW: 5M 16QAM RB: 1,0	779.5	23205	V	13.35	3.28	-2.91	13.71	34.77	
			Н	20.09	3.28	-2.91	20.46	34.77	
	782.0	23230	V	14.31	3.28	-2.91	14.69	34.77	
			Н	21.15	3.28	-2.91	21.53	34.77	
	784.5	23255	V	12.38	3.28	-2.91	12.76	34.77	
			Н	20.3	3.29	-2.91	20.69	34.77	
LTE BAND 13 BW: 5M 16QAM RB: 1,24	779.5	23205	V	13.44	3.28	-2.91	13.81	34.77	
			Н	20.38	3.28	-2.91	20.75	34.77	
	782.0	23230	V	11.67	3.29	-2.91	12.05	34.77	
			Н	19.33	3.29	-2.91	19.71	34.77	
	784.5 2325	23255	V	11.85	3.29	-2.91	12.24	34.77	
			Н	20.25	3.29	-2.91	20.64	34.77	

(1) The RBW, VBW of SPA for frequency RBW=8MHz, VBW=8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 36 of 163

EUT			Measurement						
Operation Band	Fundamenta I	СН	Antenn a	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit	
	MHz		V/H	dBm	dBd	dB	dBm	dBm	
BAND 13 BW: 10M	782.0	23230	V	12.69	3.27	-2.91	13.05	34.77	
QPSK RB: 1,0			Н	17.4	3.28	-2.91	17.77	34.77	
BAND 13 BW: 10M	782.0	23230	V	11.09	3.29	-2.91	11.47	34.77	
QPSK RB: 1,49			Н	17.57	3.29	-2.91	17.95	34.77	
BAND 13 BW: 10M	782.0	23230	V	13.94	3.28	-2.91	14.31	34.77	
16QAM RB: 1,0			Н	18.34	3.28	-2.91	18.71	34.77	
BAND 13 BW: 10M	782.0	23230	V	12.04	3.29	-2.91	12.43	34.77	
16QAM RB: 1,49			Н	17.99	3.29	-2.91	18.37	34.77	

Remark: (1) The RBW, VBW of SPA for frequency RBW = 8MHz, VBW = 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 37 of 163

7.6. Measurement Result: (Peak) –using option of peak measurement (Ext. Antenna)

	EUT		Measurement					
Operation Band	Fundamenta I	СН	Antenn a	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1852.5	18625	V	17.68	9.95	-4.46	23.17	33.01
LTE	1652.5	10025	Н	15.55	9.95	-4.46	21.04	33.01
BAND 2 BW: 5M	1880.0	18900	V	18.33	10.04	-4.51	23.86	33.01
QPSK	1660.0	10900	Н	16.27	10.03	-4.51	21.79	33.01
RB: 1,0	1907.5	19175	V	16.66	10.12	-4.55	22.23	33.01
,	1907.5	19175	Н	15.02	10.12	-4.55	20.59	33.01
	1852.5	18625	V	17.54	9.95	-4.46	23.03	33.01
LTE	1032.3	10023	Н	15.3	9.95	-4.46	20.79	33.01
BAND 2 BW: 5M	1880.0	18900	V	17.81	10.04	-4.51	23.34	33.01
QPSK	1000.0	10300	Н	15.8	10.04	-4.51	21.33	33.01
RB: 1,24	1907.5	19175	V	16.76	10.12	-4.55	22.33	33.01
·	1907.5	19173	Н	14.01	10.12	-4.55	19.58	33.01
	1852.5	18625	V	17.26	9.95	-4.46	22.75	33.01
LTE BAND 2	1002.0	10023	Н	15.48	9.95	-4.46	20.97	33.01
BAND 2 BW: 5M	1880.0	18900	V	18.58	10.03	-4.51	24.1	33.01
16QAM	1000.0	10300	Н	15.95	10.03	-4.51	21.47	33.01
RB: 1,0	1907.5	19175	V	16.4	10.12	-4.55	21.97	33.01
	1507.5	13173	Н	14.77	10.12	-4.55	20.34	33.01
	1852.5	18625	V	17.55	9.95	-4.46	23.04	33.01
LTE	1002.0	10023	Н	16.57	9.95	-4.46	22.06	33.01
BAND 2	1880.0	18900	V	18.56	10.03	-4.51	24.08	33.01
BW: 5M 16QAM =	1000.0	10900	Н	16.82	10.03	-4.51	22.34	33.01
RB: 1,24	1907.5	19175	V	16.62	10.12	-4.55	22.19	33.01
	1907.5	19173	Н	15.06	10.12	-4.55	20.63	33.01

(1) The RBW, VBW of SPA for frequency RBW = 8MHz, VBW = 8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 38 of 163

	EUT				Measur	ement		
Operation	Fundamenta	СН	Antenn	S.G.	Antenna	Cable	EIRP	l im it
Band	I	Сп	а	Output	Gain	Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1855.0	18650	V	17.51	9.95	-4.47	22.99	33.01
LTE BAND 2	1000.0	10000	Н	15.61	9.95	-4.47	21.09	33.01
BW: 10M	1880.0	18900	V	18.3	10.03	-4.51	23.82	33.01
QPSK	1000.0	10900	Н	16.21	10.03	-4.51	21.73	33.01
RB: 1,0	1905.0	19150	V	16.59	10.09	-4.54	22.14	33.01
-	1905.0	19130	Н	16.1	10.09	-4.54	21.65	33.01
	1855.0	18650	V	17.07	9.96	-4.47	22.56	33.01
LTE	1000.0	10030	Н	16.48	9.96	-4.47	21.97	33.01
BAND 2 BW: 10M	1880.0	18900	V	17.45	10.04	-4.51	22.98	33.01
QPSK	1000.0	10900	Н	17.21	10.04	-4.51	22.74	33.01
RB: 1,49	1905.0	1905.0 19150	V	15.88	10.12	-4.55	21.45	33.01
,	1303.0	13130	Н	15.36	10.12	-4.55	20.93	33.01
	1855.0	18650	V	16.28	9.95	-4.47	21.76	33.01
LTE	1000.0	10030	Н	16.18	9.95	-4.47	21.66	33.01
BAND 2 BW: 10M	1880.0	18900	V	18.1	10.03	-4.51	23.62	33.01
16QAM	1000.0	10900	Н	17.06	10.03	-4.51	22.58	33.01
RB: 1,0	1905.0	19150	V	16.69	10.09	-4.54	22.24	33.01
-	1905.0	19130	Н	16.12	10.11	-4.54	21.69	33.01
	1855.0	18650	V	16.72	9.96	-4.47	22.21	33.01
LTE BAND 2	1000.0	10000	Н	16.66	9.96	-4.47	22.15	33.01
	1880.0	18900	V	17.85	10.04	-4.51	23.38	33.01
BW: 10M 16QAM	1000.0	10000	Н	16.69	10.04	-4.51	22.22	33.01
RB: 1,49	1905.0	19150	V	15.62	10.12	-4.55	21.19	33.01
	1000.0	10100	Н	15.51	10.12	-4.55	21.08	33.01

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. documents. This document carried be reproduced except in bit, "Miscas produced accept in bit,



Page 39 of 163

	EUT			Measurement						
Operation	Fundamental	СН	Antenna	S.G.	Antenna	Cable	EIRP	Limit		
Band	Frequency	OH	Pol.	Output	Gain	Loss	LIIVI	Lillin		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	MHz		V/H	dBm	dBi	dВ	dBm	dBm		
LTE	1857.5	18675	V	17.83	9.95	-4.47	23.31	33.01		
BAND 2	1037.3	10073	Н	16.7	9.95	-4.47	22.18	33.01		
BW: 15M	1880.0	18900	V	18.92	10.02	-4.5	24.44	33.01		
QPSK	1000.0	10900	Н	17.15	10.02	-4.5	22.67	33.01		
•	1902.5	19125	V	17.79	10.09	-4.54	23.34	33.01		
RB: 1,0	1902.5	19123	Н	16.99	10.08	-4.53	22.54	33.01		
LTE	1857.5	18675	V	17.56	9.98	-4.48	23.06	33.01		
BAND 2	1037.3	10073	Н	16.71	9.98	-4.48	22.21	33.01		
BW: 15M	1880.0	18900	V	17.59	10.05	-4.52	23.12	33.01		
QPSK	1000.0	10900	Н	16.71	10.05	-4.52	22.24	33.01		
RB: 1,74	1902.5	19125	V	16.54	10.12	-4.55	22.11	33.01		
ND. 1,74	1902.5	19123	Н	16.46	10.12	-4.55	22.03	33.01		
LTE	1857.5	18675	V	18.66	9.95	-4.47	24.14	33.01		
BAND 2	1037.3	10073	Н	16.26	9.95	-4.47	21.74	33.01		
BW: 15M	1880.0	18900	V	20.11	10.02	-4.5	25.63	33.01		
16QAM	1000.0	10300	Н	17.33	10.02	-4.5	22.85	33.01		
RB: 1,0	1902.5	19125	V	19.34	10.09	-4.54	24.89	33.01		
Kb. 1,0	1902.5	19123	Н	16.16	10.08	-4.53	21.71	33.01		
LTE	1857.5	18675	V	19.57	9.98	-4.48	25.07	33.01		
BAND 2	1007.0	10070	Н	16.94	9.98	-4.48	22.44	33.01		
BW: 15M	1880.0	18900	V	20.09	10.05	-4.52	25.62	33.01		
16QAM	1000.0	10300	Н	17.07	10.05	-4.51	22.61	33.01		
RB: 1,74	1902.5	19125	V	18.53	10.12	-4.55	24.1	33.01		
ND. 1,14	1902.0	10120	Н	16.34	10.12	-4.55	21.91	33.01		

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. documents. This document carried be reproduced except in bit, "Miscas produced accept in bit,

t (886-2) 2299-3279



Page 40 of 163

	EUT			Measurement					
Operation Band	Fundamental Frequency	СН	Antenna Pol.	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
	1860.0	18700	V	17.79	9.95	-4.47	23.27	33.01	
LTE	1000.0	10700	Н	15.89	9.95	-4.47	21.37	33.01	
BAND 2 BW: 20M	1880.0	18900	V	18.69	10.01	-4.5	24.2	33.01	
QPSK	1000.0	10300	Н	15.73	10.02	-4.5	21.25	33.01	
RB: 1,0	1900.0	19100	V	18.89	10.08	-4.53	24.44	33.01	
	1300.0	13100	Н	16.52	10.08	-4.53	22.07	33.01	
	1860.0	18700	V	17.76	9.99	-4.49	23.26	33.01	
LTE	1000.0	10700	Н	15.63	9.99	-4.49	21.13	33.01	
BAND 2 BW: 20M	1880.0	18900	V	19.08	10.05	-4.52	24.61	33.01	
QPSK	1000.0	10300	Н	16.31	10.05	-4.52	21.84	33.01	
RB: 1,99	1900.0	19100	V	17.12	10.12	-4.55	22.69	33.01	
	1300.0	13100	Н	15.92	10.12	-4.55	21.49	33.01	
1 mp	1860.0	18700	V	17.44	9.95	-4.47	22.92	33.01	
LTE BAND 2	1000.0	10700	Н	16	9.95	-4.47	21.48	33.01	
BW: 20M	1880.0	18900	V	18.94	10.01	-4.5	24.45	33.01	
16QAM	1000.0	10000	Н	16.21	10.01	-4.5	21.72	33.01	
RB: 1,0	1900.0	19100	V	19.39	10.08	-4.53	24.94	33.01	
	1300.0	13100	Н	16.18	10.08	-4.53	21.73	33.01	
1 mp	1860.0	18700	V	17.76	9.99	-4.49	23.26	33.01	
LTE BAND 2	1000.0	10700	Н	16.01	9.99	-4.49	21.51	33.01	
BW: 15M	1880.0	18900	V	19.06	10.05	-4.52	24.59	33.01	
16QAM	1000.0	10000	Н	16.86	10.05	-4.52	22.39	33.01	
RB: 1,99	1900.0	19100	V	17.41	10.12	-4.55	22.98	33.01	
	1300.0	10100	Н	15.63	10.12	-4.55	21.2	33.01	

Remark: (1) The RBW, VBW of SPA for frequency RBW=8MHz, VBW=8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 41 of 163

	EUT				Measur	ement		
Operation Band	Fundamenta I	СН	Antenn a	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
	MHz		V/H	dBm	dBi	dB	dBm	dBm
	1712.5	19975	V	21.58	9.49	-4.31	26.76	30.00
LTE	1712.5	19973	Н	16.19	9.49	-4.31	21.37	30.00
BAND 4 BW: 5M	1732.5	20175	V	22.03	9.55	-4.31	27.27	30.00
QPSK	1702.0	20173	Н	15.72	9.55	-4.31	20.96	30.00
RB: 1,0	1752.5	20375	V	21.97	9.61	-4.33	27.25	30.00
	1732.3	20070	Н	15.23	9.61	-4.33	20.51	30.00
	1712.5	19975	V	22.6	9.5	-4.31	27.79	30.00
LTE BAND 4	1712.0	10070	Н	17	9.5	-4.31	22.19	30.00
BW: 5M	1732.5	20175	V	22.11	9.56	-4.31	27.36	30.00
QPSK	1702.0	20173	Н	14.56	9.56	-4.31	19.81	30.00
RB: 1,24	1752.5	20375	V	21.97	9.62	-4.33	27.26	30.00
	1702.0	20070	Н	15.35	9.62	-4.33	20.64	30.00
	1712.5	19975	V	21.64	9.49	-4.31	26.82	30.00
LTE BAND 4	1712.0	19970	Н	16.22	9.49	-4.31	21.4	30.00
BW: 5M	1732.5	20175	V	21.87	9.54	-4.31	27.1	30.00
16QAM	1702.0	20173	Н	15.86	9.54	-4.31	21.09	30.00
RB: 1,0	1752.5	20375	V	22.19	9.6	-4.33	27.46	30.00
	1732.3	20070	Н	15.07	9.61	-4.33	20.35	30.00
	1712.5	19975	V	23.29	9.5	-4.31	28.48	30.00
LTE BAND 4	17 12.5	19910	Н	16.9	9.5	-4.31	22.09	30.00
	1732.5	20175	V	21.78	9.56	-4.31	27.03	30.00
BW: 5M 16QAM	1702.0	20170	Н	14.53	9.56	-4.31	19.78	30.00
RB: 1,24	1752.5	20375	V	22.37	9.62	-4.33	27.66	30.00
		20070	Н	15.91	9.62	-4.33	21.2	30.00

(1) The RBW, VBW of SPA for frequency RBW=8MHz, VBW=8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 42 of 163

	EUT				Measur	ement		
Operation Band	Fundamenta	СН	Antenn a	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit
Bana	MHz		V/H	dBm	dBi	dB	dBm	dBm
		00000	V	21.82	9.49	-4.31	27	30.00
LTE	1715.0	20000	Н	16.73	9.49	-4.31	21.91	30.00
BAND 4 BW: 10M	1732.0	20175	V	22.25	9.55	-4.31	27.49	30.00
QPSK	1732.0	20175	Н	15.25	9.55	-4.31	20.49	30.00
RB: 1,0	1750.0	20350	V	22.52	9.61	-4.33	27.8	30.00
, -	1750.0	20330	Н	15.21	9.61	-4.33	20.49	30.00
	1715.0	20000	V	23.18	9.5	-4.31	28.37	30.00
LTE BAND 4	17 13.0	20000	Н	16.38	9.5	-4.31	21.57	30.00
BW: 10M	1732.0	20175	V	21.75	9.56	-4.31	27	30.00
QPSK	1702.0	20173	Н	14.39	9.56	-4.31	19.64	30.00
RB: 1,49	1750.0	20350	V	22.34	9.62	-4.33	27.63	30.00
	1700.0		Н	15.46	9.62	-4.33	20.75	30.00
	1715.0	20000	V	22.08	9.49	-4.31	27.26	30.00
LTE BAND 4			Н	16.37	9.49	-4.31	21.55	30.00
BW: 10M	1732.0	20175	V	22.45	9.54	-4.31	27.68	30.00
16QAM			Н	15.7	9.54	-4.31	20.93	30.00
RB: 1,0	1750.0	20350	V	22.23	9.6	-4.33	27.5	30.00
			Н	14.99	9.61	-4.33		30.00
LTE	1715.0	20000	V	23.13	9.5	-4.31	28.32	30.00
BAND 4			Н	17.52	9.5	-4.31	22.71	30.00
	1732.0	20175	V	21.64	9.56	-4.31	26.89	30.00
			Н	15.39	9.56	-4.31	20.64	30.00
RB: 1,49	1750.0	20350	V	22.26	9.62	-4.33	27.55	30.00
			Н	15.7	9.62	-4.33	20.99	30.00

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. documents. This occument cannot be reproduced except in lan, "Miscas p.i." in an additional document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 43 of 163

	EUT			Measurement						
Operation Band	Fundamenta I	СН	Antenn a	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit		
	MHz		V/H	dBm	dBi	dB	dBm	dBm		
	1717.5	20025	V	21.16	9.49	-4.31	26.34	30.00		
LTE	1717.5	20023	Н	16.04	9.51	-4.31	21.24	30.00		
BAND 4 BW: 15M	1732.5	20175	V	22.2	9.54	-4.31	27.43	30.00		
QPSK	1732.3	20173	Н	14.34	9.53	-4.31	19.56	30.00		
RB: 1,0	1747.5	20325	V	17.84	9.59	-4.32	23.11	30.00		
·	1747.5	20323	Н	12.85	9.59	-4.32	18.12	30.00		
	1717.5	20025	V	18.07	9.52	-4.31	23.28	30.00		
LTE BAND 4	1717.5	20020	Н	14.53	9.52	-4.31	19.74	30.00		
BW: 15M	1732.5	20175	V	16.93	9.57	-4.31	22.19	30.00		
QPSK	1732.3	20173	Н	12.01	9.57	-4.31	17.27	30.00		
RB: 1,74	1747.5	20325	V	17.62	9.62	-4.33	22.91	30.00		
	17-77.0	20020	Н	12.6	9.62	-4.33	17.89	30.00		
	1717.5	20025	V	15.52	9.49	-4.31	20.7	30.00		
LTE BAND 4	1717.5	20020	Н	14.66	9.49	-4.31	19.84	30.00		
BW: 15M	1732.5	20175	V	17.9	9.54	-4.31	23.13	30.00		
16QAM	1702.0	20170	Н	13.45	9.54	-4.31	18.68	30.00		
RB: 1,0	1747.5	20325	V	16.98	9.59	-4.32	22.25	30.00		
	17 17.0	20020	Н	11.74	9.59	-4.32	17.01	30.00		
,	1717.5	20025	V	18.08	9.51	-4.31	23.28	30.00		
LTE BAND 4	1717.0	20020	Н	15.16	9.51	-4.31	20.36	30.00		
BAND 4 BW: 15M 16QAM	1732.5	20175	V	16.74	9.57	-4.31	22	30.00		
	1702.0	20170	Н	12.84	9.57	-4.31	18.1	30.00		
RB: 1,74	1747.5	20325	V	17.12	9.62	-4.33	22.41	30.00		
	17 17.0		Н	11.97	9.62	-4.33	17.26	30.00		

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 44 of 163

	EUT		Measurement						
Operation Band	Fundamenta I	СН	Antenn a	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
	4700.0	20050	V	21.07	9.49	-4.31	26.25	30.00	
LTE	1720.0	20050	Н	14.96	9.49	-4.31	20.14	30.00	
BAND 4 BW: 20M	1732.5	20175	V	18.03	9.53	-4.31	23.25	30.00	
QPSK	1732.5	20175	Н	14.96	9.53	-4.31	20.18	30.00	
RB: 1,0	1745.0	20300	V	16.41	9.57	-4.31	21.67	30.00	
	1745.0	20300	Н	13.69	9.57	-4.31	18.95	30.00	
	1720.0	20050	V	17.89	9.53	-4.31	23.11	30.00	
LTE	1720.0	20030	Н	14.61	9.53	-4.31	19.83	30.00	
BAND 4	1732.5	20175	V	17.07	9.57	-4.31	22.33	30.00	
BW: 20M QPSK	1732.3	20173	Н	13.73	9.57	-4.31	18.99	30.00	
RB: 1,99	1745.0	15.0 20300	V	16.51	9.62	-4.33	21.8	30.00	
,	1743.0	20300	Н	14.58	9.61	-4.33	19.86	30.00	
	1720.0	20050	V	22.58	9.48	-4.31	27.75	30.00	
LTE	1720.0	20030	Н	15.3	9.49	-4.31	20.48	30.00	
BAND 4 BW: 20M	1732.5	20175	V	23.54	9.53	-4.31	28.76	30.00	
16QAM	1732.3	20173	Н	15.68	9.53	-4.31	20.9	30.00	
RB: 1,0	1745.0	20300	V	21.38	9.57	-4.31	26.64	30.00	
	1743.0	20300	Н	14.08	9.57	-4.31	19.34	30.00	
	1720.0	20050	V	22.61	9.53	-4.31	27.83	30.00	
LTE	1720.0	20030	Н	14.58	9.53	-4.31	19.8	30.00	
BAND 4 BW: 20M 1732. 16QAM RB: 1,99 1745	1732.5	20175	V	21.98	9.57	-4.31	27.24	30.00	
	17 02.0	20173	Н	13.76	9.57	-4.31	19.02	30.00	
	1745.0	20300	V	21.95	9.61	-4.33	27.23	30.00	
•	17 43.0	20000	Н	14.1	9.61	-4.33	19.38	30.00	

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 45 of 163

	EUT			Measurement					
Operation Band	Fundamenta I	СН	Antenn a	S.G. Output	Antenna Gain	Cable Loss	EIRP	Limit	
	MHz		V/H	dBm	dBi	dB	dBm	dBm	
	770.5	22205	V	14.35	3.27	-2.91	14.71	34.77	
LTE	779.5	23205	Н	21.18	3.28	-2.91	21.55	34.77	
BAND 13 BW: 5M	782.0	23230	V	15.61	3.29	-2.91	15.99	34.77	
QPSK	702.0	23230	Н	23.16	3.29	-2.91	23.54	34.77	
RB: 1,0	784.5	23255	V	14.17	3.29	-2.91	14.55	34.77	
	764.5	23233	Н	20.92	3.29	-2.91	21.3	34.77	
	779.5	23205	V	14.1	3.28	-2.91	14.47	34.77	
LTE	119.5	23203	Н	20.11	3.29	-2.91	20.49	34.77	
BAND 13 BW: 5M	782.0	23230	V	12.59	3.29	-2.91	12.97	34.77	
QPSK	702.0	23230	Н	19.93	3.3	-2.9	20.33	34.77	
RB: 1,24	784.5	23255	V	12.56	3.29	-2.91	12.94	34.77	
	704.5	20200	Н	20.66	3.29	-2.91	21.04	34.77	
	779.5	23205	V	14.72	3.28	-2.91	15.09	34.77	
LTE BAND 13	113.5	20200	Н	21.65	3.28	-2.91	22.02	34.77	
BW: 5M	782.0	23230	V	15.8	3.28	-2.91	16.17	34.77	
16QAM	702.0	20200	Н	22.87	3.28	-2.91	23.24	34.77	
RB: 1,0	784.5	23255	V	13.93	3.28	-2.91	14.3	34.77	
	704.0	20200	Н	21.69	3.29	-2.91	22.07	34.77	
	779.5	23205	V	14.83	3.28	-2.91	15.2	34.77	
LTE BAND 13	110.0	20200	Н	22.07	3.28	-2.91	22.44	34.77	
BAND 13 BW: 5M 16QAM RB: 1,24	782.0	23230	V	13.44	3.29	-2.91	13.82	34.77	
	7 02.0	20200	Н	20.68		-2.91	21.06	34.77	
	784.5	23255	V	13.27	3.29	-2.91	13.65	34.77	
	704.0	20200	Н	21.27	3.29	-2.91	21.65	34.77	

(1) The RBW, VBW of SPA for frequency RBW= 8MHz, VBW= 8MHz Remark:

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 46 of 163

	EUT			Measurement						
Operation Band	Fundamenta I Frequency	СН	Antenn a Pol.	S.G. Output	Antenna Gain	Cable Loss	ERP	Limit		
	MHz		V/H	dBm	dBd	dB	dBm	dBm		
BAND 13 BW: 10M	702.0	22220	V	16.59	3.27	-2.91	16.95	34.77		
QPSK RB: 1,0	782.0	23230	H	19.58	3.28	-2.91	19.95	34.77		
BAND 13 BW: 10M	702.0	22220	V	14.46	3.29	-2.91	14.84	34.77		
QPSK RB: 1,49	782.0	23230	Н	19.9	3.29	-2.91	20.28	34.77		
BAND 13 BW: 10M	702.0	22220	V	17.59	3.28	-2.91	17.96	34.77		
16QAM RB: 1,0	782.0	23230	Н	20.68	3.28	-2.91	21.90	34.77		
BAND 13 BW: 10M	782.0	23230	V	15.24	3.29	-2.91	15.62	34.77		
16QAM RB: 1,49	702.0	23230	Н	20.13	3.29	-2.91	20.51	34.77		

Remark:

(1) The RBW, VBW of SPA for frequency RBW = 8MHz, VBW = 8MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this decument is unlockful and effendent may be presented to the fuller current of the law.

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 47 of 163

8. OCCUPIED BANDWIDTH MEASUREMENT

8.1. Standard Applicable

The occupied bandwidth is the frequency bandwidth such that, below its lower and above its upper frequency limits, the mean powers radiated are each equal to 0.5 percent of the total mean power.

8.2. Test Set-up



8.3. Measurement Procedure

99% &26dB Bandwidth with detector peak

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% of emission BW, VBW= 3 times RBW, -26dBc display line was placed on the screen (or 26dB bandwidth), the occupied bandwidth is the delta frequency between the two points where the display line intersects the signal trace. Then set RBW to 99% bandwidth, RBW= 1%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

99% Bandwidth with detector sample

The EUT's output RF connector was connected with a short cable to the spectrum analyzer, RBW was set to about 1% ~ 5% of emission BW, VBW= 3 times RBW, -20dBc display line was placed on the screen (or 20dB bandwidth). Set RBW to 99% bandwidth, RBW= 1% ~ 5%, VBW= 3 RBW, with span > 2 * Signal BW, set % Power = 99%.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page 48 of 163

8.4. Measurement Equipment Used

Conduc	ted Emission (m	neasured at a	antenna port)	Test Site				
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.			
TYPE		NUMBER	NUMBER	CAL.				
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018			
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018			
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2016	12/11/2017			
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/13/2017	06/12/2018			
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017			
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2016	12/11/2017			
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017			
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 49 of 163

8.5. Measurement Result

	LTE BAND 2 Channel bandwidth: 5MHz								
Freq.	CLI	CH 99% BW (MHz) 26 dB BW (MHz)							
(MHz)	СП	QPSK	16QAM	QPSK	16QAM				
1852.5	18625	4.4858	4.9040	4.912	4.940				
1880.0	18900	4.4877	4.9040	4.899	4.908				
1907.5	19175	4.4847	4.4893	4.933	4.926				

LTE BAND 2 Channel bandwidth: 15MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)	Cr	QPSK	16QAM	QPSK	16QAM		
1857.5	18675	13.556	13.522	14.82	14.79		
1880.0	18900	13.484	13.483	14.79	14.86		
1902.5	19125	13.517	13.511	14.84	14.81		

LTE BAND 4 Channel bandwidth: 5MHz							
Freq.	CLI	99% BW (MHz)		26 dB BW (MHz)			
(MHz)	CH	QPSK	16QAM	QPSK	16QAM		
1712.5	19957	4.4861	4.4911	4.925	4.924		
1732.5	20175	4.4846	4.8800	4.919	4.926		
1752.5	20375	4.4847	4.4898	4.929	4.260		

LTE BAND 4 Channel bandwidth: 15MHz							
Freq.	CH	99% BW (MHz)		26 dB BW (MHz)			
(MHz)	C	QPSK	16QAM	QPSK	16QAM		
1717.5	20025	13.521	13.507	14.79	14.96		
1732.5	20175	13.498	13.487	14.73	14.82		
1747.5	20325	13.486	13.485	14.76	14.90		

LTE BAND 13 Channel bandwidth: 5MHz						
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)		
(MHz)	СП	QPSK	16QAM	QPSK	16QAM	
779.5	23205	4.4928	4.5011	4.947	4.957	
782.0	23230	4.4846	4.4907	4.897	4.915	
784.5	23255	4.4782	4.4829	4.919	4.917	

LTE BAND 2 Channel bandwidth: 10MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM		
1855.0	18650	9.0091	8.9629	9.886	9.726		
1880.0	18900	9.0045	8.9563	9.833	9.715		
1905.0	19150	8.9947	8.9571	9.872	9.720		

LTE BAND 2 Channel bandwidth: 20MHz							
Freq.	СН	99% BW (MHz) 26 d		26 dB B	BW (MHz)		
(MHz)	СП	QPSK	16QAM	QPSK	16QAM		
1860.0	0.0 18700	18.000	18.048	19.52	19.59		
1880.0	18900	17.886	17.957	19.47	19.48		
1900.0	19100	17.969	18.000	19.45	19.60		

LTE BAND 4 Channel bandwidth: 10MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM		
1715.0	20000	8.9837	8.9638	9.802	9.758		
1732.5	20175	8.9852	8.9507	9.844	9.716		
1750.0	20350	9.0003	8.9527	9.849	9.735		

LTE BAND 4 Channel bandwidth: 20MHz							
Freq.	СН	99% BW (MHz) 26 dB BW		BW (MHz)			
(MHz)	Сп	QPSK	16QAM	QPSK	16QAM		
1720.0	20050	17.979	18.019	19.56	19.59		
1732.5	20175	17.901	17.955	19.48	19.43		
1745.0	20300	17.926	17.978	19.37	19.51		

LTE BAND 13 Channel bandwidth: 10MHz							
Freq.	СН	99% BW (MHz)		26 dB BW (MHz)			
(MHz)		QPSK	16QAM	QPSK	16QAM		
782.0	23230	8.9855	9.7000	9.944	8.942		


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

Member of SGS Group







Band2_5MHz_QPSK_25_0_LowCH18625-1852.5

Genter Pro


Band2 5MHz QPSK 25 0 MidCH18900-1880



Band2_5MHz_QPSK_25_0_HighCH19175-1907.5



Band2_5MHz_16QAM_25_0_LowCH18625-1852.5



Band2_5MHz_16QAM_25_0_MidCH18900-1880



Band2_5MHz_16QAM_25_0_HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since State the state of the s format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms, available of reduced or accessible at www.sgs.com/terms, available or or accessible at <a href= document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Band2_10MHz_16QAM_50_0_LowCH18650-1855


Report No.: ER/2017/90168

Band2_10MHz_QPSK_50_0_LowCH18650-1855






Band2_10MHz_QPSK_50_0_MidCH18900-1880




Band2_10MHz_16QAM_50_0_MidCH18900-1880



Band2_10MHz_QPSK_50_0_HighCH19150-1905



Band2_10MHz_16QAM_50_0_HighCH19150-1905




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since State the state of the s format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms, available of reduced or accessible at www.sgs.com/terms, available or or accessible at <a href= document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com







Band2_15MHz_QPSK_75_0_LowCH18675-1857.5

Gerder Pro 5,956 kHz


Band2_15MHz_QPSK_75_0_MidCH18900-1880




Band2_15MHz_QPSK_75_0_HighCH19125-1902.5




Band2_15MHz_16QAM_75_0_LowCH18675-1857.5



Band2_15MHz_16QAM_75_0_MidCH18900-1880



Band2_15MHz_16QAM_75_0_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Since State the state of the s

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms, available of reduced or accessible at www.sgs.com/terms, available or or accessible at <a href= document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

台灣檢驗科技股份有限公司







Band2_20MHz_QPSK_100_0_LowCH18700-1860

Gerter Pr 18.000 MHz 2.574 kiltz


Band2_20MHz_QPSK_100_0_MidCH18900-1880




Band2_20MHz_QPSK_100_0_HighCH19100-1900



Band2_20MHz_16QAM_100_0_LowCH18700-1860



Band2_20MHz_16QAM_100_0_MidCH18900-1880



Band2_20MHz_16QAM_100_0_HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since State the state of the s format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms, available of reduced or accessible at www.sgs.com/terms, available or or accessible at <a href= document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

www.tw.sqs.com




Page 54 of 163


Band4_5MHz_QPSK_25_0_LowCH19975-1712.5




Band4_5MHz_16QAM_25_0_LowCH19975-1712.5




Band4_5MHz_QPSK_25_0_MidCH20175-1732.5



Band4_5MHz_16QAM_25_0_MidCH20175-1732.5



Band4_5MHz_QPSK_25_0_HighCH20375-1752.5



Band4_5MHz_16QAM_25_0_HighCH20375-1752.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since State the state of the s format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms, available of reduced or accessible at www.sgs.com/terms, available or or accessible at <a href= document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sgs.com







Band4_10MHz_QPSK_50_0_LowCH20000-1715

Gerder Pro 2,183 kHz


Band4 10MHz QPSK 50 0 MidCH20175-1732.5



Band4_10MHz_QPSK_50_0_HighCH20350-1750




Band4_10MHz_16QAM_50_0_LowCH20000-1715



Band4_10MHz_16QAM_50_0_MidCH20175-1732.5



Band4_10MHz_16QAM_50_0_HighCH20350-1750




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since State the state of the s format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms, available of reduced or accessible at www.sgs.com/terms, available or or accessible at <a href= document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279




Band4_15MHz_QPSK_75_0_LowCH20025-1717.5

Ref 30,00 dBm Gerder Pro 13.521 MHz 30,701 kHz


Band4_15MHz_QPSK_75_0_MidCH20175-1732.5



Band4_15MHz_QPSK_75_0_HighCH20325-1747.5



Band4_15MHz_16QAM_75_0_LowCH20025-1717.5



Band4_15MHz_16QAM_75_0_MidCH20175-1732.5



Band4_15MHz_16QAM_75_0_HighCH20325-1747.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since State the state of the s format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms, available of reduced or accessible at www.sgs.com/terms, available or or accessible at <a href= document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279







Band4_20MHz_QPSK_100_0_LowCH20050-1720

Genter Pro 34,125 kiltz


Band4_20MHz_QPSK_100_0_MidCH20175-1732.5



Band4_20MHz_QPSK_100_0_HighCH20300-1745




Band4_20MHz_16QAM_100_0_LowCH20050-1720



Band4_20MHz_16QAM_100_0_MidCH20175-1732.5



Band4_20MHz_16QAM_100_0_HighCH20300-1745




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Since State the state of the s format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms, available of reduced or accessible at www.sgs.com/terms, available or or accessible at <a href= document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






Band13_5MHz_QPSK_25_0_LowCH23205-779.5

Genter Pro 1,606 kHz


Band13_5MHz_QPSK_25_0_MidCH23230-782



Band13_5MHz_QPSK_25_0_HighCH23255-784.5




Band13_5MHz_16QAM_25_0_LowCH23205-779.5



Band13_5MHz_16QAM_25_0_MidCH23230-782



Band13_5MHz_16QAM_25_0_HighCH23255-784.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms, available of reduced or accessible at www.sgs.com/terms, available or or accessible at <a href= document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sqs.com



Page 59 of 163



Band13_10MHz_QPSK_50_0_MidCH23230-782



Band13_10MHz_16QAM _50_0_HighCH23230-782



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sode responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 60 of 163

9. OUT OF BAND EMISSION AT ANTENNA TERMINALS

9.1. Standard Applicable

FCC §22.917(a), §24.238(a), §27.53(h),Out of band emissions. The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43 + 10 log(P) dB.

FCC §27.53(c)

- (c) For operations in the 746–758 MHz band and the 776–788 MHz band, the power of any emission outside the licensee's frequency band(s) of operation shall be attenuated below the transmitter power (P) within the licensed band(s) of operation, measured in watts, in accordance with the following:
- (2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB (-13dBm)
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

§27.53 (f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

FCC §27.53(c) (5) & FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 欧北里安拉明,北朝朱廷明建设建设的10年。大和朱王硕士入司李正代证,不可如公道制。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號



Page 61 of 163

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement nstrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic

format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 62 of 163

§90.691 Emission mask requirements for EA-based systems.

- (a) Out-of-band emission requirement shall apply only to the "outer" channels included in an EA license and to spectrum adjacent to interior channels used by incumbent licensees. The emission limits are as follows:
- (1) For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 116 Log10(f/6.1) decibels or 50 + 10 Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 12.5 kHz.
- (2) For any frequency removed from the EA licensee's frequency block greater than 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least 43 + 10Log10(P) decibels or 80 decibels, whichever is the lesser attenuation, where f is the frequency removed from the center of the outer channel in the block in kilohertz and where f is greater than 37.5 kHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 63 of 163

9.2. Test SET-UP



9.3. Measurement Procedure

Conducted Emission

The RF output of the transceiver was connected to a spectrum analyzer through appropriate attenuation The resolution bandwidth of the spectrum analyzer was set at 1MHz, sufficient scans were taken to show the out of band Emissions if any up to 10th harmonic.

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. Set RBW = 1MHz & VBW = 1MHz on Spectrum.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Band Edge

- 1. To connect Antenna Port of EUT to Spectrum.
- The band edge of low and high channels for the highest RF powers was measured. Setting RBW ≥ 1% EBW.
- 3. Allow trace to fully stabilize
- 4. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sqs.com/terms_and_conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms evaluate overleads a document is a devised by a defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitst of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 64 of 163

9.4. Measurement Equipment Used

modear amont Equipment Good										
Conduc	ted Emission (m	neasured at a	antenna port)	Test Site						
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018					
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018					
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2016	12/11/2017					
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/13/2017	06/12/2018					
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017					
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2016	12/11/2017					
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017					
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018					
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018					


9.5. Measurement Result:

Refer to next pages.

NOTE: The occurrence of the spike on the conducted emission is the signal of the fundamental emission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlocated and effective most be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





Band2_5MHz_QPSK_1_0_LowCH18625-1852.5



Band2_5MHz_QPSK_1_24_HighCH19175-1907.5



Band2_5MHz_QPSK_25_0_LowCH18625-1852.5



Band2_5MHz_QPSK_25_0_HighCH19175-1907.5



Band2_10MHz_QPSK_1_0_LowCH18650-1855



Band2_10MHz_QPSK_1_49_HighCH19150-1905




document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com






Band2_10MHz_QPSK_50_0_LowCH18650-1855




Band2_10MHz_QPSK_50_0_HighCH19150-1905




Band2_15MHz_QPSK_1_0_LowCH18675-1857.5



Band2_15MHz_QPSK_1_74_HighCH19125-1902.5




Band2_15MHz_QPSK_75_0_LowCH18675-1857.5



Band2_15MHz_QPSK_75_0_HighCH19125-1902.5



t (886-2) 2299-3279






Band2_20MHz_QPSK_1_0_LowCH18700-1860




Band2_20MHz_QPSK_1_99_HighCH19100-1900




Band2_20MHz_QPSK_100_0_LowCH18700-1860



Band2_20MHz_QPSK_100_0_HighCH19100-1900




Band4_5MHz_QPSK_1_0_LowCH19975-1712.5



Band4_5MHz_QPSK_1_24_HighCH20375-1752.5








Band4_5MHz_QPSK_25_0_LowCH19975-1712.5



Band4_5MHz_QPSK_25_0_HighCH20375-1752.5




Band4_10MHz_QPSK_1_0_LowCH20000-1715




Band4_10MHz_QPSK_1_49_HighCH20350-1750




Band4_10MHz_QPSK_50_0_LowCH20000-1715



Band4_10MHz_QPSK_50_0_HighCH20350-1750



t (886-2) 2299-3279






Band4_15MHz_QPSK_1_0_LowCH20025-1717.5



Band4_15MHz_QPSK_1_74_HighCH20325-1747.5




Band4_15MHz_QPSK_75_0_LowCH20025-1717.5




Band4_15MHz_QPSK_75_0_HighCH20325-1747.5




Band4_20MHz_QPSK_1_0_LowCH20050-1720




Band4_20MHz_QPSK_1_99_HighCH20300-1745








Band4_20MHz_QPSK_100_0_LowCH20050-1720



Band4_20MHz_QPSK_100_0_HighCH20300-1745




Band13_5MHz_QPSK_1_0_LowCH23205-779.5




Band13_5MHz_QPSK_1_24_HighCH23255-784.5




Band13 5MHz QPSK 25 0 LowCH23205-779.5



Band13_5MHz_QPSK_25_0_HighCH23255-784.5







Band13_10MHz_QPSK_1_0_LowCH23230-782




Band13_10MHz_QPSK_1_49_HighCH23230-782




Band13_10MHz_QPSK_50_0_Low CH23230-782



Band13_10MHz_QPSK_50_0_HighCH23230-782








Out of Band Emission


30MHz~3GHz_Band2_5MHz_QPSK_1_0_LowCH18625-1852.5




3GHz~10GHz_Band2_5MHz_QPSK_1_0_LowCH18625-1852.5



30MHz~3GHz_Band2_5MHz_QPSK_1_0_MidCH18900-1880




3GHz~10GHz_Band2_5MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_5MHz_QPSK_1_0_HighCH19175-1907.5



 $3 GHz \sim 10 GHz_Band2_5 MHz_QPSK_1_0_HighCH19175-1907.5$




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's sole responsibility is to its Client's company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. Unlocated and offenders much be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279





30MHz~3GHz_Band2_10MHz_QPSK_1_0_LowCH18650-1855




3GHz~10GHz_Band2_10MHz_QPSK_1_0_LowCH18650-1855




30MHz~3GHz_Band2_10MHz_QPSK_1_0_MidCH18900-1880




3GHz~10GHz_Band2_10MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_10MHz_QPSK_1_0_HighCH19150-1905




3GHz~10GHz_Band2_10MHz_QPSK_1_0_HighCH19150-1905




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's sole responsibility is to its Client's instructions, if any. The Company's sole responsibility is to its Client's representated the filled responsibility is to the content of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. Unlocated and offered many hereoverted the falled retreated retreated the falled retreated retreated retreated retreated retre document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





30MHz~3GHz_Band2_15MHz_QPSK_1_0_LowCH18675-1857.5



3GHz~10GHz_Band2_15MHz_QPSK_1_0_LowCH18675-1857.5




30MHz~3GHz_Band2_15MHz_QPSK_1_0_MidCH18900-1880




3GHz~10GHz_Band2_15MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_15MHz_QPSK_1_0_HighCH19125-1902.5




3GHz~10GHz_Band2_15MHz_QPSK_1_0_HighCH19125-1902.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's sole responsibility is to its Client's instructions, if any. The Company's sole responsibility is to its Client's representated the filled responsibility is to the content of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. Unlocated and offered many hereoverted the falled retreated retreated the falled retreated retreated retreated retreated retre document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





30MHz~3GHz_Band2_20MHz_QPSK_1_0_LowCH18700-1860




3GHz~10GHz_Band2_20MHz_QPSK_1_0_LowCH18700-1860




30MHz~3GHz_Band2_20MHz_QPSK_1_0_MidCH18900-1880




3GHz~10GHz_Band2_20MHz_QPSK_1_0_MidCH18900-1880




30MHz~3GHz_Band2_20MHz_QPSK_1_0_HighCH19100-1900




3GHz~10GHz_Band2_20MHz_QPSK_1_0_HighCH19100-1900







30MHz~3GHz_Band4_5MHz_QPSK_1_0_LowCH19975-1712.5




3GHz~10GHz_Band4_5MHz_QPSK_1_0_LowCH19975-1712.5




30MHz~3GHz_Band4_5MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~10GHz_Band4_5MHz_QPSK_1_0_MidCH20175-1732.5




30MHz~3GHz_Band4_5MHz_QPSK_1_0_HighCH20375-1752.5



3GHz~10GHz_Band4_5MHz_QPSK_1_0_HighCH20375-1752.5




t (886-2) 2299-3279






30MHz~3GHz_Band4_10MHz_QPSK_1_0_LowCH20000-1715




3GHz~10GHz_Band4_10MHz_QPSK_1_0_LowCH20000-1715




30MHz~3GHz_Band4_10MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~10GHz_Band4_10MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_10MHz_QPSK_1_0_HighCH20350-1750




3GHz~10GHz_Band4_10MHz_QPSK_1_0_HighCH20350-1750




台灣檢驗科技股份有限公司

f (886-2) 2298-0488







30MHz~3GHz_Band4_15MHz_QPSK_1_0_LowCH20025-1717.5



3GHz~10GHz_Band4_15MHz_QPSK_1_0_LowCH20025-1717.5




30MHz~3GHz_Band4_15MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~10GHz_Band4_15MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_15MHz_QPSK_1_0_HighCH20325-1747.5




3GHz~10GHz_Band4_15MHz_QPSK_1_0_HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's sole responsibility is to its Client's instructions, if any. The Company's sole responsibility is to its Client's representated the filled responsibility is to the content of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. Unlocated and offered many hereoverted the falled retreated retreated the falled retreated retreated retreated retreated retre document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279






30MHz~3GHz_Band4_20MHz_QPSK_1_0_LowCH20050-1720



3GHz~10GHz_Band4_20MHz_QPSK_1_0_LowCH20050-1720




30MHz~3GHz_Band4_20MHz_QPSK_1_0_MidCH20175-1732.5



3GHz~10GHz_Band4_20MHz_QPSK_1_0_MidCH20175-1732.5




30MHz~3GHz_Band4_20MHz_QPSK_1_0_HighCH20300-1745



3GHz~10GHz_Band4_20MHz_QPSK_1_0_HighCH20300-1745




台灣檢驗科技股份有限公司







30MHz~3GHz_Band13_5MHz_QPSK_1_0_LowCH23205-779.5




3GHz~10GHz_Band13_5MHz_QPSK_1_0_LowCH23205-779.5



30MHz~3GHz_Band13_5MHz_QPSK_1_0_MidCH23230-782




3GHz~10GHz_Band13_5MHz_QPSK_1_0_MidCH23230-782



30MHz~3GHz_Band13_5MHz_QPSK_1_0_HighCH23255-784.5



 $3 GHz \sim 10 GHz_B and 13_5 MHz_QPSK_1_0_High CH23255-784.5$




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's sole responsibility is to its Client's instructions, if any. The Company's sole responsibility is to its Client's representated the filled responsibility is to the content of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. Unlocated and offered many hereoverted the falled retreated retreated the falled retreated retreated retreated retreated retre document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488





30MHz~3GHz_Band13_10MHz_QPSK_1_0_MidCH23230-782



3GHz~10GHz_Band13_10MHz_QPSK_1_0_Mid CH23230-782



763.3MHz~775MHz_Band13_5MHz_QPSK_1_0_LowCH23205-779.5



793MHz~805MHz_Band13_5MHz_QPSK_1_0_LowCH23205-779.5



763.3MHz~775MHz_Band13_5MHz_QPSK_1_0_MidCH23230-782



793MHz~805MHz_Band13_5MHz_QPSK_1_0_MidCH23230-782




t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's sole responsibility is to its Client's instructions, if any. The Company's sole responsibility is to its Client's representated the filled responsibility is to the content of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. Unlocated and offered many hereoverted the falled retreated retreated the falled retreated retreated retreated retreated retre document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司






763.3MHz~775MHz_Band13_5MHz_QPSK_1_0_HighCH23255-784.5



793MHz~805MHz_Band13_5MHz_QPSK_1_0_HighCH23255-784.5



763.3MHz~775MHz_Band13_10MHz_QPSK_1_0_MidCH23230-782



793MHz~805MHz_Band13_10MHz_QPSK_1_0_MidCH23230-782



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction is sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client's company's sole responsibility is to its Client's instructions, if any. The Company's sole responsibility is to its Client's representated the filled responsibility is to the content of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. Unlocated and offered many hereoverted the falled retreated retreated the falled retreated retreated retreated retreated retre

document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 83 of 163

FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

10.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53 (h), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

§27.53 (c)

- (2) On any frequency outside the 776–788 MHz band, the power of any emission shall be attenuated outside the band below the transmitter power (P) by at least 43 + 10 log (P) dB (-13dBm)
- (4) On all frequencies between 763-775 MHz and 793-805 MHz, by a factor not less than 65 + 10 log (P) dB in a 6.25 kHz band segment, for mobile and portable stations;

§27.53 (f) For operations in the 746-758 MHz, 775-788 MHz, and 805-806 MHz bands, emissions in the band 1559-1610 MHz shall be limited to -70 dBW/MHz equivalent isotropically radiated power (EIRP) for wideband signals, and -80 dBW EIRP for discrete emissions of less than 700 Hz bandwidth. For the purpose of equipment authorization, a transmitter shall be tested with an antenna that is representative of the type that will be used with the equipment in normal operation.

FCC §27.53(c) (5) & FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teler only to the sample(s) restricted into source sample(s) restricted into source and source source). Expression and source source printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 84 of 163

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teler only to the sample(s) restricted into source sample(s) restricted into source and source source). Expression and source source printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page 85 of 163

Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber **Equipment**

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)^{Note}$
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)^{\text{Note}}$
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 5.2 for the permitted frequency ranges for various equipment types.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approach of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







Page 86 of 163

10.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 87 of 163

10.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency. Note:

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

"---": denotes Noise Floor.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teler only to the sample(s) restricted into source sample(s) restricted into source and source source). Expression and source source printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the state of the Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 88 of 163

Measurement Equipment Used:

U.4. Measurement Equipment Used: ERP, EIRP MEASUREMENT EQUIPMENT List 966 Chamber										
EQUIPMENT TYPE	MFR	MODEL	SERIAL	LAST CAL.	CAL DUE.					
		NUMBER	NUMBER							
EMI Test Receiver	R&S	ESU 40	100363	04/18/2017	04/17/2018					
Broadband Antenna	TESEQ	CBL 6112D	35240	11/03/2016	11/02/2017					
Broadband Antenna	TESEQ	CBL 6112D	35243	11/09/2016	11/08/2017					
Horn Antenna	ETS-Lindgren	3117	00143272	12/15/2016	12/16/2017					
Horn Antenna	ETS-Lindgren	3117	143279	11/14/2016	11/13/2017					
Horn Antenna	Schwarzbeck	BBHA9170	184	12/11/2016	12/10/2017					
Horn Antenna	Schwarzbeck	BBHA9170	185	08/01/2017	07/31/2018					
Pre Amplifier	EMC Instruments	EMC330	980096	12/12/2016	12/11/2017					
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/12/2016	12/11/2017					
Pre Amplifier	R&S SCU-18 10204 12/12/2010		12/12/2016	12/11/2017						
Pre Amplifier	R&S	SCU-26	100780	12/12/2016	12/11/2017					
Pre Amplifier	EMC Instruments	EMC184045B	980135	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2016	12/11/2017					
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2016	12/11/2017					
Attenuator	WOKEN	218FS-10	RF27	12/12/2016	12/11/2017					
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018					
Site NSA	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018					
Site VSWR	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018					
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2017	05/03/2018					
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.					
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.					
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.					
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.					

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 89 of 163

10.5. Measurement Result:


Radiated Spurious Emission Measurement Result: *Int. Antenna LTE-Band 2 / BW 15MHz / 16QAM / RB: 1, 0 (The Worst Case)

Operation Band :LTE B2 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1857.5 MHz Engineer :Tin

Operation Mode :Tx CH LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
66.86	S	-58.53	-50.66	-6.76	-1.11	-13.00	-45.53
173.56	S	-69.38	-67.58	-0.26	-1.53	-13.00	-56.38
277.35	S	-68.47	-70.05	3.45	-1.86	-13.00	-55.47
366.59	S	-68.29	-69.97	3.85	-2.17	-13.00	-55.29
541.19	S	-66.06	-67.08	3.63	-2.61	-13.00	-53.06
692.51	S	-62.52	-62.77	3.09	-2.84	-13.00	-49.52
3715.00	Н	-52.59	-58.45	12.44	-6.58	-13.00	-39.59
5572.50	Н	-42.72	-47.31	12.90	-8.30	-13.00	-29.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report reter only to the sample(s) tested and such sample(s) are retained for 90 days only.
Personal Part of the sample of the appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Operation Mode

Report No.: ER/2017/90168


Page 90 of 163

Operation Band :LTE B2 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1857.5 MHz Engineer :Tin

:Tx CH LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		J
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
30.00	S	-62.02	-46.28	-14.78	-0.96	-13.00	-49.02
146.40	S	-72.64	-68.91	-2.31	-1.42	-13.00	-59.64
298.69	S	-72.76	-74.41	3.60	-1.95	-13.00	-59.76
403.45	S	-68.23	-69.64	3.81	-2.40	-13.00	-55.23
521.79	S	-67.72	-69.05	3.74	-2.41	-13.00	-54.72
689.60	S	-64.79	-65.09	3.09	-2.79	-13.00	-51.79
3715.00	Н	-51.81	-57.68	12.44	-6.58	-13.00	-38.81
5572.50	Н	-46.70	-51.30	12.90	-8.30	-13.00	-33.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approach of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 91 of 163

Operation Band :LTE B2 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1880.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	['] dBm	dBi	dB	dBm	dB
65.89	S	-58.46	-50.32	-7.03	-1.10	-13.00	-45.46
165.80	S	-69.32	-66.61	-1.21	-1.50	-13.00	-56.32
248.25	S	-69.39	-71.05	3.41	-1.75	-13.00	-56.39
343.31	S	-69.00	-70.84	3.83	-1.99	-13.00	-56.00
529.55	S	-64.64	-65.85	3.70	-2.49	-13.00	-51.64
592.60	S	-63.11	-63.61	3.29	-2.79	-13.00	-50.11
3760.00	Н	-56.99	-62.85	12.45	-6.60	-13.00	-43.99
5640.00	Н	-44.74	-49.28	12.90	-8.36	-13.00	-31.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Operation Mode

Report No.: ER/2017/90168

Page 92 of 163


Operation Band :LTE B2 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1880.0 MHz Engineer :Tin

:Tx CH MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane

Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-61.99	-46.26	-14.78	-0.96	-13.00	-48.99
148.34	S	-72.61	-68.99	-2.19	-1.42	-13.00	-59.61
287.05	S	-73.61	-75.13	3.43	-1.91	-13.00	-60.61
410.24	S	-69.51	-70.90	3.78	-2.40	-13.00	-56.51
516.94	S	-68.27	-69.66	3.76	-2.37	-13.00	-55.27
694.45	S	-65.98	-66.19	3.09	-2.88	-13.00	-52.98
3760.00	Н	-54.06	-59.92	12.45	-6.60	-13.00	-41.06
5640.00	Н	-43.28	-47.82	12.90	-8.36	-13.00	-30.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approach of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 93 of 163

Operation Band :LTE B2 Temp./Humi. :22 deg_C / 62 RH

Pol.

Fundamental Frequen-:1902.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH Antenna :VERTICAL Measurement EUT Pol. :E2 Plane



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
65.89	S	-58.65	-50.52	-7.03	-1.10	-13.00	-45.65
167.74	S	-70.14	-67.56	-1.07	-1.51	-13.00	-57.14
246.31	S	-69.82	-71.45	3.38	-1.75	-13.00	-56.82
408.30	S	-69.36	-70.73	3.79	-2.41	-13.00	-56.36
522.76	S	-65.75	-67.06	3.73	-2.42	-13.00	-52.75
619.76	S	-63.19	-63.84	3.20	-2.55	-13.00	-50.19
3805.00	Н	-51.91	-57.75	12.46	-6.62	-13.00	-38.91
5707.50	Н	-41.55	-46.10	12.90	-8.36	-13.00	-28.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 94 of 163

Operation Band :LTE B2 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1902.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-60.29	-44.56	-14.78	-0.96	-13.00	-47.29
162.89	S	-73.09	-70.18	-1.42	-1.49	-13.00	-60.09
296.75	S	-72.97	-74.58	3.56	-1.95	-13.00	-59.97
367.56	S	-69.39	-71.06	3.85	-2.18	-13.00	-56.39
471.35	S	-67.89	-69.41	3.74	-2.22	-13.00	-54.89
655.65	S	-65.33	-66.07	3.13	-2.39	-13.00	-52.33
3805.00	Н	-53.78	-59.63	12.46	-6.62	-13.00	-40.78
5707.50	Н	-47.88	-52.42	12.90	-8.36	-13.00	-34.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approach of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 95 of 163


LTE-Band 4 / BW 10MHz / 16QAM / RB: 1, 49 (The Worst Case)

:22 deg_C / 62 RH **Operation Band** :LTE B4 Temp./Humi.

Fundamental Frequen-:1715.0 MHz Engineer :Tin

Operation Mode :Tx CH LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
65.89	S	-58.51	-50.37	-7.03	-1.10	-13.00	-45.51
160.95	S	-69.85	-66.80	-1.57	-1.48	-13.00	-56.85
241.46	S	-69.36	-70.93	3.31	-1.74	-13.00	-56.36
413.15	S	-69.08	-70.47	3.77	-2.38	-13.00	-56.08
534.40	S	-64.75	-65.88	3.67	-2.54	-13.00	-51.75
687.66	S	-62.65	-62.98	3.10	-2.76	-13.00	-49.65
3430.00	Н	-52.97	-59.03	12.28	-6.23	-13.00	-39.97
5145.00	Н	-45.42	-50.24	12.76	-7.94	-13.00	-32.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 96 of 163

Operation Band :LTE B4 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1715.0 MHz :Tin Engineer

Operation Mode :Tx CH LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-62.23	-46.49	-14.78	-0.96	-13.00	-49.23
146.40	S	-72.89	-69.17	-2.31	-1.42	-13.00	-59.89
274.44	S	-73.43	-75.05	3.47	-1.85	-13.00	-60.43
405.39	S	-68.29	-69.68	3.80	-2.41	-13.00	-55.29
516.94	S	-67.79	-69.19	3.76	-2.37	-13.00	-54.79
694.45	S	-65.83	-66.04	3.09	-2.88	-13.00	-52.83
3430.00	Н	-57.75	-63.80	12.28	-6.23	-13.00	-44.75
5145.00	Н	-48.22	-53.04	12.76	-7.94	-13.00	-35.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approach of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 97 of 163

Operation Band :LTE B4 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1732.5 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	['] dBm	dBi	dB	dBm	dB
65.89	S	-58.64	-50.51	-7.03	-1.10	-13.00	-45.64
160.95	S	-70.09	-67.04	-1.57	-1.48	-13.00	-57.09
251.16	S	-68.95	-70.66	3.47	-1.76	-13.00	-55.95
410.24	S	-68.31	-69.69	3.78	-2.40	-13.00	-55.31
526.64	S	-65.03	-66.28	3.71	-2.46	-13.00	-52.03
686.69	S	-63.18	-63.53	3.10	-2.74	-13.00	-50.18
3465.00	Н	-53.10	-59.20	12.34	-6.25	-13.00	-40.10
5197.50	Н	-45.39	-50.21	12.78	-7.96	-13.00	-32.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 98 of 163

Operation Band :LTE B4 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1732.5 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-58.18	-42.45	-14.78	-0.96	-13.00	-45.18
139.61	S	-72.94	-68.85	-2.70	-1.39	-13.00	-59.94
289.96	S	-73.96	-75.47	3.43	-1.92	-13.00	-60.96
371.44	S	-69.17	-70.81	3.84	-2.21	-13.00	-56.17
482.99	S	-66.97	-68.51	3.79	-2.25	-13.00	-53.97
699.30	S	-65.72	-65.84	3.08	-2.96	-13.00	-52.72
3465.00	Н	-57.63	-63.73	12.34	-6.25	-13.00	-44.63
5197.50	Н	-54.19	-59.01	12.78	-7.96	-13.00	-41.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approach of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 99 of 163

Operation Band :LTE B4 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1750.0 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		J
MHz	F/H/E/S	dBm	['] dBm	dBi	dB	dBm	dB
30.00	S	-58.26	-42.52	-14.78	-0.96	-13.00	-45.26
172.59	S	-70.48	-68.52	-0.44	-1.53	-13.00	-57.48
239.52	S	-70.08	-71.61	3.28	-1.74	-13.00	-57.08
381.14	S	-69.10	-70.67	3.84	-2.27	-13.00	-56.10
515.00	S	-64.87	-66.29	3.77	-2.36	-13.00	-51.87
689.60	S	-62.10	-62.40	3.09	-2.79	-13.00	-49.10
3500.00	Н	-52.70	-58.67	12.40	-6.43	-13.00	-39.70
5250.00	Н	-45.56	-50.34	12.80	-8.02	-13.00	-32.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 100 of 163

Operation Band :LTE B4 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1750.0 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		J
MHz	F/H/E/S	dBm	['] dBm	dBi	dB	dBm	dB
30.00	S	-61.48	-45.74	-14.78	-0.96	-13.00	-48.48
167.74	S	-73.07	-70.49	-1.07	-1.51	-13.00	-60.07
280.26	S	-73.76	-75.31	3.42	-1.88	-13.00	-60.76
382.11	S	-70.11	-71.67	3.83	-2.27	-13.00	-57.11
521.79	S	-67.74	-69.07	3.74	-2.41	-13.00	-54.74
696.39	S	-65.78	-65.95	3.09	-2.91	-13.00	-52.78
3500.00	Н	-54.92	-60.89	12.40	-6.43	-13.00	-41.92
5250.00	Н	-51.41	-56.20	12.80	-8.02	-13.00	-38.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 101 of 163


LTE-Band 13 / BW 5MHz / QPSK / RB: 1, 0 (The Worst Case)

Operation Band :LTE B13 Temp./Humi. :23 deg_C / 62 RH

Fundamental Frequen-:779.5 MHz Engineer :Tin

Operation Mode :Tx CH LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
63.95	S	-58.77	-50.09	-7.58	-1.10	-13.00	-45.77
167.74	S	-69.91	-67.33	-1.07	-1.51	-13.00	-56.91
240.49	S	-69.45	-71.00	3.29	-1.74	-13.00	-56.45
361.74	S	-69.12	-70.84	3.85	-2.14	-13.00	-56.12
524.70	S	-64.57	-65.86	3.72	-2.44	-13.00	-51.57
629.46	S	-62.99	-63.71	3.18	-2.47	-13.00	-49.99
1559.00	Н	-63.31	-65.97	6.78	-4.12	-40.00	-23.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279




Page 102 of 163

Operation Band :LTE B13 Temp./Humi. :23 deg_C / 62 RH

Fundamental Frequen-:779.5 MHz :Tin Engineer

Operation Mode :Tx CH LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
30.00	S	-62.06	-46.33	-14.78	-0.96	-13.00	-49.06
156.10	S	-72.26	-68.98	-1.81	-1.46	-13.00	-59.26
289.96	S	-74.01	-75.52	3.43	-1.92	-13.00	-61.01
413.15	S	-69.31	-70.71	3.77	-2.38	-13.00	-56.31
522.76	S	-68.00	-69.31	3.73	-2.42	-13.00	-55.00
682.81	S	-65.06	-65.49	3.10	-2.67	-13.00	-52.06
1559.00	Н	-61.85	-64.51	6.78	-4.12	-40.00	-21.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Operation Mode

Report No.: ER/2017/90168


Page 103 of 163

Operation Band :LTE B13 Temp./Humi. :23 deg_C / 62 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

:Tx CH MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·			Output Level	Gain	Loss		J
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
65.89	S	-58.00	-49.87	-7.03	-1.10	-13.00	-45.00
219.15	S	-69.52	-71.16	3.34	-1.70	-13.00	-56.52
241.46	S	-69.17	-70.73	3.31	-1.74	-13.00	-56.17
356.89	S	-68.63	-70.39	3.86	-2.10	-13.00	-55.63
526.64	S	-65.77	-67.02	3.71	-2.46	-13.00	-52.77
682.81	S	-62.84	-63.27	3.10	-2.67	-13.00	-49.84
1564.00	Н	-63.30	-65.97	6.80	-4.13	-40.00	-23.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 104 of 163

Operation Band :LTE B13 Temp./Humi. :23 deg_C / 62 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-59.84	-44.10	-14.78	-0.96	-13.00	-46.84
146.40	S	-72.36	-68.64	-2.31	-1.42	-13.00	-59.36
280.26	S	-73.80	-75.34	3.42	-1.88	-13.00	-60.80
403.45	S	-70.11	-71.52	3.81	-2.40	-13.00	-57.11
516.94	S	-67.78	-69.18	3.76	-2.37	-13.00	-54.78
694.45	S	-65.56	-65.76	3.09	-2.88	-13.00	-52.56
1564.00	Н	-63.77	-66.43	6.80	-4.13	-40.00	-23.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 105 of 163

Operation Band :LTE B13 Temp./Humi. :23 deg_C / 62 RH

Fundamental Frequen-:784.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		J
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
65.89	S	-57.72	-49.58	-7.03	-1.10	-13.00	-44.72
154.16	S	-69.85	-66.50	-1.90	-1.45	-13.00	-56.85
248.25	S	-70.12	-71.78	3.41	-1.75	-13.00	-57.12
419.94	S	-69.52	-70.93	3.75	-2.33	-13.00	-56.52
519.85	S	-65.66	-67.02	3.75	-2.39	-13.00	-52.66
633.34	S	-63.35	-64.07	3.17	-2.46	-13.00	-50.35
1569.00	Н	-63.03	-65.71	6.82	-4.14	-40.00	-23.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 106 of 163

Operation Band :LTE B13 Temp./Humi. :23 deg_C / 62 RH


Fundamental Frequen-:784.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

EUT Pol. :E2 Plane Measurement

Pol.

Antenna :HORIZONTAL



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		J
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-62.23	-46.50	-14.78	-0.96	-13.00	-49.23
146.40	S	-73.37	-69.65	-2.31	-1.42	-13.00	-60.37
299.66	S	-74.22	-75.89	3.62	-1.95	-13.00	-61.22
406.36	S	-69.41	-70.79	3.80	-2.42	-13.00	-56.41
512.09	S	-68.32	-69.76	3.79	-2.35	-13.00	-55.32
691.54	S	-64.65	-64.91	3.09	-2.83	-13.00	-51.65
1569.00	Н	-63.93	-66.61	6.82	-4.14	-40.00	-23.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 107 of 163


LTE-Band 13 / BW 5MHz / QPSK / RB: 1, 0 (763MHz-775MHz)

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:779.5 MHz :Tin Engineer

Operation Mode :Tx CH LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	['] dBm	dBi	dB	dBm	dB
765.48	S	-82.96	-83.21	3.23	-2.98	-35.00	-47.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 108 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:779.5 MHz :Tin Engineer

Operation Mode :Tx CH LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
771.82	S	-83.57	-83.88	3.25	-2.94	-35.00	-48.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.tw.sqs.com




Page 109 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
772.60	S	-82.00	-82.32	3.26	-2.94	-35.00	-47.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 台灣檢驗科技股份有限公司 www.tw.sqs.com




Page 110 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
774.36	S	-83.58	-83.92	3.26	-2.93	-35.00	-48.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com




Page 111 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:784.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
766.20	S	-81.84	-82.10	3.23	-2.98	-35.00	-46.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com




Page 112 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:784.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
774.62	S	-83.57	-83.91	3.26	-2.92	-35.00	-48.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com



Page 113 of 163


LTE-Band 13 / BW 5MHz / QPSK / RB: 1, 0 (793MHz-805MHz)

:24 deg_C / 59 RH **Operation Band** :LTE B13 Temp./Humi.

Fundamental Frequen-:779.5 MHz Engineer :Tin

Operation Mode :Tx CH LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
801.48	S	-83.51	-83.95	3.34	-2.90	-35.00	-48.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488




Page 114 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:779.5 MHz :Tin Engineer

Operation Mode :Tx CH LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
800.88	S	-83.26	-83.70	3.34	-2.90	-35.00	-48.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com




Page 115 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
799.48	S	-83.75	-84.20	3.34	-2.90	-35.00	-48.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 116 of 163


Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Measurement EUT Pol. :E2 Plane Pol.

Antenna :HORIZONTAL



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
793.06	S	-82.25	-82.67	3.32	-2.90	-35.00	-47.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 117 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:784.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
799.28	S	-82.84	-83.28	3.34	-2.90	-35.00	-47.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 118 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:784.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
799.96	S	-83.39	-83.83	3.34	-2.90	-35.00	-48.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com



Page 119 of 163

*Ext. Antenna


LTE-Band 2 / BW 15MHz / QPSKM / RB: 1, 0 (The Worst Case)

:22 deg_C / 62 RH :LTE B2 Temp./Humi. **Operation Band**

Fundamental Frequen-:1857.5 MHz Engineer :Tin

:Tx CH LOW **Operation Mode**

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-59.01	-43.28	-14.78	-0.96	-13.00	-46.01
66.86	S	-58.53	-50.66	-6.76	-1.11	-13.00	-45.53
93.05	S	-68.65	-66.62	-0.81	-1.22	-13.00	-55.65
125.06	S	-70.59	-66.71	-2.54	-1.34	-13.00	-57.59
222.06	S	-69.73	-71.31	3.28	-1.71	-13.00	-56.73
443.22	S	-67.09	-68.57	3.67	-2.18	-13.00	-54.09
628.49	Н	-63.11	-63.82	3.18	-2.47	-13.00	-50.11
3715.00	Н	-51.59	-57.45	12.44	-6.58	-13.00	-38.59
5572.50	Н	-40.72	-45.31	12.90	-8.30	-13.00	-27.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approach of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279




Page 120 of 163

Operation Band :LTE B2 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1857.5 MHz :Tin Engineer

Operation Mode :Tx CH LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·			Output Level	Gain	Loss		J
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
32.91	S	-64.22	-49.16	-14.09	-0.97	-13.00	-51.22
66.86	S	-67.03	-59.16	-6.76	-1.11	-13.00	-54.03
80.44	S	-66.82	-62.91	-2.75	-1.16	-13.00	-53.82
127.00	S	-72.51	-68.57	-2.58	-1.35	-13.00	-59.51
323.91	S	-69.39	-71.22	3.74	-1.92	-13.00	-56.39
403.45	S	-68.23	-69.64	3.81	-2.40	-13.00	-55.23
3715.00	Н	-51.81	-57.68	12.44	-6.58	-13.00	-38.81
5572.50	Н	-44.70	-49.30	12.90	-8.30	-13.00	-31.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 121 of 163

Operation Band :LTE B2 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1880.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	['] dBm	dBi	dB	dBm	dB
							_
30.00	S	-60.44	-44.71	-14.78	-0.96	-13.00	-47.44
66.86	S	-59.42	-51.55	-6.76	-1.11	-13.00	-46.42
104.69	S	-68.97	-65.67	-2.04	-1.27	-13.00	-55.97
165.80	S	-69.32	-66.61	-1.21	-1.50	-13.00	-56.32
248.25	S	-69.39	-71.05	3.41	-1.75	-13.00	-56.39
529.55	S	-64.64	-65.85	3.70	-2.49	-13.00	-51.64
3760.00	Н	-56.99	-62.85	12.45	-6.60	-13.00	-43.99
5640.00	Н	-42.74	-47.28	12.90	-8.36	-13.00	-29.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 122 of 163

Operation Band :LTE B2 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1880.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	['] dBm	dBi	dB	dBm	dB
30.00	S	-61.99	-46.26	-14.78	-0.96	-13.00	-48.99
65.89	S	-67.19	-59.05	-7.03	-1.10	-13.00	-54.19
81.41	S	-66.64	-62.97	-2.50	-1.17	-13.00	-53.64
120.21	S	-70.38	-66.61	-2.44	-1.33	-13.00	-57.38
148.34	S	-72.61	-68.99	-2.19	-1.42	-13.00	-59.61
440.31	S	-67.91	-69.38	3.68	-2.20	-13.00	-54.91
3760.00	Н	-54.06	-59.92	12.45	-6.60	-13.00	-41.06
5640.00	Н	-42.28	-46.82	12.90	-8.36	-13.00	-29.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 123 of 163

Operation Band :LTE B2 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1902.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		J
MHz	F/H/E/S	dBm	['] dBm	dBi	dB	dBm	dB
30.00	S	-59.81	-44.08	-14.78	-0.96	-13.00	-46.81
65.89	S	-58.65	-50.52	-7.03	-1.10	-13.00	-45.65
80.44	S	-63.77	-59.86	-2.75	-1.16	-13.00	-50.77
97.90	S	-68.52	-65.89	-1.38	-1.24	-13.00	-55.52
167.74	S	-70.14	-67.56	-1.07	-1.51	-13.00	-57.14
236.61	S	-69.70	-71.19	3.23	-1.73	-13.00	-56.70
3805.00	Н	-49.91	-55.75	12.46	-6.62	-13.00	-36.91
5707.50	Н	-39.55	-44.10	12.90	-8.36	-13.00	-26.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 124 of 163

Operation Band :LTE B2 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1902.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-60.29	-44.56	-14.78	-0.96	-13.00	-47.29
66.86	S	-66.65	-58.78	-6.76	-1.11	-13.00	-53.65
81.41	S	-66.28	-62.62	-2.50	-1.17	-13.00	-53.28
124.09	S	-73.08	-69.22	-2.52	-1.34	-13.00	-60.08
162.89	S	-73.09	-70.18	-1.42	-1.49	-13.00	-60.09
367.56	S	-69.39	-71.06	3.85	-2.18	-13.00	-56.39
3805.00	Н	-53.78	-59.63	12.46	-6.62	-13.00	-40.78
5707.50	Н	-45.88	-50.42	12.90	-8.36	-13.00	-32.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 125 of 163


LTE-Band 4 / BW 20MHz / 16QAM / RB: 1, 0 (The Worst Case)

Operation Band Temp./Humi. :LTE B4 :22 deg_C / 62 RH

Fundamental Frequen-:1720.0 MHz Engineer :Tin

Operation Mode :Tx CH LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-59.65	-43.92	-14.78	-0.96	-13.00	-46.65
64.92	S	-59.66	-51.25	-7.31	-1.10	-13.00	-46.66
80.44	S	-64.05	-60.14	-2.75	-1.16	-13.00	-51.05
179.38	S	-70.52	-69.74	0.78	-1.56	-13.00	-57.52
233.70	S	-68.47	-69.92	3.18	-1.73	-13.00	-55.47
534.40	S	-64.75	-65.88	3.67	-2.54	-13.00	-51.75
3440.00	Н	-53.89	-59.97	12.30	-6.22	-13.00	-40.89
5160.00	Н	-42.43	-47.26	12.77	-7.94	-13.00	-29.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 126 of 163

Operation Band :LTE B4 Temp./Humi. :22 deg_C / 62 RH


Fundamental Frequen-:1720.0 MHz :Tin Engineer

Operation Mode :Tx CH LOW

EUT Pol. :E2 Plane Measurement

Pol.

Antenna :HORIZONTAL



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-62.23	-46.49	-14.78	-0.96	-13.00	-49.23
66.86	S	-66.99	-59.12	-6.76	-1.11	-13.00	-53.99
81.41	S	-66.80	-63.14	-2.50	-1.17	-13.00	-53.80
110.51	S	-72.57	-68.80	-2.49	-1.29	-13.00	-59.57
274.44	S	-73.43	-75.05	3.47	-1.85	-13.00	-60.43
337.49	S	-69.97	-71.83	3.80	-1.95	-13.00	-56.97
3440.00	Н	-55.55	-61.62	12.30	-6.22	-13.00	-42.55
5160.00	Н	-47.15	-51.98	12.77	-7.94	-13.00	-34.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 127 of 163

Operation Band :LTE B4 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1732.5 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	['] dBm	dBi	dB	dBm	dB
							_
30.00	S	-59.74	-44.01	-14.78	-0.96	-13.00	-46.74
64.92	S	-59.85	-51.45	-7.31	-1.10	-13.00	-46.85
80.44	S	-64.21	-60.31	-2.75	-1.16	-13.00	-51.21
112.45	S	-70.02	-66.25	-2.48	-1.30	-13.00	-57.02
235.64	S	-68.34	-69.82	3.21	-1.73	-13.00	-55.34
410.24	S	-68.31	-69.69	3.78	-2.40	-13.00	-55.31
3465.00	Н	-52.22	-58.31	12.34	-6.25	-13.00	-39.22
5197.50	Н	-43.46	-48.29	12.78	-7.96	-13.00	-30.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 128 of 163

Operation Band :LTE B4 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1732.5 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.97	S	-61.09	-45.59	-14.54	-0.96	-13.00	-48.09
80.44	S	-67.12	-63.21	-2.75	-1.16	-13.00	-54.12
102.75	S	-71.57	-68.44	-1.87	-1.26	-13.00	-58.57
139.61	S	-72.94	-68.85	-2.70	-1.39	-13.00	-59.94
371.44	S	-69.17	-70.81	3.84	-2.21	-13.00	-56.17
482.99	S	-66.97	-68.51	3.79	-2.25	-13.00	-53.97
3465.00	Н	-58.20	-64.29	12.34	-6.25	-13.00	-45.20
5197.50	Н	-54.45	-59.27	12.78	-7.96	-13.00	-41.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 129 of 163

Operation Band :LTE B4 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1745.0 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
31.94	S	-61.46	-46.18	-14.31	-0.96	-13.00	-48.46
65.89	S	-58.50	-50.36	-7.03	-1.10	-13.00	-45.50
80.44	S	-64.29	-60.39	-2.75	-1.16	-13.00	-51.29
236.61	S	-69.56	-71.05	3.23	-1.73	-13.00	-56.56
515.00	S	-64.87	-66.29	3.77	-2.36	-13.00	-51.87
585.81	S	-63.99	-64.54	3.34	-2.79	-13.00	-50.99
3490.00	Н	-51.46	-57.49	12.38	-6.35	-13.00	-38.46
5235.00	Н	-43.65	-48.44	12.80	-8.00	-13.00	-30.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 130 of 163

Operation Band :LTE B4 Temp./Humi. :22 deg_C / 62 RH

Fundamental Frequen-:1745.0 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
•			Output Level	Gain	Loss		J
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
31.94	S	-63.62	-48.34	-14.31	-0.96	-13.00	-50.62
66.86	S	-67.94	-60.07	-6.76	-1.11	-13.00	-54.94
80.44	S	-66.09	-62.18	-2.75	-1.16	-13.00	-53.09
125.06	S	-72.76	-68.87	-2.54	-1.34	-13.00	-59.76
172.59	S	-73.51	-71.55	-0.44	-1.53	-13.00	-60.51
345.25	S	-70.20	-72.03	3.84	-2.01	-13.00	-57.20
3490.00	Н	-55.52	-61.56	12.38	-6.35	-13.00	-42.52
5235.00	Н	-52.40	-57.19	12.80	-8.00	-13.00	-39.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 131 of 163


LTE-Band 13 / BW 5MHz / QPSK / RB: 1, 0 (The Worst Case)

:23 deg_C / 62 RH **Operation Band** Temp./Humi. :LTE B13

Fundamental Frequen-:779.5 MHz Engineer :Tin

Operation Mode :Tx CH LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-59.48	-43.75	-14.78	-0.96	-13.00	-46.48
66.86	S	-59.57	-51.70	-6.76	-1.11	-13.00	-46.57
81.41	S	-64.51	-60.85	-2.50	-1.17	-13.00	-51.51
105.66	S	-69.45	-66.06	-2.12	-1.27	-13.00	-56.45
235.64	S	-69.28	-70.75	3.21	-1.73	-13.00	-56.28
361.74	S	-69.12	-70.84	3.85	-2.14	-13.00	-56.12
1559.00	Н	-63.36	-66.02	6.78	-4.12	-40.00	-23.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page 132 of 163

Operation Band :LTE B13 Temp./Humi. :23 deg_C / 62 RH


Fundamental Frequen-:779.5 MHz :Tin Engineer

Operation Mode :Tx CH LOW

EUT Pol. :E2 Plane Antenna :HORIZONTAL

Pol.

Measurement



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
31.94	S	-63.59	-48.31	-14.31	-0.96	-13.00	-50.59
66.86	S	-67.02	-59.15	-6.76	-1.11	-13.00	-54.02
81.41	S	-66.74	-63.08	-2.50	-1.17	-13.00	-53.74
125.06	S	-72.00	-68.12	-2.54	-1.34	-13.00	-59.00
167.74	S	-73.50	-70.92	-1.07	-1.51	-13.00	-60.50
333.61	S	-70.71	-72.58	3.79	-1.92	-13.00	-57.71
1559.00	Н	-62.11	-64.77	6.78	-4.12	-40.00	-22.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 133 of 163

Operation Band :LTE B13 Temp./Humi. :23 deg_C / 62 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
·			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
30.00	S	-60.93	-45.19	-14.78	-0.96	-13.00	-47.93
65.89	S	-58.00	-49.87	-7.03	-1.10	-13.00	-45.00
80.44	S	-64.55	-60.64	-2.75	-1.16	-13.00	-51.55
160.95	S	-70.03	-66.98	-1.57	-1.48	-13.00	-57.03
219.15	S	-69.52	-71.16	3.34	-1.70	-13.00	-56.52
251.16	S	-69.17	-70.88	3.47	-1.76	-13.00	-56.17
1564.00	Н	-63.41	-66.07	6.80	-4.13	-40.00	-23.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 134 of 163

Operation Band :LTE B13 Temp./Humi. :23 deg_C / 62 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
-			Output Level	Gain	Loss		_
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
30.97	S	-61.99	-46.49	-14.54	-0.96	-13.00	-48.99
66.86	S	-67.74	-59.87	-6.76	-1.11	-13.00	-54.74
81.41	S	-66.80	-63.13	-2.50	-1.17	-13.00	-53.80
125.06	S	-70.83	-66.95	-2.54	-1.34	-13.00	-57.83
146.40	S	-72.36	-68.64	-2.31	-1.42	-13.00	-59.36
337.49	S	-70.81	-72.67	3.80	-1.95	-13.00	-57.81
1564.00	Н	-63.65	-66.32	6.80	-4.13	-40.00	-23.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Operation Mode

Report No.: ER/2017/90168


Page 135 of 163

Operation Band :LTE B13 Temp./Humi. :23 deg_C / 62 RH

Fundamental Frequen-:784.5 MHz :Tin Engineer

:Tx CH HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
30.00	S	-61.32	-45.59	-14.78	-0.96	-13.00	-48.32
64.92	S	-58.68	-50.28	-7.31	-1.10	-13.00	-45.68
81.41	S	-64.62	-60.95	-2.50	-1.17	-13.00	-51.62
154.16	S	-69.85	-66.50	-1.90	-1.45	-13.00	-56.85
248.25	S	-70.12	-71.78	3.41	-1.75	-13.00	-57.12
376.29	S	-69.55	-71.15	3.84	-2.24	-13.00	-56.55
1569.00	Н	-63.29	-65.97	6.82	-4.14	-40.00	-23.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 136 of 163

Operation Band :LTE B13 Temp./Humi. :23 deg_C / 62 RH

Fundamental Frequen-:784.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane

Pol.



Freq.	Note	ERP/EIRP	SG	Antenna	Cable	Limit	Margin
			Output Level	Gain	Loss		
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
							_
30.00	S	-62.23	-46.50	-14.78	-0.96	-13.00	-49.23
65.89	S	-67.97	-59.83	-7.03	-1.10	-13.00	-54.97
81.41	S	-66.82	-63.15	-2.50	-1.17	-13.00	-53.82
114.39	S	-72.06	-68.29	-2.47	-1.30	-13.00	-59.06
172.59	S	-73.67	-71.71	-0.44	-1.53	-13.00	-60.67
257.95	S	-74.34	-76.20	3.63	-1.77	-13.00	-61.34
1569.00	Н	-64.14	-66.82	6.82	-4.14	-40.00	-24.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 137 of 163


LTE-Band 13 / BW 5MHz / QPSK / RB: 1, 0 (763MHz-775MHz)

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:779.5 MHz :Tin Engineer

Operation Mode :Tx CH LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
768.64	S	-83.31	-83.59	3.24	-2.96	-35.00	-48.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page 138 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH


Fundamental Frequen-:779.5 MHz :Tin Engineer

Operation Mode :Tx CH LOW

EUT Pol. :E2 Plane Measurement

Antenna :HORIZONTAL

Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
765.94	S	-84.14	-84.40	3.23	-2.98	-35.00	-49.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 139 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
768.38	S	-83.03	-83.31	3.24	-2.96	-35.00	-48.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 140 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
770.94	S	-83.75	-84.06	3.25	-2.95	-35.00	-48.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 141 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:784.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
770.52	S	-83.05	-83.35	3.25	-2.95	-35.00	-48.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sqs.com




Page 142 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:784.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
769.14	S	-84.47	-84.76	3.24	-2.96	-35.00	-49.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 143 of 163


LTE-Band 13 / BW 5MHz / QPSK / RB: 1, 0 (793MHz-805MHz)

Temp./Humi. **Operation Band** :LTE B13 :24 deg_C / 59 RH

Fundamental Frequen-:779.5 MHz :Tin Engineer

Operation Mode :Tx CH LOW

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
798.54	S	-83.96	-84.40	3.34	-2.90	-35.00	-48.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com

台灣檢驗科技股份有限公司




Page 144 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:779.5 MHz :Tin Engineer

Operation Mode :Tx CH LOW

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
797.56	S	-84.04	-84.47	3.33	-2.90	-35.00	-49.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 145 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
798.98	S	-84.68	-85.12	3.34	-2.90	-35.00	-49.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com




Page 146 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:782.0 MHz :Tin Engineer

Operation Mode :Tx CH MID

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
798.54	S	-84.22	-84.66	3.34	-2.90	-35.00	-49.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488 www.tw.sqs.com




Page 147 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:784.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :VERTICAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
799.64	S	-83.78	-84.23	3.34	-2.90	-35.00	-48.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488




Page 148 of 163

Operation Band :LTE B13 Temp./Humi. :24 deg_C / 59 RH

Fundamental Frequen-:784.5 MHz :Tin Engineer

Operation Mode :Tx CH HIGH

Antenna :HORIZONTAL Measurement EUT Pol. :E2 Plane Pol.



Freq.	Note	ERP/EIRP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	F/H/E/S	dBm	dBm	dBi	dB	dBm	dB
799.06	S	-84.20	-84.64	3.34	-2.90	-35.00	-49.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 f (886-2) 2298-0488



Page 149 of 163


FREQUENCY STABILITY MEASUREMENT 11.

11.1. Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.2. Test Set-up

Temperature Chamber



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279



Page 150 of 163

11.3. Measurement Procedure

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teler only to the samples) resided and south samples are retained for south south southers. Ref Hymight shows the first southers and the samples of the samples are retained for southers. Ref Hymight shows the first southers are reported overleaf, available on request or accessible at www.sgs.com/terms and conditions for southers and conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. Into only and the electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of the samples of th Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 151 of 163

11.4. Measurement Equipment Used

4. Medodromont Equipment 600d										
Conducted Emission (measured at antenna port) Test Site										
EQUIPMENT	MFR	MODEL	SERIAL	LAST	CAL DUE.					
TYPE		NUMBER	NUMBER	CAL.						
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018					
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018					
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2016	12/11/2017					
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/13/2017	06/12/2018					
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017					
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2016	12/11/2017					
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017					
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Page 152 of 163

11.5. Measurement Result

FREQUENCY ERROR vs. VOLTAGE

TREGOLIOT ERROR VS. VOLTAGE							
Reference Frequency:		LTE B2 Mid Channel 1880.0		MHz 10M QPSK CH 18900			
		Limit: +/- 2.5	ppm				
Power Supply	Environment	Frequency					
Vdc	Temperature (°C)	(MHz)	Delta (Hz)	Limit (Hz)			
3.60	25	1880.000022	-10.00	4700			
3.3	25	1880.000032	0.00	4700			
3.00	25	1879.999968	-64.00	4700			
2.9 (End Point)	25	1879.999976	-56.00	4700			

FREQUENCY ERROR vs. TEMPERATURE

Referen	ce Frequency:	LTE B2 Mid Chan- nel	1880.0	MHz 10M QPSK CH 18900					
	Limit: +/- 2.5 ppm								
Power Supply	Environment	Frequency	Dolto (Uz)	Limit (U=)					
Vdc	Temperature (°C)	(MHz)	Delta (Hz)	Limit (Hz)					
3.6	-30	1879.999967	1.00	4700					
3.6	-20	1879.999963	-3.00	4700					
3.6	-10	1880.000023	57.00	4700					
3.6	0	1879.999968	2.00	4700					
3.6	10	1880.000028	62.00	4700					
3.6	20	1879.999966	0.00	4700					
3.6	30	1879.999963	-3.00	4700					
3.6	40	1879.999968	2.00	4700					
3.6	50	1879.999972	6.00	4700					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page 153 of 163

FREQUENCY ERROR vs. VOLTAGE

Reference	Frequency:	LTE B4 Mid Channel	1732.5	MHz 10M QPSK CH 20175			
	Limit: +/- 2.5 ppm						
Power Supply	Environment	Frequency					
Vdc	Temperature (°C)	(MHz)	Delta (Hz)	Limit (Hz)			
3.60	25	1732.499979	-10.00	4331			
3.3	25	1732.499989	0.00	4331			
3.00	25	1732.499972	-17.00	4331			
2.9 (End Point)	25	1732.500003	14.00	4331			

FREQUENCY ERROR vs. TEMPERATURE

Reference Frequency:		LTE B4 Mid Channel	1732.5	MHz 10M QPSK CH 20175
		Limit: +/	- 2.5 ppm	
Power Supply	Environment	Frequency	Dolto (Uz)	Limit (Uz)
Vdc	Temperature (°C)	(MHz)	Delta (Hz)	Limit (Hz)
3.6	-30	1732.499963	-14.00	4331
3.6	-20	1732.499958	-19.00	4331
3.6	-10	1732.500033	56.00	4331
3.6	0	1732.499966	-11.00	4331
3.6	10	1732.499966	-11.00	4331
3.6	20	1732.499977	0.00	4331
3.6	30	1732.500034	57.00	4331
3.6	40	1732.499979	2.00	4331
3.6	50	1732.499967	-10.00	4331

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page 154 of 163

FREQUENCY ERROR vs. VOLTAGE

Reference Frequency:		LTE B13 Mid Channel	782.0	MHz 10M QPSK CH 23230
		Limit: +/- 2	2.5 ppm	
Power Supply	Environment	Frequency		
Vdc	Temperature (°C)	(MHz)	Delta (Hz)	Limit (Hz)
3.60	25	781.999946	-32.00	1955
3.3	25	781.999978	0.00	1955
3.00	25	781.999996	18.00	1955
2.9 (End Point)	25	782.000044	66.00	1955

FREQUENCY ERROR vs. TEMPERATURE

Reference	ce Frequency:	LTE B13 Mid Channel	782.0	MHz 10M QPSK CH 23230				
	Limit: +/- 2.5 ppm							
Power Supply	Environment	Frequency	Dolto (Uz)	Limit (Hz)				
Vdc	Temperature $(^{\circ}C)$	(MHz)	(MHz)					
3.6	-30	781.999972	-25.00	1955				
3.6	-20	781.999967	-30.00	1955				
3.6	-10	781.999966	-31.00	1955				
3.6	0	781.999972	-25.00	1955				
3.6	10	781.999965	-32.00	1955				
3.6	20	781.999997	0.00	1955				
3.6	30	782.000025	28.00	1955				
3.6	40	782.000021	24.00	1955				
3.6	50	782.000054	57.00	1955				

Note: The battery is rated 3.6V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 155 of 163

12. **PEAK TO AVERAGE RATIO**

12.1. Standard Applicable

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

12.2. Test SET-UP



12.3. **Measurement Procedure**

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- 3. Set the number of counts to a value that stabilizes the measured CCDF curve.

12.4. **Measurement Equipment Used**

Conducted Emission (measured at antenna port) Test Site										
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.					
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018					
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018					
Coaxial Cable 30cm	WOKEN	00100A1F1A 195C	RF01	12/12/2016	12/11/2017					
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/13/2017	06/12/2018					
DC Block	PASTERNACK	PE8210	RF29	12/12/2016	12/11/2017					
Splitter	RF-LAMBAD	RFLT2W1G1 8G	RF35	12/12/2016	12/11/2017					
Attenuator	WOKEN	218FS-10	RF23	12/12/2016	12/11/2017					
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018					
Communication Tester	Anritsu	MT8820C	6201107337	05/25/2017	05/24/2018					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sqs.com



Page 156 of 163

12.5. **Measurement Result**


Tabular Results:

LTE BAND 2									
Ch	nannel ban	dwidth: 5M	Hz	Channel bandwidth: 10MHz					
Freq.	СН	Peak-to-Average Ratio		Freq.	СН	Peak-to-Average Ratio			
(MHz)		16QAM	Limit	(MHz)		16QAM	Limit		
1852.5	18625	6.01	13	1855.0	18650	6.06	13		
1880.0	18900	5.97	13	1880.0	18900	6.09	13		
1907.5	19175	5.73	13	1905.0	19150	5.29	13		

LTE BAND 2									
Ch	annel band	lwidth: 15N	1Hz	Channel bandwidth: 20MHz					
Freq.	СН	Peak-to-Average Ratio		Freq.	СН	Peak-to-Average Ratio			
(MHz)		16QAM	Limit	(MHz)		16QAM	Limit		
1857.5	18675	6.11	13	1860.0	18700	6.59	13		
1880.0	18900	6.23	13	1880.0	18900	6.72	13		
1902.5	19125	6.20	13	1900.0	19100	6.71	13		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號





LTE BAND 4									
Ch	annel ban	dwidth: 5M	Hz	Channel bandwidth: 10MHz					
Freq.	СН	Peak-to-Average Ratio		Freq.	СН	Peak-to-Average Ratio			
(MHz)		16QAM	Limit	(MHz)		16QAM	Limit		
1712.5	19957	4.05	13	1715.0	20000	4.96	13		
1732.5	20175	3.89	13	1732.5	20175	4.45	13		
1752.5	20375	3.61	13	1750.0	20350	5.13	13		

LTE BAND 4									
Cha	annel band	lwidth: 15N	ИHz	Channel bandwidth: 20MHz					
Freq. (MHz)	СН	Peak-to-Average Ratio		Freq.	СН	Peak-to-Average Ratio			
		5.92	13	(MHz)		16QAM	Limit		
1717.5	20025	5.48	13	1720.0	20050	6.39	13		
1732.5	20175	5.87	13	1732.5	20175	6.43	13		
1747.5	20325	6.66	13	1745.0	20300	6.55	13		

LTE BAND 13									
Ch	annel ban	dwidth: 5M	Hz	Channel bandwidth: 10MHz					
Freq. (MHz)	СН	Peak-to-Average Ratio (dB)		Freq. (MHz)	СН	Peak-to-Average Ratio (dB)			
		16QAM	Limit			16QAM	Limit		
779.5	23205	6.09	13						
782.0	23230	6.14	13	782.0	23230	6.05	13		
784.5	23255	6.15	13						


Measurement Results:

Please refer to next page

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279 www.tw.sgs.com







LTE Band2 5MHz 16QAM 25 0 LowCH18625-1852.5




LTE_Band2_5MHz_16QAM_25_0_MidCH18900-1880






LTE_Band2_10MHz_16QAM_50_0_MidCH18900-1880




LTE_Band2_5MHz_16QAM_25_0_HighCH19175-1907.5



Gerder Fre 21.19 dBm 42.21 % at 0dB 10.0% 3.13 dB 5.21 dB 1.0 % 6.46 (8) 0.1% 0.01 7.32 dB 7.69 dB 0.0001% - dil 7.99 dB 29.18 dBm BW 6.0000 MHz

LTE_Band2_10MHz_16QAM_50_0_HighCH19150-1905




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非果有短眼,此報生社學學學到很多樣只有多數,同時此樣只像保險的主要有效可,不可與於過數。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號






LTE_Band2_15MHz_16QAM_75_0_LowCH18675-1857.5




LTE_Band2_15MHz_16QAM_75_0_MidCH18900-1880



LTE Band2 20MHz 16QAM 100 0 LowCH18700-1860

LTE_Band2_20MHz_16QAM_100_0_MidCH18900-1880

Gerder Fre



LTE_Band2_15MHz_16QAM_75_0_HighCH19125-1902.5

19.40 dBm

10.0%

1.0 %

0.1%

0.01%

0.001 %

40.86 % at 0dB

3,35 dB

5.53 dB

6.89 dB 7.44 dB


7.74 08

- dil

7.91 dB

0.01

0.001



18.52 dBm 39.35 % at 0dB

3.52 dB

5.81 dB

7.16 dB

6.02 dB

8.92 dB

8.92 dB 27.44 dBm

- dil


0.01

10.0%

1.0 %

0.1%

0.0001%



BW 6.0000 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

...... No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com






LTE Band4 5MHz 16QAM 25 0 LowCH19975-1712.5



LTE_Band4_5MHz_16QAM_25_0_MidCH20175-1732.5




LTE Band4 10MHz 16QAM 50 0 LowCH20000-1715

LTE_Band4_10MHz_16QAM_50_0_MidCH20175-1732.5

Gerder Fre




LTE_Band4_5MHz_16QAM_25_0_HighCH20375-1752.5



LTE_Band4_10MHz_16QAM_50_0_HighCH20350-1750

BW 6.0000 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非果有短眼,此報生社學學學到很多樣只有多數,同時此樣只像保險的主要有效可,不可與於過數。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488

22.32 dBm 43.39 % at 0dB

3.04 dB

4.95 dB

6.12 (8

6.76 dfl

7.11 dB

7.18 dB 29.50 dBm

— dil


0.01

10.0%

1.0 %


0.1%

0.0001%






LTE Band4_15MHz 16QAM 75_0_LowCH20025-1717.5




LTE_Band4_15MHz_16QAM_75_0_MidCH20175-1732.5




LTE_Band4_20MHz_16QAM_100_0_MidCH20175-1732.5

Gerder Fre




LTE_Band4_15MHz_16QAM_75_0_HighCH20325-1747.5



LTE_Band4_20MHz_16QAM_100_0_HighCH20300-1745

BW 0.0000 MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 欧北里女好明,从和先孙里,不可如公洛朝。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sqs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sqs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

i<mark>GS Taiwan Ltd. [N</mark>0.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

19.28 dBm 39.94 % at 0dB

3.50 dB

5.73 dB

7.14 dB

8,33 dB

8.33 dB 27.61 dBm

— dil


0.01

10.0%

1.0 %

0.1%

0.0001%







LTE Band13 5MHz 16QAM 25 0 LowCH23205-779.5

Genter Pre 22.77 dBm 44.38 % at 0dB 2.98 dB 1.0 % 4.98 dB 6.12 dB 0.01 6.69 dB 0.01% 6.97 dB 0.001 % — dil 0.0001% 0.001


LTE_Band13_10MHz_16QAM_50_0_MidCH23230-782



LTE_Band13_5MHz_16QAM_25_0_MidCH23230-782



LTE_Band13_5MHz_16QAM_25_0_HighCH23255-784.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/tems e-document.htm. Aftention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and other more than the presented the fall the fall the fall that the fall the fall that th and offenders may be prosecuted to the fullest extent of the law.

...... No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 163 of 163

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留例天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.s.gs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.s.gs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134, WuKungRoad, New TaipeilndustrialPark, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

10.104, WuKungRoad, New TaipeilndustrialPark, WukuDistrict, New TaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488