



## Appendix A

### RF Test Data for BT (Conducted Measurement)

Product Name: OUTDOOR SPEAKER SOUNDBAR

Test Model: SB26BTXRGB

#### Environmental Conditions

|                    |            |
|--------------------|------------|
| Temperature:       | 23.8°C     |
| Relative Humidity: | 52.1%      |
| ATM Pressure:      | 100.0 kPa  |
| Test Engineer:     | Paddi Chen |
| Supervised by:     | Nick Peng  |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## A.1 20dB Emission Bandwidth

### Test Result

| TestMode | Antenna | Frequency[MHz] | 20db EBW[MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|----------|---------|----------------|---------------|----------|----------|------------|---------|
| DH5      | Ant1    | 2402           | 1.032         | 2401.457 | 2402.489 | ---        | ---     |
|          |         | 2441           | 1.020         | 2440.466 | 2441.486 | ---        | ---     |
|          |         | 2480           | 1.014         | 2479.460 | 2480.474 | ---        | ---     |
| 2DH5     | Ant1    | 2402           | 1.287         | 2401.349 | 2402.636 | ---        | ---     |
|          |         | 2441           | 1.281         | 2440.355 | 2441.636 | ---        | ---     |
|          |         | 2480           | 1.311         | 2479.331 | 2480.642 | ---        | ---     |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

DH5\_Ant1\_2402




DH5\_Ant1\_2441




DH5\_Ant1\_2480





2DH5\_Ant1\_2402



2DH5\_Ant1\_2441




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



2DH5\_Ant1\_2480



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## A.2 Maximum conducted output power

### Test Result Peak

| Test Mode | Antenna | Frequency[MHz] | Conducted Peak Power[dBm] | Conducted Limit[dBm] | Verdict |
|-----------|---------|----------------|---------------------------|----------------------|---------|
| DH5       | Ant1    | 2402           | -0.03                     | $\leq 20.97$         | PASS    |
|           |         | 2441           | 0.14                      | $\leq 20.97$         | PASS    |
|           |         | 2480           | 0.05                      | $\leq 20.97$         | PASS    |
| 2DH5      | Ant1    | 2402           | -0.46                     | $\leq 20.97$         | PASS    |
|           |         | 2441           | -0.29                     | $\leq 20.97$         | PASS    |
|           |         | 2480           | -0.23                     | $\leq 20.97$         | PASS    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity






## Test Graphs

DH5\_Ant1\_2402




DH5\_Ant1\_2441




DH5\_Ant1\_2480





2DH5\_Ant1\_2402



2DH5\_Ant1\_2441




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





2DH5\_Ant1\_2480



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



### A.3 Carrier frequency separation

#### Test Result

| TestMode | Antenna | Frequency[MHz] | Result[MHz] | Limit[MHz]   | Verdict |
|----------|---------|----------------|-------------|--------------|---------|
| DH5      | Ant1    | Hop            | 1.118       | $\geq 1.032$ | PASS    |
| 2DH5     | Ant1    | Hop            | 0.928       | $\geq 0.874$ | PASS    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

DH5\_Ant1\_Hop



2DH5\_Ant1\_Hop





## A.4 Time of occupancy

### Test Result

| TestMode | Antenna | Frequency[MHz] | BurstWidth<br>[ms] | TotalHops<br>[Num] | Result[s] | Limit[s] | Verdict |
|----------|---------|----------------|--------------------|--------------------|-----------|----------|---------|
| DH5      | Ant1    | Hop            | 2.880              | 106.67             | 0.307     | ≤0.4     | PASS    |
| 2DH5     | Ant1    | Hop            | 2.883              | 106.67             | 0.308     | ≤0.4     | PASS    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

DH5\_Ant1\_Hop



2DH5\_Ant1\_Hop



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## A.5 Number of hopping channels

### Test Result

| TestMode | Antenna | Frequency[MHz] | Result[Num] | Limit[Num] | Verdict |
|----------|---------|----------------|-------------|------------|---------|
| DH5      | Ant1    | Hop            | 79          | ≥15        | PASS    |
| 2DH5     | Ant1    | Hop            | 79          | ≥15        | PASS    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity






## Test Graphs

DH5\_Ant1\_Hop



2DH5\_Ant1\_Hop



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## Reference Level

### Test Result

| TestMode | Antenna | ChName | Frequency[MHz] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|--------|----------------|--------------|-------------|---------|
| DH5      | Ant1    | 2402   | 2402.04        | -1.30        | ---         | PASS    |
|          |         | 2441   | 2440.98        | -1.09        | ---         | PASS    |
|          |         | 2480   | 2480.05        | -1.10        | ---         | PASS    |
| 2DH5     | Ant1    | 2402   | 2401.80        | -2.84        | ---         | PASS    |
|          |         | 2441   | 2440.80        | -2.37        | ---         | PASS    |
|          |         | 2480   | 2480.16        | -1.67        | ---         | PASS    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




## Test Graphs

DH5\_Ant1\_2402




DH5\_Ant1\_2441




DH5\_Ant1\_2480






2DH5\_Ant1\_2402




2DH5\_Ant1\_2441





2DH5\_Ant1\_2480





## A.6 Band edge measurements

### Test Result

| TestMode | Antenna | ChName | Frequency[MHz] | RefLevel [dBm] | Result [dBm] | Limit [dBm]   | Verdict |
|----------|---------|--------|----------------|----------------|--------------|---------------|---------|
| DH5      | Ant1    | Low    | 2402           | -1.30          | -49.19       | $\leq -21.3$  | PASS    |
|          |         | High   | 2480           | -1.10          | -48.39       | $\leq -21.1$  | PASS    |
|          |         | Low    | Hop_2402       | -1.43          | -47.74       | $\leq -21.43$ | PASS    |
|          |         | High   | Hop_2480       | -0.39          | -47.7        | $\leq -20.39$ | PASS    |
| 2DH5     | Ant1    | Low    | 2402           | -2.84          | -49.22       | $\leq -22.84$ | PASS    |
|          |         | High   | 2480           | -1.67          | -48.6        | $\leq -21.67$ | PASS    |
|          |         | Low    | Hop_2402       | -4.41          | -47.55       | $\leq -24.41$ | PASS    |
|          |         | High   | Hop_2480       | -3.50          | -46.87       | $\leq -23.5$  | PASS    |









## Test Graphs

DH5\_Ant1\_Low\_2402



DH5\_Ant1\_High\_2480



DH5\_Ant1\_Low\_Hop\_2402




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



DH5\_Ant1\_High\_Hop\_2480



2DH5\_Ant1\_Low\_2402




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




2DH5\_Ant1\_High\_2480




2DH5\_Ant1\_Low\_Hop\_2402





2DH5\_Ant1\_High\_Hop\_2480





## A.7 Conducted Spurious Emission

### Test Result

| TestMode | Antenna | Frequency[MHz] | FreqRange [MHz] | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|----------------|-----------------|----------------|--------------|-------------|---------|
| DH5      | Ant1    | 2402           | 30~1000         | -1.30          | -59.79       | ≤-21.3      | PASS    |
|          |         |                | 1000~26500      | -1.30          | -47.02       | ≤-21.3      | PASS    |
|          |         | 2441           | 30~1000         | -1.09          | -59.85       | ≤-21.09     | PASS    |
|          |         |                | 1000~26500      | -1.09          | -46.43       | ≤-21.09     | PASS    |
|          |         | 2480           | 30~1000         | -1.10          | -59.44       | ≤-21.1      | PASS    |
|          |         |                | 1000~26500      | -1.10          | -46.13       | ≤-21.1      | PASS    |
| 2DH5     | Ant1    | 2402           | 30~1000         | -2.84          | -59.71       | ≤-22.84     | PASS    |
|          |         |                | 1000~26500      | -2.84          | -46.76       | ≤-22.84     | PASS    |
|          |         | 2441           | 30~1000         | -2.37          | -59.5        | ≤-22.37     | PASS    |
|          |         |                | 1000~26500      | -2.37          | -46.77       | ≤-22.37     | PASS    |
|          |         | 2480           | 30~1000         | -1.67          | -59.84       | ≤-21.67     | PASS    |
|          |         |                | 1000~26500      | -1.67          | -47          | ≤-21.67     | PASS    |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity






## Test Graphs

DH5\_Ant1\_2402\_30~1000



DH5\_Ant1\_2402\_1000~26500



DH5\_Ant1\_2441\_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






DH5\_Ant1\_2441\_1000~26500




DH5\_Ant1\_2480\_30~1000





DH5\_Ant1\_2480\_1000~26500



2DH5\_Ant1\_2402\_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




2DH5\_Ant1\_2402\_1000~26500




2DH5\_Ant1\_2441\_30~1000





2DH5\_Ant1\_2441\_1000~26500



2DH5\_Ant1\_2480\_30~1000




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



2DH5\_Ant1\_2480\_1000~26500



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





## A.8 Duty Cycle

### Test Result

| TestMode | Antenna | Frequency[M<br>Hz] | ON Time<br>[ms] | Period<br>[ms] | Duty Cycle<br>[%] | Duty Cycle<br>Factor[dB] | 1/T Factor[kHz] |
|----------|---------|--------------------|-----------------|----------------|-------------------|--------------------------|-----------------|
| DH5      | Ant1    | 2402               | 2.88            | 3.75           | 76.80             | 1.15                     | 0.35            |
|          |         | 2441               | 2.88            | 3.75           | 76.80             | 1.15                     | 0.35            |
|          |         | 2480               | 2.88            | 3.75           | 76.80             | 1.15                     | 0.35            |
| 2DH5     | Ant1    | 2402               | 2.89            | 3.75           | 77.07             | 1.13                     | 0.35            |
|          |         | 2441               | 2.89            | 3.75           | 77.07             | 1.13                     | 0.35            |
|          |         | 2480               | 2.89            | 3.75           | 77.07             | 1.13                     | 0.35            |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity






## Test Graphs

DH5\_Ant1\_2402




DH5\_Ant1\_2441




DH5\_Ant1\_2480






2DH5\_Ant1\_2402




2DH5\_Ant1\_2441





2DH5\_Ant1\_2480





## A.9 Emissions in Restricted Bands

### Test Result

| TestMode | Antenna | ChName | Frequency [MHz] | Detector | Freq [MHz] | Result [dBm] | Limit [dBm] | Result [dBuV/m] | Limit [dBuV/m] | Verdict |
|----------|---------|--------|-----------------|----------|------------|--------------|-------------|-----------------|----------------|---------|
| DH5      | Ant1    | Low    | 2402            | AV       | 2310.000   | -46.67       | ≤-41.20     | 48.53           | ≤54            | PASS    |
|          |         |        |                 | AV       | 2388.935   | -45.64       | ≤-41.20     | 49.56           | ≤54            | PASS    |
|          |         |        |                 | AV       | 2390.000   | -46.42       | ≤-41.20     | 48.78           | ≤54            | PASS    |
|          |         |        |                 | Peak     | 2310.000   | -40.09       | ≤-21.20     | 55.11           | ≤74            | PASS    |
|          |         |        |                 | Peak     | 2389.880   | -36.01       | ≤-21.20     | 59.19           | ≤74            | PASS    |
|          |         |        |                 | Peak     | 2390.000   | -40.36       | ≤-21.20     | 54.84           | ≤74            | PASS    |
|          |         | High   | 2480            | AV       | 2483.500   | -46.53       | ≤-41.20     | 48.67           | ≤54            | PASS    |
|          |         |        |                 | AV       | 2496.480   | -45.64       | ≤-41.20     | 49.56           | ≤54            | PASS    |
|          |         |        |                 | AV       | 2500.000   | -46.44       | ≤-41.20     | 48.76           | ≤54            | PASS    |
|          |         |        |                 | Peak     | 2483.500   | -38.15       | ≤-21.20     | 57.05           | ≤74            | PASS    |
|          |         |        |                 | Peak     | 2490.880   | -37.06       | ≤-21.20     | 58.14           | ≤74            | PASS    |
|          |         |        |                 | Peak     | 2500.000   | -38.34       | ≤-21.20     | 56.86           | ≤74            | PASS    |
| 2DH5     | Ant1    | Low    | 2402            | AV       | 2310.000   | -46.77       | ≤-41.20     | 48.43           | ≤54            | PASS    |
|          |         |        |                 | AV       | 2380.850   | -45.8        | ≤-41.20     | 49.40           | ≤54            | PASS    |
|          |         |        |                 | AV       | 2390.000   | -46.92       | ≤-41.20     | 48.28           | ≤54            | PASS    |
|          |         |        |                 | Peak     | 2310.000   | -40.76       | ≤-21.20     | 54.44           | ≤74            | PASS    |
|          |         |        |                 | Peak     | 2378.015   | -36.12       | ≤-21.20     | 59.08           | ≤74            | PASS    |
|          |         |        |                 | Peak     | 2390.000   | -39.84       | ≤-21.20     | 55.36           | ≤74            | PASS    |
|          |         | High   | 2480            | AV       | 2483.500   | -46.86       | ≤-41.20     | 48.34           | ≤54            | PASS    |
|          |         |        |                 | AV       | 2495.840   | -45.63       | ≤-41.20     | 49.57           | ≤54            | PASS    |
|          |         |        |                 | AV       | 2500.000   | -46.47       | ≤-41.20     | 48.73           | ≤54            | PASS    |
|          |         |        |                 | Peak     | 2483.500   | -38.71       | ≤-21.20     | 56.49           | ≤74            | PASS    |
|          |         |        |                 | Peak     | 2495.680   | -36.99       | ≤-21.20     | 58.21           | ≤74            | PASS    |
|          |         |        |                 | Peak     | 2500.000   | -39.35       | ≤-21.20     | 55.85           | ≤74            | PASS    |

Note:

1. The Antenna Gain is compensated in the graph. The Correction Factor is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

DH5\_Ant1\_Low\_2402\_AV




DH5\_Ant1\_Low\_2402\_Peak








## DH5\_Ant1\_High\_2480\_AV



## DH5\_Ant1\_High\_2480\_Peak



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## 2DH5\_Ant1\_Low\_2402\_AV



## 2DH5\_Ant1\_Low\_2402\_Peak



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-85291330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## 2DH5\_Ant1\_High\_2480\_AV



## 2DH5\_Ant1\_High\_2480\_Peak



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity