
Verifone

Material number : 109.002.0242

Material specification: ANT,E115,Enamelled Wire, Φ 43mmx0.8(L=10uH),Wireless

Charge(TX),With Reflector Plate,ZTX

Compile and write :

approval :

Recognition (R&D Department):

Engineering Department:

Supplier Management Department:

Quality Department:

File name	Part specification		
Document classification	secret	Effective date	2024-07-23

Revision history

Rew	Date	author	Change description
A0	2024-7-23	Liping.liu	First edition

供应商：深圳市中天迅通信科技股份有限公司

SUPPLIER：Shenzhen ZTX Communication Technology Co., Ltd

客户料号：109.002.0242

CUSTOMER PART No.：109.002.0242

客户产品型号：天线-E115-漆包线-Φ43mmx0.8（L=10uH）-Wireless Charge（TX）-带反射片-ZTX
天线-E115-漆包线-Φ43mmx0.8（L=10uH）-Wireless Charge（TX）-带反射片-ZTX

CUSTOMER MODEL. No.：ANT,E115,Enamelled Wire, Φ 43mmx0.8(L=10uH),Wireless Charge(TX),With Reflector Plate,ZTX

供方产品型号：E115

SUPPLIER MODEL. No.：E115

供方产品料号：1.28.00004

SUPPLIER PART No.：1.28.00004

specification

DATE: 2024/7/23

APPROVAL

CHECK

PREPARE

邹国华

梁文耀

王洪平

Address:No. 34, ShilongAvenue, ShiyanTown, BaoanDist
rict, Shenzhen (TengdaIndustrialPark)

Tel: 0755-27588320

Fax: 0755-27588045

5

Supplier confirmation stamp



SPECIFICATION

SHEET FOR APPROVAL

(Revision: R: A0)

	CUSTOMER	Verifone	
	CS P/N	E115	
	PART NAME	TX COIL-ANT	
	FREQUENCY	125kHz1V	
	ZTX NO.	1.28.00004	
	DATE	2024/7/23	

Shenzhen ZTX Communication Technology Co., Ltd				
MANAGER	MANAGER	ME	RF	LISTER
CHECKED	CHECKED	CHECKED	CHECKED	
Gushua.Zou	Li Yun.Huang	Liping.Liu	Wenyao.Liang	Fengjiao.Zhang



Shenzhen ZTX Communication Technology Co., Ltd

Address: No.34,ShilongAvenue,ShiyanTown,BaoanDistrict,Shenzhen,
(TengdaIndustrialPark)

zipcode:518000

Tel: 0755-27588320

Fax: 0755-27588045

<http://www.chinaztx.com>

Index

1.			General Description	6
2.			Mechanical Specification	7

ANTENNA SPECIFICATION

CUS P/N : E115_TX COIL-ANT
ZTX P/N : E115_TX COIL-ANT

Application Date: Jun.23,2024
Editor:

Rev: R:A0

1.General Description

Dbi	Decibel relative isotropic antenna
Tx	Transmit frequency
Rx	Receive frequency
VSWR	Voltage Standing Wave Ratio
GSM	Global Service for Mobile communication
DCS	Digital Communication System
PCS	Personal Communication System
PHS	Personal Handy-phone System
SAR	Specific Absorption Rate
PCB	Printed Circuit Board