UNII Declaration Letter

We have declared below featured for FCC equipment authorization, device FCC ID: 2BE94MH500C				
(1) DFS Device		ent with Radar detect adar detection capabi		
(2) Active / Passive Scanning , adhoc mode access point capability				
Frequency Band (MHz)	Active Scanning (the device can transmit a probe (beacon))	passive scanning (where the device is can listen only with no probes)	Ad Hoc Mode capability	Access point capability
2412 – 2462 MHz 2422 – 2452 MHz 5745 – 5825 MHz 5755 – 5795 MHz 5180 – 5240 MHz 5190 – 5230 MHz 5260 – 5320 MHz 5270 – 5310 MHz 5500 – 5700 MHz	⊠ Yes, □ No ⊠ Yes, □ No ⊠ Yes, □ No ⊠ Yes, □ No □ Yes, □ No	X Yes, No Yes, No Yes, No Yes, No Yes, No	☐ Yes, ☒ No ☐ Yes, ☒ No ☐ Yes, ☒ No ☐ Yes, ☒ No ☐ Yes, ☐ No	☐ Yes, ☒ No ☐ Yes, ☒ No ☐ Yes, ☒ No ☐ Yes, ☒ No ☐ Yes, ☐ No ☐ Yes, ☐ No ☐ Yes, ☐ No ☐ Yes, ☐ No
5510 – 5670 MHz	☐ Yes, ☐ No	☐ Yes, ☐ No	☐ Yes, ☐ No	☐ Yes, ☐ No
 (3) Country code selection ability - ☐ Yes , ☒ No If no, pls explain how was implemented : Country is selected as US by default and user can not change the country code. (4) Meet 15.202 requirement - ☒ Yes , ☐ No , pls check below : ☒ A master device is defined as a device operating in a mode in which it has the capability to transmit without receiving an enabling signal. In this mode it is able to select a channel and initiate a network by sending enabling signals to other devices ☐ A client device is defined as a device operating in a mode in which the transmissions of the device are under control of the master. A device in client mode is not able to initiate a network. 				
(5) For client devices the scanning in some and proclasses or those that open of operations through so how the software and / be modified by end use Apply, No Apple (If apply, pls help to provide the device configuration can allow USB connection for use	passive scanning in ot perate on non-DFS free oftware, the application or hardware is implent or an installer. y, explanation on how it was it not be modified by user as	thers) in different ban equencies) or modula on must provide softw nented to ensure that implement (By hardware of program is not exposed to	nds (devices with mul- in devices which confivare and operations of t proper operations marked or software, and how software, and how software.	tiple equipment igure the modes description on nodes can not
If you have any questions, please feel free to contact me at the address shown below.				
Yours sincerely, Signatory:				
Ather Waheed				

Contact name: Athar Waheed Title:Manager