


## Appendix C. Radiated Emission


Below 1 GHz

|               |               |           |             |
|---------------|---------------|-----------|-------------|
| Test Site:    | 96603-WG      | Standard: | Part 15.407 |
| Test Mode:    | Transmit Mode |           |             |
| Polarization: | Horizontal    |           |             |
| Remark:       |               |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 62.01            | 51.57           | -12.68                    | 38.89            | 40.00           | -1.11        | QP     |
| 2  | 176.47           | 54.52           | -13.50                    | 41.02            | 43.50           | -2.48        | QP     |
| 3  | 325.85           | 55.10           | -10.98                    | 44.12            | 46.00           | -1.88        | QP     |
| 4  | 391.81           | 52.30           | -9.24                     | 43.06            | 46.00           | -2.94        | QP     |
| 5  | 749.74           | 40.98           | -2.66                     | 38.33            | 46.00           | -7.68        | QP     |
| 6  | 967.99           | 33.83           | 0.25                      | 34.08            | 54.00           | -19.92       | QP     |

|               |               |           |             |
|---------------|---------------|-----------|-------------|
| Test Site:    | 96603-WG      | Standard: | Part 15.407 |
| Test Mode:    | Transmit Mode |           |             |
| Polarization: | Vertical      |           |             |
| Remark:       |               |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 61.04            | 50.50           | -12.38                    | 38.12            | 40.00           | -1.88        | QP     |
| 2  | 109.54           | 57.48           | -15.42                    | 42.06            | 43.50           | -1.44        | QP     |
| 3  | 427.70           | 51.20           | -8.59                     | 42.61            | 46.00           | -3.39        | QP     |
| 4  | 526.64           | 46.17           | -6.54                     | 39.63            | 46.00           | -6.37        | QP     |
| 5  | 673.11           | 40.17           | -3.96                     | 36.21            | 46.00           | -9.79        | QP     |
| 6  | 971.87           | 33.39           | 0.29                      | 33.68            | 54.00           | -20.32       | QP     |

Harmonic


Above 1 GHz

|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 5955 MHz |           |             |
| Polarization: | Horizontal       |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11910.00         | 43.01           | 7.58                      | 50.59            | 74.00           | -23.41       | PEAK   |
| 2  | 17865.00         | 42.96           | 7.16                      | 50.12            | 74.00           | -23.88       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 5955 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11910.00         | 46.62           | 7.58                      | 54.20            | 74.00           | -19.80       | PEAK   |
| 2  | 11910.00         | 37.38           | 7.58                      | 44.96            | 54.00           | -9.04        | AVG    |
| 3  | 17865.00         | 47.47           | 7.16                      | 54.63            | 74.00           | -19.37       | PEAK   |
| 4  | 17865.00         | 38.69           | 7.16                      | 45.85            | 54.00           | -8.15        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6175 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12350.00         | 52.82           | 7.90                      | 60.72            | 74.00           | -13.28       | PEAK   |
| 2  | 12350.00         | 41.43           | 7.90                      | 49.33            | 54.00           | -4.67        | AVG    |
| 3  | 18525.00         | 42.52           | 8.27                      | 50.79            | 74.00           | -23.21       | PEAK   |

|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 6175 MHz |           |             |
| Polarization: | Vertical         |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12350.00         | 56.82           | 7.90                      | 64.72            | 74.00           | -9.28        | PEAK   |
| 2  | 12350.00         | 45.16           | 7.90                      | 53.06            | 54.00           | -0.94        | AVG    |
| 3  | 18525.00         | 48.52           | 8.27                      | 56.79            | 74.00           | -17.21       | PEAK   |
| 4  | 18525.00         | 38.09           | 8.27                      | 46.36            | 54.00           | -7.64        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6415 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12830.00         | 46.63           | 8.43                      | 55.06            | 88.20           | -33.14       | PEAK   |
| 2  | 19245.00         | 41.84           | 8.59                      | 50.43            | 74.00           | -23.57       | PEAK   |


|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 6415 MHz |           |             |
| Polarization: | Vertical         |           |             |
| Remark:       |                  |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12830.00         | 53.10           | 8.43                      | 61.53            | 88.20           | -26.67       | PEAK   |
| 2  | 19245.00         | 42.29           | 8.59                      | 50.88            | 74.00           | -23.12       | PEAK   |




|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 6435 MHz |           |             |
| Polarization: | Horizontal       |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12870.00         | 48.90           | 8.49                      | 57.39            | 88.20           | -30.81       | PEAK   |
| 2  | 19305.00         | 41.67           | 8.62                      | 50.29            | 74.00           | -23.71       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6435 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12870.00         | 47.56           | 8.50                      | 56.06            | 88.20           | -32.14       | PEAK   |
| 2  | 19305.00         | 42.06           | 8.62                      | 50.68            | 74.00           | -23.32       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6475 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12950.00         | 46.67           | 8.50                      | 55.17            | 88.20           | -33.03       | PEAK   |
| 2  | 19425.00         | 42.26           | 8.67                      | 50.93            | 74.00           | -23.07       | PEAK   |

|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 6475 MHz |           |             |
| Polarization: | Vertical         |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12950.00         | 48.05           | 8.51                      | 56.56            | 88.20           | -31.64       | PEAK   |
| 2  | 19425.00         | 41.42           | 8.67                      | 50.09            | 74.00           | -23.91       | PEAK   |

|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 6515 MHz |           |             |
| Polarization: | Horizontal       |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13030.00         | 46.62           | 8.50                      | 55.12            | 88.20           | -33.08       | PEAK   |
| 2  | 19545.00         | 41.54           | 8.67                      | 50.21            | 74.00           | -23.79       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6515 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13030.00         | 48.47           | 8.50                      | 56.97            | 88.20           | -31.23       | PEAK   |
| 2  | 19545.00         | 41.52           | 8.73                      | 50.25            | 74.00           | -23.75       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6535 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13070.00         | 43.40           | 8.52                      | 51.92            | 88.20           | -36.28       | PEAK   |
| 2  | 19605.00         | 42.11           | 8.75                      | 50.86            | 74.00           | -23.14       | PEAK   |


|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 6535 MHz |           |             |
| Polarization: | Vertical         |           |             |
| Remark:       |                  |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13070.00         | 46.98           | 8.52                      | 55.50            | 88.20           | -32.70       | PEAK   |
| 2  | 19605.00         | 41.27           | 8.75                      | 50.02            | 74.00           | -23.98       | PEAK   |




Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6695 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13390.00         | 47.07           | 8.15                      | 55.22            | 74.00           | -18.79       | PEAK   |
| 2  | 13390.00         | 40.47           | 8.15                      | 48.62            | 54.00           | -5.38        | AVG    |
| 3  | 20085.00         | 47.13           | 8.98                      | 56.11            | 74.00           | -17.89       | PEAK   |
| 4  | 20085.00         | 40.34           | 8.98                      | 49.32            | 54.00           | -4.68        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6695 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13390.00         | 49.17           | 8.15                      | 57.32            | 74.00           | -16.68       | PEAK   |
| 2  | 13390.00         | 44.08           | 8.15                      | 52.23            | 54.00           | -1.77        | AVG    |
| 3  | 20085.00         | 46.89           | 8.98                      | 55.87            | 74.00           | -18.13       | PEAK   |
| 4  | 20085.00         | 37.53           | 8.98                      | 46.51            | 54.00           | -7.49        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6855 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13710.00         | 47.16           | 7.80                      | 54.97            | 88.20           | -33.24       | PEAK   |
| 2  | 20565.00         | 40.99           | 9.18                      | 50.17            | 74.00           | -23.83       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6855 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13710.00         | 49.12           | 7.80                      | 56.92            | 88.20           | -31.28       | PEAK   |
| 2  | 20565.00         | 47.50           | 9.18                      | 56.68            | 74.00           | -17.32       | PEAK   |
| 3  | 20565.00         | 40.34           | 9.18                      | 49.52            | 54.00           | -4.48        | AVG    |

|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 6875 MHz |           |             |
| Polarization: | Horizontal       |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13750.00         | 44.64           | 7.79                      | 52.43            | 88.20           | -35.77       | PEAK   |
| 2  | 20625.00         | 41.63           | 9.21                      | 50.84            | 74.00           | -23.16       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6875 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13750.00         | 52.64           | 7.80                      | 60.44            | 88.20           | -27.76       | PEAK   |
| 2  | 20625.00         | 52.35           | 9.22                      | 61.57            | 74.00           | -12.43       | PEAK   |
| 3  | 20625.00         | 40.80           | 9.22                      | 50.02            | 54.00           | -3.98        | AVG    |

|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 6895 MHz |           |             |
| Polarization: | Horizontal       |           |             |
| Remark:       |                  |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13790.00         | 46.62           | 7.79                      | 54.41            | 88.20           | -33.79       | PEAK   |
| 2  | 20685.00         | 41.76           | 9.23                      | 50.99            | 74.00           | -23.01       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6895 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13790.00         | 49.19           | 7.79                      | 56.98            | 88.20           | -31.22       | PEAK   |
| 2  | 20685.00         | 41.40           | 9.23                      | 50.63            | 74.00           | -23.37       | PEAK   |




|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 6995 MHz |           |             |
| Polarization: | Horizontal       |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13990.00         | 51.09           | 8.30                      | 59.39            | 88.20           | -28.81       | PEAK   |
| 2  | 20985.00         | 47.78           | 9.38                      | 57.16            | 74.00           | -16.84       | PEAK   |
| 3  | 20985.00         | 34.30           | 9.38                      | 43.68            | 54.00           | -10.32       | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 6995 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13990.00         | 51.04           | 8.25                      | 59.29            | 88.20           | -28.91       | PEAK   |
| 2  | 20985.00         | 49.82           | 9.37                      | 59.19            | 74.00           | -14.81       | PEAK   |
| 3  | 20985.00         | 40.48           | 9.37                      | 49.85            | 54.00           | -4.15        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 7115 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 14230.00         | 52.30           | 8.50                      | 60.80            | 88.20           | -27.40       | PEAK   |
| 2  | 21345.00         | 46.48           | 9.53                      | 56.01            | 74.00           | -17.99       | PEAK   |
| 3  | 21345.00         | 37.42           | 9.53                      | 46.95            | 54.00           | -7.05        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 7115 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 14230.00         | 54.31           | 8.50                      | 62.81            | 88.20           | -25.39       | PEAK   |
| 2  | 21345.00         | 47.84           | 9.53                      | 57.37            | 74.00           | -16.63       | PEAK   |
| 3  | 21345.00         | 40.34           | 9.53                      | 49.87            | 54.00           | -4.13        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 5955 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11910.00         | 52.87           | 7.58                      | 60.45            | 74.00           | -13.55       | PEAK   |
| 2  | 11910.00         | 42.70           | 7.58                      | 50.28            | 54.00           | -3.72        | AVG    |
| 3  | 17865.00         | 43.45           | 7.16                      | 50.61            | 74.00           | -23.39       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 5955 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11910.00         | 55.39           | 7.58                      | 62.97            | 74.00           | -11.04       | PEAK   |
| 2  | 11910.00         | 46.25           | 7.58                      | 53.83            | 54.00           | -0.17        | AVG    |
| 3  | 17865.00         | 52.79           | 7.16                      | 59.95            | 74.00           | -14.05       | PEAK   |
| 4  | 17865.00         | 40.82           | 7.16                      | 47.98            | 54.00           | -6.02        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6175 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12350.00         | 53.08           | 7.91                      | 60.99            | 74.00           | -13.01       | PEAK   |
| 2  | 12350.00         | 43.72           | 7.91                      | 51.63            | 54.00           | -2.37        | AVG    |
| 3  | 18525.00         | 42.09           | 8.27                      | 50.36            | 74.00           | -23.64       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6175 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12350.00         | 56.36           | 7.86                      | 64.22            | 74.00           | -9.78        | PEAK   |
| 2  | 12350.00         | 45.56           | 7.86                      | 53.42            | 54.00           | -0.58        | AVG    |
| 3  | 18525.00         | 50.45           | 8.27                      | 58.72            | 74.00           | -15.28       | PEAK   |
| 4  | 18525.00         | 39.99           | 8.27                      | 48.26            | 54.00           | -5.74        | AVG    |




Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6415 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12830.00         | 48.17           | 8.43                      | 56.60            | 88.20           | -31.60       | PEAK   |
| 2  | 19245.00         | 41.51           | 8.59                      | 50.10            | 74.00           | -23.90       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6415 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12830.00         | 50.68           | 8.43                      | 59.11            | 88.20           | -29.09       | PEAK   |
| 2  | 19245.00         | 41.93           | 8.59                      | 50.52            | 74.00           | -23.48       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6435 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12870.00         | 48.12           | 8.49                      | 56.61            | 88.20           | -31.59       | PEAK   |
| 2  | 19305.00         | 41.79           | 8.62                      | 50.41            | 74.00           | -23.59       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6435 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12870.00         | 49.57           | 8.49                      | 58.06            | 88.20           | -30.14       | PEAK   |
| 2  | 19305.00         | 41.72           | 8.62                      | 50.34            | 74.00           | -23.66       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6475 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12950.00         | 44.94           | 8.50                      | 53.44            | 88.20           | -34.76       | PEAK   |
| 2  | 19425.00         | 41.42           | 8.67                      | 50.09            | 74.00           | -23.91       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6475 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12950.00         | 47.64           | 8.51                      | 56.15            | 88.20           | -32.05       | PEAK   |
| 2  | 19425.00         | 42.12           | 8.67                      | 50.79            | 74.00           | -23.21       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6515 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13030.00         | 44.47           | 8.49                      | 52.96            | 88.20           | -35.24       | PEAK   |
| 2  | 19545.00         | 41.65           | 8.73                      | 50.38            | 74.00           | -23.62       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6515 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13030.00         | 48.03           | 8.50                      | 56.53            | 88.20           | -31.67       | PEAK   |
| 2  | 19545.00         | 42.25           | 8.73                      | 50.98            | 74.00           | -23.02       | PEAK   |




Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6535 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13070.00         | 44.24           | 8.52                      | 52.76            | 88.20           | -35.44       | PEAK   |
| 2  | 19605.00         | 41.30           | 8.75                      | 50.05            | 74.00           | -23.95       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6535 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13070.00         | 47.51           | 8.52                      | 56.03            | 88.20           | -32.17       | PEAK   |
| 2  | 19605.00         | 41.76           | 8.75                      | 50.51            | 74.00           | -23.49       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6695 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13390.00         | 44.53           | 8.13                      | 52.66            | 74.00           | -21.34       | PEAK   |
| 2  | 13390.00         | 35.83           | 8.12                      | 43.95            | 54.00           | -10.05       | AVG    |
| 3  | 20085.00         | 41.95           | 8.98                      | 50.93            | 74.00           | -23.07       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6695 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13390.00         | 47.08           | 8.15                      | 55.23            | 74.00           | -18.77       | PEAK   |
| 2  | 13390.00         | 38.83           | 8.15                      | 46.98            | 54.00           | -7.02        | AVG    |
| 3  | 20085.00         | 41.91           | 8.98                      | 50.89            | 74.00           | -23.11       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6855 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13710.00         | 46.55           | 7.80                      | 54.35            | 88.20           | -33.85       | PEAK   |
| 2  | 20565.00         | 41.41           | 9.19                      | 50.60            | 74.00           | -23.40       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6855 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13710.00         | 48.56           | 7.80                      | 56.36            | 88.20           | -31.84       | PEAK   |
| 2  | 20565.00         | 37.55           | 9.19                      | 46.74            | 54.00           | -7.26        | AVG    |
| 3  | 20565.00         | 47.35           | 9.19                      | 56.54            | 74.00           | -17.46       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6875 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13750.00         | 46.91           | 7.80                      | 54.71            | 88.20           | -33.49       | PEAK   |
| 2  | 20625.00         | 41.26           | 9.21                      | 50.47            | 74.00           | -23.53       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6875 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13750.00         | 52.19           | 7.79                      | 59.98            | 88.20           | -28.22       | PEAK   |
| 2  | 20625.00         | 48.35           | 9.22                      | 57.57            | 74.00           | -16.43       | PEAK   |
| 3  | 20625.00         | 37.86           | 9.22                      | 47.08            | 54.00           | -6.92        | AVG    |




Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6895 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13790.00         | 50.79           | 7.79                      | 58.58            | 88.20           | -29.62       | PEAK   |
| 2  | 20685.00         | 41.26           | 9.23                      | 50.49            | 74.00           | -23.51       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6895 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13790.00         | 50.91           | 7.79                      | 58.70            | 88.20           | -29.50       | PEAK   |
| 2  | 20685.00         | 48.00           | 9.25                      | 57.25            | 74.00           | -16.75       | PEAK   |
| 3  | 20685.00         | 38.67           | 9.25                      | 47.92            | 54.00           | -6.08        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6995 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13990.00         | 50.30           | 8.25                      | 58.55            | 88.20           | -29.66       | PEAK   |
| 2  | 20985.00         | 47.61           | 9.38                      | 56.99            | 74.00           | -17.01       | PEAK   |
| 3  | 20985.00         | 37.64           | 9.38                      | 47.02            | 54.00           | -6.98        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 6995 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13990.00         | 49.99           | 8.25                      | 58.24            | 88.20           | -29.96       | PEAK   |
| 2  | 20985.00         | 46.76           | 9.37                      | 56.13            | 74.00           | -17.87       | PEAK   |
| 3  | 20985.00         | 36.88           | 9.37                      | 46.25            | 54.00           | -7.75        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 7115 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 14230.00         | 51.78           | 8.52                      | 60.31            | 88.20           | -27.90       | PEAK   |
| 2  | 21345.00         | 45.50           | 9.54                      | 55.04            | 74.00           | -18.96       | PEAK   |
| 3  | 21345.00         | 36.54           | 9.54                      | 46.08            | 54.00           | -7.92        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 7115 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 14230.00         | 53.34           | 8.52                      | 61.86            | 88.20           | -26.34       | PEAK   |
| 2  | 21345.00         | 47.47           | 9.53                      | 57.00            | 74.00           | -17.00       | PEAK   |
| 3  | 21345.00         | 37.52           | 9.53                      | 47.05            | 54.00           | -6.95        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 5965 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11930.00         | 55.22           | 7.58                      | 62.80            | 74.00           | -11.20       | PEAK   |
| 2  | 11930.00         | 44.53           | 7.58                      | 52.11            | 54.00           | -1.89        | AVG    |
| 3  | 17895.00         | 43.18           | 7.33                      | 50.51            | 74.00           | -23.49       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 5965 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11930.00         | 56.64           | 7.58                      | 64.22            | 74.00           | -9.78        | PEAK   |
| 2  | 11930.00         | 45.69           | 7.58                      | 53.27            | 54.00           | -0.73        | AVG    |
| 3  | 17895.00         | 43.39           | 7.33                      | 50.72            | 74.00           | -23.28       | PEAK   |




Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6165 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12330.00         | 50.12           | 7.78                      | 57.91            | 74.00           | -16.10       | PEAK   |
| 2  | 12330.00         | 39.24           | 7.78                      | 47.02            | 54.00           | -6.98        | AVG    |
| 3  | 18495.00         | 52.52           | 8.26                      | 60.79            | 74.00           | -13.22       | PEAK   |
| 4  | 18495.00         | 43.10           | 8.26                      | 51.36            | 54.00           | -2.64        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6165 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12330.00         | 55.33           | 7.82                      | 63.15            | 74.00           | -10.85       | PEAK   |
| 2  | 12330.00         | 45.09           | 7.82                      | 52.91            | 54.00           | -1.09        | AVG    |
| 3  | 18495.00         | 55.89           | 8.26                      | 64.15            | 74.00           | -9.85        | PEAK   |
| 4  | 18495.00         | 45.11           | 8.26                      | 53.37            | 54.00           | -0.63        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6405 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12810.00         | 45.22           | 8.40                      | 53.62            | 88.20           | -34.58       | PEAK   |
| 2  | 19215.00         | 42.20           | 8.58                      | 50.78            | 74.00           | -23.22       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6405 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12810.00         | 48.48           | 8.40                      | 56.88            | 88.20           | -31.32       | PEAK   |
| 2  | 19215.00         | 41.69           | 8.58                      | 50.27            | 74.00           | -23.73       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6445 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12890.00         | 43.51           | 8.51                      | 52.02            | 88.20           | -36.18       | PEAK   |
| 2  | 19335.00         | 42.25           | 8.64                      | 50.89            | 74.00           | -23.11       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6445 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12890.00         | 45.76           | 8.51                      | 54.27            | 88.20           | -33.93       | PEAK   |
| 2  | 19335.00         | 41.74           | 8.64                      | 50.38            | 74.00           | -23.62       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6485 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12970.00         | 41.89           | 8.50                      | 50.39            | 88.20           | -37.81       | PEAK   |
| 2  | 19455.00         | 41.56           | 8.68                      | 50.24            | 74.00           | -23.76       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6485 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12970.00         | 45.36           | 8.50                      | 53.86            | 88.20           | -34.34       | PEAK   |
| 2  | 19455.00         | 42.16           | 8.68                      | 50.84            | 74.00           | -23.16       | PEAK   |




Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6525 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13050.00         | 42.35           | 8.51                      | 50.86            | 88.20           | -37.34       | PEAK   |
| 2  | 19575.00         | 42.00           | 8.74                      | 50.74            | 74.00           | -23.26       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6525 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13050.00         | 44.16           | 8.51                      | 52.67            | 88.20           | -35.53       | PEAK   |
| 2  | 19575.00         | 41.74           | 8.74                      | 50.48            | 74.00           | -23.52       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6565 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13130.00         | 44.00           | 8.49                      | 52.49            | 88.20           | -35.71       | PEAK   |
| 2  | 19695.00         | 41.66           | 8.80                      | 50.46            | 74.00           | -23.54       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6565 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13130.00         | 44.83           | 8.49                      | 53.32            | 88.20           | -34.88       | PEAK   |
| 2  | 19695.00         | 41.43           | 8.80                      | 50.23            | 74.00           | -23.77       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6685 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13370.00         | 43.69           | 8.17                      | 51.86            | 74.00           | -22.14       | PEAK   |
| 2  | 13370.00         | 34.81           | 8.17                      | 42.98            | 54.00           | -11.02       | AVG    |
| 3  | 20055.00         | 41.74           | 8.95                      | 50.69            | 74.00           | -23.31       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6685 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13370.00         | 45.01           | 8.17                      | 53.18            | 74.00           | -20.82       | PEAK   |
| 2  | 13370.00         | 36.19           | 8.17                      | 44.36            | 54.00           | -9.64        | AVG    |
| 3  | 20055.00         | 41.38           | 8.95                      | 50.33            | 74.00           | -23.67       | PEAK   |

|               |                         |           |             |
|---------------|-------------------------|-----------|-------------|
| Test Site:    | 96603-WG                | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT40 6845 MHz |           |             |
| Polarization: | Horizontal              |           |             |
| Remark:       |                         |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13690.00         | 43.27           | 7.80                      | 51.07            | 88.20           | -37.13       | PEAK   |
| 2  | 20535.00         | 41.11           | 9.17                      | 50.28            | 74.00           | -23.72       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6845 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13690.00         | 46.88           | 7.80                      | 54.68            | 88.20           | -33.52       | PEAK   |
| 2  | 13690.00         | 37.47           | 7.80                      | 45.27            | 68.20           | -22.93       | AVG    |
| 3  | 20535.00         | 48.16           | 9.17                      | 57.33            | 74.00           | -16.67       | PEAK   |
| 4  | 20535.00         | 37.78           | 9.17                      | 46.95            | 54.00           | -7.05        | AVG    |




|               |                         |           |             |
|---------------|-------------------------|-----------|-------------|
| Test Site:    | 96603-WG                | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT40 6885 MHz |           |             |
| Polarization: | Horizontal              |           |             |
| Remark:       |                         |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13770.00         | 45.14           | 7.79                      | 52.93            | 88.20           | -35.27       | PEAK   |
| 2  | 20655.00         | 41.04           | 9.22                      | 50.26            | 74.00           | -23.74       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6885 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13770.00         | 49.46           | 7.79                      | 57.25            | 88.20           | -30.95       | PEAK   |
| 2  | 20655.00         | 41.64           | 9.22                      | 50.86            | 74.00           | -23.14       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6925 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13850.00         | 47.39           | 7.91                      | 55.30            | 88.20           | -32.90       | PEAK   |
| 2  | 20775.00         | 41.39           | 9.28                      | 50.67            | 74.00           | -23.33       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 6925 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13850.00         | 47.80           | 7.91                      | 55.71            | 88.20           | -32.49       | PEAK   |
| 2  | 20775.00         | 40.79           | 9.28                      | 50.07            | 74.00           | -23.93       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 7005 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 14010.00         | 47.84           | 8.31                      | 56.15            | 88.20           | -32.05       | PEAK   |
| 2  | 21015.00         | 41.21           | 9.39                      | 50.60            | 74.00           | -23.40       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 7005 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 14010.00         | 48.31           | 8.31                      | 56.62            | 88.20           | -31.58       | PEAK   |
| 2  | 21015.00         | 41.15           | 9.39                      | 50.54            | 74.00           | -23.46       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 7085 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 14170.00         | 47.46           | 8.51                      | 55.97            | 88.20           | -32.23       | PEAK   |
| 2  | 21255.00         | 46.07           | 9.49                      | 55.56            | 74.00           | -18.44       | PEAK   |
| 3  | 21255.00         | 35.76           | 9.49                      | 45.25            | 54.00           | -8.75        | AVG    |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 7085 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 14170.00         | 48.78           | 8.51                      | 57.29            | 88.20           | -30.91       | PEAK   |
| 2  | 21255.00         | 46.04           | 9.49                      | 55.53            | 74.00           | -18.47       | PEAK   |
| 3  | 21255.00         | 37.36           | 9.49                      | 46.85            | 54.00           | -7.15        | AVG    |




Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 5985 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11970.00         | 51.29           | 7.59                      | 58.88            | 74.00           | -15.12       | PEAK   |
| 2  | 11970.00         | 41.93           | 7.59                      | 49.52            | 54.00           | -4.48        | AVG    |
| 3  | 17955.00         | 47.56           | 7.73                      | 55.29            | 74.00           | -18.71       | PEAK   |
| 4  | 17955.00         | 38.23           | 7.73                      | 45.96            | 54.00           | -8.04        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 5985 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 11970.00         | 54.72           | 7.59                      | 62.31            | 74.00           | -11.69       | PEAK   |
| 2  | 11970.00         | 45.57           | 7.59                      | 53.16            | 54.00           | -0.84        | AVG    |
| 3  | 17955.00         | 53.20           | 7.74                      | 60.94            | 74.00           | -13.06       | PEAK   |
| 4  | 17955.00         | 43.38           | 7.74                      | 51.12            | 54.00           | -2.88        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6145 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12290.00         | 47.16           | 7.72                      | 54.88            | 74.00           | -19.12       | PEAK   |
| 2  | 12290.00         | 37.14           | 7.72                      | 44.86            | 54.00           | -9.14        | AVG    |
| 3  | 18435.00         | 47.85           | 8.23                      | 56.08            | 74.00           | -17.92       | PEAK   |
| 4  | 18435.00         | 38.85           | 8.23                      | 47.08            | 54.00           | -6.92        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6145 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12290.00         | 49.92           | 7.72                      | 57.64            | 74.00           | -16.36       | PEAK   |
| 2  | 12290.00         | 39.49           | 7.72                      | 47.21            | 54.00           | -6.79        | AVG    |
| 3  | 18435.00         | 46.81           | 8.23                      | 55.04            | 74.00           | -18.96       | PEAK   |
| 4  | 18435.00         | 36.72           | 8.23                      | 44.95            | 54.00           | -9.05        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6385 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12770.00         | 44.10           | 8.35                      | 52.45            | 88.20           | -35.75       | PEAK   |
| 2  | 19155.00         | 41.58           | 8.56                      | 50.14            | 74.00           | -23.86       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6385 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12770.00         | 46.45           | 8.35                      | 54.80            | 88.20           | -33.40       | PEAK   |
| 2  | 19155.00         | 42.10           | 8.56                      | 50.66            | 74.00           | -23.34       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6465 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12930.00         | 42.68           | 8.52                      | 51.20            | 88.20           | -37.00       | PEAK   |
| 2  | 19395.00         | 41.56           | 8.67                      | 50.23            | 74.00           | -23.77       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6465 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12930.00         | 42.68           | 8.52                      | 51.20            | 88.20           | -37.00       | PEAK   |
| 2  | 19395.00         | 41.56           | 8.67                      | 50.23            | 74.00           | -23.77       | PEAK   |




|               |                         |           |             |
|---------------|-------------------------|-----------|-------------|
| Test Site:    | 96603-WG                | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT80 6545 MHz |           |             |
| Polarization: | Horizontal              |           |             |
| Remark:       |                         |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13090.00         | 42.19           | 8.53                      | 50.72            | 88.20           | -37.48       | PEAK   |
| 2  | 19635.00         | 42.22           | 8.77                      | 50.99            | 74.00           | -23.01       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6545 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13090.00         | 44.30           | 8.53                      | 52.83            | 88.20           | -35.37       | PEAK   |
| 2  | 19635.00         | 42.00           | 8.77                      | 50.77            | 74.00           | -23.23       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6625 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13250.00         | 39.46           | 8.35                      | 47.81            | 74.00           | -26.19       | PEAK   |
| 2  | 19875.00         | 41.32           | 8.87                      | 50.19            | 74.00           | -23.81       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6625 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13250.00         | 44.39           | 8.35                      | 52.74            | 74.00           | -21.26       | PEAK   |
| 2  | 13250.00         | 34.87           | 8.35                      | 43.22            | 54.00           | -10.78       | AVG    |
| 3  | 19875.00         | 41.48           | 8.87                      | 50.35            | 74.00           | -23.65       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6705 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13410.00         | 41.79           | 8.08                      | 49.87            | 88.20           | -38.33       | PEAK   |
| 2  | 20115.00         | 41.65           | 8.99                      | 50.64            | 74.00           | -23.36       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6705 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13410.00         | 43.73           | 8.08                      | 51.81            | 88.20           | -36.39       | PEAK   |
| 2  | 20115.00         | 41.32           | 8.99                      | 50.31            | 74.00           | -23.69       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6785 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13570.00         | 45.74           | 7.82                      | 53.56            | 88.20           | -34.64       | PEAK   |
| 2  | 20355.00         | 41.58           | 9.09                      | 50.67            | 74.00           | -23.33       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6785 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13570.00         | 44.47           | 7.82                      | 52.29            | 88.20           | -35.91       | PEAK   |
| 2  | 20355.00         | 41.27           | 9.09                      | 50.36            | 74.00           | -23.64       | PEAK   |




Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6865 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13730.00         | 41.98           | 7.79                      | 49.77            | 88.20           | -38.43       | PEAK   |
| 2  | 20595.00         | 41.44           | 9.21                      | 50.65            | 74.00           | -23.35       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6865 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13730.00         | 45.24           | 7.79                      | 53.03            | 88.20           | -35.17       | PEAK   |
| 2  | 20595.00         | 40.91           | 9.21                      | 50.12            | 74.00           | -23.88       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6945 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13890.00         | 45.35           | 8.02                      | 53.37            | 88.20           | -34.83       | PEAK   |
| 2  | 20835.00         | 41.43           | 9.30                      | 50.73            | 74.00           | -23.27       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 6945 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13890.00         | 45.57           | 8.02                      | 53.59            | 88.20           | -34.61       | PEAK   |
| 2  | 20835.00         | 40.94           | 9.30                      | 50.24            | 74.00           | -23.76       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 7025 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 14050.00         | 45.44           | 8.36                      | 53.80            | 88.20           | -34.40       | PEAK   |
| 2  | 21075.00         | 40.97           | 9.41                      | 50.38            | 74.00           | -23.62       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 7025 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 14050.00         | 44.85           | 8.36                      | 53.21            | 88.20           | -34.99       | PEAK   |
| 2  | 21075.00         | 40.64           | 9.41                      | 50.05            | 74.00           | -23.95       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT160 6025  
MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12050.00         | 46.29           | 7.60                      | 53.89            | 74.00           | -20.11       | PEAK   |
| 2  | 12050.00         | 36.99           | 7.60                      | 44.59            | 54.00           | -9.41        | AVG    |
| 3  | 18075.00         | 42.58           | 8.07                      | 50.65            | 74.00           | -23.35       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT160 6025  
MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12050.00         | 51.16           | 7.60                      | 58.76            | 74.00           | -15.24       | PEAK   |
| 2  | 12050.00         | 41.58           | 7.60                      | 49.18            | 54.00           | -4.82        | AVG    |
| 3  | 18075.00         | 48.21           | 8.07                      | 56.28            | 74.00           | -17.72       | PEAK   |
| 4  | 18075.00         | 39.79           | 8.07                      | 47.86            | 54.00           | -6.14        | AVG    |




Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT160 6185  
MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12370.00         | 44.50           | 7.96                      | 52.46            | 74.00           | -21.54       | PEAK   |
| 2  | 12370.00         | 35.23           | 7.96                      | 43.19            | 54.00           | -10.81       | AVG    |
| 3  | 18555.00         | 42.48           | 8.29                      | 50.77            | 74.00           | -23.23       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT160 6185  
MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12370.00         | 47.64           | 7.96                      | 55.60            | 74.00           | -18.40       | PEAK   |
| 2  | 12370.00         | 37.92           | 7.96                      | 45.88            | 54.00           | -8.12        | AVG    |
| 3  | 18555.00         | 42.02           | 8.29                      | 50.31            | 74.00           | -23.69       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6345 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12690.00         | 41.67           | 8.24                      | 49.91            | 74.00           | -24.09       | PEAK   |
| 2  | 19035.00         | 41.75           | 8.50                      | 50.25            | 74.00           | -23.75       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6345 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12690.00         | 43.91           | 8.24                      | 52.15            | 74.00           | -21.85       | PEAK   |
| 2  | 19035.00         | 44.59           | 8.50                      | 53.09            | 74.00           | -20.91       | PEAK   |
| 3  | 19035.00         | 36.05           | 8.50                      | 44.55            | 54.00           | -9.45        | AVG    |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6505 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13010.00         | 41.03           | 8.49                      | 49.52            | 88.20           | -38.68       | PEAK   |
| 2  | 19515.00         | 41.72           | 8.72                      | 50.44            | 74.00           | -23.56       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6505 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13010.00         | 44.91           | 8.49                      | 53.40            | 88.20           | -34.80       | PEAK   |
| 2  | 19515.00         | 41.99           | 8.72                      | 50.71            | 74.00           | -23.29       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6665 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13330.00         | 41.89           | 8.25                      | 50.14            | 74.00           | -23.86       | PEAK   |
| 2  | 19995.00         | 42.00           | 8.94                      | 50.94            | 74.00           | -23.06       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT160 6665  
MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13330.00         | 44.74           | 8.25                      | 52.99            | 74.00           | -21.01       | PEAK   |
| 2  | 13330.00         | 34.83           | 8.25                      | 43.08            | 54.00           | -10.92       | AVG    |
| 3  | 19995.00         | 41.80           | 8.94                      | 50.74            | 74.00           | -23.26       | PEAK   |




|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6825 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13650.00         | 42.99           | 7.81                      | 50.80            | 88.20           | -37.40       | PEAK   |
| 2  | 20475.00         | 41.25           | 9.14                      | 50.39            | 74.00           | -23.61       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6825 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13650.00         | 44.20           | 7.81                      | 52.01            | 88.20           | -36.19       | PEAK   |
| 2  | 20475.00         | 41.80           | 9.14                      | 50.94            | 74.00           | -23.06       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6985 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13970.00         | 43.39           | 8.22                      | 51.61            | 88.20           | -36.59       | PEAK   |
| 2  | 20955.00         | 40.66           | 9.36                      | 50.02            | 74.00           | -23.98       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6985 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13970.00         | 44.74           | 8.22                      | 52.96            | 88.20           | -35.24       | PEAK   |
| 2  | 20955.00         | 41.60           | 9.36                      | 50.96            | 74.00           | -23.04       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6105 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12210.00         | 46.33           | 7.70                      | 54.03            | 74.00           | -19.97       | PEAK   |
| 2  | 12210.00         | 39.76           | 7.70                      | 47.46            | 54.00           | -6.54        | AVG    |
| 3  | 18315.00         | 47.03           | 8.18                      | 55.21            | 74.00           | -18.79       | PEAK   |
| 4  | 18315.00         | 40.78           | 8.18                      | 48.96            | 54.00           | -5.04        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT320 6105  
MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12210.00         | 48.38           | 7.70                      | 56.08            | 74.00           | -17.92       | PEAK   |
| 2  | 12210.00         | 41.29           | 7.70                      | 48.99            | 54.00           | -5.01        | AVG    |
| 3  | 18315.00         | 47.73           | 8.18                      | 55.91            | 74.00           | -18.09       | PEAK   |
| 4  | 18315.00         | 37.78           | 8.18                      | 45.96            | 54.00           | -8.04        | AVG    |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6425 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12850.00         | 41.71           | 8.46                      | 50.17            | 88.20           | -38.03       | PEAK   |
| 2  | 19275.00         | 41.92           | 8.61                      | 50.53            | 74.00           | -23.47       | PEAK   |


|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6425 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12850.00         | 43.96           | 8.46                      | 52.42            | 88.20           | -35.78       | PEAK   |
| 2  | 19275.00         | 41.58           | 8.61                      | 50.19            | 74.00           | -23.81       | PEAK   |




|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6745 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13490.00         | 42.34           | 7.85                      | 50.19            | 88.20           | -38.01       | PEAK   |
| 2  | 20235.00         | 41.94           | 9.04                      | 50.98            | 74.00           | -23.02       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6745 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13490.00         | 45.15           | 7.85                      | 53.00            | 88.20           | -35.20       | PEAK   |
| 2  | 20235.00         | 41.65           | 9.04                      | 50.69            | 74.00           | -23.31       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6265 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12530.00         | 41.49           | 8.13                      | 49.62            | 74.00           | -24.38       | PEAK   |
| 2  | 18795.00         | 42.35           | 8.40                      | 50.75            | 74.00           | -23.25       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6265 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 12530.00         | 42.75           | 8.13                      | 50.88            | 74.00           | -23.12       | PEAK   |
| 2  | 18795.00         | 42.46           | 8.40                      | 50.86            | 74.00           | -23.14       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6585 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13170.00         | 41.20           | 8.44                      | 49.64            | 88.20           | -38.56       | PEAK   |
| 2  | 19755.00         | 41.38           | 8.82                      | 50.20            | 74.00           | -23.80       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6585 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13170.00         | 43.94           | 8.44                      | 52.38            | 88.20           | -35.82       | PEAK   |
| 2  | 19755.00         | 41.93           | 8.82                      | 50.75            | 74.00           | -23.25       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6905 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13810.00         | 41.92           | 7.81                      | 49.73            | 88.20           | -38.47       | PEAK   |
| 2  | 20715.00         | 41.73           | 9.26                      | 50.99            | 74.00           | -23.01       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6905 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 13810.00         | 44.00           | 7.81                      | 51.81            | 88.20           | -36.39       | PEAK   |
| 2  | 20715.00         | 41.07           | 9.26                      | 50.33            | 74.00           | -23.67       | PEAK   |



Band Edge


Peak

|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 5955 MHz |           |             |
| Polarization: | Horizontal       |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5921.30          | 64.03           | 3.33                      | 67.36            | 88.20           | -20.84       | PEAK   |
| 2  | 5925.00          | 63.14           | 3.31                      | 66.45            | 88.20           | -21.75       | PEAK   |
| 3  | 5950.85          | 106.11          | 3.15                      | 109.26           | 88.20           | 21.06        | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 5955 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5922.80          | 78.06           | 3.33                      | 81.39            | 88.20           | -6.81        | PEAK   |
| 2  | 5925.00          | 72.97           | 3.31                      | 76.28            | 88.20           | -11.92       | PEAK   |
| 3  | 5957.90          | 119.07          | 3.14                      | 122.21           | 88.20           | 34.01        | PEAK   |

|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 7115 MHz |           |             |
| Polarization: | Horizontal       |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7108.65          | 88.62           | 6.43                      | 95.05            | 88.20           | 6.85         | PEAK   |
| 2  | 7125.00          | 70.37           | 6.43                      | 76.80            | 88.20           | -11.40       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 7115 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7108.39          | 98.77           | 6.43                      | 105.20           | 88.20           | 17.00        | PEAK   |
| 2  | 7125.00          | 78.67           | 6.43                      | 85.10            | 88.20           | -3.10        | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 5955 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5925.00          | 58.90           | 3.31                      | 62.21            | 88.20           | -25.99       | PEAK   |
| 2  | 5957.30          | 104.90          | 3.15                      | 108.05           | 88.20           | 19.85        | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 5955 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5922.50          | 66.37           | 3.33                      | 69.70            | 88.20           | -18.50       | PEAK   |
| 2  | 5925.00          | 65.52           | 3.31                      | 68.83            | 88.20           | -19.37       | PEAK   |
| 3  | 5957.15          | 118.95          | 3.15                      | 122.10           | 88.20           | 33.90        | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 7115 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7110.21          | 74.87           | 6.43                      | 81.30            | 88.20           | -6.90        | PEAK   |
| 2  | 7125.00          | 62.61           | 6.43                      | 69.04            | 88.20           | -19.16       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 7115 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7106.83          | 83.98           | 6.42                      | 90.40            | 88.20           | 2.20         | PEAK   |
| 2  | 7125.00          | 71.85           | 6.43                      | 78.28            | 88.20           | -9.92        | PEAK   |




Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 5965 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5920.40          | 64.19           | 3.34                      | 67.53            | 88.20           | -20.67       | PEAK   |
| 2  | 5925.00          | 63.30           | 3.31                      | 66.61            | 88.20           | -21.59       | PEAK   |
| 3  | 5962.25          | 105.62          | 3.15                      | 108.77           | 88.20           | 20.57        | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 5965 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5920.10          | 76.11           | 3.34                      | 79.45            | 88.20           | -8.75        | PEAK   |
| 2  | 5925.00          | 74.36           | 3.31                      | 77.67            | 88.20           | -10.53       | PEAK   |
| 3  | 5967.20          | 117.61          | 3.15                      | 120.76           | 88.20           | 32.56        | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 7085 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7081.32          | 100.61          | 6.38                      | 106.99           | 88.20           | 18.79        | PEAK   |
| 2  | 7125.00          | 62.57           | 6.43                      | 69.00            | 88.20           | -19.20       | PEAK   |
| 3  | 7128.04          | 61.95           | 6.43                      | 68.38            | 88.20           | -19.82       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 7085 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7067.56          | 110.37          | 6.36                      | 116.73           | 88.20           | 28.53        | PEAK   |
| 2  | 7125.00          | 72.27           | 6.43                      | 78.70            | 88.20           | -9.50        | PEAK   |
| 3  | 7126.60          | 73.14           | 6.42                      | 79.56            | 88.20           | -8.64        | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 5985 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5923.87          | 62.52           | 3.32                      | 65.84            | 88.20           | -22.36       | PEAK   |
| 2  | 5925.00          | 61.53           | 3.31                      | 64.84            | 88.20           | -23.36       | PEAK   |
| 3  | 5968.13          | 101.65          | 3.14                      | 104.79           | 88.20           | 16.59        | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 5985 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5907.68          | 76.62           | 3.42                      | 80.05            | 88.20           | -8.16        | PEAK   |
| 2  | 5925.00          | 75.68           | 3.31                      | 78.99            | 88.20           | -9.21        | PEAK   |
| 3  | 5986.85          | 114.48          | 3.14                      | 117.62           | 88.20           | 29.42        | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 7025 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7062.33          | 101.44          | 6.34                      | 107.78           | 88.20           | 19.58        | PEAK   |
| 2  | 7125.00          | 65.57           | 6.43                      | 72.00            | 88.20           | -16.20       | PEAK   |
| 3  | 7125.78          | 66.76           | 6.42                      | 73.18            | 88.20           | -15.02       | PEAK   |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 7025 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7025.88          | 112.40          | 6.42                      | 118.82           | 88.20           | 30.62        | PEAK   |
| 2  | 7125.00          | 72.82           | 6.43                      | 79.25            | 88.20           | -8.95        | PEAK   |
| 3  | 7125.55          | 74.68           | 6.42                      | 81.10            | 88.20           | -7.10        | PEAK   |




|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6025 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5914.54          | 60.58           | 3.37                      | 63.95            | 88.20           | -24.25       | PEAK   |
| 2  | 5925.00          | 57.50           | 3.31                      | 60.81            | 88.20           | -27.39       | PEAK   |
| 3  | 6029.92          | 99.57           | 3.37                      | 102.94           | 88.20           | 14.74        | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6025 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5924.17          | 74.89           | 3.32                      | 78.21            | 88.20           | -9.99        | PEAK   |
| 2  | 5925.00          | 74.16           | 3.31                      | 77.47            | 88.20           | -10.73       | PEAK   |
| 3  | 6043.55          | 111.54          | 3.48                      | 115.02           | 88.20           | 26.82        | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6985 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 6942.58          | 95.93           | 6.32                      | 102.25           | 88.20           | 14.05        | PEAK   |
| 2  | 7125.00          | 60.82           | 6.43                      | 67.25            | 88.20           | -20.95       | PEAK   |
| 3  | 7128.80          | 64.37           | 6.43                      | 70.80            | 88.20           | -17.40       | PEAK   |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT160 6985  
MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7023.18          | 108.14          | 6.42                      | 114.56           | 88.20           | 26.36        | PEAK   |
| 2  | 7125.00          | 71.51           | 6.43                      | 77.94            | 88.20           | -10.26       | PEAK   |
| 3  | 7129.13          | 76.63           | 6.42                      | 83.05            | 88.20           | -5.15        | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6105 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5888.64          | 59.42           | 3.49                      | 62.91            | 88.20           | -25.29       | PEAK   |
| 2  | 5925.00          | 58.72           | 3.31                      | 62.03            | 88.20           | -26.17       | PEAK   |
| 3  | 6088.89          | 98.10           | 3.78                      | 101.88           | 88.20           | 13.68        | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6105 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5922.46          | 70.35           | 3.33                      | 73.68            | 88.20           | -14.52       | PEAK   |
| 2  | 5925.00          | 70.76           | 3.31                      | 74.07            | 88.20           | -14.13       | PEAK   |
| 3  | 6101.79          | 108.57          | 3.85                      | 112.42           | 88.20           | 24.22        | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6905 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 6846.70          | 95.62           | 6.28                      | 101.91           | 88.20           | 13.71        | PEAK   |
| 2  | 7125.00          | 65.89           | 6.43                      | 72.32            | 88.20           | -15.88       | PEAK   |
| 3  | 7188.63          | 69.52           | 6.49                      | 76.01            | 88.20           | -12.19       | PEAK   |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6905 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 6876.29          | 105.29          | 6.27                      | 111.56           | 88.20           | 23.36        | PEAK   |
| 2  | 7125.00          | 65.21           | 6.43                      | 71.64            | 88.20           | -16.56       | PEAK   |
| 3  | 7211.42          | 74.62           | 6.49                      | 81.11            | 88.20           | -7.09        | PEAK   |




Average

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11a 5955 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5920.85          | 52.08           | 3.33                      | 55.41            | 68.20           | -12.79       | AVG    |
| 2  | 5925.00          | 53.28           | 3.31                      | 56.59            | 68.20           | -11.61       | AVG    |

|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 5955 MHz |           |             |
| Polarization: | Vertical         |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5923.40          | 64.03           | 3.32                      | 67.35            | 68.20           | -0.85        | AVG    |
| 2  | 5925.00          | 61.26           | 3.31                      | 64.57            | 68.20           | -3.63        | AVG    |

|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 7115 MHz |           |             |
| Polarization: | Horizontal       |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 54.08           | 6.43                      | 60.51            | 68.20           | -7.69        | AVG    |

|               |                  |           |             |
|---------------|------------------|-----------|-------------|
| Test Site:    | 96603-WG         | Standard: | Part 15.407 |
| Test Mode:    | 802.11a 7115 MHz |           |             |
| Polarization: | Vertical         |           |             |
| Remark:       |                  |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 60.82           | 6.43                      | 67.25            | 68.20           | -0.95        | AVG    |

|               |                         |           |             |
|---------------|-------------------------|-----------|-------------|
| Test Site:    | 96603-WG                | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT20 5955 MHz |           |             |
| Polarization: | Horizontal              |           |             |
| Remark:       |                         |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5896.10          | 47.66           | 3.48                      | 51.14            | 68.20           | -17.07       | AVG    |
| 2  | 5925.00          | 46.84           | 3.31                      | 50.15            | 68.20           | -18.05       | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT20 5955 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5922.95          | 52.31           | 3.33                      | 55.64            | 68.20           | -12.56       | AVG    |
| 2  | 5925.00          | 52.10           | 3.31                      | 55.41            | 68.20           | -12.79       | AVG    |

|               |                         |           |             |
|---------------|-------------------------|-----------|-------------|
| Test Site:    | 96603-WG                | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT20 7115 MHz |           |             |
| Polarization: | Horizontal              |           |             |
| Remark:       |                         |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 53.21           | 6.43                      | 59.64            | 68.20           | -8.56        | AVG    |


|               |                         |           |             |
|---------------|-------------------------|-----------|-------------|
| Test Site:    | 96603-WG                | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT20 7115 MHz |           |             |
| Polarization: | Vertical                |           |             |
| Remark:       |                         |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 61.63           | 6.43                      | 68.06            | 68.20           | -0.14        | AVG    |




|               |                         |           |             |
|---------------|-------------------------|-----------|-------------|
| Test Site:    | 96603-WG                | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT40 5965 MHz |           |             |
| Polarization: | Horizontal              |           |             |
| Remark:       |                         |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5919.95          | 50.96           | 3.34                      | 54.30            | 68.20           | -13.90       | AVG    |
| 2  | 5925.00          | 50.98           | 3.31                      | 54.29            | 68.20           | -13.91       | AVG    |

|               |                         |           |             |
|---------------|-------------------------|-----------|-------------|
| Test Site:    | 96603-WG                | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT40 5965 MHz |           |             |
| Polarization: | Vertical                |           |             |
| Remark:       |                         |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5924.45          | 61.88           | 3.31                      | 65.19            | 68.20           | -3.01        | AVG    |
| 2  | 5925.00          | 62.20           | 3.31                      | 65.51            | 68.20           | -2.69        | AVG    |

|               |                         |           |             |
|---------------|-------------------------|-----------|-------------|
| Test Site:    | 96603-WG                | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT40 7085 MHz |           |             |
| Polarization: | Horizontal              |           |             |
| Remark:       |                         |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 51.81           | 6.43                      | 58.24            | 68.20           | -9.96        | AVG    |
| 2  | 7125.96          | 51.69           | 6.42                      | 58.11            | 68.20           | -10.09       | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT40 7085 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 59.51           | 6.43                      | 65.94            | 68.20           | -2.26        | AVG    |
| 2  | 7125.96          | 58.43           | 6.42                      | 64.85            | 68.20           | -3.35        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 5985 MHz  
Polarization: Horizontal  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5924.06          | 51.84           | 3.32                      | 55.16            | 68.20           | -13.05       | AVG    |
| 2  | 5925.00          | 52.11           | 3.31                      | 55.42            | 68.20           | -12.78       | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 5985 MHz  
Polarization: Vertical  
Remark:




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5924.06          | 63.37           | 3.32                      | 66.69            | 68.20           | -1.51        | AVG    |
| 2  | 5925.00          | 63.55           | 3.31                      | 66.86            | 68.20           | -1.34        | AVG    |

Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 7025 MHz  
Polarization: Horizontal  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 52.34           | 6.43                      | 58.77            | 68.20           | -9.43        | AVG    |
| 2  | 7126.00          | 51.59           | 6.42                      | 58.01            | 68.20           | -10.19       | AVG    |


Test Site: 96603-WG Standard: Part 15.407  
Test Mode: 802.11be EHT80 7025 MHz  
Polarization: Vertical  
Remark:



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 60.95           | 6.43                      | 67.38            | 68.20           | -0.82        | AVG    |
| 2  | 7125.55          | 60.37           | 6.42                      | 66.79            | 68.20           | -1.41        | AVG    |




|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6025 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5916.42          | 48.63           | 3.37                      | 52.00            | 68.20           | -16.20       | AVG    |
| 2  | 5925.00          | 47.83           | 3.31                      | 51.14            | 68.20           | -17.06       | AVG    |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6025 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5907.49          | 61.44           | 3.42                      | 64.87            | 68.20           | -3.34        | AVG    |
| 2  | 5925.00          | 62.05           | 3.31                      | 65.36            | 68.20           | -2.84        | AVG    |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6985 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 51.46           | 6.43                      | 57.89            | 68.20           | -10.31       | AVG    |
| 2  | 7137.58          | 52.86           | 6.42                      | 59.28            | 68.20           | -8.92        | AVG    |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT160 6985 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 60.17           | 6.43                      | 66.60            | 68.20           | -1.60        | AVG    |
| 2  | 7141.80          | 59.62           | 6.42                      | 66.04            | 68.20           | -2.16        | AVG    |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6105 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5891.31          | 48.90           | 3.49                      | 52.39            | 68.20           | -15.81       | AVG    |
| 2  | 5925.00          | 48.39           | 3.31                      | 51.70            | 68.20           | -16.50       | AVG    |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6105 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |




| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 5905.99          | 58.32           | 3.43                      | 61.75            | 68.20           | -6.46        | AVG    |
| 2  | 5925.00          | 59.77           | 3.31                      | 63.08            | 68.20           | -5.12        | AVG    |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6905 |           |             |
|               | MHz                  |           |             |
| Polarization: | Horizontal           |           |             |
| Remark:       |                      |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 52.92           | 6.43                      | 59.35            | 68.20           | -8.85        | AVG    |
| 2  | 7183.78          | 54.33           | 6.50                      | 60.83            | 68.20           | -7.37        | AVG    |

|               |                      |           |             |
|---------------|----------------------|-----------|-------------|
| Test Site:    | 96603-WG             | Standard: | Part 15.407 |
| Test Mode:    | 802.11be EHT320 6905 |           |             |
|               | MHz                  |           |             |
| Polarization: | Vertical             |           |             |
| Remark:       |                      |           |             |



| ID | Frequency<br>MHz | Reading<br>dBuV | Correct<br>Factor<br>dB/m | Result<br>dBuV/m | Limit<br>dBuV/m | Margin<br>dB | Remark |
|----|------------------|-----------------|---------------------------|------------------|-----------------|--------------|--------|
| 1  | 7125.00          | 53.33           | 6.43                      | 59.76            | 68.20           | -8.44        | AVG    |
| 2  | 7133.34          | 60.05           | 6.43                      | 66.48            | 68.20           | -1.72        | AVG    |