

YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 2.13 mW/g, SAR (10g): 1.14 mW/g Max outside

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = Flat phantom touching back of EUT, w/ EUT antenna = 1.0cm from flat phantom

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.615 mW/g, SAR (10g): 0.355 mW/g

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = 2.0cm from flat phantom to front (antenna side) of PDA & 2.5cm from flat phantom to EUT antenna

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.203 mW/g, SAR (10g): 0.104 mW/g

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = 2.0cm from flat phantom to front (antenna side) of PDA & 2.5cm from flat phantom to EUT antenna

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.472 mW/g, SAR (10g): 0.276 mW/g

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing =2.0cm from flat phantom to front (antenna side) of PDA & 2.5cm from flat phantom to EUT antenna

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.201 mW/g, SAR (10g): 0.0792 mW/g

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = 2.0cm from flat phantom to front (antenna side) of PDA & 2.5cm from flat phantom to EUT antenna

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.615 mW/g, SAR (10g): 0.355 mW/g

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = 2.0cm from flat phantom to front (antenna side) of PDA & 2.5cm from flat phantom to EUT antenna

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.197 mW/g, SAR (10g): 0.103 mW/g

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = 2.0cm from flat phantom to front (antenna side) of PDA & 2.5cm from flat phantom to EUT antenna

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.438 mW/g, SAR (10g): 0.256 mW/g

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = 2.0cm from flat phantom to front (antenna side) of PDA & 2.5cm from flat phantom to EUT antenna

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.203 mW/g, **SAR (10g): 0.109 mW/g**

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = Flat phantom touching back of EUT, w/ EUT antenna = 1.0cm from flat phantom

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.80 mW/g, **SAR (10g): 0.969 mW/g**

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = Flat phantom touching back of EUT, w/ EUT antenna = 1.0cm from flat phantom

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.201 mW/g, **SAR (10g): 0.110 mW/g**

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = Flat phantom touching back of EUT, w/ EUT antenna = 1.0cm from flat phantom

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 2.13 mW/g, **SAR (10g): 1.14 mW/g**

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = Flat phantom touching back of EUT, w/ EUT antenna = 1.0cm from flat phantom

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.307 mW/g, **SAR (10g): 0.127 mW/g**

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = Flat phantom touching back of EUT, w/ EUT antenna = 1.0cm from flat phantom

Test Date -- 01/15/2002



YISO TELECOM FCC ID: PC6CF-2031 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.52$ mho/m $\epsilon_r = 53.3$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 2.04 mW/g, **SAR (10g): 1.09 mW/g**

YISO [PCS CDMA Only] CC Phone Model: CF-2031 / YM-2031U

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flat Phantom; No BeltClip/No Holster

Conducted Power = 23.4dBm; Spacing = Flat phantom touching back of EUT, w/ EUT antenna = 1.0cm from flat phantom

Test Date -- 01/15/2002

