



Band4-Low Channel-20MHz Bandwidth-6RB-16QAM



Band4-Low Channel-20MHz Bandwidth-6RB-QPSK

6.7.8 CAT-M Band12 Edge Results



High Channel-1.4MHz Bandwidth-1RB-16QAM



High Channel-1.4MHz Bandwidth-1RB-QPSK




High Channel-1.4MHz Bandwidth-6RB-16QAM




High Channel-1.4MHz Bandwidth-6RB-QPSK



High Channel-3MHz Bandwidth-1RB-16QAM




High Channel-3MHz Bandwidth-1RB-QPSK



High Channel-3MHz Bandwidth-6RB-16QAM



High Channel-3MHz Bandwidth-6RB-QPSK



High Channel-5MHz Bandwidth-1RB-16QAM



High Channel-5MHz Bandwidth-1RB-QPSK



High Channel-5MHz Bandwidth-6RB-16QAM




High Channel-5MHz Bandwidth-6RB-QPSK



High Channel-10MHz Bandwidth-1RB-16QAM



High Channel-10MHz Bandwidth-1RB-QPSK



High Channel-10MHz Bandwidth-6RB-16QAM



High Channel-10MHz Bandwidth-6RB-QPSK



Low Channel-1.4MHz Bandwidth-1RB-16QAM



Low Channel-1.4MHz Bandwidth-1RB-QPSK




Low Channel-1.4MHz Bandwidth-6RB-16QAM



Low Channel-1.4MHz Bandwidth-6RB-QPSK

Chongqing Academy of Information and Communication Technology


Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Low Channel-3MHz Bandwidth-1RB-16QAM




Low Channel-3MHz Bandwidth-1RB-QPSK




Low Channel-3MHz Bandwidth-6RB-16QAM




Low Channel-3MHz Bandwidth-6RB-QPSK



Low Channel-5MHz Bandwidth-1RB-16QAM



Low Channel-5MHz Bandwidth-1RB-QPSK



Low Channel-5MHz Bandwidth-6RB-16QAM



Low Channel-5MHz Bandwidth-6RB-QPSK



Low Channel-10MHz Bandwidth-1RB-16QAM



Low Channel-10MHz Bandwidth-1RB-QPSK




Low Channel-10MHz Bandwidth-6RB-16QAM




Low Channel-10MHz Bandwidth-6RB-QPSK


6.7.9 CAT-M Band13 Edge Results



High Channel-5MHz Bandwidth-1RB-16QAM



High Channel-5MHz Bandwidth-6RB-16QAM



High Channel-5MHz Bandwidth-1RB-QPSK



High Channel-5MHz Bandwidth-6RB-QPSK



High Channel-10MHz Bandwidth-1RB-16QAM




High Channel-10MHz Bandwidth-1RB-QPSK



High Channel-10MHz Bandwidth-6RB-16QAM




High Channel-10MHz Bandwidth-6RB-QPSK




Low Channel-5MHz Bandwidth-1RB-16QAM



Low Channel-5MHz Bandwidth-1RB-QPSK



Low Channel-5MHz Bandwidth-6RB-16QAM



Low Channel-5MHz Bandwidth-6RB-QPSK



Low Channel-10MHz Bandwidth-1RB-16QAM



Low Channel-10MHz Bandwidth-1RB-QPSK



Low Channel-10MHz Bandwidth-6RB-16QAM



Low Channel-10MHz Bandwidth-6RB-QPSK

6.7.10 CAT-M Band26 Edge Results (814MHz-824M)

Note: According to Part 90.691: For any frequency removed from the EA licensee's frequency block by up to and including 37.5 kHz, the power of any emission shall be attenuated below the transmitter power (P) in watts by at least $116 \log_{10}(f/6.1)$ decibels or $50 + 10 \log_{10}(P)$ decibels or 80 decibels, whichever is the lesser attenuation, the test result graph only shows the case where the limit is -13dbm. For the results of this section of data, see the mark peak value.




Band26-High Channel-1.4MHz Bandwidth-1RB-16QAM



Band26-High Channel-1.4MHz Bandwidth-1RB-QPSK

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Band26-High Channel-1.4MHz Bandwidth-6RB-16QAM



Band26-High Channel-1.4MHz Bandwidth-6RB-QPSK



Band26-High Channel-3MHz Bandwidth-1RB-16QAM



Band26-High Channel-3MHz Bandwidth-1RB-QPSK



Band26-High Channel-3MHz Bandwidth-6RB-16QAM



Band26-High Channel-3MHz Bandwidth-6RB-QPSK



Band26-High Channel-5MHz Bandwidth-1RB-16QAM



Band26-High Channel-5MHz Bandwidth-1RB-QPSK



Band26-High Channel-5MHz Bandwidth-6RB-16QAM



Band26-High Channel-5MHz Bandwidth-6RB-QPSK



Band26-High Channel-10MHz Bandwidth-1RB-16QAM



Band26-High Channel-10MHz Bandwidth-1RB-QPSK



Band26-High Channel-10MHz Bandwidth-6RB-16QAM



Band26-High Channel-10MHz Bandwidth-6RB-QPSK



Band26-Low Channel-1.4MHz Bandwidth-1RB-16QAM



Band26-Low Channel-1.4MHz Bandwidth-1RB-QPSK



Band26-Low Channel-1.4MHz Bandwidth-6RB-16QAM



Band26-Low Channel-1.4MHz Bandwidth-6RB-QPSK



Band26-Low Channel-3MHz Bandwidth-1RB-16QAM




Band26-Low Channel-3MHz Bandwidth-1RB-QPSK




Band26-Low Channel-3MHz Bandwidth-6RB-16QAM




Band26-Low Channel-3MHz Bandwidth-6RB-QPSK




Band26-Low Channel-5MHz Bandwidth-1RB-16QAM



Band26-Low Channel-5MHz Bandwidth-1RB-QPSK



Band26-Low Channel-5MHz Bandwidth-6RB-16QAM



Band26-Low Channel-5MHz Bandwidth-6RB-QPSK



Band26-Low Channel-10MHz Bandwidth-1RB-16QAM



Band26-Low Channel-10MHz Bandwidth-1RB-QPSK



Band26-Low Channel-10MHz Bandwidth-6RB-16QAM



Band26-Low Channel-10MHz Bandwidth-6RB-QPSK

(824MHz-849MHz)



Band26-High Channel-1.4MHz Bandwidth-1RB-16QAM



Band26-High Channel-1.4MHz Bandwidth-1RB-QPSK

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777



Band26-High Channel-1.4MHz Bandwidth-6RB-16QAM



Band26-High Channel-1.4MHz Bandwidth-6RB-QPSK




Band26-High Channel-3MHz Bandwidth-1RB-16QAM



Band26-High Channel-3MHz Bandwidth-1RB-QPSK



Band26-High Channel-3MHz Bandwidth-6RB-16QAM




Band26-High Channel-3MHz Bandwidth-6RB-QPSK



Band26-High Channel-5MHz Bandwidth-1RB-16QAM



Band26-High Channel-5MHz Bandwidth-1RB-QPSK



Band26-High Channel-5MHz Bandwidth-6RB-16QAM



Band26-High Channel-5MHz Bandwidth-6RB-QPSK



Band26-High Channel-10MHz Bandwidth-1RB-16QAM



Band26-High Channel-10MHz Bandwidth-1RB-QPSK



Band26-High Channel-10MHz Bandwidth-6RB-16QAM



Band26-High Channel-10MHz Bandwidth-6RB-QPSK



Band26-Low Channel-1.4MHz Bandwidth-1RB-16QAM




Band26-Low Channel-1.4MHz Bandwidth-1RB-QPSK



Band26-Low Channel-1.4MHz Bandwidth-6RB-16QAM




Band26-Low Channel-1.4MHz Bandwidth-6RB-QPSK



Band26-Low Channel-3MHz Bandwidth-1RB-16QAM



Band26-Low Channel-3MHz Bandwidth-1RB-QPSK




Band26-Low Channel-3MHz Bandwidth-6RB-16QAM




Band26-Low Channel-3MHz Bandwidth-6RB-QPSK




Band26-Low Channel-5MHz Bandwidth-1RB-16QAM



Band26-Low Channel-5MHz Bandwidth-1RB-QPSK



Band26-Low Channel-5MHz Bandwidth-6RB-16QAM



Band26-Low Channel-5MHz Bandwidth-6RB-QPSK



Band26-Low Channel-10MHz Bandwidth-1RB-16QAM



Band26-Low Channel-10MHz Bandwidth-1RB-QPSK



Band26-Low Channel-10MHz Bandwidth-6RB-16QAM



Band26-Low Channel-10MHz Bandwidth-6RB-QPSK


6.8 Frequency Stability over Voltage Variation

Specifications:	FCC Part 2.1055, 22.355, 24.235, 27.54,90.213
DUT Serial Number:	866884046100624
Test conditions:	Ambient Temperature:15°C-35°C Relative Humidity:30%-60% Air pressure: 86-106kPa
Test Results:	Pass

Limit	
Frequency deviation [ppm]	±2.5

Test Setup

The EUT was placed in a shielding chamber and powered by an adjustable power supply, demonstrated as figure V. A Wireless Telecommunications Test Set was used to set the TX channel and power level, modulate the TX signal with different bit patterns and measure the frequency of TX.



Measurement Uncertainty:

Item	Uncertainty
Expanded Uncertainty	15 Hz (k=2)

Test Method

The EUT was powered by the adjustable power supply. The frequency stability is measured by the Wireless Telecommunications Test Set.

Note: Only worst case result is given below.

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

6.8.1 Frequency Stability over Temperature Variation Results

6.8.1.1 NB-IoT Band Frequency Stability over Temperature Variation Results

Band	Reference channel frequency (MHz)	Offset	Temperature[°C]								
			-30	-20	-10	0	10	20	30	40	50
2	1880	Hz	-5.76	11.22	18.57	16.97	7.11	0.99	-9.57	-20.50	-39.12
		ppm	-0.0031	0.0060	0.0099	0.0090	0.0038	0.0005	-0.0051	-0.0109	-0.0208
4	1732.5	Hz	-6.38	16.06	12.09	11.42	7.15	-0.49	-13.26	-25.66	-33.12
		ppm	-0.0037	0.0093	0.0070	0.0066	0.0041	-0.0003	-0.0077	-0.0148	-0.0191
12	707.5	Hz	1.75	8.15	10.33	9.47	10.04	5.46	-5.25	-5.52	-11.03
		ppm	0.0025	0.0115	0.0146	0.0134	0.0142	0.0077	-0.0074	-0.0078	-0.0156
13	782	Hz	-4.81	9.54	8.44	7.81	2.66	1.19	-5.55	-10.20	-15.81
		ppm	-0.0062	0.0122	0.0108	0.0100	0.0034	0.0015	-0.0071	-0.0130	-0.0202
26	819	Hz	-7.91	5.05	3.46	3.88	1.22	-5.02	-7.00	-12.67	-19.27
		ppm	-0.0097	0.0062	0.0042	0.0047	0.0015	-0.0061	-0.0085	-0.0155	-0.0235
	836.5	Hz	-3.96	8.57	7.68	8.41	6.59	2.17	-4.41	-10.67	-15.39
		ppm	-0.0047	0.0102	0.0092	0.0101	0.0079	0.0026	-0.0053	-0.0128	-0.0184

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

6.8.1.2 CAT-M Band Frequency Stability over Temperature Variation Results

Band	Reference channel frequency (MHz)	Offset	Temperature[°C]								
			-30	-20	-10	0	10	20	30	40	50
2	1880	Hz	9.34	-1.20	-3.42	-4.92	-3.18	4.69	9.08	17.75	23.03
		ppm	0.0050	-0.0006	-0.0018	-0.0026	-0.0017	0.0025	0.0048	0.0094	0.0123
4	1732.5	Hz	7.98	0.96	-3.43	-4.15	-1.04	3.30	8.33	15.66	18.81
		ppm	0.0046	0.0006	-0.0020	-0.0024	-0.0006	0.0019	0.0048	0.0090	0.0109
12	707.5	Hz	-0.21	-8.45	-13.02	-12.85	-11.07	-5.59	2.16	9.04	13.23
		ppm	-0.0003	-0.0119	-0.0184	-0.0182	-0.0156	-0.0079	0.0031	0.0128	0.0187
13	782	Hz	2.13	-8.96	-14.99	-14.93	-11.56	-4.36	0.94	9.78	15.12
		ppm	-0.0115	-0.0192	-0.0191	-0.0148	-0.0056	0.0012	0.0125	0.0193	-0.0115
26	819	Hz	-0.74	-10.04	-15.26	-15.38	-12.23	-5.56	-1.37	5.71	11.47
		ppm	-0.0009	-0.0123	-0.0186	-0.0188	-0.0149	-0.0068	-0.0017	0.0070	0.0140
	836.5	Hz	0.53	-9.06	-12.06	-13.70	-10.53	-4.26	1.33	7.45	13.79
		ppm	0.0006	-0.0108	-0.0144	-0.0164	-0.0126	-0.0051	0.0016	0.0089	0.0165

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

6.8.2 Frequency Stability over Voltage Variation

6.8.2.1 NB-IoT Band Frequency Stability over Voltage Variation Results

Test data:

Band	Reference channel frequency (MHz)	Offset	Voltage (V)		
			3.4	3.8	4.2
2	1880	Hz	-16.55	-20.48	-17.61
		ppm	-0.0088	-0.0109	-0.0094
4	1732.5	Hz	-14.66	-22.67	-13.58
		ppm	-0.0085	-0.0131	-0.0078
12	707.5	Hz	-2.07	-5.88	-2.45
		ppm	-0.0029	-0.0083	-0.0035
13	782	Hz	-9.08	-6.37	-9
		ppm	-0.0116	-0.0081	-0.0115
26	819	Hz	-10.49	-11.43	-10.53
		ppm	-0.0128	-0.0140	-0.0129
	836.5	Hz	-7.8	-9.81	-8.83
		ppm	-0.0093	-0.0117	-0.0106

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777

6.8.2.2 CAT-M Band Frequency Stability over Voltage Variation Results

Test data:

Band	Reference channel frequency (MHz)	Offset	Voltage (V)		
			3.4	3.8	4.2
2	1880	Hz	11.86	12.76	14.38
		ppm	0.0063	0.0068	0.0076
4	1732.5	Hz	9	10.93	12.09
		ppm	0.0052	0.0063	0.0070
12	707.5	Hz	2.02	3	2.46
		ppm	0.0029	0.0042	0.0035
13	782	Hz	2.83	2.63	3
		ppm	0.0036	0.0034	0.0038
26	819	Hz	1.14	1.97	0.57
		ppm	0.0014	0.0024	0.0007
	836.5	Hz	3.85	1.37	2.43
		ppm	0.0046	0.0016	0.0029

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

6.9 Peak to Average Ratio


Specifications:	FCC Part 24.232, 27.50
DUT Serial Number:	866884046100624
Test conditions:	Ambient Temperature:15°C-35°C Relative Humidity:30%-60% Air pressure: 86-106kPa
Test Results:	Pass

Limit

The EUT meets the requirement of having a peak to average ratio of less than 13dB.

Test Setup

During the test, the EUT was controlled via the Wireless Communications Test Set to ensure max power transmission and proper modulation and measured by spectrum analyzer.



Measurement Uncertainty:

Item	Uncertainty
Expanded Uncertainty	0.62 dB (k=2)

Test Method

The transmitter output was connected to a CMW500 through a coaxial RF cable and directional coupler, and configured to operate at maximum power. The peak to average ratio was measured at the required operating frequencies in each Band on the Spectrum Analyzer.

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

6.9.1 NB-IoT Peak to Average Ratio Results

Mode	Channel	Frequency (MHz)	PAPR(dB)	PAPR(dB)
			QPSK	BPSK
Band2	18900	1880	9.31	7.94
Band4	20175	1732.5	8.67	8.32
Band12	23095	707.5	8.42	8.25
Band13	23230	782.0	8.55	8.21
Band26 (814MH-824MHz)	26740	819	8.29	8.28
Band26 (824MH-849MHz)	26915	836.5	8.10	8.13

6.9.2 CAT-M Peak to Average Ratio Results

Mode	Bandwidth	Modulation	Channel/Frequency (MHz)	PAPR (dB)
Band2	1.4MHz	QPSK	18900/1880	9.96
		16QAM	18900/1880	10.75
	3MHz	QPSK	18900/1880	10.17
		16QAM	18900/1880	11.30
	5MHz	QPSK	18900/1880	9.82
		16QAM	18900/1880	10.37
	10MHz	QPSK	18900/1880	10.55
		16QAM	18900/1880	10.49
	15MHz	QPSK	18900/1880	9.26
		16QAM	18900/1880	9.75
	20MHz	QPSK	18900/1880	9.40
		16QAM	18900/1880	9.70
Band4	1.4MHz	QPSK	20175/1732.5	9.07
		16QAM	20175/1732.5	9.74
	3MHz	QPSK	20175/1732.5	10.76
		16QAM	20175/1732.5	10.01
	5MHz	QPSK	20175/1732.5	9.29
		16QAM	20175/1732.5	9.80
	10MHz	QPSK	20175/1732.5	8.49
		16QAM	20175/1732.5	9.81
	15MHz	QPSK	20175/1732.5	9.27
		16QAM	20175/1732.5	9.16
	20MHz	QPSK	20175/1732.5	8.38
		16QAM	20175/1732.5	8.64
Band12	1.4MHz	QPSK	23095/707.5	10.51
		16QAM	23095/707.5	11.00
	3MHz	QPSK	23095/707.5	10.67
		16QAM	23095/707.5	11.06
	5MHz	QPSK	23095/707.5	10.83
		16QAM	23095/707.5	10.96
Band13	5MHz	QPSK	23230/782.0	10.93
		16QAM	23230/782.0	11.16
	10MHz	QPSK	23230/782.0	10.87
		QPSK	23230/782.0	10.87

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777

		16QAM	23230/782.0	11.20
Band26 (814MHz- 824MHz)	1.4MHz	QPSK	26740/819	10.63
		16QAM	26740/819	10.40
	3MHz	QPSK	26740/819	10.46
		16QAM	26740/819	11.16
	5MHz	QPSK	26740/819	11.13
		16QAM	26740/819	11.03
	10MHz	QPSK	26740/819	10.68
		16QAM	26740/819	11.06
Band26 (824MHz- 849MHz)	1.4MHz	QPSK	26915/836.5	10.63
		16QAM	26915/836.5	10.97
	3MHz	QPSK	26915/836.5	10.49
		16QAM	26915/836.5	11.10
	5MHz	QPSK	26915/836.5	11.08
		16QAM	26915/836.5	11.14
	10MHz	QPSK	26915/836.5	10.81
		16QAM	26915/836.5	10.97

Chongqing Academy of Information and Communication Technology

Address: No. 8,Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China,401336
Tel: 0086-23-88069965 FAX:0086-23-88608777


Graphical for Peak to Average Ratio Results for NB-IoT:



Band2-CH18900-1880MHz-QPSK




Band2-CH18900-1880MHz-BPSK




Band4-CH20175-1732.5MHz-QPSK




Band4- CH20175-1732.5MHz -BPSK




Band12-CH23095-707.5MHz-QPSK



Band12- CH23095-707.5MHz -BPSK




Band13-CH23230-782MHz-QPSK




Band13- CH23230-782MHz -BPSK

Part(814MHz-824MHz)




Band26-CH26740-819MHz-QPSK




Band26-CH26740-819MHz-BPSK

Part(824MHz-849MHz)



Band26-CH26915-836.5MHz-QPSK



Band26-CH26915-836.5MHz-BPSK

Graphical for Peak to Average Ratio Results for CAT-M:




Band2-CH18900-1880MHz-1.4MHz Bandwidth-QPSK



Band2-CH18900-1880MHz-1.4MHz Bandwidth-16QAM

[illegible]


Page 434 of 460




Band2-CH18900-1880MHz-5MHz Bandwidth-QPSK



Band2-CH18900-1880MHz-5MHz Bandwidth-16QAM



Band2-CH18900-1880MHz-10MHz Bandwidth-QPSK



Band2-CH18900-1880MHz-10MHz Bandwidth-16QAM



Band2-CH18900-1880MHz-15MHz Bandwidth-QPSK




Band2-CH18900-1880MHz-15MHz Bandwidth-16QAM




Band2-CH18900-1880MHz-20MHz Bandwidth-QPSK



Band2-CH18900-1880MHz-20MHz Bandwidth-16QAM



Band4-CH20175-707.5MHz -1.4MHz Bandwidth-QPSK



Band4-CH20175-707.5MHz -1.4MHz Bandwidth-16QAM




Band4-CH20175-707.5MHz -3MHz Bandwidth-QPSK



Band4-CH20175-707.5MHz -3MHz Bandwidth-16QAM



Band4-CH20175-707.5MHz -5MHz Bandwidth-QPSK




Band4-CH20175-707.5MHz-5MHz Bandwidth-16QAM




Band4-CH20175-707.5MHz-10MHz Bandwidth-QPSK



Band4-CH20175-707.5MHz-10MHz Bandwidth-16QAM




Band4-CH20175-707.5MHz -15MHz Bandwidth-QPSK




Band4-CH20175-707.5MHz-15MHz Bandwidth-16QAM




Band4-CH20175-707.5MHz-20MHz Bandwidth-QPSK




Band4-CH20175-707.5MHz-20MHz Bandwidth-16QAM




Band12-CH23095-707.5MHz-1.4MHz Bandwidth-QPSK




Band12-CH23095-707.5MHz-1.4MHz Bandwidth-16QAM




Band12-CH23095-707.5MHz-3MHz Bandwidth-QPSK




Band12-CH23095-707.5MHz-3MHz Bandwidth-16QAM




Band12-CH23095-707.5MHz-5MHz Bandwidth-QPSK




Band12-CH23095-707.5MHz-5MHz Bandwidth-16QAM




Band12-CH23095-707.5MHz-10MHz Bandwidth-QPSK




Band12-CH23095-707.5MHz-10MHz Bandwidth-16QAM




Band13-CH23230-782MHz-5MHz Bandwidth-QPSK



Band13-CH23230-782MHz-5MHz Bandwidth-16QAM




Band13-CH23230-782MHz-10MHz Bandwidth-QPSK




Band13-CH23230-782MHz-10MHz Bandwidth-16QAM


Part(814MHz-824MHz)




Band26-CH26740-819MHz-1.4MHz Bandwidth-QPSK




Band26-CH26740-819MHz-1.4MHz Bandwidth-16QAM




Band26-CH26740-819MHz-3MHz Bandwidth-QPSK



Band26-CH26740-819MHz-3MHz Bandwidth-16QAM




Band26-CH26740-819MHz-5MHz Bandwidth-QPSK




Band26-CH26740-819MHz-5MHz Bandwidth-16QAM

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777




Band26-CH26740-819MHz-10MHz Bandwidth-QPSK




Band26-CH26740-819MHz-10MHz Bandwidth-16QAM

Part(824MHz-849MHz)




Band26-CH26915-836.5MHz-1.4MHz Bandwidth-QPSK




Band26-CH26915-836.5MHz-1.4MHz Bandwidth-16QAM







Band26-CH26915-836.5MHz-5MHz Bandwidth-QPSK



Band26-CH26915-836.5MHz-5MHz Bandwidth-16QAM



Band26-CH26915-836.5MHz-10MHz Bandwidth-QPSK



Band26-CH26915-836.5MHz-10MHz Bandwidth-16QAM



Report No.: I22W00056-WWAN RF-Rev3

Annex A EUT Photos

See the document "I22W00056-External Photos".

See the document "I22W00056-Internal Photos".

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777



Report No.: I22W00056-WWAN RF-Rev3

ANNEX B Deviations from Prescribed Test Methods

No deviation from Prescribed Test Methods.

*****END OF REPORT*****

Chongqing Academy of Information and Communication Technology

Address: No. 8, Yuma Road, Chayuan New City, Nan'an District, Chongqing, P. R. China, 401336
Tel: 0086-23-88069965 FAX: 0086-23-88608777