



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX





MAX. E.I.R.P. At Any Elevation Angle Above 30 Degrees Result_Radio 2 Appendix E.7

Summary


Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	12.33	0.01710	12.33	0.01710
802.11be EHT20_Nss1,(MCS0)_4TX	9.01	0.00796	9.01	0.00796
802.11be EHT40_Nss1,(MCS0)_4TX	8.96	0.00787	8.96	0.00787
802.11be EHT80_Nss1,(MCS0)_4TX	8.61	0.00726	8.61	0.00726
802.11be EHT160_Nss1,(MCS0)_4TX	6.29	0.00426	6.29	0.00426




MAX. E.I.R.P. At Any Elevation Angle Above 30 Degrees Result_Radio 2 Appendix E.7

Mode	Result	EIRP (dBm)	EIRP Limit (dBm)
802.11a_Nss1,(6Mbps)_4TX	-	-	-
5200MHz	Pass	12.33	21.00
802.11be EHT20_Nss1,(MCS0)_4TX	-	-	-
5240MHz	Pass	9.01	21.00
802.11be EHT40_Nss1,(MCS0)_4TX	-	-	-
5190MHz	Pass	8.96	21.00
802.11be EHT80_Nss1,(MCS0)_4TX	-	-	-
5210MHz	Pass	8.61	21.00
802.11be EHT160_Nss1,(MCS0)_4TX	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.29	21.00


EIRP Elevation above 30°;Band:5.2G;11a;BWch:20MHz;Nss:1,(6D);Nant:4;Ch:5200MHz;TX




EIRP Elevation above 30°;Band:5.2G;be20;BWch:20MHz;Nss:1,(M0);Nant:4;Ch:5200MHz;TX



EIRP Elevation above 30°;Band:5.2G;be40;BWch:40MHz;Nss:1,(M0);Nant:4;Ch:5230MHz;TX




EIRP Elevation above 30°;Band:5.2G;be80;BWch:80MHz;Nss:1,(M0);Nant:4;Ch:5210MHz;TX





EIRP;Band:5.2G;be160;BWch:160MHz;Nss:1,(M0);Nant:4;Ch:5250MHz;TX






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	15.596G	49.40	54.00	-4.60	Horizontal
Mode 2	Pass	AV	15.59823G	48.09	54.00	-5.91	Horizontal

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	10.74318G	41.46	54.00	-12.54	3	Vertical	42	1.50	-
Mode 1	Pass	AV	14.209G	47.25	68.20	-20.95	3	Vertical	32	1.50	-
Mode 1	Pass	AV	15.59049G	45.24	54.00	-8.76	3	Vertical	32	1.50	-
Mode 1	Pass	PK	10.74666G	55.05	74.00	-18.95	3	Vertical	42	1.50	-
Mode 1	Pass	PK	14.209G	57.33	68.20	-10.87	3	Vertical	248	1.50	-
Mode 1	Pass	PK	15.57657G	59.64	74.00	-14.36	3	Vertical	32	1.50	-
Mode 1	Pass	AV	10.45923G	41.85	68.20	-26.35	3	Horizontal	0	1.11	-
Mode 1	Pass	AV	14.251G	46.60	68.20	-21.60	3	Horizontal	52	1.92	-
Mode 1	Pass	AV	15.596G	49.40	54.00	-4.60	3	Horizontal	32	2.23	-
Mode 1	Pass	PK	10.45923G	51.89	68.20	-16.31	3	Horizontal	0	1.11	-
Mode 1	Pass	PK	14.251G	56.57	68.20	-11.63	3	Horizontal	52	1.92	-
Mode 1	Pass	PK	15.596G	60.81	74.00	-13.19	3	Horizontal	32	2.23	-
Mode 2	Pass	AV	10.70342G	41.63	54.00	-12.37	3	Vertical	112	1.16	-
Mode 2	Pass	AV	14.15307G	47.39	68.20	-20.81	3	Vertical	92	1.58	-
Mode 2	Pass	AV	15.596G	47.78	54.00	-6.22	3	Vertical	305	1.80	-
Mode 2	Pass	PK	10.7195G	54.50	74.00	-19.50	3	Vertical	112	1.16	-
Mode 2	Pass	PK	14.15307G	60.23	68.20	-7.97	3	Vertical	92	1.58	-
Mode 2	Pass	PK	15.596G	65.84	74.00	-8.16	3	Vertical	305	1.80	-
Mode 2	Pass	AV	10.66984G	41.39	54.00	-12.61	3	Horizontal	76	2.80	-
Mode 2	Pass	AV	14.69259G	46.98	68.20	-21.22	3	Horizontal	24	1.80	-
Mode 2	Pass	AV	15.59823G	48.09	54.00	-5.91	3	Horizontal	24	1.80	-
Mode 2	Pass	PK	10.6852G	54.81	74.00	-19.19	3	Horizontal	76	2.80	-
Mode 2	Pass	PK	14.69259G	59.37	68.20	-8.83	3	Horizontal	237	1.80	-
Mode 2	Pass	PK	15.60015G	65.89	74.00	-8.11	3	Horizontal	24	1.80	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.74318G	41.46	54.00	-12.54	10.11	3	Vertical	42	1.50	-	31.35	39.43	8.22	37.54
AV	14.209G	47.25	68.20	-20.95	12.07	3	Vertical	32	1.50	-	35.18	40.66	9.53	38.12
AV	15.59049G	45.24	54.00	-8.76	9.84	3	Vertical	32	1.50	-	35.40	38.78	10.05	38.99
PK	10.74666G	55.05	74.00	-18.95	10.09	3	Vertical	42	1.50	-	44.96	39.41	8.22	37.54
PK	14.209G	57.33	68.20	-10.87	12.07	3	Vertical	248	1.50	-	45.26	40.66	9.53	38.12
PK	15.57657G	59.64	74.00	-14.36	9.79	3	Vertical	32	1.50	-	49.85	38.75	10.05	39.01

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.45923G	41.85	68.20	-26.35	9.66	3	Horizontal	0	1.11	-	32.19	39.08	8.09	37.51
AV	14.251G	46.60	68.20	-21.60	11.95	3	Horizontal	52	1.92	-	34.65	40.50	9.55	38.10
AV	15.596G	49.40	54.00	-4.60	9.87	3	Horizontal	32	2.23	-	39.53	38.79	10.06	38.98
PK	10.45923G	51.89	68.20	-16.31	9.66	3	Horizontal	0	1.11	-	42.23	39.08	8.09	37.51
PK	14.251G	56.57	68.20	-11.63	11.95	3	Horizontal	52	1.92	-	44.62	40.50	9.55	38.10
PK	15.596G	60.81	74.00	-13.19	9.87	3	Horizontal	32	2.23	-	50.94	38.79	10.06	38.98

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.70342G	41.63	54.00	-12.37	10.25	3	Vertical	112	1.16	-	31.38	39.59	8.20	37.54
AV	14.15307G	47.39	68.20	-20.81	12.27	3	Vertical	92	1.58	-	35.12	40.89	9.51	38.13
AV	15.596G	47.78	54.00	-6.22	9.87	3	Vertical	305	1.80	-	37.91	38.79	10.06	38.98
PK	10.7195G	54.50	74.00	-19.50	10.19	3	Vertical	112	1.16	-	44.31	39.52	8.21	37.54
PK	14.15307G	60.23	68.20	-7.97	12.27	3	Vertical	92	1.58	-	47.96	40.89	9.51	38.13
PK	15.596G	65.84	74.00	-8.16	9.87	3	Vertical	305	1.80	-	55.97	38.79	10.06	38.98

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.66984G	41.39	54.00	-12.61	10.25	3	Horizontal	76	2.80	-	31.14	39.60	8.18	37.53
AV	14.69259G	46.98	68.20	-21.22	11.93	3	Horizontal	24	1.80	-	35.05	40.43	9.71	38.21
AV	15.59823G	48.09	54.00	-5.91	9.89	3	Horizontal	24	1.80	-	38.20	38.80	10.06	38.97
PK	10.6852G	54.81	74.00	-19.19	10.26	3	Horizontal	76	2.80	-	44.55	39.60	8.19	37.53
PK	14.69259G	59.37	68.20	-8.83	11.93	3	Horizontal	237	1.80	-	47.44	40.43	9.71	38.21
PK	15.60015G	65.89	74.00	-8.11	9.89	3	Horizontal	24	1.80	-	56.00	38.80	10.06	38.97