



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Average / Port 1 / 9GHz~18GHz




Date: 12 JUL 2018 17:00:34

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Peak / Port 1 / 9GHz~18GHz




Date: 12 JUL 2018 17:06:15

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Average / Port 2 / 9GHz~18GHz




Date: 12 JUL 2018 17:02:39

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Peak / Port 2 / 9GHz~18GHz




Date: 12 JUL 2018 17:04:29


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Average / Port 1 / 9GHz~18GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Peak / Port 1 / 9GHz~18GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Average / Port 2 / 9GHz~18GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Peak / Port 2 / 9GHz~18GHz




IEEE 802.11ac Nss1 MCS0 VHT40
Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5190	16.00	-83.67	-83.70	-64.67	-41.25	23.42
5230	16.00	-83.78	-83.76	-64.76	-41.25	23.51
5755	16.00	-70.11	-72.87	-52.26	-41.25	11.01
5795	16.00	-58.34	-65.13	-41.51	-41.25	0.26


Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5190	16.00	-71.62	-70.54	-52.04	-21.25	30.79
5230	16.00	-70.41	-71.58	-51.95	-21.25	30.70
5755	16.00	-56.05	-62.81	-39.22	-21.25	17.97
5798	16.00	-45.93	-54.66	-29.38	-21.25	8.13


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Average / Port 1 / 9GHz~18GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Peak / Port 1 / 9GHz~18GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Average / Port 2 / 9GHz~18GHz




Date: 5.JUL.2018 15:15:09

Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Peak / Port 2 / 9GHz~18GHz




Date: 5.JUL.2018 15:15:21


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Average / Port 1 / 9GHz~18GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Peak / Port 1 / 9GHz~18GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Average / Port 2 / 9GHz~18GHz




Date: 5.JUL.2018 15:19:25

Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Peak / Port 2 / 9GHz~18GHz




Date: 5.JUL.2018 15:18:37


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Average / Port 1 / 9GHz~18GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Peak / Port 1 / 9GHz~18GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Average / Port 2 / 9GHz~18GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Peak / Port 2 / 9GHz~18GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Average / Port 1 / 9GHz~18GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Peak / Port 1 / 9GHz~18GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Average / Port 2 / 9GHz~18GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Peak / Port 2 / 9GHz~18GHz




IEEE 802.11ac Nss1 MCS0 VHT80
Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5210	16.00	-83.78	-83.68	-64.72	-41.25	23.47
5775	16.00	-82.85	-86.64	-65.33	-41.25	24.08


Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5210	16.00	-71.81	-71.04	-52.40	-21.25	31.15
5775	16.00	-71.21	-71.51	-52.35	-21.25	31.10


Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Average / Port 1 / 9GHz~18GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Peak / Port 1 / 9GHz~18GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Average / Port 2 / 9GHz~18GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Peak / Port 2 / 9GHz~18GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Average / Port 1 / 9GHz~18GHz




Date: 5.JUL.2018 17:16:08

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Peak / Port 1 / 9GHz~18GHz




Date: 5.JUL.2018 17:16:20

Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Average / Port 2 / 9GHz~18GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Peak / Port 2 / 9GHz~18GHz




IEEE 802.11ac Nss1 MCS0 VHT20
Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	16.00	-73.21	-73.15	-54.17	-41.25	12.92
5200	16.00	-73.53	-73.14	-54.32	-41.25	13.07
5240	16.00	-73.11	-73.24	-54.16	-41.25	12.91
5745	16.00	-73.00	-73.28	-54.13	-41.25	12.88
5785	16.00	-73.82	-73.89	-54.84	-41.25	13.59
5825	16.00	-73.27	-73.19	-54.22	-41.25	12.97


Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	16.00	-62.34	-61.40	-42.83	-21.25	21.58
5200	16.00	-61.73	-62.07	-42.89	-21.25	21.64
5240	16.00	-62.75	-61.39	-43.01	-21.25	21.76
5745	16.00	-61.40	-62.06	-42.71	-21.25	21.46
5785	16.00	-63.22	-63.48	-44.34	-21.25	23.09
5825	16.00	-62.34	-62.27	-43.29	-21.25	22.04


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Average / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Peak / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Average / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Peak / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Average / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Peak / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Average / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Peak / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Average / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Peak / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Average / Port 2 / 1GHz~3GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5240 MHz / Peak / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Average / Port 1 / 1GHz~3GHz




Date: 5 JUL 2018 18:45:26

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Peak / Port 1 / 1GHz~3GHz




Date: 5 JUL 2018 18:44:11


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Average / Port 2 / 1GHz~3GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5745 MHz / Peak / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Average / Port 1 / 1GHz~3GHz




Date: 6 JUL 2018 11:24:13

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Peak / Port 1 / 1GHz~3GHz




Date: 6 JUL 2018 11:21:26


Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Average / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5785 MHz / Peak / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Average / Port 1 / 1GHz~3GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Peak / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Average / Port 2 / 1GHz~3GHz



Date: 5 JUL 2018 18:51:02

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5825 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 5 JUL 2018 18:51:19


IEEE 802.11ac Nss1 MCS0 VHT40
Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5190	16.00	-72.87	-73.16	-54.00	-41.25	12.75
5230	16.00	-73.50	-73.11	-54.29	-41.25	13.04
5755	16.00	-73.45	-72.83	-54.12	-41.25	12.87
5795	16.00	-73.25	-73.18	-54.20	-41.25	12.95


Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5190	16.00	-61.93	-61.36	-42.63	-21.25	21.38
5230	16.00	-62.64	-60.83	-42.63	-21.25	21.38
5755	16.00	-61.72	-62.69	-43.17	-21.25	21.92
5798	16.00	-61.43	-61.34	-42.37	-21.25	21.12


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Average / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Peak / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Average / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5190 MHz / Peak / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Average / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Peak / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Average / Port 2 / 1GHz~3GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5230 MHz / Peak / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Average / Port 1 / 1GHz~3GHz




Date: 5 JUL 2018 18:55:56

Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Peak / Port 1 / 1GHz~3GHz




Date: 5 JUL 2018 18:56:09

Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Average / Port 2 / 1GHz~3GHz




Date: 5 JUL 2018 18:58:07

Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5755 MHz / Peak / Port 2 / 1GHz~3GHz




Date: 5 JUL 2018 18:56:41


Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Average / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Peak / Port 1 / 1GHz~3GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Average / Port 2 / 1GHz~3GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT40 / 5795 MHz / Peak / Port 2 / 1GHz~3GHz




IEEE 802.11ac Nss1 MCS0 VHT80
Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5210	16.00	-73.14	-73.09	-54.10	-41.25	12.85
5775	16.00	-73.07	-73.19	-54.12	-41.25	12.87


Peak

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5210	16.00	-61.52	-60.71	-42.09	-21.25	20.84
5775	16.00	-61.77	-61.52	-42.63	-21.25	21.38


Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Average / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Peak / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Average / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5210 MHz / Peak / Port 2 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Average / Port 1 / 1GHz~3GHz




Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Peak / Port 1 / 1GHz~3GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Average / Port 2 / 1GHz~3GHz



Plot on IEEE 802.11ac Nss1 MCS0 VHT80 / 5775 MHz / Peak / Port 2 / 1GHz~3GHz




IEEE 802.11ac Nss1 MCS0 VHT20
Average

Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	2.00	-76.67	-68.64	-66.01	-41.25	24.76
5200	2.00	-81.15	-74.28	-71.47	-41.25	30.22
5240	2.00	-85.58	-82.62	-78.84	-41.25	37.59
5745	2.00	-79.11	-77.33	-73.12	-41.25	31.87
5785	2.00	-78.29	-81.33	-74.54	-41.25	33.29
5825	2.00	-82.79	-81.20	-76.91	-41.25	35.66

Peak


Frequency (MHz)	Correlated Antenna Gain (dBi)	TX1 Spurious Level (dBm)	TX2 Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	2.00	-71.03	-47.54	-45.52	-21.25	24.27
5200	2.00	-71.04	-67.29	-63.76	-21.25	42.51
5240	2.00	-71.70	-68.57	-64.85	-21.25	43.60
5745	2.00	-70.80	-67.29	-63.69	-21.25	42.44
5785	2.00	-70.72	-70.01	-65.34	-21.25	44.09
5825	2.00	-70.07	-70.69	-65.36	-21.25	44.11

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Average / Port 1 / 1GHz~3GHz




Date: 6 JUL 2018 13:51:28

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Peak / Port 1 / 1GHz~3GHz




Date: 6 JUL 2018 13:51:37

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Average / Port 2 / 1GHz~3GHz




Date: 6 JUL 2018 13:52:45

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5180 MHz / Peak / Port 2 / 1GHz~3GHz




Date: 6 JUL 2018 13:52:28

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Average / Port 1 / 1GHz~3GHz




Date: 6 JUL 2018 13:56:46

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Peak / Port 1 / 1GHz~3GHz




Date: 6 JUL 2018 13:56:13

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Average / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 13:55:11

Plot on IEEE 802.11ac Nss1 MCS0 VHT20 / 5200 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 6 JUL 2018 13:55:35