

## **RF Exposure / SAR Statement**

### **No. : 13408107S**

<b>Applicant</b>	<b>:</b>	<b>Panasonic Corporation</b>
<b>Type of EUT</b>	<b>:</b>	<b>Car Navigation</b>
<b>Model Number of EUT</b>	<b>:</b>	<b>AT2104</b>
<b>FCC ID</b>	<b>:</b>	<b>ACJ932AT2104</b>

---

Panasonic Corporation declares that Model : AT2104 complies with  
FCC radiation exposure requirement specified in the FCC Rules 2.1091(for mobile).  
AT2104 is intended to be used Bluetooth and Wireless LAN simultaneously within 20 cm.

### **RF Exposure Calculations:**

The following information provides the minimum separation distance for the highest gain antenna provided with the “AT2104” as calculated  
from FCC Part 1, §1.1310, TABLE 1 (B) Limits for General Population / Uncontrolled Exposure.  
This calculation is based on the highest EIRP possible from the system,  
considering maximum power and antenna gain, and considering a 1.0mW/cm<sup>2</sup> uncontrolled exposure limit. The Friis formula used was:

$$S = ( (P1 * G1) + (P2 * G2) ) / (4 * \pi * r^2)$$

#### **Where**

<b>P1 =</b>	<b>4.19 mW (Maximum average output power ) *1)</b>
<b>P2 =</b>	<b>21.23 mW (Maximum average output power) *2)</b>
<b>G1 =</b>	<b>1.84 Numerical Antenna gain; equal to 2.64 dBi *1)</b>
<b>G2 =</b>	<b>1.68 Numerical Antenna gain; equal to 2.25 dBi *2)</b>
<b>r =</b>	<b>20.0 cm</b>

<b>For: AT2104 ( Wireless LAN 5 GHz and Wireless LAN 2.4 GHz)</b>	<b>S = 0.00863 mW/cm<sup>2</sup></b>
---	--------------------------------------

Even taking into account the tolerance, this device can be satisfied with the limits.

\*1) Wireless LAN (5 GHz band) value

\*2) Wireless LAN (2.4 GHz band) value

This calculation was made to show that the EUT complies with the limit in simultaneous transmitting of Wireless LAN 5 GHz and Wireless LAN 2.4 GHz.

---

**UL Japan, Inc.**

**Shonan EMC Lab.**

1-22-3 Megumigaoka, Hiratsuka-shi, Kanagawa-ken, 259-1220 JAPAN

Telephone : +81 463 50 6400

Facsimile : +81 463 50 6401