


Mode:	ant1 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.20	40.00	6.80	100	248	Vertical
2	249.439	-17.33	28.56	46.00	17.44	100	110	Vertical
3	399.939	-13.56	35.96	46.00	10.04	100	26	Vertical
4	654.334	-8.84	26.89	46.00	19.11	100	22	Vertical
5	799.980	-6.46	38.62	46.00	7.38	100	22	Vertical
6	1000.00	-4.55	29.80	54.00	24.20	100	26	Vertical

Mode:	ant1 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	20.68	40.00	19.32	100	28	Horizontal
2	249.439	-17.33	23.39	46.00	22.61	100	290	Horizontal
3	399.939	-13.56	34.93	46.00	11.07	100	155	Horizontal
4	625.205	-9.13	25.57	46.00	20.43	100	141	Horizontal
5	799.980	-6.46	36.22	46.00	9.78	100	205	Horizontal
6	1000.00	-4.55	31.61	54.00	22.39	100	281	Horizontal

Mode:	ant1 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.85	40.00	7.15	100	73	Vertical
2	249.439	-17.33	29.00	46.00	17.00	100	92	Vertical
3	399.939	-13.56	29.05	46.00	16.95	100	317	Vertical
4	625.205	-9.13	24.78	46.00	21.22	100	322	Vertical
5	799.980	-6.46	37.55	46.00	8.45	100	228	Vertical
6	1000.00	-4.55	30.56	54.00	23.44	100	27	Vertical

Mode:	ant1 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	148.458	-15.91	17.04	43.50	26.46	100	171	Horizontal
2	330.030	-15.03	24.15	46.00	21.85	100	28	Horizontal
3	399.939	-13.56	34.14	46.00	11.86	100	148	Horizontal
4	625.205	-9.13	24.74	46.00	21.26	100	143	Horizontal
5	750.460	-7.42	33.67	46.00	12.33	100	28	Horizontal
6	1000.00	-4.55	31.43	54.00	22.57	100	263	Horizontal

Mode:	ant1 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.20	40.00	6.80	100	65	Vertical
2	249.439	-17.33	28.81	46.00	17.19	100	111	Vertical
3	399.939	-13.56	28.94	46.00	17.06	100	10	Vertical
4	625.205	-9.13	25.30	46.00	20.70	100	327	Vertical
5	799.980	-6.46	34.83	46.00	11.17	100	23	Vertical
6	1000.00	-4.55	30.03	54.00	23.97	100	28	Vertical

Mode:	ant1 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	186.326	-17.86	17.42	43.50	26.08	100	326	Horizontal
2	249.439	-17.33	23.35	46.00	22.65	100	294	Horizontal
3	449.459	-12.52	34.96	46.00	11.04	100	336	Horizontal
4	625.205	-9.13	25.48	46.00	20.52	100	136	Horizontal
5	799.980	-6.46	37.04	46.00	8.96	100	66	Horizontal
6	1000.00	-4.55	32.43	54.00	21.57	100	262	Horizontal

Mode:	ant1 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.71	40.00	6.29	100	76	Vertical
2	249.439	-17.33	28.62	46.00	17.38	100	95	Vertical
3	433.923	-12.84	37.40	46.00	8.60	100	276	Vertical
4	625.205	-9.13	24.98	46.00	21.02	100	313	Vertical
5	799.980	-6.46	30.10	46.00	15.90	100	332	Vertical
6	1000.00	-4.55	29.96	54.00	24.04	100	29	Vertical

Mode:	ant1 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	187.297	-17.94	19.42	43.50	24.08	100	297	Horizontal
2	249.439	-17.33	23.71	46.00	22.29	100	288	Horizontal
3	399.939	-13.56	33.41	46.00	12.59	100	168	Horizontal
4	625.205	-9.13	25.33	46.00	20.67	100	135	Horizontal
5	799.980	-6.46	35.44	46.00	10.56	100	265	Horizontal
6	1000.00	-4.55	32.32	54.00	21.68	100	269	Horizontal

Mode:	ant1 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.02	40.00	6.98	100	68	Vertical
2	249.439	-17.33	28.85	46.00	17.15	100	92	Vertical
3	428.098	-12.97	30.16	46.00	15.84	100	332	Vertical
4	625.205	-9.13	24.56	46.00	21.44	100	327	Vertical
5	799.980	-6.46	40.27	46.00	5.73	100	313	Vertical
6	1000.00	-4.55	30.38	54.00	23.62	100	26	Vertical

Mode:	ant1 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	189.239	-18.10	17.94	43.50	25.56	100	261	Horizontal
2	322.262	-15.19	22.27	46.00	23.73	100	28	Horizontal
3	430.040	-12.93	41.27	46.00	4.73	100	149	Horizontal
4	625.205	-9.13	25.55	46.00	20.45	100	144	Horizontal
5	799.980	-6.46	37.50	46.00	8.50	100	270	Horizontal
6	1000.00	-4.55	32.19	54.00	21.81	100	265	Horizontal

Mode:	ant1 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.10	40.00	6.90	100	75	Vertical
2	249.439	-17.33	28.51	46.00	17.49	100	88	Vertical
3	399.939	-13.56	31.79	46.00	14.21	100	332	Vertical
4	625.205	-9.13	25.08	46.00	20.92	100	327	Vertical
5	799.980	-6.46	30.16	46.00	15.84	100	29	Vertical
6	1000.00	-4.55	30.62	54.00	23.38	100	24	Vertical

Mode:	ant1 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	187.297	-17.94	18.50	43.50	25.00	100	318	Horizontal
2	320.320	-15.23	23.03	46.00	22.97	100	351	Horizontal
3	399.939	-13.56	35.53	46.00	10.47	100	56	Horizontal
4	625.205	-9.13	24.90	46.00	21.10	100	128	Horizontal
5	750.460	-7.42	33.83	46.00	12.17	100	33	Horizontal
6	1000.00	-4.55	31.21	54.00	22.79	100	262	Horizontal

Mode:	ant1 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.09	40.00	6.91	100	65	Vertical
2	249.439	-17.33	28.66	46.00	17.34	100	103	Vertical
3	429.069	-12.95	33.26	46.00	12.74	100	332	Vertical
4	625.205	-9.13	24.89	46.00	21.11	100	332	Vertical
5	799.980	-6.46	38.25	46.00	7.75	100	33	Vertical
6	1000.00	-4.55	29.85	54.00	24.15	100	28	Vertical

Mode:	ant1 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	184.384	-17.70	16.65	43.50	26.85	100	97	Horizontal
2	326.146	-15.11	22.54	46.00	23.46	100	351	Horizontal
3	440.720	-12.70	35.97	46.00	10.03	100	186	Horizontal
4	625.205	-9.13	25.28	46.00	20.72	100	134	Horizontal
5	799.980	-6.46	35.59	46.00	10.41	100	337	Horizontal
6	895.135	-5.72	38.82	46.00	7.18	100	360	Horizontal

Mode:	ant2 11b 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.91	40.00	6.09	100	48	Vertical
2	249.439	-17.33	28.97	46.00	17.03	100	102	Vertical
3	399.939	-13.56	32.74	46.00	13.26	100	32	Vertical
4	625.205	-9.13	24.02	46.00	21.98	100	327	Vertical
5	799.980	-6.46	37.52	46.00	8.48	100	275	Vertical
6	1000.00	-4.55	29.15	54.00	24.85	100	17	Vertical

Mode:	ant2 11b 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	18.76	40.00	21.24	100	29	Horizontal
2	249.439	-17.33	25.26	46.00	20.74	100	297	Horizontal
3	399.939	-13.56	32.81	46.00	13.19	100	69	Horizontal
4	625.205	-9.13	24.44	46.00	21.56	100	135	Horizontal
5	750.460	-7.42	33.25	46.00	12.75	100	29	Horizontal
6	1000.00	-4.55	31.21	54.00	22.79	100	266	Horizontal

Mode:	ant2 11b 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.92	40.00	7.08	100	47	Vertical
2	249.439	-17.33	29.62	46.00	16.38	100	116	Vertical
3	399.939	-13.56	27.77	46.00	18.23	100	289	Vertical
4	625.205	-9.13	25.60	46.00	20.40	100	322	Vertical
5	799.980	-6.46	31.54	46.00	14.46	100	0	Vertical
6	1000.00	-4.55	30.71	54.00	23.29	100	18	Vertical

Mode:	ant2 11b 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	22.55	40.00	17.45	100	28	Horizontal
2	249.439	-17.33	24.93	46.00	21.07	100	285	Horizontal
3	399.939	-13.56	32.35	46.00	13.65	100	194	Horizontal
4	625.205	-9.13	24.34	46.00	21.66	100	139	Horizontal
5	750.460	-7.42	34.97	46.00	11.03	100	33	Horizontal
6	1000.00	-4.55	32.06	54.00	21.94	100	263	Horizontal

Mode:	ant2 11b 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.97	40.00	7.03	100	50	Vertical
2	249.439	-17.33	29.25	46.00	16.75	100	105	Vertical
3	399.939	-13.56	29.37	46.00	16.63	100	332	Vertical
4	650.450	-8.88	26.43	46.00	19.57	100	18	Vertical
5	799.980	-6.46	38.36	46.00	7.64	100	332	Vertical
6	1000.00	-4.55	30.39	54.00	23.61	100	32	Vertical

Mode:	ant2 11b 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	187.297	-17.94	17.98	43.50	25.52	100	300	Horizontal
2	249.439	-17.33	23.97	46.00	22.03	100	291	Horizontal
3	399.939	-13.56	33.70	46.00	12.30	100	197	Horizontal
4	625.205	-9.13	25.29	46.00	20.71	100	141	Horizontal
5	799.980	-6.46	33.93	46.00	12.07	100	70	Horizontal
6	1000.00	-4.55	31.37	54.00	22.63	100	258	Horizontal

Mode:	ant2 11g 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.57	40.00	6.43	100	67	Vertical
2	249.439	-17.33	29.80	46.00	16.20	100	93	Vertical
3	399.939	-13.56	31.07	46.00	14.93	100	332	Vertical
4	625.205	-9.13	25.30	46.00	20.70	100	312	Vertical
5	799.980	-6.46	32.65	46.00	13.35	100	22	Vertical
6	1000.00	-4.55	29.79	54.00	24.21	100	27	Vertical

Mode:	ant2 11g 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	19.84	40.00	20.16	100	29	Horizontal
2	249.439	-17.33	24.09	46.00	21.91	100	299	Horizontal
3	399.939	-13.56	28.82	46.00	17.18	100	190	Horizontal
4	625.205	-9.13	25.16	46.00	20.84	100	139	Horizontal
5	750.460	-7.42	34.82	46.00	11.18	100	29	Horizontal
6	1000.00	-4.55	31.51	54.00	22.49	100	269	Horizontal

Mode:	ant2 11g 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	34.57	40.00	5.43	100	53	Vertical
2	249.439	-17.33	29.51	46.00	16.49	100	95	Vertical
3	399.939	-13.56	29.48	46.00	16.52	100	332	Vertical
4	625.205	-9.13	25.26	46.00	20.74	100	318	Vertical
5	799.980	-6.46	36.13	46.00	9.87	100	332	Vertical
6	1000.00	-4.55	29.61	54.00	24.39	100	20	Vertical

Mode:	ant2 11g 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	186.326	-17.86	18.82	43.50	24.68	100	79	Horizontal
2	249.439	-17.33	24.48	46.00	21.52	100	305	Horizontal
3	399.939	-13.56	37.42	46.00	8.58	100	359	Horizontal
4	625.205	-9.13	25.06	46.00	20.94	100	143	Horizontal
5	750.460	-7.42	33.92	46.00	12.08	100	38	Horizontal
6	1000.00	-4.55	32.27	54.00	21.73	100	263	Horizontal

Mode:	ant2 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.30	40.00	6.70	100	66	Vertical
2	249.439	-17.33	30.03	46.00	15.97	100	103	Vertical
3	399.939	-13.56	34.74	46.00	11.26	100	0	Vertical
4	625.205	-9.13	25.23	46.00	20.77	100	313	Vertical
5	799.980	-6.46	38.37	46.00	7.63	100	193	Vertical
6	1000.00	-4.55	30.37	54.00	23.63	100	33	Vertical

Mode:	ant2 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	187.297	-17.94	20.43	43.50	23.07	100	322	Horizontal
2	249.439	-17.33	23.55	46.00	22.45	100	291	Horizontal
3	399.939	-13.56	32.09	46.00	13.91	100	186	Horizontal
4	625.205	-9.13	24.42	46.00	21.58	100	130	Horizontal
5	799.980	-6.46	35.88	46.00	10.12	100	286	Horizontal
6	1000.00	-4.55	31.55	54.00	22.45	100	266	Horizontal

Mode:	ant2 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.97	40.00	7.03	100	46	Vertical
2	249.439	-17.33	29.34	46.00	16.66	100	96	Vertical
3	399.939	-13.56	31.68	46.00	14.32	100	332	Vertical
4	625.205	-9.13	24.77	46.00	21.23	100	332	Vertical
5	799.980	-6.46	36.53	46.00	9.47	100	263	Vertical
6	1000.00	-4.55	29.67	54.00	24.33	100	28	Vertical

Mode:	ant2 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	186.326	-17.86	19.42	43.50	24.08	100	276	Horizontal
2	249.439	-17.33	25.17	46.00	20.83	100	290	Horizontal
3	399.939	-13.56	32.62	46.00	13.38	100	145	Horizontal
4	625.205	-9.13	24.93	46.00	21.07	100	141	Horizontal
5	799.980	-6.46	34.43	46.00	11.57	100	47	Horizontal
6	1000.00	-4.55	31.44	54.00	22.56	100	258	Horizontal

Mode:	ant2 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.40	40.00	6.60	100	67	Vertical
2	249.439	-17.33	29.58	46.00	16.42	100	90	Vertical
3	399.939	-13.56	31.31	46.00	14.69	100	332	Vertical
4	625.205	-9.13	25.18	46.00	20.82	100	322	Vertical
5	799.980	-6.46	34.17	46.00	11.83	100	15	Vertical
6	1000.00	-4.55	30.17	54.00	23.83	100	25	Vertical

Mode:	ant2 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	185.355	-17.78	18.60	43.50	24.90	100	106	Horizontal
2	249.439	-17.33	24.22	46.00	21.78	100	291	Horizontal
3	399.939	-13.56	34.98	46.00	11.02	100	189	Horizontal
4	625.205	-9.13	25.38	46.00	20.62	100	153	Horizontal
5	799.980	-6.46	38.32	46.00	7.68	100	240	Horizontal
6	1000.00	-4.55	31.46	54.00	22.54	100	263	Horizontal

Mode:	ant2 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.91	40.00	6.09	100	69	Vertical
2	249.439	-17.33	29.74	46.00	16.26	100	97	Vertical
3	399.939	-13.56	38.65	46.00	7.35	100	1	Vertical
4	625.205	-9.13	25.00	46.00	21.00	100	327	Vertical
5	799.980	-6.46	37.86	46.00	8.14	100	271	Vertical
6	1000.00	-4.55	29.80	54.00	24.20	100	22	Vertical

Mode:	ant2 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	187.297	-17.94	20.45	43.50	23.05	100	283	Horizontal
2	249.439	-17.33	23.47	46.00	22.53	100	306	Horizontal
3	399.939	-13.56	39.71	46.00	6.29	100	321	Horizontal
4	625.205	-9.13	24.25	46.00	21.75	100	136	Horizontal
5	799.980	-6.46	35.06	46.00	10.94	100	283	Horizontal
6	1000.00	-4.55	31.43	54.00	22.57	100	269	Horizontal

Mode:	ant2 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.25	40.00	7.75	100	80	Vertical
2	249.439	-17.33	29.53	46.00	16.47	100	98	Vertical
3	399.939	-13.56	28.66	46.00	17.34	100	332	Vertical
4	625.205	-9.13	25.05	46.00	20.95	100	322	Vertical
5	799.980	-6.46	39.54	46.00	6.46	100	71	Vertical
6	1000.00	-4.55	29.07	54.00	24.93	100	29	Vertical

Mode:	ant2 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	188.268	-18.02	18.66	43.50	24.84	100	280	Horizontal
2	249.439	-17.33	23.88	46.00	22.12	100	303	Horizontal
3	399.939	-13.56	32.74	46.00	13.26	100	136	Horizontal
4	625.205	-9.13	25.06	46.00	20.94	100	140	Horizontal
5	799.980	-6.46	40.01	46.00	5.99	100	28	Horizontal
6	1000.00	-4.55	32.16	54.00	21.84	100	266	Horizontal

Mode:	ant2 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	35.22	40.00	4.78	100	61	Vertical
2	249.439	-17.33	30.00	46.00	16.00	100	106	Vertical
3	399.939	-13.56	34.70	46.00	11.30	100	38	Vertical
4	625.205	-9.13	24.37	46.00	21.63	100	332	Vertical
5	799.980	-6.46	38.64	46.00	7.36	100	240	Vertical
6	1000.00	-4.55	28.96	54.00	25.04	100	33	Vertical

Mode:	ant2 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	186.326	-17.86	19.62	43.50	23.88	100	288	Horizontal
2	249.439	-17.33	24.01	46.00	21.99	100	303	Horizontal
3	399.939	-13.56	33.66	46.00	12.34	100	176	Horizontal
4	625.205	-9.13	25.20	46.00	20.80	100	137	Horizontal
5	799.980	-6.46	35.56	46.00	10.44	100	43	Horizontal
6	1000.00	-4.55	31.62	54.00	22.38	100	273	Horizontal

Mode:	ant2 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.46	40.00	7.54	100	37	Vertical
2	249.439	-17.33	29.78	46.00	16.22	100	101	Vertical
3	399.939	-13.56	32.87	46.00	13.13	100	332	Vertical
4	625.205	-9.13	24.89	46.00	21.11	100	332	Vertical
5	799.980	-6.46	39.02	46.00	6.98	100	221	Vertical
6	1000.00	-4.55	30.41	54.00	23.59	100	332	Vertical

Mode:	ant2 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	187.297	-17.94	18.37	43.50	25.13	100	243	Horizontal
2	249.439	-17.33	22.96	46.00	23.04	100	304	Horizontal
3	399.939	-13.56	31.99	46.00	14.01	100	169	Horizontal
4	625.205	-9.13	24.32	46.00	21.68	100	141	Horizontal
5	799.980	-6.46	34.18	46.00	11.82	100	266	Horizontal
6	1000.00	-4.55	32.39	54.00	21.61	100	266	Horizontal

Mode:	MIMO 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	34.31	40.00	5.69	100	100	Vertical
2	249.439	-17.33	29.30	46.00	16.70	100	96	Vertical
3	399.939	-13.56	33.18	46.00	12.82	100	332	Vertical
4	625.205	-9.13	25.48	46.00	20.52	100	327	Vertical
5	799.980	-6.46	31.58	46.00	14.42	100	327	Vertical
6	1000.00	-4.55	29.80	54.00	24.20	100	332	Vertical

Mode:	MIMO 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




Final Data List

NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	122.242	-18.41	18.65	43.50	24.85	100	254	Horizontal
2	249.439	-17.33	22.99	46.00	23.01	100	38	Horizontal
3	399.939	-13.56	32.81	46.00	13.19	100	148	Horizontal
4	625.205	-9.13	25.09	46.00	20.91	100	139	Horizontal
5	750.460	-7.42	33.47	46.00	12.53	100	33	Horizontal
6	1000.00	-4.55	31.60	54.00	22.40	100	250	Horizontal

Mode:	MIMO 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.18	40.00	6.82	100	43	Vertical
2	249.439	-17.33	29.62	46.00	16.38	100	104	Vertical
3	399.939	-13.56	29.77	46.00	16.23	100	332	Vertical
4	625.205	-9.13	25.41	46.00	20.59	100	322	Vertical
5	799.980	-6.46	39.61	46.00	6.39	100	6	Vertical
6	1000.00	-4.55	28.79	54.00	25.21	100	25	Vertical

Mode:	MIMO 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	185.355	-17.78	18.24	43.50	25.26	100	321	Horizontal
2	249.439	-17.33	22.99	46.00	23.01	100	303	Horizontal
3	399.939	-13.56	32.44	46.00	13.56	100	139	Horizontal
4	599.960	-9.38	25.41	46.00	20.59	100	139	Horizontal
5	799.980	-6.46	37.84	46.00	8.16	100	33	Horizontal
6	1000.00	-4.55	31.96	54.00	22.04	100	267	Horizontal

Mode:	MIMO 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	33.47	40.00	6.53	100	89	Vertical
2	249.439	-17.33	29.82	46.00	16.18	100	98	Vertical
3	399.939	-13.56	30.61	46.00	15.39	100	5	Vertical
4	625.205	-9.13	25.24	46.00	20.76	100	327	Vertical
5	799.980	-6.46	39.97	46.00	6.03	100	33	Vertical
6	1000.00	-4.55	29.59	54.00	24.41	100	28	Vertical

Mode:	MIMO 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	185.355	-17.78	19.43	43.50	24.07	100	289	Horizontal
2	249.439	-17.33	23.52	46.00	22.48	100	299	Horizontal
3	399.939	-13.56	32.97	46.00	13.03	100	186	Horizontal
4	625.205	-9.13	24.93	46.00	21.07	100	141	Horizontal
5	750.460	-7.42	33.51	46.00	12.49	100	38	Horizontal
6	1000.00	-4.55	33.61	54.00	20.39	100	263	Horizontal

Mode:	MIMO 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	31.81	40.00	8.19	100	65	Vertical
2	249.439	-17.33	29.67	46.00	16.33	100	111	Vertical
3	399.939	-13.56	38.84	46.00	7.16	100	332	Vertical
4	625.205	-9.13	25.10	46.00	20.90	100	322	Vertical
5	799.980	-6.46	34.61	46.00	11.39	100	0	Vertical
6	1000.00	-4.55	29.30	54.00	24.70	100	24	Vertical

Mode:	MIMO 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	187.297	-17.94	19.47	43.50	24.03	100	322	Horizontal
2	249.439	-17.33	23.00	46.00	23.00	100	294	Horizontal
3	399.939	-13.56	32.35	46.00	13.65	100	158	Horizontal
4	599.960	-9.38	25.69	46.00	20.31	100	125	Horizontal
5	750.460	-7.42	33.67	46.00	12.33	100	28	Horizontal
6	1000.00	-4.55	32.05	54.00	21.95	100	265	Horizontal

Mode:	MIMO 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	34.85	40.00	5.15	100	75	Vertical
2	249.439	-17.33	30.21	46.00	15.79	100	112	Vertical
3	399.939	-13.56	31.06	46.00	14.94	100	332	Vertical
4	625.205	-9.13	25.21	46.00	20.79	100	313	Vertical
5	799.980	-6.46	35.25	46.00	10.75	100	201	Vertical
6	1000.00	-4.55	29.31	54.00	24.69	100	29	Vertical

Mode:	MIMO 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	184.384	-17.70	19.45	43.50	24.05	100	286	Horizontal
2	249.439	-17.33	22.79	46.00	23.21	100	28	Horizontal
3	399.939	-13.56	32.71	46.00	13.29	100	139	Horizontal
4	599.960	-9.38	25.96	46.00	20.04	100	97	Horizontal
5	799.980	-6.46	40.52	46.00	5.48	100	38	Horizontal
6	1000.00	-4.55	32.57	54.00	21.43	100	268	Horizontal

Mode:	MIMO 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7968	-16.35	32.54	40.00	7.46	100	96	Vertical
2	249.439	-17.33	30.07	46.00	15.93	100	110	Vertical
3	399.939	-13.56	29.46	46.00	16.54	100	332	Vertical
4	625.205	-9.13	25.27	46.00	20.73	100	327	Vertical
5	799.980	-6.46	37.87	46.00	8.13	100	332	Vertical
6	1000.00	-4.55	29.50	54.00	24.50	100	25	Vertical

Mode:	MIMO 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	186.326	-17.86	19.83	43.50	23.67	100	274	Horizontal
2	249.439	-17.33	23.68	46.00	22.32	100	38	Horizontal
3	399.939	-13.56	32.07	46.00	13.93	100	168	Horizontal
4	599.960	-9.38	24.88	46.00	21.12	100	97	Horizontal
5	799.980	-6.46	33.82	46.00	12.18	100	70	Horizontal
6	1000.00	-4.55	31.95	54.00	22.05	100	269	Horizontal

Above 1GHz

Mode:	ant1 11b 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO .	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4823.6917	74.63	-14.78	59.85	74.00	14.15	Horizontal	PASS

AV Final Data List								
NO .	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4823.6917	63.81	-14.78	49.03	54.00	4.97	Horizontal	PASS

Mode:	ant1 11b 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4824.0117	68.41	-14.78	53.63	74.00	20.37	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4824.0117	59.82	-14.78	45.04	54.00	8.96	Vertical	PASS

Mode:	ant2 11b 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4823.3717	64.65	-14.78	49.85	74.00	24.15	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4823.3717	50.30	-14.78	35.50	54.00	18.50	Horizontal	PASS

Mode:	ant2 11b 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4823.9517	65.20	-14.75	50.40	74.00	23.60	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4823.9517	50.25	-14.75	35.45	54.00	18.55	Vertical	PASS

Mode:	ant1 11b 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4873.8580	72.21	-14.85	57.36	74.00	16.64	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4873.8580	61.33	-14.85	46.48	54.00	7.52	Horizontal	PASS

Mode:	ant1 11b 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4873.8580	68.86	-14.85	54.01	74.00	19.99	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4873.8580	61.34	-14.85	46.49	54.00	7.51	Vertical	PASS

Mode:	ant2 11b 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4874.1380	65.98	-14.85	51.13	74.00	22.87	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4874.1380	54.36	-14.85	39.51	54.00	14.49	Horizontal	PASS

Mode:	ant2 11b 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4873.9580	68.46	-14.85	53.61	74.00	20.39	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4873.9580	60.40	-14.85	45.55	54.00	8.45	Vertical	PASS

Mode:	ant1 11b 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4924.0405	67.13	-14.83	52.30	74.00	21.70	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4924.0405	56.79	-14.83	41.96	54.00	12.04	Horizontal	PASS

Mode:	ant1 11b 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4924.0605	69.32	-14.83	54.49	74.00	19.51	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4924.0605	62.64	-14.83	47.81	54.00	6.19	Vertical	PASS

Mode:	ant2 11b 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4923.9605	70.31	-14.83	55.48	74.00	18.52	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4923.9605	64.36	-14.83	49.53	54.00	4.47	Horizontal	PASS

Mode:	ant2 11b 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4923.9205	69.10	-14.83	54.27	74.00	19.73	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4923.9205	61.34	-14.83	46.51	54.00	7.49	Vertical	PASS

Mode:	ant1 11g 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4830.8317	68.60	-14.75	53.85	74.00	20.15	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4830.8317	53.35	-14.75	38.60	54.00	15.40	Horizontal	PASS

Mode:	ant1 11g 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4826.3917	66.57	-14.77	51.80	74.00	22.20	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4826.3917	51.85	-14.77	37.08	54.00	16.92	Vertical	PASS

Mode:	ant2 11g 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4819.4917	70.84	-14.80	56.04	74.00	17.96	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4819.4917	54.59	-14.80	39.79	54.00	14.21	Horizontal	PASS

Mode:	ant2 11g 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4823.7717	67.77	-14.78	52.99	74.00	21.01	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4823.7717	52.74	-14.78	37.96	54.00	16.04	Vertical	PASS

Mode:	ant1 11g 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4874.5780	70.05	-14.85	55.20	74.00	18.80	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4874.5780	54.39	-14.85	39.54	54.00	14.46	Horizontal	PASS

Mode:	ant1 11g 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4873.7380	66.35	-14.85	51.50	74.00	22.50	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4873.7380	51.77	-14.85	36.92	54.00	17.08	Vertical	PASS

Mode:	ant2 11g 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4878.4980	69.77	-14.88	54.89	74.00	19.11	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4878.4980	53.79	-14.88	38.91	54.00	15.09	Horizontal	PASS

Mode:	ant2 11g 2437	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4874.2217	67.01	-14.85	52.16	74.00	21.84	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4874.2217	52.10	-14.85	37.25	54.00	16.75	Vertical	PASS

Mode:	ant1 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4923.4442	70.14	-14.84	55.30	74.00	18.70	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4923.4442	55.45	-14.84	40.61	54.00	13.39	Horizontal	PASS

Mode:	ant1 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4921.3042	67.39	-14.86	52.53	74.00	21.47	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4921.3042	52.65	-14.86	37.79	54.00	16.21	Vertical	PASS

Mode:	ant2 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4924.4042	70.71	-14.83	55.88	74.00	18.12	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4924.4042	54.79	-14.83	39.96	54.00	14.04	Horizontal	PASS

Mode:	ant2 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4920.1042	67.33	-14.87	52.46	74.00	21.54	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4920.1042	52.39	-14.87	37.52	54.00	16.48	Vertical	PASS

Mode:	ant1 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4822.8117	70.88	-14.78	56.10	74.00	17.90	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4822.8117	54.98	-14.78	40.20	54.00	13.80	Horizontal	PASS

Mode:	ant1 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4828.5355	67.65	-14.76	52.89	74.00	21.11	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4828.5355	52.31	-14.76	37.55	54.00	16.45	Vertical	PASS

Mode:	ant2 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4823.8717	69.53	-14.78	54.75	74.00	19.25	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4823.8717	54.82	-14.78	40.04	54.00	13.96	Horizontal	PASS

Mode:	ant2 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4828.2117	67.66	-14.76	52.90	74.00	21.10	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4828.2117	52.50	-14.76	37.74	54.00	16.26	Vertical	PASS

Mode:	MIMO 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4828.2355	68.99	-14.76	54.23	74.00	19.77	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4828.2355	53.15	-14.76	38.39	54.00	15.61	Horizontal	PASS

Mode:	MIMO 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4827.6155	67.69	-14.76	52.93	74.00	21.07	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4827.6155	52.65	-14.76	37.89	54.00	16.11	Vertical	PASS

Mode:	ant1 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4872.1580	67.83	-14.84	52.99	74.00	21.01	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4872.1580	51.92	-14.84	37.08	54.00	16.92	Horizontal	PASS

Mode:	ant1 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4860.2142	64.60	-14.75	49.85	74.00	24.15	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4860.2142	49.94	-14.75	35.19	54.00	18.81	Vertical	PASS

Mode:	ant2 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4872.3980	69.01	-14.84	54.17	74.00	19.83	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4872.3980	52.30	-14.84	37.46	54.00	16.54	Horizontal	PASS

Mode:	ant2 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4872.2980	65.90	-14.84	51.06	74.00	22.94	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4872.2980	50.68	-14.84	35.84	54.00	18.16	Vertical	PASS

Mode:	MIMO 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4873.2180	68.74	-14.84	53.90	74.00	20.10	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4873.2180	52.98	-14.84	38.14	54.00	15.86	Horizontal	PASS

Mode:	MIMO 11n20 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4868.5980	65.31	-14.81	50.50	74.00	23.50	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4868.5980	50.26	-14.81	35.45	54.00	18.55	Vertical	PASS

Mode:	ant1 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4927.0605	70.04	-14.81	55.23	74.00	18.77	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4927.0605	54.18	-14.81	39.37	54.00	14.63	Horizontal	PASS

Mode:	ant1 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4917.3805	69.27	-14.89	54.38	74.00	19.62	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4917.3805	53.37	-14.89	38.48	54.00	15.52	Vertical	PASS

Mode:	ant2 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4921.1242	68.63	-14.86	53.77	74.00	20.23	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4921.1242	53.45	-14.86	38.59	54.00	15.41	Horizontal	PASS

Mode:	ant2 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4933.7442	67.45	-14.75	52.70	74.00	21.30	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4933.7442	51.93	-14.75	37.18	54.00	16.82	Vertical	PASS

Mode:	MIMO 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4929.2242	69.23	-14.79	54.44	74.00	19.56	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4929.2242	53.56	-14.79	38.77	54.00	15.23	Horizontal	PASS

Mode:	MIMO 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4924.2442	66.44	-14.83	51.61	74.00	22.39	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4924.2442	51.15	-14.83	36.32	54.00	17.68	Vertical	PASS

Mode:	ant1 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4844.7430	64.94	-14.70	50.24	74.00	23.76	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4844.7430	50.39	-14.70	35.69	54.00	18.31	Horizontal	PASS

Mode:	ant1 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4840.2430	65.02	-14.72	50.30	74.00	23.70	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4840.2430	50.20	-14.72	35.48	54.00	18.52	Vertical	PASS

Mode:	ant2 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4836.4830	66.06	-14.73	51.33	74.00	22.67	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4836.4830	50.97	-14.73	36.24	54.00	17.76	Horizontal	PASS

Mode:	ant2 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4850.5630	66.05	-14.68	51.37	74.00	22.63	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4850.5630	50.92	-14.68	36.24	54.00	17.76	Vertical	PASS

Mode:	MIMO 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4850.0430	64.86	-14.68	50.18	74.00	23.82	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4850.0430	50.37	-14.68	35.69	54.00	18.31	Horizontal	PASS

Mode:	MIMO 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dB μ V/m]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Polarity	Verdict
1	4838.6430	65.05	-14.73	50.32	74.00	23.68	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dB μ V/m]	Factor [dB/m]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Polarity	Verdict
1	4838.6430	50.55	-14.73	35.82	54.00	18.18	Vertical	PASS

Mode:	ant1 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4875.0380	67.86	-14.86	53.00	74.00	21.00	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4875.0380	52.25	-14.86	37.39	54.00	16.61	Horizontal	PASS

Mode:	ant1 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4873.8980	66.95	-14.85	52.10	74.00	21.90	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4873.8980	51.74	-14.85	36.89	54.00	17.11	Vertical	PASS

Mode:	ant2 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4873.8580	67.62	-14.85	52.77	74.00	21.23	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4873.8580	52.42	-14.85	37.57	54.00	16.43	Horizontal	PASS

Mode:	ant2 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4870.0980	66.47	-14.82	51.65	74.00	22.35	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4870.0980	51.53	-14.82	36.71	54.00	17.29	Vertical	PASS

Mode:	MIMO 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4874.7780	66.76	-14.85	51.91	74.00	22.09	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4874.7780	51.96	-14.85	37.11	54.00	16.89	Horizontal	PASS

Mode:	MIMO 11n40 2437	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4878.6580	64.73	-14.88	49.85	74.00	24.15	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4878.6580	50.08	-14.88	35.20	54.00	18.80	Vertical	PASS

Mode:	ant1 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4906.8530	67.10	-14.97	52.13	74.00	21.87	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4906.8530	52.45	-14.97	37.48	54.00	16.52	Horizontal	PASS

Mode:	ant1 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4904.1730	68.24	-14.99	53.25	74.00	20.75	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4904.1730	52.82	-14.99	37.83	54.00	16.17	Vertical	PASS

Mode:	ant2 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4903.2130	67.68	-15.00	52.68	74.00	21.32	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4903.2130	52.66	-15.00	37.66	54.00	16.34	Horizontal	PASS

Mode:	ant2 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4910.0130	66.39	-14.94	51.45	74.00	22.55	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4910.0130	51.28	-14.94	36.34	54.00	17.66	Vertical	PASS

Mode:	MIMO 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4907.6130	66.13	-14.96	51.17	74.00	22.83	Horizontal	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4907.6130	51.36	-14.96	36.40	54.00	17.60	Horizontal	PASS

Mode:	MIMO 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------


PK Final Data List								
NO	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	4901.4130	69.29	-15.02	54.27	74.00	19.73	Vertical	PASS

AV Final Data List								
NO	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	4901.4130	53.73	-15.02	38.71	54.00	15.29	Vertical	PASS

Band Edge

Mode:	ant1 11b 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------


Test Graph



PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2386.26	71.29	50.31	-20.98	74.00	23.69	Horizontal	PASS
2	2390.00	67.78	46.81	-20.97	74.00	27.19	Horizontal	PASS

Mode:	ant1 11b 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2324.98	71.32	50.22	-21.10	74.00	23.78	Vertical	PASS
2	2390.00	67.61	46.64	-20.97	74.00	27.36	Vertical	PASS

Mode:	ant2 11b 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.88	72.65	51.67	-20.98	74.00	22.33	Horizontal	PASS
2	2390.00	67.69	46.72	-20.97	74.00	27.28	Horizontal	PASS

Mode:	ant2 11b 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2385.93	70.66	49.68	-20.98	74.00	24.32	Vertical	PASS
2	2390.00	68.28	47.31	-20.97	74.00	26.69	Vertical	PASS

Mode:	ant1 11b 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	73.81	-20.80	53.01	74.00	20.99	Horizontal	PASS
2	2487.00	78.34	-20.80	57.54	74.00	16.46	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	66.30	-20.80	45.50	54.00	8.50	Horizontal	PASS
2	2487.00	70.81	-20.80	50.01	54.00	3.99	Horizontal	PASS

Mode:	ant1 11b 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	69.65	48.85	-20.80	74.00	25.15	Vertical	PASS
2	2487.42	73.65	52.86	-20.79	74.00	21.14	Vertical	PASS

Mode:	ant2 11b 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	63.71	42.91	-20.80	74.00	31.09	Horizontal	PASS
2	2487.39	67.22	46.43	-20.79	74.00	27.57	Horizontal	PASS

Mode:	ant2 11b 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph




PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	64.74	43.94	-20.80	74.00	30.06	Vertical	PASS
2	2487.08	66.33	45.54	-20.79	74.00	28.46	Vertical	PASS

Mode:	ant1 11g 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2389.35	90.43	-20.97	69.46	74.00	4.54	Horizontal	PASS
2	2390.00	91.76	-20.97	70.79	74.00	3.21	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2389.35	69.44	-20.97	48.47	54.00	5.53	Horizontal	PASS
2	2390.00	71.00	-20.97	50.03	54.00	3.97	Horizontal	PASS

Mode:	ant1 11g 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2389.05	91.47	-20.97	70.50	74.00	3.50	Vertical	PASS
2	2390.00	91.54	-20.97	70.57	74.00	3.43	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2389.05	71.80	-20.97	50.83	54.00	3.17	Vertical	PASS
2	2390.00	71.32	-20.97	50.35	54.00	3.65	Vertical	PASS

Mode:	ant2 11g 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2389.72	90.48	-20.97	69.51	74.00	4.49	Horizontal	PASS
2	2390.00	90.69	-20.97	69.72	74.00	4.28	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2389.72	69.43	-20.97	48.46	54.00	5.54	Horizontal	PASS
2	2390.00	70.10	-20.97	49.13	54.00	4.87	Horizontal	PASS

Mode:	ant2 11g 2412	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2389.42	87.51	-20.97	66.54	74.00	7.46	Vertical	PASS
2	2390.00	88.27	-20.97	67.30	74.00	6.70	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2389.42	66.06	-20.97	45.09	54.00	8.91	Vertical	PASS
2	2390.00	67.55	-20.97	46.58	54.00	7.42	Vertical	PASS

Mode:	ant1 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	93.05	-20.80	72.25	74.00	1.75	Horizontal	PASS
2	2483.86	93.01	-20.80	72.21	74.00	1.79	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	73.34	-20.80	52.54	54.00	1.46	Horizontal	PASS
2	2483.86	72.47	-20.80	51.67	54.00	2.33	Horizontal	PASS

Mode:	ant1 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	92.38	-20.80	71.58	74.00	2.42	Vertical	PASS
2	2483.77	92.47	-20.80	71.67	74.00	2.33	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	72.73	-20.80	51.93	54.00	2.07	Vertical	PASS
2	2483.77	72.04	-20.80	51.24	54.00	2.76	Vertical	PASS

Mode:	ant2 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	85.97	-20.80	65.17	74.00	8.83	Horizontal	PASS
2	2484.60	84.62	-20.80	63.82	74.00	10.18	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	66.41	-20.80	45.61	54.00	8.39	Horizontal	PASS
2	2484.60	63.58	-20.80	42.78	54.00	11.22	Horizontal	PASS

Mode:	ant2 11g 2462	Voltage:	120V/60Hz
-------	---------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	84.25	-20.80	63.45	74.00	10.55	Vertical	PASS
2	2484.33	82.57	-20.80	61.77	74.00	12.23	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	63.91	-20.80	43.11	54.00	10.89	Vertical	PASS
2	2484.33	61.76	-20.80	40.96	54.00	13.04	Vertical	PASS

Mode:	ant1 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2388.61	86.69	-20.97	65.72	74.00	8.28	Horizontal	PASS
2	2390.00	88.82	-20.97	67.85	74.00	6.15	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2388.61	67.40	-20.97	46.43	54.00	7.57	Horizontal	PASS
2	2390.00	70.36	-20.97	49.39	54.00	4.61	Horizontal	PASS

Mode:	ant1 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2389.43	91.03	-20.97	70.06	74.00	3.94	Vertical	PASS
2	2390.00	91.98	-20.97	71.01	74.00	2.99	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2389.43	72.42	-20.97	51.45	54.00	2.55	Vertical	PASS
2	2390.00	73.49	-20.97	52.52	54.00	1.48	Vertical	PASS

Mode:	ant2 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2388.78	88.83	-20.97	67.86	74.00	6.14	Horizontal	PASS
2	2390.00	90.37	-20.97	69.40	74.00	4.60	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2388.78	69.12	-20.97	48.15	54.00	5.85	Horizontal	PASS
2	2390.00	71.61	-20.97	50.64	54.00	3.36	Horizontal	PASS

Mode:	ant2 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2389.38	87.73	-20.97	66.76	74.00	7.24	Vertical	PASS
2	2390.00	87.98	-20.97	67.01	74.00	6.99	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2389.38	68.13	-20.97	47.16	54.00	6.84	Vertical	PASS
2	2390.00	69.39	-20.97	48.42	54.00	5.58	Vertical	PASS

Mode:	ant1 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	91.25	-20.80	70.45	74.00	3.55	Horizontal	PASS
2	2484.19	92.56	-20.80	71.76	74.00	2.24	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	71.85	-20.80	51.05	54.00	2.95	Horizontal	PASS
2	2484.19	70.72	-20.80	49.92	54.00	4.08	Horizontal	PASS

Mode:	ant1 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	91.93	-20.80	71.13	74.00	2.87	Vertical	PASS
2	2483.53	90.91	-20.80	70.11	74.00	3.89	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	71.83	-20.80	51.03	54.00	2.97	Vertical	PASS
2	2483.53	70.73	-20.80	49.93	54.00	4.07	Vertical	PASS

Mode:	ant2 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.58	87.76	66.96	-20.80	74.00	7.04	Horizontal	PASS

PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	88.19	-20.80	67.39	74.00	6.61	Horizontal	PASS
2	2483.58	88.06	-20.80	67.26	74.00	6.74	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	69.96	-20.80	49.16	54.00	4.84	Horizontal	PASS
2	2483.58	69.80	-20.80	49.00	54.00	5.00	Horizontal	PASS

Mode:	ant2 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	85.22	-20.80	64.42	74.00	9.58	Vertical	PASS
2	2484.44	84.60	-20.80	63.80	74.00	10.20	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	67.19	-20.80	46.39	54.00	7.61	Vertical	PASS
2	2484.44	65.40	-20.80	44.60	54.00	9.40	Vertical	PASS

Mode:	MIMO 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2388.17	90.42	-20.97	69.45	74.00	4.55	Horizontal	PASS
2	2390.00	92.45	-20.97	71.48	74.00	2.52	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2388.17	69.88	-20.97	48.91	54.00	5.09	Horizontal	PASS
2	2390.00	71.88	-20.97	50.91	54.00	3.09	Horizontal	PASS

Mode:	MIMO 11n20 2412	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2389.11	89.78	-20.97	68.81	74.00	5.19	Vertical	PASS
2	2390.00	90.54	-20.97	69.57	74.00	4.43	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2389.11	70.91	-20.97	49.94	54.00	4.06	Vertical	PASS
2	2390.00	72.59	-20.97	51.62	54.00	2.38	Vertical	PASS

Mode:	MIMO 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	88.41	-20.80	67.61	74.00	6.39	Horizontal	PASS
2	2484.04	88.24	-20.80	67.44	74.00	6.56	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	69.01	-20.80	48.21	54.00	5.79	Horizontal	PASS
2	2484.04	67.95	-20.80	47.15	54.00	6.85	Horizontal	PASS

Mode:	MIMO 11n20 2462	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	80.31	-20.80	59.51	74.00	14.49	Vertical	PASS
2	2483.97	79.92	-20.80	59.12	74.00	14.88	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	61.75	-20.80	40.95	54.00	13.05	Vertical	PASS
2	2483.97	61.04	-20.80	40.24	54.00	13.76	Vertical	PASS

Mode:	ant1 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2388.84	81.95	-17.63	64.32	74.00	9.68	Horizontal	PASS
2	2390.00	80.95	-17.57	63.38	74.00	10.62	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2388.84	59.44	-17.63	41.81	54.00	12.19	Horizontal	PASS
2	2390.00	59.59	-17.57	42.02	54.00	11.98	Horizontal	PASS

Mode:	ant1 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2387.79	82.97	-17.69	65.28	74.00	8.72	Vertical	PASS
2	2390.00	82.04	-17.57	64.47	74.00	9.53	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2387.79	60.57	-17.69	42.88	54.00	11.12	Vertical	PASS
2	2390.00	60.91	-17.57	43.34	54.00	10.66	Vertical	PASS

Mode:	ant2 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2387.93	79.51	-17.68	61.83	74.00	12.17	Horizontal	PASS
2	2390.00	77.91	-17.57	60.34	74.00	13.66	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2387.93	59.32	-17.68	41.64	54.00	12.36	Horizontal	PASS
2	2390.00	59.56	-17.57	41.99	54.00	12.01	Horizontal	PASS

Mode:	ant2 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph




PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2388.67	75.73	-17.64	58.09	74.00	15.91	Vertical	PASS
2	2390.00	74.02	-17.57	56.45	74.00	17.55	Vertical	PASS

AV Final Data List								
NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2388.67	56.52	-17.64	38.88	54.00	15.12	Vertical	PASS
2	2390.00	56.50	-17.57	38.93	54.00	15.07	Vertical	PASS

Mode:	ant1 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	83.92	-18.02	65.90	74.00	8.10	Horizontal	PASS
2	2485.74	85.24	-18.50	66.74	74.00	7.26	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	65.66	-18.02	47.64	54.00	6.36	Horizontal	PASS
2	2485.74	65.19	-18.50	46.69	54.00	7.31	Horizontal	PASS

Mode:	ant1 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	82.53	-18.02	64.51	74.00	9.49	Vertical	PASS
2	2484.23	83.57	-18.21	65.36	74.00	8.64	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	64.46	-18.02	46.44	54.00	7.56	Vertical	PASS
2	2484.23	64.15	-18.21	45.94	54.00	8.06	Vertical	PASS

Mode:	ant2 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	78.85	-18.02	60.83	74.00	13.17	Horizontal	PASS
2	2485.08	80.54	-18.42	62.12	74.00	11.88	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	59.63	-18.02	41.61	54.00	12.39	Horizontal	PASS
2	2485.08	59.19	-18.42	40.77	54.00	13.23	Horizontal	PASS

Mode:	ant2 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	77.65	-18.02	59.63	74.00	14.37	Vertical	PASS
2	2485.51	79.01	-18.47	60.54	74.00	13.46	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	58.27	-18.02	40.25	54.00	13.75	Vertical	PASS
2	2485.51	58.09	-18.47	39.62	54.00	14.38	Vertical	PASS

Mode:	MIMO 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2389.02	86.75	-17.62	69.13	74.00	4.87	Horizontal	PASS
2	2390.00	84.53	-17.57	66.96	74.00	7.04	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2389.02	63.13	-17.62	45.51	54.00	8.49	Horizontal	PASS
2	2390.00	62.57	-17.57	45.00	54.00	9.00	Horizontal	PASS

Mode:	MIMO 11n40 2422	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2382.61	84.33	-17.97	66.36	74.00	7.64	Vertical	PASS
2	2390.00	84.41	-17.57	66.84	74.00	7.16	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2382.61	62.42	-17.97	44.45	54.00	9.55	Vertical	PASS
2	2390.00	64.38	-17.57	46.81	54.00	7.19	Vertical	PASS

Mode:	MIMO 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List


NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	84.71	-18.02	66.69	74.00	7.31	Horizontal	PASS
2	2484.24	85.84	-18.21	67.63	74.00	6.37	Horizontal	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	65.47	-18.02	47.45	54.00	6.55	Horizontal	PASS
2	2484.24	64.98	-18.21	46.77	54.00	7.23	Horizontal	PASS

Mode:	MIMO 11n40 2452	Voltage:	120V/60Hz
-------	-----------------	----------	-----------

Test Graph



PK Final Data List

NO.	Freq. [MHz]	PK Reading [dBμV/m]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Polarity	Verdict
1	2483.50	84.02	-18.02	66.00	74.00	8.00	Vertical	PASS
2	2484.34	84.64	-18.24	66.40	74.00	7.60	Vertical	PASS

AV Final Data List

NO.	Freq. [MHz]	AV Reading [dBμV/m]	Factor [dB/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Polarity	Verdict
1	2483.50	65.11	-18.02	47.09	54.00	6.91	Vertical	PASS
2	2484.34	64.62	-18.24	46.38	54.00	7.62	Vertical	PASS

--End--