




Test Mode: 802.11n HT40





Mode:802.11n HT40 Frequency:2422MHz Ant:Chain0

Mode:802.11n HT40 Frequency:2437MHz Ant:Chain0






Mode:802.11n HT40 Frequency:2452MHz Ant:Chain0

Mode:802.11n HT40 Frequency:2422MHz Ant:Chain1





Mode:802.11n HT40 Frequency:2437MHz Ant:Chain1

Mode:802.11n HT40 Frequency:2452MHz Ant:Chain1

Huarui 7 ayers High Technology (Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008



DUTY CYCLE


TEST RESULT

Modulation Type	Frequency (MHz)	Antenna	Plot	Duty Cycle	Correction Factor(dB)
802.11b	2412	Chain0	Fig.1	99.65%	0
802.11b	2412	Chain1	Fig.2	99.72%	0
802.11g	2412	Chain0	Fig.3	99.85%	0
802.11g	2412	Chain1	Fig.4	99.90%	0
802.11n HT20	2412	Chain0	Fig.5	99.97%	0
802.11n HT20	2412	Chain1	Fig.6	99.99%	0
802.11n HT40	2422	Chain0	Fig.7	99.96%	0
802.11n HT40	2422	Chain1	Fig.8	99.96%	0

Note: Correction Factor=10*log (1/Duty Cycle)



TEST GRAPHS




Huarui 7 ayers High Technology (Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008





---END---