



A Tyco International Company

Digital Security Controls

3301 Langstaff Road

Concord, Ontario Canada L4K 4L2

Tele: 905 760 3000

Toll Free: 888 888 7838

Fax: 905-760-3020

18009546R001
LE2080 Multi-listing Label
(FCC/IC/UL/ULC/CSFM)

February 20, 2017

Colour: Pantone Process Black

Material:

WHITE Durable Semi-gloss Self-adhesive Material
(e.g. PL 38 Q, or equivalent) - on a roll

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with
protective liner (e.g. 60# Semigloss Tire-III / 40#
Liner Code: B37, or equivalent)

Cutting: Tolerance +/- 0.010"

Dashed line indicates cutting - will not print


Square label corners are acceptable.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.
5. Non-conductive label adhesive shall be used ONLY.



“XXXXXX” IS A PLACEHOLDER ONLY.
Please replace “XXXXXX” with the
country of origin before printing.



Top of the PCB showing the label location
(80% of actual size)



A Tyco International Company

Digital Security Controls

3301 Langstaff Road

Concord, Ontario Canada L4K 4L2

Tele: 905 760 3000

Toll Free: 888 888 7838

Fax: 905-760-3020

18009544R001
LE2080R Multi-listing Label
(FCC/IC/UL/ULC/CSFM)

February 03, 2017

Colour: Pantone Process Black

Material:

WHITE Durable Semi-gloss Self-adhesive Material
(e.g. PL 38 Q, or equivalent) - on a roll

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with
protective liner (e.g. 60# Semigloss Tire-III / 40#
Liner Code: B37, or equivalent)


Cutting: Tolerance +/- 0.010"

Dashed line indicates cutting - will not print


Square label corners are acceptable.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.
5. Non-conductive label adhesive shall be used ONLY.



“XXXXXX” IS A PLACEHOLDER ONLY.
Please replace “XXXXXX” with the
country of origin before printing.



Top of the PCB showing the label location
(80% of actual size)



A Tyco International Company

Digital Security Controls

3301 Langstaff Road

Concord, Ontario Canada L4K 4L2

Tele: 905 760 3000

Toll Free: 888 888 7838

Fax: 905-760-3020

18009542R001
TL280LER Multi-listing Label
(FCC/IC/UL/ULC/CSFM)

February 03, 2017

Colour: Pantone Process Black

Material:

WHITE Durable Semi-gloss Self-adhesive Material
(e.g. PL 38 Q, or equivalent) - on a roll

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with
protective liner (e.g. 60# Semigloss Tire-III / 40#
Liner Code: B37, or equivalent)


Cutting: Tolerance +/- 0.010"

Dashed line indicates cutting - will not print


Square label corners are acceptable.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.
5. Non-conductive label adhesive shall be used ONLY.



“XXXXXX” IS A PLACEHOLDER ONLY.
Please replace “XXXXXX” with the
country of origin before printing.



Top of the PCB showing the label location
(80% of actual size)



A Tyco International Company

Digital Security Controls

3301 Langstaff Road

Concord, Ontario Canada L4K 4L2

Tele: 905 760 3000

Toll Free: 888 888 7838

Fax: 905-760-3020

18009547R001
TL280LE Multi-listing Label
(FCC/IC/UL/ULC/CSFM)

February 20, 2017

Colour: Pantone Process Black

Material:

WHITE Durable Semi-gloss Self-adhesive Material
(e.g. PL 38 Q, or equivalent) - on a roll

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with
protective liner (e.g. 60# Semigloss Tire-III / 40#
Liner Code: B37, or equivalent)


Cutting: Tolerance +/- 0.010"

Dashed line indicates cutting - will not print


Square label corners are acceptable.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.
4. Conductive inks may not be used.
5. Non-conductive label adhesive shall be used ONLY.



“XXXXXX” IS A PLACEHOLDER ONLY.
Please replace “XXXXXX” with the
country of origin before printing.



Top of the PCB showing the label location
(80% of actual size)



A Tyco International Company

Digital Security Controls

3301 Langstaff Road

Concord, Ontario Canada L4K 4L2

Tele: 905 760 3000

Toll Free: 888 888 7838

Fax: 905-760-3020

18009493R002

**TL280LE(R)/LE2080(R) Module Label for
HS2 Control Panel Enclosure
(FCC/IC)**

February 20, 2017

Colour: Pantone Process Black

Material:

WHITE Durable Semi-gloss Self-adhesive Material
(e.g. PL 38 Q, or equivalent)

Lamination: Top lamination (e.g. 1F9, or equivalent)

Adhesive: Permanent adhesive backed with
protective liner (e.g. 60# Semigloss Tire-III / 40#
Liner Code: B37, or equivalent)


Cutting: Tolerance +/- 0.010"

Dashed line indicates cutting - will not print

Delivered in single label only, 100 labels per bundle.

NOTES:

1. All items must be RoHS compliant.
2. Markings on label must be PERMANENT.
3. Indelible Ink.



Label shown 150% of actual size

