

11.4.2. NSS=1 Test Result

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant1	6115	9.04	1.00	10.04	≤30.00	PASS
	Ant3	6115	10.50	1.00	11.50	≤30.00	PASS
	total	6115	12.84	1.00	13.84	≤30.00	PASS
	Ant1	6275	9.31	1.00	10.31	≤30.00	PASS
	Ant3	6275	10.10	1.00	11.10	≤30.00	PASS
	total	6275	12.73	1.00	13.73	≤30.00	PASS
	Ant1	6415	9.65	1.00	10.65	≤30.00	PASS
	Ant3	6415	9.86	1.00	10.86	≤30.00	PASS
	total	6415	12.77	1.00	13.77	≤30.00	PASS
	Ant1	6435	9.83	1.00	10.83	≤30.00	PASS
	Ant3	6435	9.74	1.00	10.74	≤30.00	PASS
	total	6435	12.80	1.00	13.80	≤30.00	PASS
	Ant1	6475	10.07	1.00	11.07	≤30.00	PASS
	Ant3	6475	9.39	1.00	10.39	≤30.00	PASS
	total	6475	12.75	1.00	13.75	≤30.00	PASS
	Ant1	6515	10.06	1.00	11.06	≤30.00	PASS
	Ant3	6515	9.34	1.00	10.34	≤30.00	PASS
	total	6515	12.73	1.00	13.73	≤30.00	PASS
	Ant1	6535	10.23	1.00	11.23	≤30.00	PASS
	Ant3	6535	9.33	1.00	10.33	≤30.00	PASS
	total	6535	12.81	1.00	13.81	≤30.00	PASS
	Ant1	6715	9.49	1.00	10.49	≤30.00	PASS
	Ant3	6715	9.81	1.00	10.81	≤30.00	PASS
	total	6715	12.66	1.00	13.66	≤30.00	PASS
	Ant1	6875	8.87	1.00	9.87	≤30.00	PASS
	Ant3	6875	9.60	1.00	10.60	≤30.00	PASS
	total	6875	12.26	1.00	13.26	≤30.00	PASS
	Ant1	6895	9.23	1.00	10.23	≤30.00	PASS
	Ant3	6895	9.86	1.00	10.86	≤30.00	PASS
	total	6895	12.57	1.00	13.57	≤30.00	PASS
	Ant1	7015	9.24	1.00	10.24	≤30.00	PASS
	Ant3	7015	9.27	1.00	10.27	≤30.00	PASS
	total	7015	12.27	1.00	13.27	≤30.00	PASS
	Ant1	7095	8.36	1.00	9.36	≤30.00	PASS
	Ant3	7095	10.09	1.00	11.09	≤30.00	PASS
	total	7095	12.32	1.00	13.32	≤30.00	PASS
	Ant1	7115	7.92	1.00	8.92	≤30.00	PASS
	Ant3	7115	10.12	1.00	11.12	≤30.00	PASS
	total	7115	12.17	1.00	13.17	≤30.00	PASS
11AX40MIMO	Ant1	6125	11.64	1.00	12.64	≤30.00	PASS
	Ant3	6125	13.13	1.00	14.13	≤30.00	PASS
	total	6125	15.46	1.00	16.46	≤30.00	PASS
	Ant1	6285	12.00	1.00	13.00	≤30.00	PASS
	Ant3	6285	12.32	1.00	13.32	≤30.00	PASS
	total	6285	15.17	1.00	16.17	≤30.00	PASS
	Ant1	6405	12.14	1.00	13.14	≤30.00	PASS
	Ant3	6405	12.45	1.00	13.45	≤30.00	PASS
	total	6405	15.31	1.00	16.31	≤30.00	PASS
	Ant1	6445	12.51	1.00	13.51	≤30.00	PASS
	Ant3	6445	12.25	1.00	13.25	≤30.00	PASS
	total	6445	15.39	1.00	16.39	≤30.00	PASS
	Ant1	6485	12.65	1.00	13.65	≤30.00	PASS
	Ant3	6485	12.00	1.00	13.00	≤30.00	PASS
	total	6485	15.35	1.00	16.35	≤30.00	PASS
	Ant1	6525	13.79	1.00	14.79	≤30.00	PASS
	Ant3	6525	12.16	1.00	13.16	≤30.00	PASS

	total	6525	16.06	1.00	17.06	≤30.00	PASS
	Ant1	6725	13.18	1.00	14.18	≤30.00	PASS
	Ant3	6725	12.49	1.00	13.49	≤30.00	PASS
	total	6725	15.86	1.00	16.86	≤30.00	PASS
	Ant1	6845	11.77	1.00	12.77	≤30.00	PASS
	Ant3	6845	12.98	1.00	13.98	≤30.00	PASS
	total	6845	15.43	1.00	16.43	≤30.00	PASS
	Ant1	6885	11.25	1.00	12.25	≤30.00	PASS
	Ant3	6885	12.94	1.00	13.94	≤30.00	PASS
	total	6885	15.19	1.00	16.19	≤30.00	PASS
	Ant1	7005	12.44	1.00	13.44	≤30.00	PASS
	Ant3	7005	11.97	1.00	12.97	≤30.00	PASS
	total	7005	15.22	1.00	16.22	≤30.00	PASS
	Ant1	7085	11.89	1.00	12.89	≤30.00	PASS
	Ant3	7085	13.11	1.00	14.11	≤30.00	PASS
	total	7085	15.55	1.00	16.55	≤30.00	PASS
11AX80MIMO	Ant1	6145	15.21	1.00	16.21	≤30.00	PASS
	Ant3	6145	15.84	1.00	16.84	≤30.00	PASS
	total	6145	18.55	1.00	19.55	≤30.00	PASS
	Ant1	6225	14.71	1.00	15.71	≤30.00	PASS
	Ant3	6225	16.52	1.00	17.52	≤30.00	PASS
	total	6225	18.72	1.00	19.72	≤30.00	PASS
	Ant1	6385	15.11	1.00	16.11	≤30.00	PASS
	Ant3	6385	15.35	1.00	16.35	≤30.00	PASS
	total	6385	18.24	1.00	19.24	≤30.00	PASS
	Ant1	6465	16.01	1.00	17.01	≤30.00	PASS
	Ant3	6465	15.23	1.00	16.23	≤30.00	PASS
	total	6465	18.65	1.00	19.65	≤30.00	PASS
	Ant1	6545	15.71	1.00	16.71	≤30.00	PASS
	Ant3	6545	14.79	1.00	15.79	≤30.00	PASS
	total	6545	18.28	1.00	19.28	≤30.00	PASS
	Ant1	6705	15.37	1.00	16.37	≤30.00	PASS
	Ant3	6705	15.53	1.00	16.53	≤30.00	PASS
	total	6705	18.46	1.00	19.46	≤30.00	PASS
	Ant1	6865	14.53	1.00	15.53	≤30.00	PASS
	Ant3	6865	15.71	1.00	16.71	≤30.00	PASS
	total	6865	18.17	1.00	19.17	≤30.00	PASS
	Ant1	6945	15.51	1.00	16.51	≤30.00	PASS
	Ant3	6945	15.25	1.00	16.25	≤30.00	PASS
	total	6945	18.39	1.00	19.39	≤30.00	PASS
	Ant1	7025	15.54	1.00	16.54	≤30.00	PASS
	Ant3	7025	15.43	1.00	16.43	≤30.00	PASS
	total	7025	18.50	1.00	19.50	≤30.00	PASS
11AX160MIMO	Ant1	6185	17.66	1.00	18.66	≤30.00	PASS
	Ant3	6185	19.25	1.00	20.25	≤30.00	PASS
	total	6185	21.54	1.00	22.54	≤30.00	PASS
	Ant1	6345	18.37	1.00	19.37	≤30.00	PASS
	Ant3	6345	18.02	1.00	19.02	≤30.00	PASS
	total	6345	21.21	1.00	22.21	≤30.00	PASS
	Ant1	6505	18.66	1.00	19.66	≤30.00	PASS
	Ant3	6505	18.16	1.00	19.16	≤30.00	PASS
	total	6505	21.43	1.00	22.43	≤30.00	PASS
	Ant1	6665	18.67	1.00	19.67	≤30.00	PASS
	Ant3	6665	18.43	1.00	19.43	≤30.00	PASS
	total	6665	21.56	1.00	22.56	≤30.00	PASS
	Ant1	6825	17.51	1.00	18.51	≤30.00	PASS
	Ant3	6825	18.22	1.00	19.22	≤30.00	PASS
	total	6825	20.89	1.00	21.89	≤30.00	PASS
	Ant1	6985	18.98	1.00	19.98	≤30.00	PASS
	Ant3	6985	18.57	1.00	19.57	≤30.00	PASS
	total	6985	21.79	1.00	22.79	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the test data.

11.4.3. Verify Test Result for Deco XE75

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant1	6115	11.53	1.00	12.53	≤30.00	PASS
	Ant3	6115	12.87	1.00	14.87	≤30.00	PASS
	total	6115	15.26	1.00	16.26	≤30.00	PASS
	Ant1	6275	11.62	1.00	12.62	≤30.00	PASS
	Ant3	6275	12.34	1.00	13.34	≤30.00	PASS
	total	6275	15.01	1.00	16.01	≤30.00	PASS
	Ant1	6415	12.21	1.00	13.21	≤30.00	PASS
	Ant3	6415	11.87	1.00	12.87	≤30.00	PASS
	total	6415	15.05	1.00	16.05	≤30.00	PASS

Note: The Duty Cycle Factor is compensated in the test data.

11.5. APPENDIX E: MAXIMUM POWER SPECTRAL DENSITY

11.5.1. NSS=2 Test Result


TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant1	6115	-0.31	1.00	0.69	≤5.00	PASS
	Ant3	6115	1.14	1.00	2.14	≤5.00	PASS
	total	6115	3.49	1.00	4.49	≤5.00	PASS
	Ant1	6275	-0.01	1.00	0.99	≤5.00	PASS
	Ant3	6275	0.73	1.00	1.73	≤5.00	PASS
	total	6275	3.39	1.00	4.39	≤5.00	PASS
	Ant1	6415	0.46	1.00	1.46	≤5.00	PASS
	Ant3	6415	0.58	1.00	1.58	≤5.00	PASS
	total	6415	3.53	1.00	4.53	≤5.00	PASS
	Ant1	6435	0.16	1.00	1.16	≤5.00	PASS
	Ant3	6435	0.66	1.00	1.66	≤5.00	PASS
	total	6435	3.43	1.00	4.43	≤5.00	PASS
	Ant1	6475	0.37	1.00	1.37	≤5.00	PASS
	Ant3	6475	0.13	1.00	1.13	≤5.00	PASS
	total	6475	3.26	1.00	4.26	≤5.00	PASS
	Ant1	6515	0.9	1.00	1.90	≤5.00	PASS
	Ant3	6515	0.34	1.00	1.34	≤5.00	PASS
	total	6515	3.64	1.00	4.64	≤5.00	PASS
	Ant1	6535	0.59	1.00	1.59	≤5.00	PASS
	Ant3	6535	0.01	1.00	1.01	≤5.00	PASS
	total	6535	3.32	1.00	4.32	≤5.00	PASS
	Ant1	6715	0.62	1.00	1.62	≤5.00	PASS
	Ant3	6715	0.51	1.00	1.51	≤5.00	PASS
	total	6715	3.58	1.00	4.58	≤5.00	PASS
	Ant1	6875	-0.1	1.00	0.90	≤5.00	PASS
	Ant3	6875	0.88	1.00	1.88	≤5.00	PASS
	total	6875	3.43	1.00	4.43	≤5.00	PASS
	Ant1	6895	-0.61	1.00	0.39	≤5.00	PASS
	Ant3	6895	1.05	1.00	2.05	≤5.00	PASS
	total	6895	3.31	1.00	4.31	≤5.00	PASS
	Ant1	7015	0.79	1.00	1.79	≤5.00	PASS
	Ant3	7015	0	1.00	1.00	≤5.00	PASS
	total	7015	3.42	1.00	4.42	≤5.00	PASS
	Ant1	7095	-0.6	1.00	0.40	≤5.00	PASS
	Ant3	7095	1.23	1.00	2.23	≤5.00	PASS
	total	7095	3.42	1.00	4.42	≤5.00	PASS
	Ant1	7115	-0.75	1.00	0.25	≤5.00	PASS
	Ant3	7115	1.19	1.00	2.19	≤5.00	PASS
	total	7115	3.34	1.00	4.34	≤5.00	PASS
11AX40MIMO	Ant1	6125	-0.05	1.00	0.95	≤5.00	PASS
	Ant3	6125	0.68	1.00	1.68	≤5.00	PASS
	total	6125	3.34	1.00	4.34	≤5.00	PASS
	Ant1	6285	0.53	1.00	1.53	≤5.00	PASS
	Ant3	6285	0.61	1.00	1.61	≤5.00	PASS
	total	6285	3.58	1.00	4.58	≤5.00	PASS
	Ant1	6405	0.22	1.00	1.22	≤5.00	PASS
	Ant3	6405	0.9	1.00	1.90	≤5.00	PASS
	total	6405	3.58	1.00	4.58	≤5.00	PASS
	Ant1	6445	0.57	1.00	1.57	≤5.00	PASS
	Ant3	6445	0.23	1.00	1.23	≤5.00	PASS
	total	6445	3.41	1.00	4.41	≤5.00	PASS
	Ant1	6485	0.78	1.00	1.78	≤5.00	PASS
	Ant3	6485	-0.01	1.00	0.99	≤5.00	PASS
	total	6485	3.41	1.00	4.41	≤5.00	PASS


	Ant1	6525	1.08	1.00	2.08	≤5.00	PASS
	Ant3	6525	0.24	1.00	1.24	≤5.00	PASS
	total	6525	3.69	1.00	4.69	≤5.00	PASS
	Ant1	6725	0.73	1.00	1.73	≤5.00	PASS
	Ant3	6725	0.81	1.00	1.81	≤5.00	PASS
	total	6725	3.78	1.00	4.78	≤5.00	PASS
	Ant1	6845	0.6	1.00	1.60	≤5.00	PASS
	Ant3	6845	1.11	1.00	2.11	≤5.00	PASS
	total	6845	3.87	1.00	4.87	≤5.00	PASS
	Ant1	6885	0.52	1.00	1.52	≤5.00	PASS
	Ant3	6885	1.13	1.00	2.13	≤5.00	PASS
	total	6885	3.85	1.00	4.85	≤5.00	PASS
	Ant1	7005	0.9	1.00	1.90	≤5.00	PASS
	Ant3	7005	0.05	1.00	1.05	≤5.00	PASS
	total	7005	3.51	1.00	4.51	≤5.00	PASS
	Ant1	7085	-0.24	1.00	0.76	≤5.00	PASS
	Ant3	7085	1.57	1.00	2.57	≤5.00	PASS
	total	7085	3.77	1.00	4.77	≤5.00	PASS
11AX80MIMO	Ant1	6145	0.37	1.00	1.37	≤5.00	PASS
	Ant3	6145	1.27	1.00	2.27	≤5.00	PASS
	total	6145	3.85	1.00	4.85	≤5.00	PASS
	Ant1	6225	0.36	1.00	1.36	≤5.00	PASS
	Ant3	6225	1.15	1.00	2.15	≤5.00	PASS
	total	6225	3.78	1.00	4.78	≤5.00	PASS
	Ant1	6385	0.11	1.00	1.11	≤5.00	PASS
	Ant3	6385	0.83	1.00	1.83	≤5.00	PASS
	total	6385	3.50	1.00	4.50	≤5.00	PASS
	Ant1	6465	0.13	1.00	1.13	≤5.00	PASS
	Ant3	6465	0.27	1.00	1.27	≤5.00	PASS
	total	6465	3.21	1.00	4.21	≤5.00	PASS
	Ant1	6545	0.23	1.00	1.23	≤5.00	PASS
	Ant3	6545	1.03	1.00	2.03	≤5.00	PASS
	total	6545	3.66	1.00	4.66	≤5.00	PASS
	Ant1	6705	0.18	1.00	1.18	≤5.00	PASS
	Ant3	6705	1.41	1.00	2.41	≤5.00	PASS
	total	6705	3.85	1.00	4.85	≤5.00	PASS
	Ant1	6865	0.54	1.00	1.54	≤5.00	PASS
	Ant3	6865	1.35	1.00	2.35	≤5.00	PASS
	total	6865	3.97	1.00	4.97	≤5.00	PASS
	Ant1	6945	0.55	1.00	1.55	≤5.00	PASS
	Ant3	6945	0.51	1.00	1.51	≤5.00	PASS
	total	6945	3.54	1.00	4.54	≤5.00	PASS
	Ant1	7025	0.76	1.00	1.76	≤5.00	PASS
	Ant3	7025	1.15	1.00	2.15	≤5.00	PASS
	total	7025	3.97	1.00	4.97	≤5.00	PASS
11AX160MIMO	Ant1	6185	-0.1	1.00	0.90	≤5.00	PASS
	Ant3	6185	0.97	1.00	1.97	≤5.00	PASS
	total	6185	3.48	1.00	4.48	≤5.00	PASS
	Ant1	6345	0.77	1.00	1.77	≤5.00	PASS
	Ant3	6345	0.07	1.00	1.07	≤5.00	PASS
	total	6345	3.44	1.00	4.44	≤5.00	PASS
	Ant1	6505	0.38	1.00	1.38	≤5.00	PASS
	Ant3	6505	1.01	1.00	2.01	≤5.00	PASS
	total	6505	3.72	1.00	4.72	≤5.00	PASS
	Ant1	6665	0.2	1.00	1.20	≤5.00	PASS
	Ant3	6665	1.32	1.00	2.32	≤5.00	PASS
	total	6665	3.81	1.00	4.81	≤5.00	PASS
	Ant1	6825	-0.23	1.00	0.77	≤5.00	PASS
	Ant3	6825	0.93	1.00	1.93	≤5.00	PASS
	total	6825	3.40	1.00	4.40	≤5.00	PASS
	Ant1	6985	0.8	1.00	1.80	≤5.00	PASS


	Ant3	6985	0.33	1.00	1.33	≤5.00	PASS
	total	6985	3.58	1.00	4.58	≤5.00	PASS


Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.


11.5.2. NSS=2 Test Graphs




































































11AX160MIMO_Ant1_6185




11AX160MIMO_Ant3_6185




11AX160MIMO_Ant1_6345






14:59:36 28.05.2023

11AX160MIMO_Ant1_6665




15:00:34 28.05.2023

11AX160MIMO_Ant3_6665



15:03:26 28.05.2023

11AX160MIMO_Ant1_6825




11.5.3. NSS=1 Test Result


TestMode	Antenna	Frequency [MHz]	Result [dBm/MHz]	Gain [dBi]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11AX20MIMO	Ant1	6115	-3.05	1.00	-2.05	≤5.00	PASS
	Ant3	6115	-1.56	1.00	-0.56	≤5.00	PASS
	total	6115	0.77	4.01	4.78	≤5.00	PASS
	Ant1	6275	-2.51	1.00	-1.51	≤5.00	PASS
	Ant3	6275	-1.79	1.00	-0.79	≤5.00	PASS
	total	6275	0.88	4.01	4.89	≤5.00	PASS
	Ant1	6415	-2.44	1.00	-1.44	≤5.00	PASS
	Ant3	6415	-1.92	1.00	-0.92	≤5.00	PASS
	total	6415	0.84	4.01	4.85	≤5.00	PASS
	Ant1	6435	-2.26	1.00	-1.26	≤5.00	PASS
	Ant3	6435	-1.96	1.00	-0.96	≤5.00	PASS
	total	6435	0.90	4.01	4.91	≤5.00	PASS
	Ant1	6475	-2.12	1.00	-1.12	≤5.00	PASS
	Ant3	6475	-2.53	1.00	-1.53	≤5.00	PASS
	total	6475	0.69	4.01	4.70	≤5.00	PASS
	Ant1	6515	-2.12	1.00	-1.12	≤5.00	PASS
	Ant3	6515	-2.83	1.00	-1.83	≤5.00	PASS
	total	6515	0.55	4.01	4.56	≤5.00	PASS
	Ant1	6535	-1.99	1.00	-0.99	≤5.00	PASS
	Ant3	6535	-2.75	1.00	-1.75	≤5.00	PASS
	total	6535	0.66	4.01	4.67	≤5.00	PASS
	Ant1	6715	-2.49	1.00	-1.49	≤5.00	PASS
	Ant3	6715	-2.05	1.00	-1.05	≤5.00	PASS
	total	6715	0.75	4.01	4.76	≤5.00	PASS
	Ant1	6875	-2.6	1.00	-1.60	≤5.00	PASS
	Ant3	6875	-2.29	1.00	-1.29	≤5.00	PASS
	total	6875	0.57	4.01	4.58	≤5.00	PASS
	Ant1	6895	-2.71	1.00	-1.71	≤5.00	PASS
	Ant3	6895	-2.07	1.00	-1.07	≤5.00	PASS
	total	6895	0.63	4.01	4.64	≤5.00	PASS
	Ant1	7015	-2.67	1.00	-1.67	≤5.00	PASS
	Ant3	7015	-2.6	1.00	-1.60	≤5.00	PASS
	total	7015	0.38	4.01	4.39	≤5.00	PASS
	Ant1	7095	-3.57	1.00	-2.57	≤5.00	PASS
	Ant3	7095	-1.92	1.00	-0.92	≤5.00	PASS
	total	7095	0.34	4.01	4.35	≤5.00	PASS
	Ant1	7115	-4.11	1.00	-3.11	≤5.00	PASS
	Ant3	7115	-1.87	1.00	-0.87	≤5.00	PASS
	total	7115	0.16	4.01	4.17	≤5.00	PASS
11AX40MIMO	Ant1	6125	-3.35	1.00	-2.35	≤5.00	PASS
	Ant3	6125	-1.96	1.00	-0.96	≤5.00	PASS
	total	6125	0.41	4.01	4.42	≤5.00	PASS
	Ant1	6285	-2.62	1.00	-1.62	≤5.00	PASS
	Ant3	6285	-2.54	1.00	-1.54	≤5.00	PASS
	total	6285	0.43	4.01	4.44	≤5.00	PASS
	Ant1	6405	-2.83	1.00	-1.83	≤5.00	PASS
	Ant3	6405	-2.12	1.00	-1.12	≤5.00	PASS
	total	6405	0.55	4.01	4.56	≤5.00	PASS
	Ant1	6445	-2.62	1.00	-1.62	≤5.00	PASS
	Ant3	6445	-2.61	1.00	-1.61	≤5.00	PASS
	total	6445	0.40	4.01	4.41	≤5.00	PASS
	Ant1	6485	-2.57	1.00	-1.57	≤5.00	PASS
	Ant3	6485	-2.93	1.00	-1.93	≤5.00	PASS
	total	6485	0.26	4.01	4.27	≤5.00	PASS
	Ant1	6525	-1.42	1.00	-0.42	≤5.00	PASS
	Ant3	6525	-2.74	1.00	-1.74	≤5.00	PASS


	total	6525	0.98	4.01	4.99	≤5.00	PASS
	Ant1	6725	-1.93	1.00	-0.93	≤5.00	PASS
	Ant3	6725	-2.32	1.00	-1.32	≤5.00	PASS
	total	6725	0.89	4.01	4.90	≤5.00	PASS
	Ant1	6845	-2.89	1.00	-1.89	≤5.00	PASS
	Ant3	6845	-1.95	1.00	-0.95	≤5.00	PASS
	total	6845	0.62	4.01	4.63	≤5.00	PASS
	Ant1	6885	-3.29	1.00	-2.29	≤5.00	PASS
	Ant3	6885	-1.99	1.00	-0.99	≤5.00	PASS
	total	6885	0.42	4.01	4.43	≤5.00	PASS
	Ant1	7005	-2.51	1.00	-1.51	≤5.00	PASS
	Ant3	7005	-3.05	1.00	-2.05	≤5.00	PASS
	total	7005	0.24	4.01	4.25	≤5.00	PASS
	Ant1	7085	-3.02	1.00	-2.02	≤5.00	PASS
	Ant3	7085	-1.74	1.00	-0.74	≤5.00	PASS
	total	7085	0.68	4.01	4.69	≤5.00	PASS
	Ant1	6145	-2.84	1.00	-1.84	≤5.00	PASS
11AX80MIMO	Ant3	6145	-2.33	1.00	-1.33	≤5.00	PASS
	total	6145	0.43	4.01	4.44	≤5.00	PASS
	Ant1	6225	-2.9	1.00	-1.90	≤5.00	PASS
	Ant3	6225	-1.8	1.00	-0.80	≤5.00	PASS
	total	6225	0.70	4.01	4.71	≤5.00	PASS
	Ant1	6385	-3.14	1.00	-2.14	≤5.00	PASS
	Ant3	6385	-2.39	1.00	-1.39	≤5.00	PASS
	total	6385	0.26	4.01	4.27	≤5.00	PASS
	Ant1	6465	-2.39	1.00	-1.39	≤5.00	PASS
	Ant3	6465	-2.63	1.00	-1.63	≤5.00	PASS
	total	6465	0.50	4.01	4.51	≤5.00	PASS
	Ant1	6545	-2.62	1.00	-1.62	≤5.00	PASS
	Ant3	6545	-2.23	1.00	-1.23	≤5.00	PASS
	total	6545	0.59	4.01	4.60	≤5.00	PASS
	Ant1	6705	-2.65	1.00	-1.65	≤5.00	PASS
	Ant3	6705	-1.83	1.00	-0.83	≤5.00	PASS
	total	6705	0.79	4.01	4.80	≤5.00	PASS
	Ant1	6865	-2.84	1.00	-1.84	≤5.00	PASS
	Ant3	6865	-1.89	1.00	-0.89	≤5.00	PASS
	total	6865	0.67	4.01	4.68	≤5.00	PASS
	Ant1	6945	-2.52	1.00	-1.52	≤5.00	PASS
	Ant3	6945	-3.05	1.00	-2.05	≤5.00	PASS
	total	6945	0.23	4.01	4.24	≤5.00	PASS
	Ant1	7025	-2.53	1.00	-1.53	≤5.00	PASS
	Ant3	7025	-2.52	1.00	-1.52	≤5.00	PASS
	total	7025	0.49	4.01	4.50	≤5.00	PASS
11AX160MIMO	Ant1	6185	-2.98	1.00	-1.98	≤5.00	PASS
	Ant3	6185	-2.1	1.00	-1.10	≤5.00	PASS
	total	6185	0.49	4.01	4.50	≤5.00	PASS
	Ant1	6345	-2.27	1.00	-1.27	≤5.00	PASS
	Ant3	6345	-2.93	1.00	-1.93	≤5.00	PASS
	total	6345	0.42	4.01	4.43	≤5.00	PASS
	Ant1	6505	-2.52	1.00	-1.52	≤5.00	PASS
	Ant3	6505	-1.85	1.00	-0.85	≤5.00	PASS
	total	6505	0.84	4.01	4.85	≤5.00	PASS
	Ant1	6665	-2.53	1.00	-1.53	≤5.00	PASS
	Ant3	6665	-1.7	1.00	-0.70	≤5.00	PASS
	total	6665	0.92	4.01	4.93	≤5.00	PASS
	Ant1	6825	-3.03	1.00	-2.03	≤5.00	PASS
	Ant3	6825	-2.26	1.00	-1.26	≤5.00	PASS
	total	6825	0.38	4.01	4.39	≤5.00	PASS
	Ant1	6985	-1.99	1.00	-0.99	≤5.00	PASS
	Ant3	6985	-2.51	1.00	-1.51	≤5.00	PASS
	total	6985	0.77	4.01	4.78	≤5.00	PASS


Note: 1.The Duty Cycle Factor and RBW Factor is compensated in the graph.


11.5.4. NSS=1 Test Graphs


























11AX20MIMO_Ant1_7115




11AX20MIMO_Ant3_7115




11AX40MIMO_Ant1_6125






11AX40MIMO_Ant1_6405



11AX40MIMO_Ant3_6405



11AX40MIMO_Ant1_6445

