




BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09


Test Mode: 802.11g



Test Mode: 802.11n HT20




BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09




Mode:802.11n HT20 Frequency:2412MHz

Ant:Chain0




Mode:802.11n HT20 Frequency:2437MHz

Ant:Chain0




Mode:802.11n HT20 Frequency:2462MHz

Ant:Chain0




Mode:802.11n HT20 Frequency:2412MHz

Ant:Chain1



Mode:802.11n HT20 Frequency:2437MHz

Ant:Chain1



Mode:802.11n HT20 Frequency:2462MHz

Ant:Chain1

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China


Tel: +86 (0557) 368 1008



BUREAU
VERITAS

Test Report No.: PSU-NQN2502170213RF09

Test Mode: 802.11ax HE20



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008





BUREAU
VERITAS

Test Report No.: PSU-NQN2502170213RF09

Frequency:2437MHz Ant:Chain1

Frequency:2462MHz Ant:Chain1

Test Mode: 802.11n HT40





Mode:802.11n HT40 Frequency:2422MHz

Ant:Chain0

Mode:802.11n HT40 Frequency:2437MHz

Ant:Chain0





Mode:802.11n HT40 Frequency:2452MHz

Ant:Chain0

Mode:802.11n HT40 Frequency:2422MHz

Ant:Chain1



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China





Tel: +86 (0557) 368 1008




BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09

Mode:802.11n HT40 Frequency:2437MHz Ant:Chain1	Mode:802.11n HT40 Frequency:2452MHz Ant:Chain1
---	---

Test Mode: 802.11ax HE40

	
Mode:802.11ax HE40 Tone:484T Frequency:2422MHz Ant:Chain0	Mode:802.11ax HE40 Tone:484T Frequency:2437MHz Ant:Chain0
	
Mode:802.11ax HE40 Tone:484T Frequency:2452MHz Ant:Chain0	Mode:802.11ax HE40 Tone:484T Frequency:2422MHz Ant:Chain1





OCCUPIED CHANNEL BANDWIDTH

TEST RESULT


Test Mode	Antenna	99% bandwidth (MHz)		
		Channel No.1	Channel No.6	Channel No.11
		2412MHz	2437MHz	2462MHz
802.11b	Chain0	12.896	13.173	13.158
802.11b	Chain1	12.909	13.168	13.156
802.11g	Chain0	16.308	16.411	16.386
802.11g	Chain1	16.377	16.513	16.434
802.11n HT20	Chain0	17.429	17.618	17.658
802.11n HT20	Chain1	17.480	17.610	17.612
802.11ax HE20	Chain0	18.719	18.910	18.835
802.11ax HE20	Chain1	18.775	18.935	19.003

Test Mode	Antenna	99% bandwidth (MHz)		
		Channel No.3	Channel No.6	Channel No.9
		2422MHz	2437MHz	2452MHz
802.11n HT40	Chain0	35.852	36.025	35.853
802.11n HT40	Chain1	35.866	35.895	35.840
802.11ax HE40	Chain0	37.540	37.542	37.238
802.11ax HE40	Chain1	37.563	37.373	37.466



TEST GRAPHS

Test Mode: 802.11b



Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008




BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09


Test Mode: 802.11g




Test Mode: 802.11n HT20




Mode:802.11n HT20 Frequency:2412MHz
Ant:Chain0




Mode:802.11n HT20 Frequency:2437MHz
Ant:Chain0




Mode:802.11n HT20 Frequency:2462MHz
Ant:Chain0



Mode:802.11n HT20 Frequency:2412MHz
Ant:Chain1



Mode:802.11n HT20 Frequency:2437MHz
Ant:Chain1




Mode:802.11n HT20 Frequency:2462MHz
Ant:Chain1



BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09

Test Mode: 802.11ax HE20





BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09

Frequency:2437MHz Ant:Chain1	Frequency:2462MHz Ant:Chain1
------------------------------	------------------------------

Test Mode: 802.11n HT40

Agilent Spectrum Analyzer - Occupied BW Center Freq 2.422000000 GHz Ref Offset 11 dB Ref 30.00 dBm Center Freq: 2.422000000 GHz Trig: Free Run AvgHld: 10/10 Radio Std: None Radio Device: BTS Frequency Center Freq 2.422000000 GHz CF Step 10.000000 MHz Auto Man Center 2.422 GHz #Res BW 510 kHz #VBW 2 MHz Span 100 MHz Sweep 1 ms Occupied Bandwidth 35.852 MHz Total Power 18.8 dBm Freq Offset 0 Hz Transmit Freq Error 78.711 kHz OBW Power 99.00 % x dB Bandwidth 38.44 MHz x dB -26.00 dB MSG STATUS	Agilent Spectrum Analyzer - Occupied BW Center Freq 2.437000000 GHz Ref Offset 11 dB Ref 30.00 dBm Center Freq: 2.437000000 GHz Trig: Free Run AvgHld: 10/10 Radio Std: None Radio Device: BTS Frequency Center Freq 2.437000000 GHz CF Step 10.000000 MHz Auto Man Center 2.437 GHz #Res BW 510 kHz #VBW 2 MHz Span 100 MHz Sweep 1 ms Occupied Bandwidth 36.025 MHz Total Power 19.4 dBm Freq Offset 0 Hz Transmit Freq Error 84.278 kHz OBW Power 99.00 % x dB Bandwidth 38.13 MHz x dB -26.00 dB MSG STATUS
Mode:802.11n HT40 Frequency:2422MHz Ant:Chain0 Agilent Spectrum Analyzer - Occupied BW Center Freq 2.452000000 GHz Ref Offset 11 dB Ref 30.00 dBm Center Freq: 2.452000000 GHz Trig: Free Run AvgHld: 10/10 Radio Std: None Radio Device: BTS Frequency Center Freq 2.452000000 GHz CF Step 10.000000 MHz Auto Man Center 2.452 GHz #Res BW 510 kHz #VBW 2 MHz Span 100 MHz Sweep 1 ms Occupied Bandwidth 35.853 MHz Total Power 18.6 dBm Freq Offset 0 Hz Transmit Freq Error 118.00 kHz OBW Power 99.00 % x dB Bandwidth 38.41 MHz x dB -26.00 dB MSG STATUS	Mode:802.11n HT40 Frequency:2437MHz Ant:Chain0 Agilent Spectrum Analyzer - Occupied BW Center Freq 2.422000000 GHz Ref Offset 11 dB Ref 30.00 dBm Center Freq: 2.422000000 GHz Trig: Free Run AvgHld: 10/10 Radio Std: None Radio Device: BTS Frequency Center Freq 2.422000000 GHz CF Step 10.000000 MHz Auto Man Center 2.422 GHz #Res BW 510 kHz #VBW 2 MHz Span 100 MHz Sweep 1 ms Occupied Bandwidth 35.866 MHz Total Power 18.7 dBm Freq Offset 0 Hz Transmit Freq Error 90.016 kHz OBW Power 99.00 % x dB Bandwidth 38.15 MHz x dB -26.00 dB MSG STATUS
Mode:802.11n HT40 Frequency:2452MHz Ant:Chain0 Agilent Spectrum Analyzer - Occupied BW Center Freq 2.437000000 GHz Ref Offset 11 dB Ref 30.00 dBm Center Freq: 2.437000000 GHz Trig: Free Run AvgHld: 10/10 Radio Std: None Radio Device: BTS Frequency Center Freq 2.437000000 GHz CF Step 10.000000 MHz Auto Man Center 2.437 GHz #Res BW 510 kHz #VBW 2 MHz Span 100 MHz Sweep 1 ms Occupied Bandwidth 35.895 MHz Total Power 19.5 dBm Freq Offset 0 Hz Transmit Freq Error 48.806 kHz OBW Power 99.00 % x dB Bandwidth 38.34 MHz x dB -26.00 dB MSG STATUS	Mode:802.11n HT40 Frequency:2422MHz Ant:Chain1 Agilent Spectrum Analyzer - Occupied BW Center Freq 2.452000000 GHz Ref Offset 11 dB Ref 30.00 dBm Center Freq: 2.452000000 GHz Trig: Free Run AvgHld: 10/10 Radio Std: None Radio Device: BTS Frequency Center Freq 2.452000000 GHz CF Step 10.000000 MHz Auto Man Center 2.452 GHz #Res BW 510 kHz #VBW 2 MHz Span 100 MHz Sweep 1 ms Occupied Bandwidth 35.840 MHz Total Power 18.7 dBm Freq Offset 0 Hz Transmit Freq Error 54.432 kHz OBW Power 99.00 % x dB Bandwidth 38.41 MHz x dB -26.00 dB MSG STATUS



Mode:802.11n HT40 Frequency:2437MHz

Ant:Chain1

Mode:802.11n HT40 Frequency:2452MHz

Ant:Chain1

Test Mode: 802.11ax HE40





Mode:802.11ax HE40 Tone:484T

Frequency:2422MHz Ant:Chain0

Mode:802.11ax HE40 Tone:484T

Frequency:2437MHz Ant:Chain0



Mode:802.11ax HE40 Tone:484T

Frequency:2452MHz Ant:Chain0


Mode:802.11ax HE40 Tone:484T

Frequency:2422MHz Ant:Chain1



BUREAU
VERITAS

Test Report No.: PSU-NQN2502170213RF09





BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09

MAXIMUM CONDUCTED OUTPUT POWER

TEST RESULT

Test Mode	Tones/ RU Index	Frequency (MHz)	Antenna	Peak power output (dBm)	Average power output (dBm)	EIRP (dBm)
802.11b	NA	2412	Chain0	17.62	14.64	17.14
802.11b	NA	2412	Chain1	16.80	14.65	17.15
802.11b	NA	2437	Chain0	17.48	14.95	17.45
802.11b	NA	2437	Chain1	17.94	14.93	17.43
802.11b	NA	2462	Chain0	17.99	14.52	17.02
802.11b	NA	2462	Chain1	17.53	14.04	16.54
802.11g	NA	2412	Chain0	21.71	14.03	16.53
802.11g	NA	2412	Chain1	21.23	15.46	17.96
802.11g	NA	2437	Chain0	22.37	15.48	17.98
802.11g	NA	2437	Chain1	22.63	15.50	18.00
802.11g	NA	2462	Chain0	22.59	15.44	17.94
802.11g	NA	2462	Chain1	22.63	15.49	17.99
802.11n HT20	NA	2412	Chain0	22.62	15.35	17.85
802.11n HT20	NA	2412	Chain1	22.62	15.38	17.88
802.11n HT20	NA	2412	MIMO	25.63	18.38	20.88
802.11n HT20	NA	2437	Chain0	22.94	15.64	18.14
802.11n HT20	NA	2437	Chain1	22.98	15.66	18.16
802.11n HT20	NA	2437	MIMO	25.97	18.66	21.16
802.11n HT20	NA	2462	Chain0	22.47	15.14	17.64
802.11n HT20	NA	2462	Chain1	22.52	15.19	17.69
802.11n HT20	NA	2462	MIMO	25.51	18.18	20.68
802.11n HT40	NA	2422	Chain0	22.75	15.36	17.86
802.11n HT40	NA	2422	Chain1	22.70	15.40	17.90
802.11n HT40	NA	2422	MIMO	25.74	18.39	20.89
802.11n HT40	NA	2437	Chain0	23.52	16.12	18.62
802.11n HT40	NA	2437	Chain1	23.47	16.15	18.65
802.11n HT40	NA	2437	MIMO	26.51	19.15	21.65
802.11n HT40	NA	2452	Chain0	22.66	15.32	17.82
802.11n HT40	NA	2452	Chain1	22.66	15.34	17.84

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008

**BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09**

802.11n HT40	NA	2452	MIMO	25.67	18.34	20.84
--------------	----	------	------	-------	-------	-------

Test Mode	Tones/ RU Index	Frequency (MHz)	Antenna	Peak power output (dBm)	Average power output (dBm)	EIRP (dBm)
802.11ax HE20	26T+0	2412	Chain0	23.44	15.51	18.01
802.11ax HE20	26T+0	2412	Chain1	23.52	15.56	18.06
802.11ax HE20	26T+0	2412	MIMO	26.49	18.55	21.05
802.11ax HE20	26T+0	2437	Chain0	23.27	15.43	17.93
802.11ax HE20	26T+0	2437	Chain1	22.96	15.08	17.58
802.11ax HE20	26T+0	2437	MIMO	26.13	18.27	20.77
802.11ax HE20	26T+0	2462	Chain0	23.30	15.39	17.89
802.11ax HE20	26T+0	2462	Chain1	23.30	15.42	17.92
802.11ax HE20	26T+0	2462	MIMO	26.31	18.42	20.92
802.11ax HE20	26T+4	2412	Chain0	23.48	15.48	17.98
802.11ax HE20	26T+4	2412	Chain1	23.48	15.58	18.08
802.11ax HE20	26T+4	2412	MIMO	26.49	18.54	21.04
802.11ax HE20	26T+4	2437	Chain0	23.38	15.43	17.93
802.11ax HE20	26T+4	2437	Chain1	22.99	14.17	16.67
802.11ax HE20	26T+4	2437	MIMO	26.20	17.86	20.36
802.11ax HE20	26T+4	2462	Chain0	23.34	15.39	17.89
802.11ax HE20	26T+4	2462	Chain1	23.47	15.42	17.92
802.11ax HE20	26T+4	2462	MIMO	26.42	18.42	20.92
802.11ax HE20	26T+8	2412	Chain0	23.32	15.47	17.97
802.11ax HE20	26T+8	2412	Chain1	23.64	15.55	18.05
802.11ax HE20	26T+8	2412	MIMO	26.49	18.52	21.02
802.11ax HE20	26T+8	2437	Chain0	23.35	15.42	17.92
802.11ax HE20	26T+8	2437	Chain1	21.94	14.19	16.69
802.11ax HE20	26T+8	2437	MIMO	25.71	17.86	20.36
802.11ax HE20	26T+8	2462	Chain0	23.33	15.38	17.88
802.11ax HE20	26T+8	2462	Chain1	23.39	15.40	17.90
802.11ax HE20	26T+8	2462	MIMO	26.37	18.40	20.90
802.11ax HE20	52T+37	2412	Chain0	23.40	15.48	17.98
802.11ax HE20	52T+37	2412	Chain1	23.56	15.57	18.07



**BUREAU
VERITAS**

Test Report No.: PSU-NQN2502170213RF09

802.11ax HE20	52T+37	2412	MIMO	26.49	18.54	21.04
802.11ax HE20	52T+37	2437	Chain0	23.36	15.40	17.90
802.11ax HE20	52T+37	2437	Chain1	22.23	15.00	17.50
802.11ax HE20	52T+37	2437	MIMO	25.84	18.21	20.71
802.11ax HE20	52T+37	2462	Chain0	22.96	15.38	17.88
802.11ax HE20	52T+37	2462	Chain1	23.31	15.41	17.91
802.11ax HE20	52T+37	2462	MIMO	26.15	18.41	20.91
802.11ax HE20	52T+39	2412	Chain0	23.52	15.52	18.02
802.11ax HE20	52T+39	2412	Chain1	23.55	15.58	18.08
802.11ax HE20	52T+39	2412	MIMO	26.55	18.56	21.06
802.11ax HE20	52T+39	2437	Chain0	23.37	15.41	17.91
802.11ax HE20	52T+39	2437	Chain1	23.18	15.22	17.72
802.11ax HE20	52T+39	2437	MIMO	26.29	18.33	20.83
802.11ax HE20	52T+39	2462	Chain0	23.38	15.34	17.84
802.11ax HE20	52T+39	2462	Chain1	23.37	15.41	17.91
802.11ax HE20	52T+39	2462	MIMO	26.39	18.39	20.89
802.11ax HE20	52T+40	2412	Chain0	23.49	15.50	18.00
802.11ax HE20	52T+40	2412	Chain1	23.52	15.56	18.06
802.11ax HE20	52T+40	2412	MIMO	26.52	18.54	21.04
802.11ax HE20	52T+40	2437	Chain0	23.33	15.43	17.93
802.11ax HE20	52T+40	2437	Chain1	23.37	15.40	17.90
802.11ax HE20	52T+40	2437	MIMO	26.36	18.43	20.93
802.11ax HE20	52T+40	2462	Chain0	23.32	15.35	17.85
802.11ax HE20	52T+40	2462	Chain1	23.24	15.42	17.92
802.11ax HE20	52T+40	2462	MIMO	26.29	18.40	20.90
802.11ax HE20	106T+53	2412	Chain0	23.53	15.57	18.07
802.11ax HE20	106T+53	2412	Chain1	23.48	15.56	18.06
802.11ax HE20	106T+53	2412	MIMO	26.52	18.58	21.08
802.11ax HE20	106T+53	2437	Chain0	23.41	15.45	17.95
802.11ax HE20	106T+53	2437	Chain1	23.28	15.43	17.93
802.11ax HE20	106T+53	2437	MIMO	26.36	18.45	20.95
802.11ax HE20	106T+53	2462	Chain0	23.16	15.23	17.73
802.11ax HE20	106T+53	2462	Chain1	23.25	15.43	17.93
802.11ax HE20	106T+53	2462	MIMO	26.22	18.34	20.84
802.11ax HE20	106T+54	2412	Chain0	23.58	15.55	18.05



BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09

802.11ax HE20	106T+54	2412	Chain1	23.57	15.57	18.07
802.11ax HE20	106T+54	2412	MIMO	26.59	18.57	21.07
802.11ax HE20	106T+54	2437	Chain0	23.35	15.41	17.91
802.11ax HE20	106T+54	2437	Chain1	23.27	15.45	17.95
802.11ax HE20	106T+54	2437	MIMO	26.32	18.44	20.94
802.11ax HE20	106T+54	2462	Chain0	23.26	15.32	17.82
802.11ax HE20	106T+54	2462	Chain1	23.15	15.18	17.68
802.11ax HE20	106T+54	2462	MIMO	26.22	18.26	20.76
802.11ax HE20	242T+61	2412	Chain0	23.45	15.45	17.95
802.11ax HE20	242T+61	2412	Chain1	23.31	15.45	17.95
802.11ax HE20	242T+61	2412	MIMO	26.39	18.46	20.96
802.11ax HE20	242T+61	2437	Chain0	23.66	15.69	18.19
802.11ax HE20	242T+61	2437	Chain1	23.62	15.69	18.19
802.11ax HE20	242T+61	2437	MIMO	26.65	18.70	21.20
802.11ax HE20	242T+61	2462	Chain0	23.07	15.16	17.66
802.11ax HE20	242T+61	2462	Chain1	23.37	15.41	17.91
802.11ax HE20	242T+61	2462	MIMO	26.23	18.30	20.80
802.11ax HE40	26T+0	2422	Chain0	-36.09	-44.19	-41.69
802.11ax HE40	26T+10	2422	Chain0	-36.10	-44.20	-41.70
802.11ax HE40	26T+17	2422	Chain0	-36.10	-44.14	-41.64
802.11ax HE40	52T+37	2422	Chain0	-36.08	-44.12	-41.62
802.11ax HE40	52T+41	2422	Chain0	-36.08	-44.20	-41.70
802.11ax HE40	52T+44	2422	Chain0	-36.09	-44.19	-41.69
802.11ax HE40	106T+53	2422	Chain0	-36.00	-44.20	-41.70
802.11ax HE40	106T+55	2422	Chain0	-36.03	-44.21	-41.71
802.11ax HE40	106T+56	2422	Chain0	-36.05	-44.12	-41.62
802.11ax HE40	242T+61	2422	Chain0	-36.07	-44.18	-41.68
802.11ax HE40	242T+62	2422	Chain0	-36.02	-44.12	-41.62
802.11ax HE40	484T+65	2422	Chain0	22.74	14.92	17.42
802.11ax HE40	484T+65	2422	Chain1	22.78	14.91	17.41
802.11ax HE40	484T+65	2422	MIMO	25.77	17.93	20.43
802.11ax HE40	484T+65	2437	Chain0	23.49	15.71	18.21
802.11ax HE40	484T+65	2437	Chain1	23.49	15.70	18.20
802.11ax HE40	484T+65	2437	MIMO	26.50	18.72	21.22
802.11ax HE40	484T+65	2452	Chain0	22.72	14.88	17.38


BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09

802.11ax HE40	484T+65	2452	Chain1	22.81	14.91	17.41
802.11ax HE40	484T+65	2452	MIMO	25.78	17.91	20.41

MAXIMUM POWER SPECTRAL DENSITY
TEST RESULT

Test Mode	Antenna	Tones	Power Density(dBm/3KHz)		
			Channel No.1	Channel No.6	Channel No.11
			2412MHz	2437MHz	2462MHz
802.11b	Chain0	NA	-8.540	-8.698	-9.002
802.11b	Chain1	NA	-9.130	-7.893	-8.271
802.11g	Chain0	NA	-9.761	-8.360	-9.447
802.11g	Chain1	NA	-8.684	-8.778	-7.898
802.11n HT20	Chain0	NA	-8.950	-8.849	-8.060
802.11n HT20	Chain1	NA	-7.244	-8.575	-8.997
802.11n HT20	MIMO	NA	-5.003	-5.700	-5.493
802.11ax HE20	Chain0	26T	-8.402	-9.377	-9.726
802.11ax HE20	Chain1	26T	-9.267	-9.608	-8.983
802.11ax HE20	MIMO	26T	-5.803	-6.481	-6.328
802.11ax HE20	Chain0	52T	-10.339	-10.650	-9.416
802.11ax HE20	Chain1	52T	-9.255	-9.651	-9.096
802.11ax HE20	MIMO	52T	-6.753	-7.112	-6.243
802.11ax HE20	Chain0	106T	-9.990	-9.642	-9.559
802.11ax HE20	Chain1	106T	-9.438	-10.532	-8.882
802.11ax HE20	MIMO	106T	-6.695	-7.054	-6.197
802.11ax HE20	Chain0	242T	-8.778	-9.043	-9.814




802.11ax HE20	Chain1	242T	-9.492	-9.244	-9.971
802.11ax HE20	MIMO	242T	-6.110	-6.132	-6.881

Test Mode	Antenna	Tones	Power Density(dBm/3KHz)		
			Channel No.3	Channel No.6	Channel No.9
			2422MHz	2437MHz	2452MHz
802.11n HT40	Chain0	NA	-11.412	-11.752	-12.329
802.11n HT40	Chain1	NA	-11.667	-11.565	-11.434
802.11n HT40	MIMO	NA	-8.527	-8.647	-8.848
802.11ax HE40	Chain0	484T	-13.785	-12.824	-12.061
802.11ax HE40	Chain1	484T	-12.443	-12.929	-12.661
802.11ax HE40	MIMO	484T	-10.052	-9.866	-9.340




TEST GRAPHS


Test Mode: 802.11b




Mode:802.11b Frequency:2412MHz Ant:Chain0




Mode:802.11b Frequency:2437MHz Ant:Chain0




Mode:802.11b Frequency:2462MHz Ant:Chain0



Mode:802.11b Frequency:2412MHz Ant:Chain1



Mode:802.11b Frequency:2437MHz Ant:Chain1



Mode:802.11b Frequency:2462MHz Ant:Chain1

Test Mode: 802.11g


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province, China

Tel: +86 (0557) 368 1008




BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09




Test Mode: 802.11n HT20




BUREAU VERITAS Test Report No.: PSU-NQN2502170213RF09




Mode:802.11n HT20 Frequency:2412MHz
Ant:Chain0




Mode:802.11n HT20 Frequency:2437MHz
Ant:Chain0




Mode:802.11n HT20 Frequency:2462MHz
Ant:Chain0



Mode:802.11n HT20 Frequency:2412MHz
Ant:Chain1




Mode:802.11n HT20 Frequency:2437MHz
Ant:Chain1




Mode:802.11n HT20 Frequency:2462MHz
Ant:Chain1




Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Tone:26T Frequency:2412MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:26T Frequency:2437MHz
Ant:Chain0




Mode:802.11ax HE20 Tone:26T Frequency:2462MHz
Ant:Chain0



Mode:802.11ax HE20 Tone:26T Frequency:2412MHz
Ant:Chain1



Mode:802.11ax HE20 Tone:26T Frequency:2437MHz




Mode:802.11ax HE20 Tone:26T Frequency:2462MHz




BUREAU
VERITAS

Test Report No.: PSU-NQN2502170213RF09

Ant:Chain1



Ant:Chain1





Mode:802.11ax HE20 Tone:52T Frequency:2412MHz

Mode:802.11ax HE20 Tone:52T Frequency:2437MHz

Ant:Chain0

Ant:Chain0





Mode:802.11ax HE20 Tone:52T Frequency:2462MHz

Mode:802.11ax HE20 Tone:52T Frequency:2412MHz

Ant:Chain0

Ant:Chain1



Mode:802.11ax HE20 Tone:52T Frequency:2437MHz

Mode:802.11ax HE20 Tone:52T Frequency:2462MHz