



#### 11AX40MIMO\_Ant2\_5550



#### 11AX40MIMO\_Ant1\_5670




#### **Shenzhen Anbotek Compliance Laboratory Limited**










Hotline


400-003-0500








#### 11AX40MIMO\_Ant1\_5795



#### 11AX40MIMO\_Ant2\_5795




#### **Shenzhen Anbotek Compliance Laboratory Limited**












Hotline


www.anbotek.com.cn

400-003-0500






#### 11AX80MIMO\_Ant2\_5290



#### 11AX80MIMO\_Ant1\_5530




#### **Shenzhen Anbotek Compliance Laboratory Limited**


















#### 11AX80MIMO\_Ant1\_5775



#### 11AX80MIMO\_Ant2\_5775



Shenzhen Anbotek Compliance Laboratory Limited







# **Appendix C: Maximum Conducted Output Power**

## **Test Result Channel Power**

Test	Antenna	Frequency	Set	Channel Power	Duty Cycle	DC Factor	Result	Limit	Verdic
Mode		[MHz]	Power	[dBm]	[%]	[dBm]	[dBm]	[dBm]	
Anboi	Ant1	5180	*borek	14.09	62.83	2.02	16.11	≤23.98	PASS
k a	Ant2	5180	- rek	13.60	63.39	1.98	15.58	≤23.98	PASS
	Ant1	5200	Aup	13.83	63.39	1.98	15.81	≤23.98	PASS
	Ant2	5200	-Anbo	13.02	63.39	1.98	15.00	≤23.98	PASS
	Ant1	5240	9/4 M	13.26	63.39	1.98	15.24	≤23.98	PASS
	Ant2	5240	atek-	13.97	63.39	1.98	15.95	≤23.98	PASS
	Ant1	5260	-84	13.67	62.50	2.04	15.71	≤23.98	PASS
	Ant2	5260	Pupor	14.45	63.39	1.98	16.43	≤23.98	PASS
Ant	Ant1	5300	Akhoren	13.37	63.39	1.98	15.35	≤23.98	PASS
stek	Ant2	5300	-nbot	13.98	62.83	2.02	16.00	≤23.98	PASS
Nete	Ant1	5320	k /	13.43	63.39	1.98	15.41	≤23.98	PASS
nbotek	Ant2	5320	bu	14.28	53.38	2.73	17.01	≤23.98	PASS
11A	Ant1	5500	Ole,	14.54	63.39	1.98	16.52	≤23.98	PASS
Anbore	Ant2	5500	abotek	13.43	63.39	1.98	15.41	≤23.98	PASS
	Ant1	5580	-otek	13.67	63.39	1.98	15.65	≤23.98	PASS
	Ant2	5580	blup.	12.44	63.39	1.98	14.42	≤23.98	PASS
lek b	Ant1	5700	Aupo.	13.97	62.83	2.02	15.99	≤23.98	PASS
	Ant2	5700	Pulk	11.85	62.50	2.04	13.89	≤23.98	PASS
Anbotek	Ant1	5745	16K	14.38	62.50	2.04	16.42	≤30.00	PASS
Anbotel	Ant2	5745	*6 <del>Y-</del>	13.04	63.39	1.98	15.02	≤30.00	PASS
	Ant1	5785	Upo, /	14.26	62.50	2.04	16.30	≤30.00	PASS
Anbo	Ant2	5785	Pupote.	14.49	63.39	1.98	16.47	≤30.00	PASS
ek N	Ant1	5825	Vipole,	15.50	63.39	1.98	17.48	≤30.00	PASS
	Ant2	5825	10	15.50	63.39	1.98	17.48	≤30.00	PASS
18K	Ant1	5180	A by	13.72	44.00	3.57	17.29	≤23.98	PASS
	Ant2	5180	P	13.74	44.00	3.57	17.31	≤23.98	PASS
	total	5180	botek	Nupo,	V	otek	20.31	≤23.98	PASS
Anbo	Ant1	5200	-botek	13.32	44.59	3.51	16.83	≤23.98	PASS
K.	Ant2	5200	Pin Otek	13.42	45.33	3.44	16.86	≤23.98	PASS
11N20MI	total	5200	Pilon	16k 16s	otek-	Aupolog	19.86	≤23.98	PASS
MO	Ant1	5240	Anbe	12.84	44.59	3.51	16.35	≤23.98	PASS
	Ant2	5240	ek N	12.77	44.59	3.51	16.28	≤23.98	PASS
	total	5240	Nek-	Anborek.	Pupo,	**************************************	19.33	≤23.98	PASS
	Ant1	5260	-19/r 00,	13.19	44.59	3.51	16.70	≤23.98	PASS
	Ant2	5260	Pupor	13.25	44.00	3.57	16.82	≤23.98	PASS
k An	total	5260	Aupotek	Pupp		Ash Ash	19.77	≤23.98	PASS







k Anbo	Ant1 M	5300	HOTEK	13.02	44.59	3.51	16.53	≤23.98	PASS
otek Ac	Ant2	5300	An- wel	13.03	45.33	3.44	16.47	≤23.98	PASS
Ogo Me	total	5300	Anbo	No.	otek.	Aghore	19.51	≤23.98	PASS
abotek	Ant1	5320	Prup	13.25	44.00	3.57	16.82	≤23.98	PASS
Anbotek k	Ant2	5320	ek o	13.30	44.00	3.57	16.87	≤23.98	PASS
Ar. wotek	total	5320	. tel-	, abatek	PUpor	V by,	19.86	≤23.98	PASS
VUr.	Ant1	5500	/r	13.65	44.59	3.51	17.16	≤23.98	PASS
Anbot	Ant2	5500	Pupon	13.62	45.33	3.44	17.06	≤23.98	PASS
Nek An	total	5500	ATTO OFFE	- Pupp	10/F	abotek	20.12	≤23.98	PASS
hbotek	Ant1	5580	,00	12.29	44.59	3.51	15.80	≤23.98	PASS
Vo.	Ant2	5580	P	12.28	44.00	3.57	15.85	≤23.98	PASS
Anbotek	total	5580	b2	A STANK	Napote)	Ant	18.84	≤23.98	PASS
Anbotek .	Ant1	5700	00101	11.58	44.59	3.51	15.09	≤23.98	PASS
Anboye	Ant2	5700	abotek	11.59	44.59	3.51	15.10	≤23.98	PASS
oh 10	total	5700	Profek	-Anbore	P	Up.	18.11	≤23.98	PASS
Tr. Dir.	Ant1	5745	Vun	12.80	44.00	3.57	16.37	≤30.00	PASS
loote.	Ant2	5745	-4npo	12.88	44.59	3.51	16.39	≤30.00	PASS
Anbotek	total	5745	k bu	0000 P	u	dnn	19.39	≤29.83	PASS
botek	Ant1	5785	Weye	13.24	44.59	3.51	16.75	≤30.00	PASS
Pil.	Ant2	5785	194	13.18	44.00	3.57	16.75	≤30.00	PASS
Anb	total	5785	rupo	hotek	53	10018	19.76	≤29.83	PASS
ek Pup	Ant1	5825	Pivpose.	13.55	45.33	3.44	16.99	≤30.00	PASS
ootek p	Ant2	5825	- Nodin	13.56	44.00	3.57	17.13	≤30.00	PASS
-otek	total	5825	· a	otek bi	100,00	b2.	20.07	≤29.83	PASS
Vup. Fek	Ant1	5190	by	13.43	43.84	3.58	17.01	≤23.98	PASS
Anbotek Anbotek	Ant2	5190		13.53	43.06	3.66	17.19	≤23.98	PASS
Aupole	total	5190	nbotek	Aubo		potek_	20.11	≤23.98	PASS
k Aupo	Ant1	5230	abotek	12.71	41.89	3.78	16.49	≤23.98	PASS
re/k	Ant2	5230	bu	12.84	43.84	3.58	16.42	≤23.98	PASS
10, b	total	5230	And	rek	botek.	Vupo.	19.47	≤23.98	PASS
Vupo <sub>fer</sub>	Ant1	5270	Pup	13.23	43.84	3.58	16.81	≤23.98	PASS
Anbotek	Ant2	5270	lek l	13.23	43.06	3.66	16.89	≤23.98	PASS
11N40MI	total	5270	- NOV	anbater	PUPP	-ak-	19.86	≤23.98	PASS
МО	× Ant1	5310	10-	13.42	43.84	3.58	17.00	≤23.98	PASS
k Anbo	Ant2	5310	Vupo,	13.45	43.06	3.66	17.11	≤23.98	PASS
otek An	total	5310	Pripote,	_Ans	NOT-	Antorek.	20.07	≤23.98	PASS
-botek	Ant1	5510	ob	13.51	43.84	3.58	17.09	≤23.98	PASS
in work	Ant2	5510	ak	13.50	43.06	3.66	17.16	≤23.98	PASS
Dup.	total	5510	P	- Jek	AUPOLG	bu	20.14	≤23.98	PASS
Anboro	Ant1	5550	001er	13.05	43.84	3.58	16.63	≤23.98	PASS
Anbot	Ant2	5550	- nipetelk	13.13	42.47	3.72	16.85	≤23.98	PASS
la No.	total	5550	otek	-Pupoke	1		19.75	≤23.98	PASS







Anbo	Ant1 M	5670	POLEK	12.72	43.06	3.66	16.38	≤23.98	PASS
	Ant2	5670	All.	12.74	43.84	3.58	16.32	≤23.98	PASS
Di	total	5670	DUP	No.	ote <u>k</u>	Vapor	19.36	≤23.98	PASS
	Ant1	5755	Prupi	12.62	42.47	3.72	16.34	≤30.00	PASS
	Ant2	5755	ek o	12.61	42.47	3.72	16.33	≤30.00	PASS
	total	5755	-10/4-	s nbotels	Pupor	-/- Par	19.35	≤29.83	PASS
	Ant1	5795	(Do.	13.71	42.47	3.72	17.43	≤30.00	PASS
	Ant2	5795	Pupo.	13.58	43.84	3.58	17.16	≤30.00	PASS
	total	5795	ATTO OF ON	Pupp	10/F	~botek	20.31	≤29.83	PASS
-	Ant1	5180	,00	13.63	94.74	0.23	13.86	≤23.98	PASS
	Ant2	5180	Po	13.43	94.74	0.23	13.66	≤23.98	PASS
	total	5180	b2	ASK.	Nation of the	VU	16.77	≤23.98	PASS
ľ	Ant1	5200	00 <sup>18</sup>	13.52	97.37	0.12	13.64	≤23.98	PASS
	Ant2	5200	sporek	13.40	94.87	0.23	13.63	≤23.98	PASS
Ì	total	5200	Profek	-Aupole	P	Up-	16.65	≤23.98	PASS
	Ant1	5240	VUD	13.44	97.37	0.12	13.56	≤23.98	PASS
	Ant2	5240	-Anba	13.33	94.74	0.23	13.56	≤23.98	PASS
	total	5240	K AN	00,00 P	notel		16.57	≤23.98	PASS
	Ant1	5260	~1e/r	13.79	94.74	0.23	14.02	≤23.98	PASS
	Ant2	5260	104	13.74	94.74	0.23	13.97	≤23.98	PASS
	total	5260	rupo, K	hotek	67	pole	17.01	≤23.98	PASS
	Ant1	5300	PUPOJO,	13.75	94.74	0.23	13.98	≤23.98	PASS
	Ant2	5300	Nodna-	13.71	94.87	0.23	13.94	≤23.98	PASS
	total	5300	· »	otek bi	1001		16.97	≤23.98	PASS
	Ant1	5320	/ by	13.89	94.87	0.23	14.12	≤23.98	PASS
	Ant2	5320	0,100	13.91	97.37	0.12	14.03	≤23.98	PASS
	total	5320	nbotek	Vupo.	<del></del>	hotek.	17.09	≤23.98	PASS
	Ant1	5500	-Patek	14.22	94.87	0.23	14.45	≤23.98	PASS
	Ant2	5500	by	14.25	94.74	0.23	14.48	≤23.98	PASS
	total	5500	PULP	.ek	botek .	Pupo,	17.48	≤23.98	PASS
	Ant1	5580	Pup	13.99	97.37	0.12	14.11	≤23.98	PASS
	Ant2	5580	10 P	13.95	97.37	0.12	14.07	≤23.98	PASS
	total	5580	Ofek-	anbaten	PUPP	LOK-	17.10	≤23.98	PASS
	Ant1	5700	Up.	14.46	97.37	0.12	14.58	≤23.98	PASS
	Ant2	5700	V.Upor	14.47	94.87	0.23	14.70	≤23.98	PASS
	total	5700	N-Poles	- Vun	KG/F	Asted	17.65	≤23.98	PASS
	Ant1	5745	000	14.68	94.87	0.23	14.91	≤30.00	PASS
	Ant2	5745	Pro-	14.62	94.87	0.23	14.85	≤30.00	PASS
	total	5745	Þ	- Oleje	PUPOLL	An	17.89	≤29.83	PASS
	Ant1	5785	poter-	15.18	94.74	0.23	15.41	≤30.00	PASS
S	Ant2	5785	- nooley	15.14	97.37	0.12	15.26	≤30.00	PASS
	total	5785	tek	-Dupote		10k	18.35	≤29.83	PASS







Distriction	0.0	-1814	400	her.		2010	P.L.		100
Anbo	Ant1 M	5825	4900k	14.96	94.74	0.23	15.19	≤30.00	PASS
lek W	Ant2	5825	Pin Okel	15.00	94.74	0.23	15.23	≤30.00	PASS
N AT	total	5825	Anbo	le Yes	ote <u>k</u>	b'apo,	18.22	≤29.83	PASS
poler	Ant1	5190	Vupe	13.63	97.22	0.12	13.75	≤23.98	PASS
Anborek	Ant2	5190	ek N	13.56	94.59	0.24	13.80	≤23.98	PASS
bi. wotek	total	5190	-tel+	, abotek	Pupor	V box	16.79	≤23.98	PASS
VUr	Ant1	5230		14.66	97.22	0.12	14.78	≤23.98	PASS
Anboi	Ant2	5230	Vupo,	14.57	97.22	0.12	14.69	≤23.98	PASS
an An	total	5230	Altoofer.	PUPP	10/F	- ootek	17.75	≤23.98	PASS
otek	Ant1	5270	200	14.11	97.22	0.12	14.23	≤23.98	PASS
Yek	Ant2	5270	P**	14.12	94.44	0.25	14.37	≤23.98	PASS
unbotekk	total	5270	b2	A STATE OF THE STA	Notore	Vup	17.31	≤23.98	PASS
Anbore	Ant1	5310	00,00	13.80	94.59	0.24	14.04	≤23.98	PASS
Anbore	Ant2	5310	"posek	13.77	94.44	0.25	14.02	≤23.98	PASS
4	total	5310	-otek	Anbore	P		17.04	≤23.98	PASS
ber	Ant1	5510	Vu <sub>D</sub>	15.05	97.22	0.12	15.17	≤23.98	PASS
11AC40M	Ant2	5510	-Vupo,	15.07	97.22	0.12	15.19	≤23.98	PASS
IMO	total	5510	K MU	DOJ b	,nu 		18.19	≤23.98	PASS
Anbotek	Ant1	5550	~*e/	14.70	94.59	0.24	14.94	≤23.98	PASS
Ann	Ant2	5550	-70.	14.73	97.22	0.12	14.85	≤23.98	PASS
Anbore	total	5550	rupo,—	Mak	63	pole	17.91	≤23.98	PASS
Anb	Ant1	5670	p.nbores	13.51	94.59	0.24	13.75	≤23.98	PASS
lek b	Ant2	5670	Todna-	13.48	97.22	0.12	13.60	≤23.98	PASS
nte/K	total	5670		otek bi	1001	bigg.	16.69	≤23.98	PASS
1pr	Ant1	5755	ba	13.49	97.22	0.12	13.61	≤30.00	PASS
Anbotek	Ant2	5755	04cm	13.54	94.59	0.24	13.78	≤30.00	PASS
anbotes	total	5755	dotek	Pupor		-ote/-	16.71	≤29.83	PASS
Anbo	Ant1	5795	uotek.	14.34	94.59	0.24	14.58	≤30.00	PASS
er.	Ant2	5795	p.nu	14.36	97.22	0.12	14.48	≤30.00	PASS
ek p	total	5795	Anbo	- No.	19tou	Aupor	17.54	≤29.83	PASS
polei	Ant1	5210	Anb	15.32	95.00	0.22	15.54	≤23.98	PASS
hotek	Ant2	5210	rek p	15.31	90.48	0.43	15.74	≤23.98	PASS
by. Polek	total	5210	_xe <del>}/-</del>	anbotek.	PUPO.		18.65	≤23.98	PASS
An	Ant1	5290	100,	14.20	90.48	0.43	14.63	≤23.98	PASS
Anbo	Ant2	5290	Pupor	14.15	90.00	0.46	14.61	≤23.98	PASS
11AC80M	total	5290	Pripotes	Anbo	*e*	1991ek	17.63	≤23.98	PASS
IMO	Ant1	5530	0000	15.10	90.00	0.46	15.56	≤23.98	PASS
sek.	Ant2	5530	No.	15.12	90.48	0.43	15.55	≤23.98	PASS
Anbo.	total	5530	P	olek P	Vupo <sub>ke</sub>	bu	18.57	≤23.98	PASS
Anboto	Ant1	5610	potek	13.69	95.00	0.22	13.91	≤23.98	PASS
hodna	Ant2	5610	abetek	13.75	95.00	0.22	13.97	≤23.98	PASS
No.	total	5610	otek	-nbote		Tup.	16.95	≤23.98	PASS







Diss	44	18/4	Upo.	by.	-	2010	BULL		tell
k Mbo	Ant1	5775	19000	13.92	90.48	0.43	14.35	≤30.00	PASS
tek PL	Ant2	5775	Mu Wel	13.92	90.48	0.43	14.35	≤30.00	PASS
	total	5775	AUDO	- Yes	3010 <u>K</u>	Vopo	17.36	≤29.83	PASS
poler	Ant1	5180	Vupe	15.05	60.38	2.19	17.24	≤23.98	PASS
	Ant2	5180	ek N	15.14	41.29	3.84	18.98	≤23.98	PASS
	total	5180	10/4-	s abotely	Pupor	-/- Par	21.21	≤23.98	PASS
	Ant1	5200		14.90	61.32	2.12	17.02	≤23.98	PASS
	Ant2	5200	PUpot	14.95	61.32	2.12	17.07	≤23.98	PASS
iek An	total	5200	Althories.	Pupp	18/-	sobotek	20.06	≤23.98	PASS
	Ant1	5240	100	14.50	61.32	2.12	16.62	≤23.98	PASS
	Ant2	5240	N	14.46	60.38	2.19	16.65	≤23.98	PASS
	total	5240	bz	- Alek	Antore Antore	Ant	19.65	≤23.98	PASS
	Ant1	5260	00 <sup>†@*</sup>	14.34	61.32	2.12	16.46	≤23.98	PASS
	Ant2	5260	sporek	14.32	60.38	2.19	16.51	≤23.98	PASS
tra Vis	total	5260	- notek	- Aupote	P	up-	19.50	≤23.98	PASS
	Ant1	5300	VU.	14.07	61.32	2.12	16.19	≤23.98	PASS
3010	Ant2	5300	-Vupo	14.07	60.38	2.19	16.26	≤23.98	PASS
	total	5300	K PU	por p	tel	d <sub>na</sub>	19.24	≤23.98	PASS
Anbotek	Ant1	5320	0101	14.27	60.95	2.15	16.42	≤23.98	PASS
Pri.	Ant2	5320	101	14.27	60.95	2.15	16.42	≤23.98	PASS
11AX20M	total	5320	rupo,	hotel	N	pole	19.43	≤23.98	PASS
IMO MAN	Ant1	5500	PIAPOSO	14.45	60.38	2.19	16.64	≤23.98	PASS
otek p	Ant2	5500	-nbote	14.40	61.32	2.12	16.52	≤23.98	PASS
	total	5500	·	lotek bi	/po,	by.	19.59	≤23.98	PASS
	Ant1	5580	b.	13.21	61.32	2.12	15.33	≤23.98	PASS
Anbotek	Ant2	5580 👭		13.30	61.32	2.12	15.42	≤23.98	PASS
	total	5580	nbotek	Aup.		botek_	18.39	≤23.98	PASS
Anbo	Ant1	5700	abotek	14.72	60.95	2.15	16.87	≤23.98	PASS
Nex	Ant2	5700	Pu U.S.	14.65	60.38	2.19	16.84	≤23.98	PASS
	total	5700	And	rek	botek	Aupo.	19.87	≤23.98	PASS
	Ant1	5745	Anb	14.09	60.38	2.19	16.28	≤30.00	PASS
	Ant2	5745	rek p	14.18	60.38	2.19	16.37	≤30.00	PASS
	total	5745	- Note	anbater.	PUPO	-ak	19.34	≤29.83	PASS
by.	Ant1	5785	10-	14.23	61.32	2.12	16.35	≤30.00	PASS
	Ant2	5785	bupo.	14.26	60.38	2.19	16.45	≤30.00	PASS
tek bu	total	5785	Pripoge.	_Ans	NOTE:	enporek	19.41	≤29.83	PASS
	Ant1	5825	, , , , ,	15.38	60.38	2.19	17.57	≤30.00	PASS
	Ant2	5825	Yo	15.36	61.32	2.12	17.48	≤30.00	PASS
Anbe	total	5825	P	- Jek	Anbohia	AG	20.54	≤29.83	PASS
11 0 7 4 0 1 4	Ant1	5190	poter	15.00	42.67	3.70	18.70	≤23.98	PASS
11AX40M	Ant2	5190	- nbetek	15.06	37.87	4.22	19.28	≤23.98	PASS
IMO	total	5190	otek	-Pupoke		Tok	22.01	≤23.98	PASS







nodo	Ant1	5230	hatek	15.75	60.38	2.19	17.94	≤23.98	PASS
	Ant2	5230	Pun Mel	15.72	61.32	2.12	17.84	≤23.98	PASS
V.C	total	5230	NUPO	- No.	otek.	Aupore	20.90	≤23.98	PASS
Ī	Ant1	5270	Plupo	14.36	61.32	2.12	16.48	≤23.98	PASS
l	Ant2	5270	ek N	14.26	61.32	2.12	16.38	≤23.98	PASS
l	total	5270	10t-	abatek	PUpor	by	19.44	≤23.98	PASS
	Ant1	5310	(00)/r	13.97	61.32	2.12	16.09	≤23.98	PASS
Ī	Ant2	5310	Pupole	14.11	60.38	2.19	16.30	≤23.98	PASS
	total	5310	ATIONET	Anbo	-A/a-	~lockelk	19.21	≤23.98	PASS
	Ant1	5510	~100	15.42	60.38	2.19	17.61	≤23.98	PASS
	Ant2	5510		15.46	61.32	2.12	17.58	≤23.98	PASS
	total	5510	by	- <u>F</u> 04.	, nore	PU	20.61	≤23.98	PASS
	Ant1	5550	00 <sup>†®</sup>	14.83	60.95	2.15	16.98	≤23.98	PASS
	Ant2	5550	-porek	14.92	60.38	2.19	17.11	≤23.98	PASS
ļ	total	5550	otek	-Anbote	P	Upon	20.06	≤23.98	PASS
r	Ant1	5670	VUD.	13.75	61.32	2.12	15.87	≤23.98	PASS
1	Ant2	5670	-Vupo,	13.83	60.38	2.19	16.02	≤23.98	PASS
ľ	total	5670	x pro/	, o <sub>jer</sub> p	18/	/0	18.96	≤23.98	PASS
ľ	Ant1	5755	~18 <sup>1</sup> /	14.80	60.95	2.15	16.95	≤30.00	PASS
	Ant2	5755	-07	14.83	61.32	2.12	16.95	≤30.00	PASS
Ī	total	5755	Kupo, K	- workey	62	pole-	19.96	≤29.83	PASS
-	Ant1	5795	NUPO TO L	13.63	60.38	2.19	15.82	≤30.00	PASS
	Ant2	5795		13.67	60.38	2.19	15.86	≤30.00	PASS
	total	5795	F 70	otek Al	hote	bree.	18.85	≤29.83	PASS
	Ant1	5210	been	16.14	59.22	2.28	18.42	≤23.98	PASS
	Ant2	5210	I	16.22	59.05	2.29	18.51	≤23.98	PASS
Ī	total	5210	000tel	Vupo,		hotel-	21.48	≤23.98	PASS
	Ant1	5290	burch	14.54	59.80	2.23	16.77	≤23.98	PASS
Ī	Ant2	5290	by,	14.51	59.80	2.23	16.74	≤23.98	PASS
Ī	total	5290	DUD	rek	49°00	Vapo.	19.77	≤23.98	PASS
	Ant1	5530	b'up	15.22	59.80	2.23	17.45	≤23.98	PASS
Ī	Ant2	5530	rek P	15.26	59.80	2.23	17.49	≤23.98	PASS
	total	5530	AteN-	anbatek	PUPP	- No.	20.48	≤23.98	PASS
77.4	Ant1	5610	lo-	13.80	59.80	2.23	16.03	≤23.98	PASS
35	Ant2	5610	Anbore V	13.78	59.80	2.23	16.01	≤23.98	PASS
	total	5610	Di-poles	Anbo	re <del>ll</del>	ABOYSK.	19.03	≤23.98	PASS
ľ	Ant1	5775	000	13.95	59.80	2.23	16.18	≤30.00	PASS
ľ	Ant2	5775	*	13.91	59.80	2.23	16.14	≤30.00	PASS
İ	total	5775	Þ	10/c	Vupo <sub>te</sub>	AC	19.17	≤29.83	PASS

Note: The Duty Cycle Factor is compensated in the graph.










## **Test Graphs Channel Power**



































#### 11A\_Ant2\_5300



**Shenzhen Anbotek Compliance Laboratory Limited** 








































#### 11A\_Ant2\_5745




**Shenzhen Anbotek Compliance Laboratory Limited** 

















#### 11A\_Ant2\_5825



#### 11N20MIMO\_Ant1\_5180



**Shenzhen Anbotek Compliance Laboratory Limited** 

















#### 11N20MIMO\_Ant1\_5240



#### 11N20MIMO\_Ant2\_5240



**Shenzhen Anbotek Compliance Laboratory Limited** 


















#### 11N20MIMO\_Ant2\_5300



#### 11N20MIMO\_Ant1\_5320



**Shenzhen Anbotek Compliance Laboratory Limited** 

















#### 11N20MIMO\_Ant1\_5580



#### 11N20MIMO\_Ant2\_5580



**Shenzhen Anbotek Compliance Laboratory Limited** 

















#### 11N20MIMO\_Ant2\_5745



#### 11N20MIMO\_Ant1\_5785




**Shenzhen Anbotek Compliance Laboratory Limited** 
















#### 11N40MIMO\_Ant1\_5190



#### 11N40MIMO\_Ant2\_5190



**Shenzhen Anbotek Compliance Laboratory Limited** 

















#### 11N40MIMO\_Ant2\_5270



#### 11N40MIMO\_Ant1\_5310



**Shenzhen Anbotek Compliance Laboratory Limited** 

















#### 11N40MIMO\_Ant1\_5550



#### 11N40MIMO\_Ant2\_5550




**Shenzhen Anbotek Compliance Laboratory Limited** 










Hotline

400-003-0500







#### 11N40MIMO\_Ant2\_5755



## 11N40MIMO\_Ant1\_5795




Shenzhen Anbotek Compliance Laboratory Limited

















#### 11AC20MIMO\_Ant1\_5200



#### 11AC20MIMO\_Ant2\_5200




**Shenzhen Anbotek Compliance Laboratory Limited** 


















#### 11AC20MIMO\_Ant2\_5260



#### 11AC20MIMO\_Ant1\_5300




Shenzhen Anbotek Compliance Laboratory Limited

















#### 11AC20MIMO\_Ant1\_5500



#### 11AC20MIMO\_Ant2\_5500



**Shenzhen Anbotek Compliance Laboratory Limited** 









