

Page: 1 of 162

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART E REQUIREMENT

Applicant: FUJITSU CONNECTED TECHNOLOGIES Ltd.

1-1, Kamikodanaka 4-chome, Nakahara-ku, Kawasaki

211-8588, Japan

Product Name: Smart Phone

Brand Name: FUJITSU

Model No.: F-01L

Model Difference: N/A

FCC ID: 2AQYEFMP167

Report Number: ER/2018/70057

FCC Rule Part: §15.407, Cat: NII

Sep. 20th, 2018 Issue Date:

Date of Test: Aug. 28th, 2018 ~ Sep.14th, 2018

Date of EUT Re-Aug. 28th, 2018

ceived:

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10: 2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Tested By:

Marcus Tseng

Approved By:

Blue Yang / Supervisor





0513

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司

t (886-2) 2299-3279



Page: 2 of 162

Revision History

Report Number	Revision	Description	Effected Page	Issue Date	Revised By
ER/2018/70057	Rev.00	Initial creation of docu- ment	All	Sep. 20th, 2018	Stefanie Yu / Clerk

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices the level testings of the testings of the state report relief only for the sample(s) lested and studies stated under the states of the state report relief only the state of the s pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 3 of 162

Contents

1	GENERAL INFORMATION	4
2	SYSTEM TEST CONFIGURATION	7
3	SUMMARY OF TEST RESULT	9
4	DESCRIPTION OF TEST MODES	. 10
5	MEASUREMENT UNCERTAINTY	.14
6	CONDUCTED EMISSION TEST	. 15
7	DUTY CYCLE TEST SIGNAL	. 19
8	26dB & 6dB EMISSION BANDWIDTH MEASUREMENT	. 22
9	MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT	. 31
10	maximum POWER SPECTRAL DENSITY	. 35
11	UNDESIRABLE RADIATED EMISSION MEASUREMENT	. 44
12	TRANSMISSION IN THE ABSENCE OF DATA	143
13	FREQUENCY STABILITY	144
14	ANTENNA REQUIREMENT	162

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the substant of the company is unauthorized alteration, forgery or falsification of the content or approximate in support is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 4 of 162

GENERAL INFORMATION

Product Description

General:

Ochicial.			
Product Name:	Smart Phone		
Brand Name:	FUJITSU		
Model No.:	F-01L		
Model Difference:	N/A		
Product SW/HW version:	V01R028Ae / V2.1.0		
		n Rechargeable Li-ion Battery or 5Vdc /9Vdc / n AC/DC Adapter	
Power Supply:	Battery:	Model No.: CA54310-0075-A1, Supplier: FUJITSU CONNECTED TECHNOLOGIES LIMITED	
	Adapter:	Model No.: AC Adapter 06 Supplier: NTT docomo	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 5 of 162

WLAN 5GHz:

WEAN 5GF Wi-Fi 802.11	Frequency Range	Channels	Rated Power (Avg.) (dBm)	Modulation Technology	
	5150~5250	4	11.32		
а	5250~5350	4	11.34	OFDM	
	5470~5725	12	11.29		
n HT	5150~5250	4	HT: 11.34 (Worst Case)		
ac_VHT	5250~5350	4	HT: 11.25 (Worst Case)	OFDM	
20M	5470~5725	11	HT: 11.36 (Worst Case)		
n HT	5150~5250	2	HT: 11.46 (Worst Case)		
ac_VHT	5250~5350	2	HT: 11.37 (Worst Case)	OFDM	
40M	5470~5725	5	HT: 11.58 Worst Case)		
5150~5250		1	11.07		
ac_vhi 80M	ac_VHT 5250~5350		11.01	OFDM	
5470~5725		2	11.18		
Antenna Designation		5GHz Gain:	e Antenna -2dBi (5150MHz-5250MHz) -2dBi (5250MHz-5350MHz) -2dBi (5470MHz-5725MHz)		
Modulation type		64QAM, 16QAM, QPSK, BPSK for OFDM 256QAM for OFDM in 802.11ac only			
Transition Rate: 802 802 802 802		802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n_20MHz: 6.5 - 72.2Mbps 802.11 n_40MHz: 13.5 - 150Mbps 802.11 ac_20MHz: 6.5 -86.7Mbps 802.11 ac_40MHz: 13.5 -200Mbps 802.11 ac_80MHz: 29.3 - 433.3Mbps			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the substant of the company is unauthorized alteration, forgery or falsification of the content or approximate in support is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 6 of 162

1.2 Test Methodology of Applied Standards

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules v02r01

ANSI C63.10:2013

Note:

All test items have been performed and record as per the above standards.

1.3 Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 24803 (TAF code 0513)

FCC Registration Number and Designation are: 509634 / TW 0001

1.4 Special Accessories

There are no special accessories used while test was conducted.

1.5 Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 7 of 162

SYSTEM TEST CONFIGURATION

2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3 Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page: 8 of 162

2.4 Measurement Results Explanation Example

For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Note:

The spectrum analyzer offset is derived from RF cable loss and attenuator factor. Following shows an offset computation example.

2.5 Configuration of Tested System

Fig. 2-1 Conducted (Antenna Port) Emission Configuration



Fig 2-2 Radiated Emission



Fig 2-3 Conduction (AC Power Line) Radiated Emission




Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	Notebook	Lenovo	L430	R9-WR6X4	Shielded	Unshielded
2.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 9 of 162

SUMMARY OF TEST RESULT

FCC Rules	Description Of Test	Result
§15.207	AC Power Line Conducted Emission	Compliant
§15.403(i) §15.407(e)	26 dB & 6dB & 99% Emission Bandwidth	Compliant
§15.407(a)	Maximum Conducted Output Power	Compliant
§15.407(a)	Power Spectral Density	Compliant
§15.407(b)	Undesirable Radiated Emissions	Compliant
§15.407(c)	Transmission in case of Absence of Information	Compliant
§15.407(g)	Frequency Stability	Compliant
§15.203 §15.407(a)	Antenna Requirement	Compliant

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the substant of the company is unauthorized alteration, forgery or falsification of the content or approximate in support is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 10 of 162

DESCRIPTION OF TEST MODES

Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

Operated band in 3130 Mil		
802.11a / n HT20 Mode,		
802.11ac VHT20 Mode		
Channel	Frequency	
36	5180	
40	5200	
44	5220	
48	5240	

802.11 n HT40 Mode, 802.11ac VHT40 Mode		
channel	Frequency	
38	5190	
46	5230	

802.11ac VHT80 Mode		
channel	Frequency	
42	5210	

Operated band in 5250 MHz ~5350 MHz:

802.11a / n HT20 Mode, 802.11ac VHT20 Mode		
channel	Frequency	
52	5260	
56	5280	
60	5300	
64	5320	

802.11 n HT40 Mode, 802.11ac VHT40 Mode		
channel	Frequency	
54	5270	
62	5310	

802.11ac V	HT80 Mode
Channel	Frequency
58	5290

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 11 of 162

Operated band in 5500 MHz ~5700 MHz:

802.11a / n HT20 Mode, 802.11ac VHT20 Mode							
Channel	Frequency						
100	5500						
104	5520						
108	5540						
112	5560						
116	5580						
120	5600						
124	5620						
128	5640						
132	5660						
136	5680						
140	5700						

802.11 n HT40 Mode, 802.11ac VHT40 Mode							
channel	Frequency						
102	5510						
110	5550						
118	5590						
126	5630						
134	5670						

802.11ac VHT80 Mode							
channel	channel Frequency						
106 5530							
122	5610						

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 12 of 162

4.2 The Worst Test Modes and Channel Details

- 1. The EUT has been tested under operating condition.
- 2. Test program used to control the EUT for staying in continuous transmitting mode is programmed.
- 3. Investigation has been done on all the possible configurations for searching the worst case.

DADIATED EMISSION TEST

RADIATED EMISSION TEST:									
RADIATED EMISSION TEST (BELOW 1 GHz)									
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA			
	BAND (MHz)	CHANNEL	CHANNEL		(Mbps)	PORT			
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	Ch0			
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	Ch0			
802.11a	5500~5720	100 to 140	100,116,140	OFDM	6	Ch0			
802.11a	5745~5825	149 to 165	149,157,165	OFDM	6	Ch0			
	RADIA	TED EMISSIO	N TEST (ABO	VE 1 GHz)					
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA			
	BAND (MHz)	CHANNEL	CHANNEL		(Mbps)	PORT			
802.11a	5180~5240	36 to 48	36,44,48	OFDM	6	Ch0			
802.11n_HT20	5160~5240	30 10 40	30,44,40	OFDM	MCS0	Ch0			
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS0	Ch0			
802.11ac_VHT80	5210	42	42	OFDM	VHT0	Ch0			
802.11a	5260~5320	52 to 64	52,60,64	OFDM	6	Ch0			
802.11n_HT20	5200~5520	52 10 04	52,00,04	OFDM	MCS0	Ch0			
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS0	Ch0			
802.11ac_VHT80	5290	58	58	OFDM	VHT0	Ch0			

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case H position was reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

SGS Taiwan Ltd.



Page: 13 of 162

ANTENNA PORT CONDUCTED MEASUREMENT

CONDUCTED MEASUREMENT: CONDUCTED TEST									
MODE	FREQUENCY	AVAILABLE	TESTED	MODULATION	DATA RATE	ANTENNA			
	BAND (MHz)	CHANNEL	CHANNEL		(Mbps)	PORT			
802.11a				OFDM	6	Ch0			
802.11n_HT20 802.11ac_VHT20	5180~5240	36 to 48	36,44,48	OFDM	MCS0	Ch0			
802.11n_HT40 802.11ac_VHT40	5190~5230	38 to 46	38,46	OFDM	MCS0	Ch0			
802.11ac_VHT80	5210	42	42	OFDM	VHT0	Ch0			
802.11a				OFDM	6	Ch0			
802.11n_HT20 802.11ac_VHT20	5260~5320	52 to 64	52,60,64	OFDM	MCS0	Ch0			
802.11n_HT40 802.11ac_VHT40	5270~5310	54 to 62	54,62	OFDM	MCS0	Ch0			
802.11ac_VHT80	5290	58	58	OFDM	VHT0	Ch0			
802.11a				OFDM	6	Ch0			
802.11n_HT20 802.11ac_VHT20	5500~5700	100 to 140	100,116,140	OFDM	MCS0	Ch0			
802.11n_HT40 802.11ac_VHT40	5510~5670	102 to 134	102,110,134	OFDM	MCS0	Ch0			
802.11ac_VHT80	5530~5610	106 to 122	106,122	OFDM	VHT0	Ch0			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 14 of 162

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty
AC Power Line Conducted Emission	+/- 2.586 dB
26dB & 6dB Emission Bandwidth	+/- 123.36 Hz
The Maximum Output Power Measurement	+/- 0.96 dB
Peak Power Spectral Density Measurement	+/- 1.67 dB
Frequency Stability	+/- 123.36 Hz
Temperature	+/- 0.65 °C
Humidity	+/- 4.6 %
DC / AC Power Source	DC= +/- 0.13%, AC=+/- 0.2%

Radiated Sourious Emission:

Radiated Opanods Emission.							
	9kHz-30MHz: +/-2.87dB						
	30MHz - 180MHz: +/- 3.37dB						
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB						
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB						
	1GHz - 18GHz: +/- 4.04dB						
	18GHz - 40GHz: +/- 4.04dB						

	9kHz-30MHz: +/-2.87dB					
	30MHz - 167MHz: +/- 4.22dB					
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB					
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB					
	1GHz - 18GHz: +/- 4.08dB					
	18GHz - 40GHz: +/- 4.08dB					

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488



Page: 15 of 162

CONDUCTED EMISSION TEST

Standard Applicable 6.1

Frequency range within 150 kHz to 30 MHz shall not exceed the Limit table as below.

Frequency range	Limits dB(uV)				
MHz	Quasi-peak Average				
0.15 to 0.50	66 to 56	56 to 46			
0.50 to 5	56	46			
5 to 30	60	50			

Note

6.2 **Measurement Equipment Used**

Conducted Emission Test Site									
EQUIPMENT MFR MODEL SERIAL LAST CAL DUE.									
TYPE	NUMBER NUMBER CAL.								
EMI Test Receiver	R&S	ESCI7	100335	Feb. 2nd, 2018	Feb. 1st, 2019				
LISN	SCHWARZBECK	NSLK 8127	8127-649	May 18th, 2018	May 17th, 2019				

6.3 **EUT Setup**

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI C63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The rear of the EUT and peripherals were placed flushed with the rear of the tabletop.
- 3. The LISN was connected with 120Vac/60Hz power source.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279


^{1.} The lower limit shall apply at the transition frequencies

^{2.}The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50



Page: 16 of 162

Test SET-UP 6.4



6.5 **Measurement Procedure**

- 1. The EUT was placed on a table which is 0.8m above ground plane.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all phases of power being supplied by given UE are completed.

6.6 **Measurement Result**

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closet to the limit

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Page: 17 of 162

AC POWER LINE CONDUCTED EMISSION TEST DATA

Site Conduction Room Limit: FCC Class B Conduction(QP) Phase: Power: AC 120V/60Hz Temperature: 25 % Humidity: 85 %

Mode: Operation

Note:



No. Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
	MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1	0.1660	44.17	0.04	44.21	65.16	-20.95	peak	
2	0.2100	37.19	0.04	37.23	63.21	-25.98	peak	
3	0.2340	38.62	0.04	38.66	62.31	-23.65	peak	
4 *	0.5140	38.38	0.04	38.42	56.00	-17.58	peak	
5	4.5300	35.08	0.18	35.26	56.00	-20.74	peak	
6	6 2540	36.04	0.23	36.27	60.00	-23 73	neak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

台灣檢驗科技股份有限公司




Page: 18 of 162

Phase: Temperature: 25 € Site Conduction Room N Limit: FCC Class B Conduction(QP) Power: AC 120V/60Hz Humidity: 85 %

Mode: Operation

Note:



No. Mk	. Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
	MHz	dBuV	dB	dBuV	dBuV	dB	Detector	Comment
1 *	0.1740	50.47	0.04	50.51	64.77	-14.26	peak	
2	0,2660	44.16	0.04	44.20	61.24	-17.04	peak	
3	0.3140	41.54	0.04	41.58	59.86	-18.28	peak	
4	0.3620	36.31	0.04	36.35	58.68	-22.33	peak	
5	0,5380	36.13	0.04	36.17	56.00	-19.83	peak	
6	5.7220	36.09	0.22	36.31	60.00	-23.69	peak	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 19 of 162

DUTY CYCLE TEST SIGNAL

Pre-analysis Check: While conducting average power measurement, duty cycle of each mode shall be checked to ensure its duty cycle in order to compensate for the loss due to insufficient ratio of duty cycle.

All duty cycle is pre-scanned, and result as obtained below shows only the most representative ones where duty cycle is conducted as the given transmission with given virtual operation that expresses the percentage.

Formula:

Duty Cycle = Ton / (Ton+Toff)

Measurement Procedure:

- 1. Set span = Zero
- 2. RBW = 8MHz
- 3. VBW = 8MHz,
- 4. Detector = Peak

Duty Cycle:

Mode	Duty Cycle (%)	- 1 -10°100 (1/1)11tV		VBW setting (kHz)
802.11a	99.85	0.01	0.18	1.00
802.11n_20	99.84	0.01	0.20	1.00
802.11n_40	99.18	0.04	1.02	2.00
802.11ac_80	98.98	0.04	1.02	2.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


SGS Taiwan Ltd.

f (886-2) 2298-0488




Page: 20 of 162

DUTY CYCLE TEST SIGNAL Measurement Result 802.11a



802.11n HT20



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 21 of 162

802.11n HT 40



802.11 ac VHT 80



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

t (886-2) 2299-3279



Page: 22 of 162

26DB & 6DB EMISSION BANDWIDTH MEASUREMENT

Standard Applicable 8.1

There is no limit bandwidth for U-NII-1, U-NII-2-A and U-NII-2-C. The minimum of 6dB Bandwidth measurement is 0.5 MHz for U-NII-3

Measurement Procedure 8.2

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the Antenna port to the spectrum analyzer.
 - a. 26dB Band width Measurement: Set the spectrum analyzer as 1% of emission BW Sweep=auto, Detector = Peak, Trace Mode = Max Hold, Manually readjust RBW until the RBW/EBW ratio is 1% based on EBW as observed on the result of pre-sequence measurement.
 - b. Mark the peak frequency and –26dB (upper and lower) frequency.
- 4. Repeat the procedures as list above until all test default channels (low, middle, and high) are completed.
- Minimum Emission Bandwidth for the band 5.725-5.850GHz.
 - a. Set the spectrum analyzer as RBW = 100 kHz, VBW = 3*RBW, Span = 30M/50MHz, Detector=Peak.
 - Sweep=auto
 - b. Mark the peak frequency and –6dB (upper and lower) frequency.
- 6. For 99% Bandwidth:

Set the spectrum analyzer as RBW=1%, VBW = 3*RBW, Span = 30M/50MHz, Detector=Sample, Sweep=auto.

- 7. Turn on the 99% bandwidth function, max reading.
- 8. Repeat above procedures until all frequency of interest measured was complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Page: 23 of 162

8.3 **Measurement Equipment Used**

	SGS Conducted Room										
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due						
Spectrum Analyzer	R&S	FSV-30	101398	Oct. 19th, 2017	Oct. 18th, 2018						
DC Power Supply	Anritsu	E3640A	MY52410006	Nov. 28th, 2017	Nov. 27th, 2018						
Temperature Chamber	TERCHY	MHG-120LF	911009	May 18th, 2018	May 17th, 2019						
Attenuator	Mini-Circuit	BW-S10W2+	2	Jan. 02nd, 2018	Jan. 01st, 2019						
DC Block	Mini-Circuits	BLK-18-S+	1	Jan. 02nd, 2018	Jan. 01st, 2019						
Coaxial Cables	N/A	WK CE Cable	N/A	Jan. 02nd, 2018	Jan. 01st, 2019						
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A						

8.4 **Test Set-up**



8.5 **Measurement Result**

26dB Bandwidth

802.11a Ch0

802.11n HT20 Ch0

002:1 1a_0110				002:1111_11120_		
Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)		Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5180	21.74	13.373		5180	22.27	13.478
5220	19.66	12.936		5220	21.78	13.380
5240	21.56	13.337		5240	22.21	13.465
5260	21.92	13.408		5260	21.89	13.403
5300	21.09	13.240		5300	21.54	13.332
5320	21.54	13.332		5320	21.89	13.402
5500	22.05	13.433		5500	22.34	13.490
5580	21.75	13.374		5580	22.13	13.450
5700	21.52	13.329		5700	22.08	13.439

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 24 of 162

802.11n HT40 Ch0

Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)
5190	42.68	16.302
5230	43.07	16.341
5270	43.17	16.352
5310	43.18	16.353
5510	38.91	15.901
5550	43.47	16.382
5670	42.42	16.276

802.11ac VHT80 Ch0

002.11 100 _ V111 00 _ O110							
Frequency (MHz)	26dB BW (MHz)	10 Log (B) (dB)					
5210	83.88	19.236					
5290	83.06	19.194					
5530	84.02	19.244					
5610	83.29	19.206					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the substant of the company is unauthorized alteration, forgery or falsification of the content or approximate in support is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com



Page: 25 of 162

802.11a, 5150~5250 MHz 26dB Band Width Test Data CH-Low (5180MHz)

802.11a, 5250~5350 MHz 26dB Band Width Test Data CH-Low (5260MHz)




26dB Band Width Test Data CH-Mid (5220MHz)

26dB Band Width Test Data CH-Mid (5300MHz)



26dB Band Width Test Data CH-High (5240MHz) 26dB Band Width Test Data CH-High (5320MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is active to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon is to the terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of



Page: 26 of 162


802.11a, 5470~5725 MHz 26dB Band Width Test Data CH-Low (5500MHz)

802.11n HT20, 5150~5250 MHz 26dB Band Width Test Data CH-Low (5180 MHz)




26dB Band Width Test Data CH-Mid (5580MHz)

26dB Band Width Test Data CH-Mid (5220 MHz)



26dB Band Width Test Data CH-High (5700MHz) 26dB Band Width Test Data CH-High (5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is active to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon is to the terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


f (886-2) 2298-0488



Page: 27 of 162


802.11n HT20, 5250~5350 MHz 26dB Band Width Test Data CH-Low (5260 MHz)

802.11n HT20, 5470~5725 MHz 26dB Band Width Test Data CH-Low (5500 MHz)




26dB Band Width Test Data CH-Mid (5300 MHz)

26dB Band Width Test Data CH-Mid (5580 MHz)



26dB Band Width Test Data CH-High (5320 MHz) 26dB Band Width Test Data CH-High (5700 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is active to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon is to the terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


f (886-2) 2298-0488




Page: 28 of 162

802.11n HT40, 5150~5250 MHz 26dB Band Width Test Data CH-Low (5190 MHz)

802.11n HT40, 5250~5350 MHz 26dB Band Width Test Data CH-Low (5270 MHz)



26dB Band Width Test Data CH-High (5230 MHz) 26dB Band Width Test Data CH-High (5310MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


This document is active to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon is to the terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of



Page: 29 of 162

802.11n HT40, 5470~5725 MHz 26dB Band Width Test Data CH-Low (5510 MHz)


802.11ac VHT80, 5150~5250 MHz 26dB Band Width Test Data CH-Mid (5210 MHz)




26dB Band Width Test Data CH-Mid (5550 MHz)

Center Freq: 5.550000000 GHz Trig: Free Run Avg|Hold: 50/50 enter Freq 5.550000000 GHz Ref Offset 12 dB Ref 30.00 dB Center Fre Span 50 MHz Sweep 1 ms CF Step 5.000000 MHz **#VBW 1.3 MHz** Occupied Bandwidth 36.199 MHz Freq Offse Transmit Freg Error 33.548 kHz % of OBW Power 99.00 % x dB Bandwidth 43.47 MHz x dB -26.00 dB

802.11ac VHT80, 5250~5350 MHz 26dB Band Width Test Data CH-Mid (5290 MHz)



26dB Band Width Test Data CH-High (5670 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488




Page: 30 of 162

802.11ac VHT80, 5470~5725 MHz 26dB Band Width Test Data CH-Low (5530 MHz)



802.11ac VHT80, 5470~5725 MHz 26dB Band Width Test Data CH-High (5610 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is active to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon is to the terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488



Page: 31 of 162

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

9.1 **Standard Applicable**

OPERZTION Band	EUT CATEGORY	LIMIT
	Access Point (Master device)	1 Watt(30dBm)
U-NII-1	Fixed point-to-point Access Ponit	1 Watt(30dBm)
	 Mobile and portable client device	250mW(23.98dBm)
U-NII-2A		250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C		250mW(23.98dBm) or 11dBm+10 log B
U-NII-3		1 Watt(30dBm)

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum transmit power shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

The antenna gain is not grater than 6 dBi. Therefore, reduction of power is not required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/tems e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be reconstructed to the full content of the low. prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 32 of 162


9.2 Measurement Procedure

- Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- Power Meter is used as the auxiliary test equipment to conduct the output power measurement.
- 5. Record the max. reading and add 10 log(1/duty cycle).
- Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.

Measurement Equipment Used

	SGS Conducted Room										
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due						
Power Meter	Anritsu	ML2496A	1804001	Feb. 01st, 2018	Jan. 31th, 2019						
Power Sensor	Anritsu	MA2411B	1726104	Feb. 01st, 2018	Jan. 31th, 2019						
Power Sensor	Anritsu	MA2411B	1726107	Feb. 01st, 2018	Jan. 31th, 2019						
DC Power Supply	Anritsu	E3640A	MY52410006	Nov. 28tg, 2017	Nov. 27th, 2018						
Attenuator	Mini-Circuit	BW-S10W2+	2	Jan. 02nd, 2018	Jan. 01st, 2019						
DC Block	Mini-Circuits	BLK-18-S+	1	Jan. 02nd, 2018	Jan. 01st, 2019						
Coaxial Cables	N/A	WK CE Cable	N/A	Jan. 02nd, 2018	Jan. 01st, 2019						
Notebook	Lenovo	L430	R9-WGNK5	N/A	N/A						

9.4 Test Set-up



9.5 Measurement Result

Conducted output power (FCC)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 33 of 162

802.11a Ch0

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	6	11.32	13.541		23.98		PASS
44	5220	6	11.28	13.417		23.98		PASS
48	5240	6	11.30	13.479		23.98		PASS
52	5260	6	11.34	13.604	23.98	or 11+10log(B) =	24.41	PASS
60	5300	6	11.12	12.932	23.98	or 11+10log(B) =	24.24	PASS
64	5320	6	11.06	12.754	23.98	or 11+10log(B) =	24.33	PASS
100	5500	6	11.28	13.417	23.98	or 11+10log(B) =	24.43	PASS
116	5580	6	11.14	12.991	23.98	or 11+10log(B) =	24.37	PASS
140	5700	6	11.29	13.448	23.98	or 11+10log(B) =	24.33	PASS

802.11n_HT20_Ch0

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
36	5180	MCS0	11.34	13.605		23.98		PASS
44	5220	MCS0	11.32	13.542		23.98		PASS
48	5240	MCS0	11.24	13.295		23.98		PASS
52	5260	MCS0	11.19	13.143	23.98	or 11+10log(B) =	24.40	PASS
60	5300	MCS0	11.19	13.143	23.98	or 11+10log(B) =	24.33	PASS
64	5320	MCS0	11.25	13.326	23.98	or 11+10log(B) =	24.40	PASS
100	5500	MCS0	11.36	13.668	23.98	or 11+10log(B) =	24.49	PASS
116	5580	MCS0	11.11	12.903	23.98	or 11+10log(B) =	24.45	PASS
140	5700	MCS0	11.32	13.542	23.98	or 11+10log(B) =	24.44	PASS

802.11n_HT40_Ch0

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
38	5190	MCS0	11.46	13.989		23.98		PASS
46	5230	MCS0	11.43	13.893		23.98		PASS
54	5270	MCS0	11.36	13.670	23.98	or 11+10log(B) =	27.35	PASS
62	5310	MCS0	11.37	13.702	23.98	or 11+10log(B) =	27.35	PASS
102	5510	MCS0	11.58	14.381	23.98	or 11+10log(B) =	26.90	PASS
110	5550	MCS0	11.44	13.925	23.98	or 11+10log(B) =	27.38	PASS
134	5670	MCS0	11.38	13.734	23.98	or 11+10log(B) =	27.28	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 34 of 162

802.11ac_VHT80_Ch0

СН	Frequency (MHz)	Data Rate	TOTAL POWER (dBm)	TOTAL POWER (mW)		REQUIRED LIMIT (dBm)		RESULT
42	5210	MCS0	11.07	12.799		23.98		PASS
58	5290	MCS0	11.01	12.624	23.98	or $11+10\log(B) =$	30.19	PASS
106	5530	MCS0	11.18	13.128	23.98	or 11+10log(B) =	30.24	PASS
122	5610	MCS0	10.65	11.619	23.98	or 11+10log(B) =	30.21	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488 www.tw.sqs.com



Page: 35 of 162

10 MAXIMUM POWER SPECTRAL DENSITY

10.1 Standard Applicable

OPERZTION Band		EUT CATEGORY	LIMIT
		Access Point (Master device)	17dBm/ MHz
U-NII-1		Fixed point-to-point Access Ponit	
		Mobile and portable client device	11dBm/ MHz
U-NII-2A			11dBm/ MHz
U-NII-2C	√		11dBm/ MHz
U-NII-3			30dBm/ 500kHz

If transmitting antennas of directional gain greater than 6 dBi are used, the Maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

The antenna gain is not grater than 6 dBi. Therefore, reduction of power is not required.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the

pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 36 of 162

10.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to Spectrum.

4. For U-NII1, U-NII-2A, U-NII-2C Band:

Set RBW=1MHz, VBW=3MHz, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

For U-NII-3 Band:


Set RBW=500 kHz, VBW≥ 3RBW, where span is enough to capture the entire bandwidth, Sweep time = Auto (601 pts), detector = sample, traces 100 sweeps of video averaging. (SA-2 with the omission of procedure x, the integration with 26dB EBW bandwidth)

- User the cursor on spectrum to peak search the highest level of trace
- 6. Record the max. reading and add 10 log(1/duty cycle).
- 7. Repeat above procedures until all default test channel (low, middle, and high) was complete.

10.3 Measurement Equipment Used

SGS Conducted Room					
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due
Spectrum Analyzer	R&S	FSV-30	101398	Feb. 01st, 2018	Jan. 31th, 2019
DC Power Supply	Anritsu	E3640A	MY52410006	Feb. 01st, 2018	Jan. 31th, 2019
Temperature Chamber	TERCHY	MHG-120LF	911009	Feb. 01st, 2018	Jan. 31th, 2019
Attenuator	Mini-Circuit	BW-S10W2+	2	Nov. 28tg, 2017	Nov. 27th, 2018
DC Block	Mini-Circuits	BLK-18-S+	1	Jan. 02nd, 2018	Jan. 01st, 2019
Coaxial Cables	N/A	WK CE Cable	N/A	Jan. 02nd, 2018	Jan. 01st, 2019
Notebook	Lenovo	L430	R9-WGNK5	Jan. 02nd, 2018	Jan. 01st, 2019

10.4 Test Set-up



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report relief only to the sample(s) results an advantage of the state of the st Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page: 37 of 162

10.5 Measurement Result

	POWEI	R DENSIT	Y 802.11	a MODE		
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Offset	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margir (dB)
5180	-0.31	12.00	0.01	-0.30	11	-11.30
5220	-0.92	12.00	0.01	-0.91	11	-11.91
5240	-1.12	12.00	0.01	-1.11	11	-12.1
5260	-0.97	12.00	0.01	-0.96	11	-11.96
5300	-1.30	12.00	0.01	-1.29	11	-12.29
5320	-0.94	12.00	0.01	-0.93	11	-11.93
5500	-1.20	12.00	0.01	-1.19	11	-12.19
5580	-0.37	12.00	0.01	-0.36	11	-11.36
5700	-0.32	12.00	0.01	-0.31	11	-11.3°
	POWER D	ENSITY 8	302.11n H	T20 MODE		
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Offset	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margir (dB)
5180	-0.45	12.00	0.01	-0.44	11	-11.44
5220	-0.44	12.00	0.01	-0.43	11	-11.43
5240	-0.69	12.00	0.01	-0.68	11	-11.68
5260	-1.21	12.00	0.01	-1.20	11	-12.20
5300	-1.27	12.00	0.01	-1.26	11	-12.26
5320	-1.56	12.00	0.01	-1.55	11	-12.55
5500	-1.45	12.00	0.01	-1.44	11	-12.44
5580	-0.12	12.00	0.01	-0.11	11	-11.11

POWER DENSITY 802.11n HT40 MODE									
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Offset	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)			
5190	-3.99	12.00	0.04	-3.95	11	-14.95			
5230	-4.27	12.00	0.04	-4.23	11	-15.23			
5270	-4.1	12.00	0.04	-4.06	11	-15.06			
5310	-3.92	12.00	0.04	-3.88	11	-14.88			
5510	-4.28	12.00	0.04	-4.24	11	-15.24			
5550	-3.87	12.00	0.04	-3.83	11	-14.83			
5670	-3.55	12.00	0.04	-3.51	11	-14.51			

POWER DENSITY 802.11ac VHT80 MODE								
Frequency (MHz)	PSD W/O Duty Factor (dBm)	Offset	Duty Factor	PSD With Duty Factor (dBm)	Limit (dBm)	Margin (dB)		
5210	-7.26	12.00	0.04	-7.22	11	-18.22		
5290	-7.51	12.00	0.04	-7.47	11	-18.47		
5530	-7.08	12.00	0.04	-7.04	11	-18.04		
5610	-6.54	12.00	0.04	-6.50	11	-17.50		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com



Page: 38 of 162

802.11a 5150~5250 MHz

Power Spectral Density Data Plot (CH Low 5180 MHz)



Power Spectral Density Data Plot (CH Mid 5220 MHz)




Power Spectral Density Data Plot (CH High 5240 MHz)




802.11a 5250~5350 MHz


Power Spectral Density Data Plot (CH Low 5260 MHz)



Power Spectral Density Data Plot (CH Mid 5300 MHz)



Power Spectral Density Data Plot (CH High 5320 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is active to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon is to the terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488



Page: 39 of 162

802.11a 5470~5725 MHz

Power Spectral Density Data Plot (CH Low 5500 MHz)



802.11n HT20, 5150~5250 MHz


Power Spectral Density Data Plot (CH Low 5180 MHz)



Power Spectral Density Data Plot (CH Mid 5580 MHz)




Power Spectral Density Data Plot (CH Mid 5220 MHz)



Power Spectral Density Data Plot (CH High 5700 MHz)



Power Spectral Density Data Plot (CH High 5240 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is active to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon is to the terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488



Page: 40 of 162


802.11n HT20, 5250~5350 MHz

Power Spectral Density Data Plot (CH Low 5260MHz)




802.11n HT20, 5470~5725 MHz


Power Spectral Density Data Plot (CH Low 5500 MHz)



Power Spectral Density Data Plot (CH Mid 5300 MHz)




Power Spectral Density Data Plot (CH Mid 5580MHz)



Power Spectral Density Data Plot (CH High 5320 MHz)



Power Spectral Density Data Plot (CH High 5700 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is active to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon is to the terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of


f (886-2) 2298-0488




Page: 41 of 162

02.11n HT40, 5150~5250 MHz

Power Spectral Density Data Plot (CH Low 5190 MHz)



Power Spectral Density Data Plot (CH High 5230 MHz)




802.11n HT40, 5250~5350 MHz

Power Spectral Density Data Plot (CH Low 5270 MHz)



Power Spectral Density Data Plot (CH High 5310 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is active to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon is to the terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488



Page: 42 of 162

802.11n HT40, 5470~5725 MHz


Power Spectral Density Data Plot (CH Low 5510 MHz)



Power Spectral Density Data Plot (CH Mid 5550 MHz)




Power Spectral Density Data Plot (CH High 5670 MHz)



802.11ac VHT80, 5150~5250 MHz

Power Spectral Density Data Plot (CH Mid 5210 MHz)



802.11ac VHT80, 5250~5350 MHz

Power Spectral Density Data Plot (CH Mid 5290 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is active to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon is to the terms and Conditions for Electronic Documents at www.sgs.com/terms e-document is drawn to the limitation of liability, indemnification and jurisdiction is successful thereon. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488



Page: 43 of 162

802.11ac VHT80, 5470~5725 MHz

Power Spectral Density Data Plot (CH Low 5530 MHz)



802.11ac VHT80, 5470~5725 MHz

Power Spectral Density Data Plot (CH High 5610 MHz)



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488



Page: 44 of 162

11 UNDESIRABLE RADIATED EMISSION MEASUREMENT

11.1 Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LIMIT				
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRE	ENGTH AT 3m			
	PK: 74 (dBµV/m)	AV 54 (dBµV/m)			
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m			
15.407(b)(1)					
15.407(b)(2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBµV/m)			
15.407(b)(3)					
15.407(b)(4)(i)	PK:-27 (dBm/MHz) *1 PK:10 (dBm/MHz) *2 PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 68.2(dBµV/m) *1 PK:105.2 (dBµV/m) *2 PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4			

^{*1} beyond 75 MHz or more above of the bandedge.

 $EIRP = ((E*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of

f (886-2) 2298-0488

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 45 of 162

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

11.2 Measurement Equipment Used

	SGS SAC-III								
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due				
Bi-log Antenna	SCHWAZBECK	VULB9168	378	Dec. 29th, 2017	Dec. 28th, 2018				
Horn Antenna	Schwarzbeck	BBHA9120D	1441	Aug. 16th, 2018	Aug. 15th, 2019				
Horn Antenna	Schwarzbeck	BBHA9170	184	Dec. 12th, 2017	Dec. 11th, 2018				
Loop Antenna	ETS.LINDGREN	6502	148045	Sep. 26th, 2017	Sep. 25th, 2018				
3m Site NSA	SGS	966 chamber	N/A	Jan. 02nd, 2018	Jan. 01st, 2019				
Spectrum Analyzer	Agilent	E4446A	MY51100003	May 15th, 2018	May 14th, 2019				
EMI Test Receiver	R&S	ESCI7	100335	Feb. 02nd, 2018	Feb. 01st, 2019				
Pre-Amplifier	HP	8449B	3008A00578	Jan. 02nd, 2018	Jan. 01st, 2019				
Pre-Amplifier	HP	8447D	2944A07676	Jan. 02nd, 2018	Jan. 01st, 2019				
Pre-Amplifier	EMC Instruments	EMC184045B	980135	Oct. 27th, 2017	Oct. 26th, 2018				
Attenuator	Mini-Circuit	BW-S10W2+	2	Jan. 02nd, 2018	Jan. 01st, 2019				
2GHz High Pass Filter	Micro-Tronics	HPM50110	36	Jan. 02nd, 2018	Jan. 01st, 2019				
Filter 5150-5350 MHz	Micro-Tronics	BRM50703	1	Jan. 02nd, 2018	Jan. 01st, 2019				
Low Loss Cable	Huber Suhner	966_RX	9	Jan. 02nd, 2018	Jan. 01st, 2019				
Notebook	Lenovo	L430	R9-X11BG	N/A	N/A				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Page: 46 of 162

11.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com



Page: 47 of 162

11.4 Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequen-3. cy> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission
- EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) 6. and Quasi-peak (QP) at frequency below 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	<u> </u>	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB) Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 48 of 162

11.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 Measurement Result

Refer to attach tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.
No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 49 of 162


Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data: 802.11a 5150~5250 MHz

Operation Band :802.11aB1 **Test Date** :2018-08-30

Fundamental Frequency Temp./Humi. :5220 MHz :23 deg C / 62 RH

Operation Mode :Tx CH MID Engineer

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
32.91	Peak	43.72	-8.82	34.90	40.00	-5.10
185.20	Peak	29.49	-8.64	20.85	43.50	-22.65
298.69	Peak	26.92	-5.55	21.37	46.00	-24.63
398.60	Peak	28.25	-3.41	24.84	46.00	-21.16
459.71	Peak	30.53	-2.46	28.07	46.00	-17.93
694.45	Peak	27.69	0.94	28.63	46.00	-17.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 50 of 162

Operation Band Fundamental Frequency Operation Mode


EUT Pol.

:802.11aB1 :5220 MHz :Tx CH MID :H Plane

Test Date :2018-08-30 Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
65.89	Peak	45.45	-9.20	36.25	40.00	-3.75
165.80	Peak	35.50	-7.32	28.18	43.50	-15.32
298.69	Peak	31.92	-5.55	26.37	46.00	-19.63
366.59	Peak	32.32	-4.02	28.30	46.00	-17.70
466.50	Peak	28.33	-2.07	26.26	46.00	-19.74
689.60	Peak	27.82	1.88	29.70	46.00	-16.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 51 of 162

802.11a 5250~5350 MHz

Test Date Operation Band :802.11aB2 :2018-08-30

Fundamental Frequency :5300 MHz Temp./Humi. :23 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
32.91	Peak	43.24	-8.82	34.42	40.00	-5.58
219.15	Peak	30.07	-9.08	20.99	46.00	-25.01
293.84	Peak	27.30	-5.69	21.61	46.00	-24.39
415.09	Peak	27.70	-2.95	24.75	46.00	-21.25
459.71	Peak	30.66	-2.46	28.20	46.00	-17.80
691.54	Peak	27.23	1.57	28.80	46.00	-17.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 52 of 162

Operation Band Fundamental Frequency Operation Mode


EUT Pol.

:802.11aB2 :5300 MHz :Tx CH MID :H Plane

Test Date :2018-08-30 Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
65.89	Peak	45.18	-9.20	35.98	40.00	-4.02
165.80	Peak	34.65	-7.32	27.33	43.50	-16.17
299.66	Peak	32.40	-5.52	26.88	46.00	-19.12
357.86	Peak	32.25	-4.22	28.03	46.00	-17.97
529.55	Peak	27.72	-1.18	26.54	46.00	-19.46
650.80	Peak	27.79	0.50	28.29	46.00	-17.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 53 of 162

802.11a, 5470~5725 MHz

Operation Band Test Date :802.11aB3 :2018-08-30 Fundamental Frequency :5580 MHz Temp./Humi. :23 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
32.91	Peak	44.03	-8.82	35.21	40.00	-4.79
217.21	Peak	30.33	-9.12	21.21	46.00	-24.79
245.34	Peak	28.56	-7.49	21.07	46.00	-24.93
384.05	Peak	27.81	-3.79	24.02	46.00	-21.98
529.55	Peak	27.67	-1.18	26.49	46.00	-19.51
699.30	Peak	26.52	1.74	28.26	46.00	-17.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 54 of 162

Operation Band :802.11aB3 Fundamental Frequency Operation Mode


EUT Pol.

:5580 MHz :Tx CH MID :H Plane

Test Date :2018-08-30 Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
65.89	Peak	45.30	-9.20	36.10	40.00	-3.90
165.80	Peak	36.31	-7.32	28.99	43.50	-14.51
280.26	Peak	33.35	-6.12	27.23	46.00	-18.77
356.89	Peak	32.64	-4.21	28.43	46.00	-17.57
459.71	Peak	30.10	-2.46	27.64	46.00	-18.36
686.69	Peak	26.58	1.70	28.28	46.00	-17.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Fundamental Frequency

Report No.: ER/2018/70057

Page: 55 of 162

Above 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz


:5180 MHz

:2018-08-30 **Operation Band** :802.11aB1 **Test Date**

:21 deg_C / 62 RH Operation Mode :Tx CH LOW Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL

Temp./Humi.



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Peak	33.23	19.71	52.94	68.20	-15.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 56 of 162

Operation Band :802.11aB1 Fundamental Frequency **Operation Mode**

EUT Pol.


:5180 MHz :Tx CH LOW :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
10360.00	Peak	33.56	19.71	53.27	68.20	-14.93	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 57 of 162

Operation Band Test Date :802.11aB1 :2018-08-30

Fundamental Frequency :5220 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
_	MHz	PK/QP/AV	dBμV	dB	dBµV/m	dBμV/m	dB	
•	10440.00	Peak	32.77	20.75	53.52	68.20	-14.68	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 58 of 162

Operation Band Test Date :802.11aB1 :2018-08-30

Fundamental Frequency :5220 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer

EUT Pol. :H Plane Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBμV	dB	dBµV/m	dΒμV/m	dB
10440.00	Peak	33.06	20.05	53.11	68.20	-15.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 59 of 162

Operation Band Test Date :802.11aB1 :2018-08-30

Fundamental Frequency :5240 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
10480.00	Peak	32.19	20.79	52.98	68.20	-15.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 60 of 162

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11aB1 :5240 MHz :Tx CH HIGH :H Plane

Test Date :2018-08-30 Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Peak	32.11	20.07	52.18	68.20	-16.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 61 of 162

Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz

Operation Band :802.11aB2 **Test Date** :2018-08-30 Fundamental Frequency :5260 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10520.00	Peak	32.22	20.78	53.00	68.20	-15.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 62 of 162

Operation Band :802.11aB2 Fundamental Frequency :5260 MHz

Operation Mode EUT Pol.


:Tx CH LOW :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
10520.00	Peak	32.74	20.00	52.74	68.20	-15.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 63 of 162

Operation Band Test Date :802.11aB2 :2018-08-30

Fundamental Frequency :5300 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
10600.00	Average	21.35	21.18	42.53	54.00	-11.47
10600.00	Peak	33.44	21.18	54.62	74.00	-19.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 64 of 162

Operation Band Test Date :802.11aB2 :2018-08-30

Fundamental Frequency :5300 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer

EUT Pol. :H Plane Measurement Antenna Pol. :HORIZONTAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
	10600.00	Average	21.59	20.38	41.97	54.00	-12.03
	10600.00	Peak	32.69	20.38	53.07	74.00	-20.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 65 of 162

Operation Band Test Date :802.11aB2 :2018-08-30

Fundamental Frequency :5320 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10640.00	Average	21.96	21.24	43.20	54.00	-10.80
10640.00	Peak	34.09	21.24	55.33	74.00	-18.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 66 of 162

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11aB2 :5320 MHz :Tx CH HIGH

:H Plane

Test Date :2018-08-30 Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
10640.00	Average	22.09	20.44	42.53	54.00	-11.47
10640.00	Peak	34.13	20.44	54.57	74.00	-19.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 67 of 162

Radiated Spurious Emission Measurement Result 802.11a, 5470~5725 MHz

Operation Band :802.11aB3 **Test Date** :2018-08-30 Fundamental Frequency :5500 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11000.00	Average	21.59	22.17	43.76	54.00	-10.24
11000.00	Peak	31.88	22.17	54.05	74.00	-19.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 68 of 162


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5500 MHz :Tx CH LOW :H Plane

Test Date :2018-08-30 Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11000.00	Average	21.74	21.37	43.11	54.00	-10.89
11000.00	Peak	32.12	21.37	53.49	74.00	-20.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 69 of 162

Operation Band Test Date :802.11aB3 :2018-08-30

Fundamental Frequency :5580 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11160.00	Average	21.52	22.31	43.83	54.00	-10.17
11160.00	Peak	32.60	22.31	54.91	74.00	-19.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 70 of 162

Operation Band Test Date :802.11aB3 :2018-08-30 Fundamental Frequency :5580 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer

EUT Pol. :H Plane Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11160.00	Average	21.65	21.51	43.16	54.00	-10.84
11160.00	Peak	31.70	21.51	53.21	74.00	-20.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 71 of 162

Operation Band :802.11aB3


Fundamental Frequency :5700 MHz **Operation Mode** :Tx CH HIGH

EUT Pol. :H Plane **Test Date** :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11400.00	Average	21.11	22.42	43.53	54.00	-10.47
11400.00	Peak	32.44	22.42	54.86	74.00	-19.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 72 of 162

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11aB3 :5700 MHz :Tx CH HIGH :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11400.00	Average	21.31	21.62	42.93	54.00	-11.07
11400.00	Peak	32.41	21.62	54.03	74.00	-19.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 73 of 162

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

Operation Band :802.11n20B1 **Test Date** :2018-08-30 Fundamental Frequency :5180 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
•	10360.00	Peak	32.43	20.41	52.84	68.20	-15.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 74 of 162

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11n20B1 :5180 MHz :Tx CH LOW :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10360.00	Peak	32.64	19.71	52.35	68.20	-15.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 75 of 162

Operation Band Fundamental Frequency


Operation Mode EUT Pol.

:802.11n20B1 :5220 MHz :Tx CH MID :H Plane

Test Date :2018-08-30 :21 deg_C / 62 RH

Temp./Humi. Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10440.00	Peak	31.92	20.75	52.67	68.20	-15.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 76 of 162

Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:802.11n20B1 :5220 MHz :Tx CH MID


:H Plane

Test Date Temp./Humi.

:2018-08-30 :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Fre	eq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
M	Hz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
1044	10.00	Peak	32.40	20.05	52.45	68.20	-15.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 77 of 162

Operation Band Test Date :802.11n20B1 :2018-08-30

Fundamental Frequency :5240 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10480.00	Peak	32.38	20.79	53.17	68.20	-15.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 78 of 162

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11n20B1 :5240 MHz :Tx CH HIGH :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Peak	32.11	20.07	52.18	68.20	-16.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 79 of 162

Radiated Spurious Emission Measurement Result 802.11n HT20, 5250~5350 MHz

Operation Band :802.11n20B2 **Test Date** :2018-08-30 Fundamental Frequency :5260 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB	
•	10520.00	Peak	32.54	20.78	53.32	68.20	-14.88	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 80 of 162

Operation Band Fundamental Frequency :5260 MHz

Operation Mode EUT Pol.


:802.11n20B2 :Tx CH LOW :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.00	Peak	33.62	20.00	53.62	68.20	-14.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page: 81 of 162

Operation Band Test Date :802.11n20B2 :2018-08-30

Fundamental Frequency :5300 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
10600.00	Average	21.42	21.18	42.60	54.00	-11.40
10600.00	Peak	33.66	21.18	54.84	74.00	-19.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 82 of 162

Operation Band Fundamental Frequency

:5300 MHz **Operation Mode** :Tx CH MID EUT Pol. :H Plane


:802.11n20B2

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
10600.00	Average	21.47	20.38	41.85	54.00	-12.15
10600.00	Peak	33.41	20.38	53.79	74.00	-20.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 83 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11n20B2 :5320 MHz :Tx CH HIGH :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
10640.00	Average	21.52	21.24	42.76	54.00	-11.24
10640.00	Peak	32.70	21.24	53.94	74.00	-20.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 84 of 162

Operation Band Fundamental Frequency


:802.11n20B2 :5320 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
10640.00	Average	21.98	20.44	42.42	54.00	-11.58
10640.00	Peak	33.89	20.44	54.33	74.00	-19.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 85 of 162

Radiated Spurious Emission Measurement Result 802.11n HT20, 5470~5725 MHz

Operation Band :802.11n20B3 **Test Date** :2018-08-30 Fundamental Frequency :5500 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
	11000.00	Average	21.58	22.17	43.75	54.00	-10.25
	11000.00	Peak	32.49	22.17	54.66	74.00	-19.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 86 of 162

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11n20B3 :5500 MHz :Tx CH LOW :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11000.00	Average	21.75	21.37	43.12	54.00	-10.88
11000.00	Peak	33.18	21.37	54.55	74.00	-19.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 87 of 162

Operation Band Test Date :802.11n20B3 :2018-08-30

Fundamental Frequency :5580 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
Ī	11160.00	Average	21.47	22.31	43.78	54.00	-10.22
	11160.00	Peak	32.17	22.31	54.48	74.00	-19.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 88 of 162

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11n20B3 :5580 MHz :Tx CH MID :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11160.00	Average	21.57	21.51	43.08	54.00	-10.92
11160.00	Peak	32.31	21.51	53.82	74.00	-20.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



:2018-08-30


Page: 89 of 162

Operation Band Test Date :802.11n20B3

Fundamental Frequency :5700 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	11400.00	Peak	32.27	22.42	54.69	74.00	-19.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 90 of 162

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11n20B3 :5700 MHz :Tx CH HIGH :H Plane

Test Date :2018-08-30 Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11400.00	Peak	32.22	21.62	53.84	74.00	-20.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 91 of 162

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

Operation Band :802.11n40B1 **Test Date** :2018-08-30 Fundamental Frequency :5190 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10380.00	Peak	31.64	20.48	52.12	68.20	-16.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 92 of 162

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11n40B1 :5190 MHz :Tx CH LOW :H Plane

Test Date :2018-08-30 Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB	
10380.00	Peak	32.17	19.78	51.95	68.20	-16.25	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 93 of 162

Operation Band Test Date :802.11n40B1 :2018-08-30 Fundamental Frequency :5230 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
10460.00	Peak	32.61	20.77	53.38	68.20	-14.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 94 of 162

Operation Band Fundamental Frequency

:5230 MHz **Operation Mode** :Tx CH HIGH EUT Pol. :H Plane


:802.11n40B1

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
•	10460.00	Peak	31.99	20.07	52.06	68.20	-16.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 95 of 162

Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz

Operation Band :802.11n40B2 **Test Date** :2018-08-30 Fundamental Frequency :5270 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	
10540.00	Peak	32.28	20.82	53.10	68.20	-15.10	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 96 of 162

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11n40B2 :5270 MHz :Tx CH LOW :H Plane

Test Date :2018-08-30 Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	
10540.00	Peak	32.17	20.02	52.19	68.20	-16.01	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 97 of 162

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.


:802.11n40B2 :5310 MHz :Tx CH HIGH :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
10620.00	Average	21.32	21.21	42.53	54.00	-11.47
10620.00	Peak	32.21	21.21	53.42	74.00	-20.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 98 of 162

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11n40B2 :5310 MHz :Tx CH HIGH :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
10620.00	Average	21.45	20.41	41.86	54.00	-12.14
10620.00	Peak	32.20	20.41	52.61	74.00	-21.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 99 of 162

Radiated Spurious Emission Measurement Result 802.11n HT40, 5470~5725 MHz

Operation Band :802.11n40B3 **Test Date** :2018-08-30 Fundamental Frequency :5510 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
11020.00	Average	21.40	22.28	43.68	54.00	-10.32
11020.00	Peak	31.88	22.28	54.16	74.00	-19.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 100 of 162

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11n40B3 :5510 MHz :Tx CH LOW :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
_	11020.00	Average	21.51	21.46	42.97	54.00	-11.03
	11020.00	Peak	32.74	21.46	54.20	74.00	-19.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 101 of 162

Operation Band Test Date :802.11n40B3 :2018-08-30

Fundamental Frequency :5550 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH MID Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
Ī	11100.00	Average	21.24	22.38	43.62	54.00	-10.38
	11100.00	Peak	31.77	22.38	54.15	74.00	-19.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 102 of 162

Operation Band Test Date :802.11n40B3 :2018-08-30 Fundamental Frequency :5550 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH MID Engineer

EUT Pol. :H Plane Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11100.00	Average	21.33	21.53	42.86	54.00	-11.14
11100.00	Peak	33.08	21.53	54.61	74.00	-19.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 103 of 162

Operation Band Test Date :802.11n40B3 :2018-08-30

Fundamental Frequency :5670 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH HIGH Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
11340.00	Average	21.44	22.34	43.78	54.00	-10.22
11340.00	Peak	32.33	22.34	54.67	74.00	-19.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 104 of 162

Operation Band Fundamental Frequency **Operation Mode**


EUT Pol.

:802.11n40B3 :5670 MHz :Tx CH HIGH :H Plane

Test Date :2018-08-30 Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11340.00	Average	21.42	21.54	42.96	54.00	-11.04
11340.00	Peak	31.48	21.54	53.02	74.00	-20.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 105 of 162

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

Operation Band :802.11ac80B1 **Test Date** :2018-08-30

Fundamental Frequency :5210 MHz Temp./Humi. :21 deg_C / 62 RH **Operation Mode** :Tx CH LOW Engineer

EUT Pol. Measurement Antenna Pol. :H Plane :VERTICAL



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
	Mode	Reading Level		FS	@3m	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10420.00	Peak	31.15	20.69	51.84	68.20	-16.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 106 of 162

Operation Band Fundamental Frequency

Operation Mode EUT Pol.


:802.11ac80B1 :5210 MHz :Tx CH LOW :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
10420.00	Peak	31.94	19.99	51.93	68.20	-16.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 107 of 162

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz

Operation Band :802.11ac80B2 **Test Date** :2018-08-30 Fundamental Frequency :21 deg_C / 62 RH :5290 MHz Temp./Humi.

Operation Mode :Tx CH HIGH Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10580.00	Peak	32.15	21.03	53.18	68.20	-15.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 108 of 162

Operation Band Test Date :802.11ac80B2 :2018-08-30 Fundamental Frequency :5290 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH HIGH Engineer

EUT Pol. :H Plane Measurement Antenna Pol. :HORIZONTAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
•	10580.00	Peak	32.75	20.23	52.98	68.20	-15.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.




Page: 109 of 162

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5470~5725 MHz

Operation Band :802.11ac80B3 **Test Date** :2018-08-30

Fundamental Frequency :21 deg_C / 62 RH :5530 MHz Temp./Humi. **Operation Mode** :Tx CH LOW Engineer :Tin

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBμV/m	dB
11060.00	Average	21.71	22.41	44.12	54.00	-9.88
11060.00	Peak	32.13	22.41	54.54	74.00	-19.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page: 110 of 162

Operation Band Test Date :802.11ac80B3 :2018-08-30 Fundamental Frequency :5530 MHz Temp./Humi. :21 deg_C / 62 RH

Operation Mode :Tx CH LOW Engineer

EUT Pol. :H Plane Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
11060.00	Average	21.54	21.53	43.07	54.00	-10.93
11060.00	Peak	32.88	21.53	54.41	74.00	-19.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 111 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11ac80B3 :5610 MHz :Tx CH HIGH :H Plane

Test Date :2018-08-30

Temp./Humi. :21 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
11220.00	Average	21.32	22.36	43.68	54.00	-10.32
11220.00	Peak	32.29	22.36	54.65	74.00	-19.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 112 of 162


Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5610 MHz :Tx CH HIGH :H Plane

Test Date :2018-08-30 Temp./Humi. :21 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
11220.00	Average	21.44	21.56	43.00	54.00	-11.00
11220.00	Peak	31.61	21.56	53.17	74.00	-20.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



:2018-08-29

:23 deg_C / 62 RH

Page: 113 of 162

Band edge falling to restricted band 802.11a mode


Operation Band :802.11aB1 Fundamental Frequency :5180 MHz

Operation Mode :Bandedge CH LOW Engineer :Tin

Test Date

Temp./Humi.

EUT Pol. :H Plane Measurement Antenna Pol. :VERTICAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
_	5150.00	Average	38.01	8.32	46.33	54.00	-7.67
	5150.00	Peak	50.90	8.32	59.22	74.00	-14.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sgs.com



Page: 114 of 162

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11aB1 :5180 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-08-29

Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5150.00	Average	37.84	8.32	46.16	54.00	-7.84
5150.00	Peak	49.02	8.32	57.34	74.00	-16.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 115 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB2 :5320 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-08-29

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5350.00	Average	37.75	8.63	46.38	54.00	-7.62
5350.00	Peak	49.21	8.63	57.84	74.00	-16.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 116 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB2 :5320 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-08-29

Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5350.00	Average	37.55	8.63	46.18	54.00	-7.82
5350.00	Peak	48.84	8.63	57.47	74.00	-16.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 117 of 162

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11aB3 :5500 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-08-29

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5460.00	Average	37.64	8.75	46.39	54.00	-7.61
5460.00	Peak	48.76	8.75	57.51	74.00	-16.49
5470.00	Peak	49.65	8.74	58.39	68.20	-9.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 118 of 162

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11aB3 :5500 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-08-29

Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5460.00	Average	37.52	8.75	46.27	54.00	-7.73
5460.00	Peak	49.35	8.75	58.10	74.00	-15.90
5470.00	Peak	48.95	8.74	57.69	68.20	-10.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 119 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5700 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-08-29

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5725.00	Peak	49.48	9.44	58.92	68.20	-9.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 120 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11aB3 :5700 MHz


:Bandedge CH HIGH

:H Plane

Test Date :2018-08-29

Temp./Humi. :23 deg_C / 62 RH Engineer

Measurement Antenna Pol. :HORIZONTAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dBμV	dB	dBμV/m	dBμV/m	dB
_	5725.00	Peak	49.09	9.44	58.53	68.20	-9.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 121 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5180 MHz


:Bandedge CH LOW

:H Plane

Test Date :2018-08-29

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5150.00	Average	37.80	8.32	46.12	54.00	-7.88
5150.00	Peak	49.22	8.32	57.54	74.00	-16.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 122 of 162

802.11n20 HT mode

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11n20B1 :5180 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-08-29

Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5	150.00	Average	37.83	8.32	46.15	54.00	-7.85
5	150.00	Peak	50.76	8.32	59.08	74.00	-14.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 123 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5320 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-08-29

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5350.00	Average	37.66	8.63	46.29	54.00	-7.71
5350.00	Peak	49.23	8.63	57.86	74.00	-16.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 124 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B1 :5320 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-08-29

Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5350.00	Average	37.67	8.63	46.30	54.00	-7.70
5350.00	Peak	49.01	8.63	57.64	74.00	-16.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 125 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5500 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5460.00	Average	37.56	8.75	46.31	54.00	-7.69
5460.00	Peak	48.66	8.75	57.41	74.00	-16.59
5470.00	Peak	49.39	8.74	58.13	68.20	-10.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 126 of 162

Operation Band Fundamental Frequency **Operation Mode**

:802.11n20B3 :5500 MHz

Temp./Humi.

Test Date

:2018-08-30

EUT Pol.


:Bandedge CH LOW :H Plane

Engineer

:23 deg_C / 62 RH

Measurement Antenna Pol.

:HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5460.00	Average	37.44	8.75	46.19	54.00	-7.81
5460.00	Peak	48.95	8.75	57.70	74.00	-16.30
5470.00	Peak	48.67	8.74	57.41	68.20	-10.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 127 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5700 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB
_	5725.00	Peak	50.29	9.44	59.73	68.20	-8.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 128 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n20B3 :5700 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5725.00	Peak	48.92	9.44	58.36	68.20	-9.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 129 of 162

802.11n40 HT mode

Operation Band Fundamental Frequency **Operation Mode**

EUT Pol.

:802.11n40B1 :5190 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5150.00	Average	37.93	8.32	46.25	54.00	-7.75
5150.00	Peak	49.59	8.32	57.91	74.00	-16.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 130 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B1 :5190 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5150.00	Average	37.87	8.32	46.19	54.00	-7.81
5150.00	Peak	50.70	8.32	59.02	74.00	-14.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 131 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B2 :5310 MHz


:Bandedge CH HIGH

:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5350.00	Average	37.80	8.63	46.43	54.00	-7.57
5350.00	Peak	49.76	8.63	58.39	74.00	-15.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 132 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B2 :5310 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dBμV/m	dB	
5350.00	Average	37.54	8.63	46.17	54.00	-7.83	
5350.00	Peak	50.39	8.63	59.02	74.00	-14.98	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 133 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5510 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5460.00	Average	37.67	8.75	46.42	54.00	-7.58
5460.00	Peak	49.30	8.75	58.05	74.00	-15.95
5470.00	Peak	49.39	8.74	58.13	68.20	-10.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 134 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5510 MHz :Bandedge CH LOW


:H Plane

Test Date Temp./Humi. Engineer

:2018-08-30

:23 deg_C / 62 RH

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5460.00	Average	37.59	8.75	46.34	54.00	-7.66
5460.00	Peak	48.95	8.75	57.70	74.00	-16.30
5470.00	Peak	49.03	8.74	57.77	68.20	-10.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 135 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11n40B3 :5670 MHz

:Bandedge CH HIGH


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
Ī	5725.00	Peak	48.54	9.44	57.98	68.20	-10.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 136 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.


:802.11n40B3 :5670 MHz :Bandedge CH HIGH

:H Plane

Test Date :2018-08-30 Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



	Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
Ī	5725.00	Peak	49.11	9.44	58.55	68.20	-9.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 137 of 162

802.11ac80 VHT mode

Operation Band Fundamental Frequency

Operation Mode EUT Pol.

:802.11ac80B1 :5210 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5150.00	Average	39.86	8.32	48.18	54.00	-5.82
5150.00	Peak	50.14	8.32	58.46	74.00	-15.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 138 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B1 :5210 MHz :Bandedge CH LOW


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
 MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5150.00	Average	39.44	8.32	47.76	54.00	-6.24
5150.00	Peak	50.14	8.32	58.46	74.00	-15.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 139 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B2 :5290 MHz :Bandedge CH HIGH


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer :Tin

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5350.00	Average	38.66	8.63	47.29	54.00	-6.71
5350.00	Peak	48.56	8.63	57.19	74.00	-16.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 140 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B2 :5290 MHz :Bandedge CH HIGH


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBμV/m	dΒμV/m	dB
5350.00	Average	38.65	8.63	47.28	54.00	-6.72
5350.00	Peak	49.68	8.63	58.31	74.00	-15.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 141 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5530 MHz :Bandedge CH LOW

Temp./Humi.

:2018-08-30

:23 deg_C / 62 RH


Engineer

Test Date

:Tin

:H Plane

Measurement Antenna Pol. :VERTICAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5460.00	Average	38.83	8.75	47.58	54.00	-6.42
5460.00	Peak	48.85	8.75	57.60	74.00	-16.40
5470.00	Peak	49.62	8.74	58.36	68.20	-9.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488



Page: 142 of 162

Operation Band Fundamental Frequency **Operation Mode** EUT Pol.

:802.11ac80B3 :5530 MHz

:Bandedge CH LOW


:H Plane

Test Date :2018-08-30

Temp./Humi. :23 deg_C / 62 RH

Engineer

Measurement Antenna Pol. :HORIZONTAL



Freq.	Detector Mode	Spectrum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
5460.00	Average	38.68	8.75	47.43	54.00	-6.57
5460.00	Peak	48.86	8.75	57.61	74.00	-16.39
5470.00	Peak	48.69	8.74	57.43	68.20	-10.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.



Page: 143 of 162

TRANSMISSION IN THE ABSENCE OF DATA

12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

f (886-2) 2298-0488



Page: 144 of 162

13 FREQUENCY STABILITY

13.1 Standard Applicable


Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- 1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

13.3 Test SET-UP

Temperature Chamber



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the firs pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd. t (886-2) 2299-3279

www.tw.sqs.com



Page: 145 of 162

13.4 Measurement Equipment Used:

SGS Conducted Room						
Name of Equipment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due	
Spectrum Analyzer	R&S	FSV-30	101398	Feb. 01st, 2018	Jan. 31th, 2019	
DC Power Supply	Anritsu	E3640A	MY52410006	Feb. 01st, 2018	Jan. 31th, 2019	
Temperature Chamber	TERCHY	MHG-120LF	911009	Feb. 01st, 2018	Jan. 31th, 2019	
Attenuator	Mini-Circuit	BW-S10W2+	2	Nov. 28tg, 2017	Nov. 27th, 2018	
DC Block	Mini-Circuits	BLK-18-S+	1	Jan. 02nd, 2018	Jan. 01st, 2019	
Coaxial Cables	N/A	WK CE Cable	N/A	Jan. 02nd, 2018	Jan. 01st, 2019	
Notebook	Lenovo	L430	R9-WGNK5	Jan. 02nd, 2018	Jan. 01st, 2019	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the testics shrinking the testics report relations for the sample(s) tested and such carriers are testics shrinking are testing shrinking. This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page: 146 of 162

13.5 Measurement Result

Startup:

<u></u>			
Operation Mode	802.11 a	Test Date	2018.09.13
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.99335	0.00000128
		44	5220	5,220.00680	-0.00000130
		48	5240	5,240.00206	-0.00000039
		52	5260	5,259.99751	0.00000047
		60	5300	5,299.99772	0.00000043
	4.29V	64	5320	5,320.00463	-0.00000087
		100	5500	5,500.00918	-0.00000167
		116	5580	5,579.99452	0.00000098
		140	5700	5,700.00588	-0.00000103
-10 °C		36	5180	5,179.99862	0.00000027
		44	5220	5,219.99415	0.00000112
		48	5240	5,239.99528	0.00000090
		52	5260	5,259.99637	0.00000069
		60	5300	5,300.00970	-0.00000183
	3.51V	64	5320	5,320.00142	-0.00000027
		100	5500	5,499.99668	0.00000060
		116	5580	5,579.99867	0.00000024
		140	5700	5,699.99363	0.00000112
		36	5180	5,180.00206	-0.00000040
		44	5220	5,220.00280	-0.00000054
		48	5240	5,240.00238	-0.00000045
		52	5260	5,260.00474	-0.00000090
		60	5300	5,299.99619	0.00000072
25 ℃	3.8V	64	5320	5,319.99091	0.00000171
		100	5500	5,499.99200	0.00000146
		116	5580	5,580.00346	-0.00000062
		140	5700	5,700.00199	-0.00000035

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the substant of the company is unauthorized alteration, forgery or falsification of the content or approximate in support is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 147 of 162

		36	5180	5,179.99166	0.00000161
		44	5220	5,220.00974	-0.00000187
		48	5240	5,240.00653	-0.00000125
		52	5260	5,260.00783	-0.00000149
		60	5300	5,300.00391	-0.00000074
		64	5320	5,319.99123	0.00000165
	4.29V	100	5500	5,499.99546	0.00000083
		116	5580	5,580.00072	-0.00000013
		140	5700	5,699.99032	0.00000170
55 ℃		36	5180	5,180.00785	-0.00000151
		44	5220	5,220.00771	-0.00000148
		48	5240	5,240.00076	-0.00000015
		52	5260	5,259.99863	0.00000026
		60	5300	5,300.00804	-0.00000152
	3.51V	64	5320	5,320.00208	-0.00000039
		100	5500	5,499.99782	0.00000040
		116	5580	5,580.00020	-0.00000004
		140	5700	5,700.00039	-0.00000007

Operation Mode	802.11 n_HT40	Test Date	2018.09.13
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,190.00645	-0.00000124
		46	5230	5,229.99261	0.00000141
		54	5270	5,269.99578	0.00000080
	4.29V	62	5310	5,310.00887	-0.00000167
		102	5510	5,510.00765	-0.00000139
		110	5550	5,550.00685	-0.00000123
-10 °C		134	5670	5,669.99236	0.00000135
	3.51V	38	5190	5,190.00552	-0.00000106
		46	5230	5,229.99507	0.00000094
		54	5270	5,270.00604	-0.00000115
		62	5310	5,310.00439	-0.00000083
		102	5510	5,509.99503	0.00000090
		110	5550	5,549.99334	0.00000120
		134	5670	5,669.99685	0.00000056

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 148 of 162

		38	5190	5,189.99694	0.00000059
		46	5230	5,229.99049	0.00000182
		54	5270	5,269.99235	0.00000145
25 °C	3.8V	62	5310	5,309.99283	0.00000135
		102	5510	5,510.00464	-0.00000084
		110	5550	5,550.00220	-0.00000040
		134	5670	5,670.00677	-0.00000119
		38	5190	5,189.99752	0.00000048
	4.29V	46	5230	5,229.99348	0.00000125
		54	5270	5,270.00995	-0.00000189
		62	5310	5,309.99743	0.00000048
		102	5510	5,509.99831	0.00000031
		110	5550	5,549.99944	0.00000010
		134	5670	5,669.99314	0.00000121
55 °C		38	5190	5,190.00975	-0.00000188
		46	5230	5,230.00517	-0.00000099
		54	5270	5,270.00802	-0.00000152
	3.51V	62	5310	5,310.00055	-0.00000010
		102	5510	5,510.00610	-0.00000111
		110	5550	5,549.99320	0.00000122
		134	5670	5,670.00093	-0.00000016

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 149 of 162

Operation Mode	802.11 ac_VHT80	Test Date	2018.09.13
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

				1	
Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		42	5210	5,210.00234	-0.00000045
	4.29V	58	5290	5,290.00699	-0.00000132
		106	5530	5,529.99146	0.00000155
-10 ℃		122	5610	5,609.99432	0.00000101
		42	5210	5,209.99433	0.00000109
	3.51V	58	5290	5,289.99917	0.00000016
		106	5530	5,530.00236	-0.00000043
		122	5610	5,610.00320	-0.00000057
		42	5210	5,210.00325	-0.00000062
		58	5290	5,289.99661	0.00000064
25 °C	3.8V	106	5530	5,530.00403	-0.00000073
		122	5610	5,609.99400	0.00000107
		42	5210	5,210.00823	-0.00000158
		58	5290	5,289.99126	0.00000165
	4.29V	106	5530	5,530.00824	-0.00000149
		122	5610	5,610.00288	-0.00000051
55 °C		42	5210	5,210.00530	-0.00000102
		58	5290	5,290.00465	-0.00000088
	3.51V	106	5530	5,529.99954	0.00000008
		122	5610	5,610.00841	-0.00000150

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 150 of 162

2 minutes:

Operation Mode	802.11 a	Test Date	2018.09.13
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,179.99690	0.00000060
		44	5220	5,219.99118	0.00000169
		48	5240	5,240.00340	-0.00000065
		52	5260	5,260.00832	-0.00000158
		60	5300	5,299.99968	0.00000006
	4.29V	64	5320	5,320.00874	-0.00000164
		100	5500	5,499.99660	0.00000062
		116	5580	5,579.99329	0.00000120
		140	5700	5,700.00493	-0.00000086
-10 °C		36	5180	5,179.99694	0.00000059
		44	5220	5,220.00802	-0.00000154
		48	5240	5,239.99818	0.00000035
		52	5260	5,260.00111	-0.00000021
		60	5300	5,299.99721	0.00000053
	3.51V	64	5320	5,319.99796	0.0000038
		100	5500	5,500.00374	-0.00000068
		116	5580	5,579.99906	0.00000017
		140	5700	5,700.00667	-0.00000117
		36	5180	5,179.99419	0.00000112
		44	5220	5,220.00033	-0.00000006
		48	5240	5,239.99306	0.00000132
25 ℃	[52	5260	5,260.00924	-0.00000176
		60	5300	5,299.99177	0.00000155
	3.8V	64	5320	5,320.00293	-0.00000055
		100	5500	5,499.99426	0.00000104
	[116	5580	5,580.00311	-0.00000056
		140	5700	5,699.99069	0.00000163

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate the substant of the company is unauthorized alteration, forgery or falsification of the content or approximate in support is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page: 151 of 162

		36	5180	5,180.00202	-0.00000039
		44	5220	5,219.99215	0.00000150
		48	5240	5,239.99139	0.00000164
		52	5260	5,260.00009	-0.00000002
		60	5300	5,299.99813	0.00000035
		64	5320	5,320.00174	-0.00000033
	4.29V	100	5500	5,500.00166	-0.00000030
		116	5580	5,579.99215	0.00000141
		140	5700	5,700.00508	-0.00000089
55 °C		36	5180	5,179.99535	0.00000090
		44	5220	5,220.00613	-0.00000117
		48	5240	5,239.99565	0.00000083
		52	5260	5,260.00264	-0.00000050
		60	5300	5,299.99032	0.00000183
	3.51V	64	5320	5,319.99782	0.00000041
		100	5500	5,499.99888	0.00000020
		116	5580	5,580.00088	-0.00000016
		140	5700	5,699.99522	0.00000084
		140	5700	5,699.99522	0.00000084

Operation Mode	802.11 n_HT40	Test Date	2018.09.13
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,190.00705	-0.00000136
		46	5230	5,230.00945	-0.00000181
		54	5270	5,270.00042	-0.00000008
		62	5310	5,309.99850	0.00000028
	4.29V	102	5510	5,509.99811	0.00000034
		110	5550	5,549.99592	0.00000074
		134	5670	5,669.99821	0.00000032
-10 °C		38	5190	5,189.99850	0.00000029
		46	5230	5,230.00196	-0.00000038
		54	5270	5,269.99602	0.00000076
		62	5310	5,310.00231	-0.00000044
	3.51V	102	5510	5,510.00183	-0.00000033
		110	5550	5,550.00100	-0.00000018
		134	5670	5,669.99680	0.00000057



Page: 152 of 162

		38	5190	5,189.99498	0.00000097
		46	5230	5,229.99446	0.00000106
		54	5270	5,269.99110	0.00000169
25 °C	3.8V	62	5310	5,310.00659	-0.00000124
		102	5510	5,510.00548	-0.00000099
		110	5550	5,550.00381	-0.00000069
		134	5670	5,670.00170	-0.00000030
		38	5190	5,190.00890	-0.00000172
		46	5230	5,230.00736	-0.00000141
		54	5270	5,270.00645	-0.00000122
		62	5310	5,310.00388	-0.00000073
	4.29V	102	5510	5,509.99289	0.00000129
		110	5550	5,549.99461	0.00000097
		134	5670	5,669.99772	0.00000040
55 °C		38	5190	5,189.99679	0.00000062
		46	5230	5,230.00164	-0.00000031
		54	5270	5,270.00434	-0.00000082
	3.51V	62	5310	5,309.99302	0.00000132
		102	5510	5,509.99980	0.00000004
		110	5550	5,549.99290	0.00000128
		134	5670	5,670.00711	-0.00000125

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 153 of 162

Operation Mode	802.11 ac_VHT80	Test Date	2018.09.13
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		42	5210	5,209.99370	0.00000121
		58	5290	5,289.99079	0.00000174
	4.29V	106	5530	5,529.99260	0.00000134
-10 °C		122	5610	5,610.00742	-0.00000132
		42	5210	5,210.00857	-0.00000164
		58	5290	5,290.00817	-0.00000154
	3.51V	106	5530	5,529.99631	0.00000067
		122	5610	5,609.99209	0.00000141
		42	5210	5,209.99424	0.00000110
		58	5290	5,289.99021	0.00000185
25 °C	3.8V	106	5530	5,529.99017	0.00000178
		122	5610	5,610.00544	-0.00000097
		42	5210	5,210.00766	-0.00000147
		58	5290	5,289.99995	0.00000001
	4.29V	106	5530	5,529.99805	0.00000035
		122	5610	5,610.00605	-0.00000108
55 °C		42	5210	5,209.99489	0.00000098
		58	5290	5,290.00418	-0.00000079
	3.51V	106	5530	5,530.00785	-0.00000142
		122	5610	5,609.99567	0.00000077



Page: 154 of 162

5 minutes

Operation Mode	802.11 a	Test Date	2018.09.13
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

			Measured	Spectrum	A.F
Test Temp.	Test Voltage	Channel	Frequency	Frequency	ΔFrequency
			(MHz)	(MHz)	(MHz)
		36	5180	5,179.99756	0.00000047
		44	5220	5,220.00461	-0.00000088
		48	5240	5,240.00652	-0.00000124
		52	5260	5,259.99506	0.00000094
		60	0	5,299.99605	0.00000074
	4.29V	64	5320	5,319.99665	0.00000063
		100	5500	5,500.00942	-0.00000171
		116	5580	5,579.99994	0.00000001
		140	5700	5,699.99681	0.00000056
-10 °C		36	5180	5,180.00449	-0.00000087
		44	5220	5,220.00660	-0.00000126
		48	5240	5,240.00305	-0.00000058
		52	5260	5,259.99903	0.00000018
		60	5300	5,300.00930	-0.00000176
	3.51V	64	5320	5,319.99428	0.00000108
		100	5500	5,499.99790	0.00000038
		116	5580	5,580.00665	-0.00000119
		140	5700	5,700.00007	-0.00000001
		36	5180	5,179.99682	0.00000061
		44	5220	5,220.00775	-0.00000149
		48	5240	5,240.00300	-0.00000057
		52	5260	5,260.00848	-0.00000161
		60	5300	5,300.00699	-0.00000132
25 °C	3.8V	64	5320	5,319.99640	0.00000068
		100	5500	5,500.00598	-0.00000109
		116	5580	5,579.99924	0.00000014
		140	5700	5,699.99401	0.00000105



Page: 155 of 162

		36	5180	5,179.99156	0.00000163
		44	5220	5,219.99380	0.00000119
		48	5240	5,239.99931	0.00000013
		52	5260	5,259.99130	0.00000165
		60	5300	5,300.00604	-0.00000114
		64	5320	5,319.99892	0.00000020
	4.29V	100	5500	5,499.99339	0.00000120
		116	5580	5,579.99533	0.00000084
		140	5700	5,700.00937	-0.00000164
55 °C		36	5180	5,180.00296	-0.00000057
		44	5220	5,219.99183	0.00000157
		48	5240	5,240.00934	-0.00000178
		52	5260	5,260.00297	-0.00000057
		60	5300	5,300.00543	-0.00000102
	3.51V	64	5320	5,319.99098	0.00000169
		100	5500	5,499.99884	0.00000021
		116	5580	5,580.00518	-0.00000093
		140	5700	5,699.99881	0.00000021

Operation Mode	802.11 n_HT40	Test Date	2018.09.13
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %	-	

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.99626	0.00000072
		46	5230	5,229.99048	0.00000182
		54	5270	5,269.99053	0.00000180
	4.29V	62	5310	5,309.99420	0.00000109
		102	5510	5,509.99166	0.00000151
		110	5550	5,549.99905	0.00000017
		134	5670	5,670.00937	-0.00000165
-10 °C		38	5190	5,189.99092	0.00000175
		46	5230	5,229.99257	0.00000142
	3.51V	54	5270	5,270.00199	-0.00000038
		62	5310	5,309.99496	0.00000095
		102	5510	5,510.00054	-0.00000010
		110	5550	5,550.00511	-0.00000092
		134	5670	5,670.00470	-0.00000083

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 156 of 162

		38	5190	5,190.00597	-0.00000115
		46	5230	5,230.00619	-0.00000118
		54	5270	5,270.00199	-0.00000038
		62	5310	5,309.99125	0.00000165
25 °C	3.8V	102	5510	5,510.00484	-0.00000088
		110	5550	5,549.99238	0.00000137
		134	5670	5,670.00560	-0.00000099
		38	5190	5,190.00412	-0.00000079
		46	5230	5,229.99774	0.00000043
		54	5270	5,269.99068	0.00000177
	4.29V	62	5310	5,310.00734	-0.00000138
		102	5510	5,510.00078	-0.00000014
		110	5550	5,549.99088	0.00000164
		134	5670	5,670.00690	-0.00000122
55 °C		38	5190	5,189.99340	0.00000127
		46	5230	5,230.00420	-0.00000080
		54	5270	5,270.00374	-0.00000071
		62	5310	5,309.99623	0.00000071
	3.51V	102	5510	5,509.99339	0.00000120
		110	5550	5,549.99742	0.00000047
		134	5670	5,670.00692	-0.00000122

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 157 of 162

Operation Mode	802.11 ac_VHT80	Test Date	2018.09.13
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		42	5210	5,210.00938	-0.00000180
		58	5290	5,290.00362	-0.00000068
	4.29V	106	5530	5,529.99505	0.00000090
		122	5610	5,610.00101	-0.00000018
-10 °C		42	5210	5,210.00990	-0.00000190
		58	5290	5,290.00643	-0.00000122
	3.51V	106	5530	5,529.99882	0.00000021
		122	5610	5,609.99150	0.00000152
		42	5210	5,210.00469	-0.00000090
		58	5290	5,290.00973	-0.00000184
25 °C	3.8V	106	5530	5,530.00131	-0.00000024
		122	5610	5,609.99847	0.00000027
		42	5210	5,209.99682	0.00000061
		58	5290	5,289.99960	0.00000008
	4.29V	106	5530	5,530.00522	-0.00000094
55 °C		122	5610	5,610.00695	-0.00000124
		42	5210	5,210.00746	-0.00000143
		58	5290	5,289.99632	0.00000070
	3.51V	106	5530	5,529.99306	0.00000125
		122	5610	5,610.00757	-0.00000135



Page: 158 of 162

10 minutes:

Operation Mode	802.11 a	Test Date	2018.09.13
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		36	5180	5,180.00885	-0.00000171
		44	5220	5,219.99417	0.00000112
		48	5240	5,239.99995	0.00000001
		52	5260	5,260.00092	-0.00000017
		60	5300	5,299.99813	0.00000035
	4.29V	64	5320	5,320.00922	-0.00000173
		100	5500	5,500.00381	-0.00000069
		116	5580	5,579.99048	0.00000171
		140	5700	5,700.00366	-0.00000064
-10 °C		36	5180	5,180.00075	-0.00000014
		44	5220	5,220.00890	-0.00000171
		48	5240	5,240.00613	-0.00000117
		52	5260	5,260.00305	-0.0000058
		60	5300	5,299.99112	0.00000168
	3.51V	64	5320	5,319.99257	0.00000140
		100	5500	5,499.99089	0.00000166
		116	5580	5,579.99016	0.00000176
		140	5700	5,700.00469	-0.00000082
		36	5180	5,179.99084	0.00000177
		44	5220	5,220.00857	-0.00000164
		48	5240	5,240.00227	-0.00000043
		52	5260	5,260.00465	-0.00000088
		60	5300	5,300.00586	-0.00000111
[™] 25 °C	3.8V	64	5320	5,320.00483	-0.00000091
		100	5500	5,500.00686	-0.00000125
		116	5580	5,580.00109	-0.00000019
		140	5700	5,699.99203	0.00000140

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 159 of 162

		36 44 48 52	5180 5220 5240	5,180.00161 5,220.00261 5,240.00407	-0.00000031 -0.00000050
		48		· ·	
			5240	5 240 00407	7
		52		5,240.00407	-0.00000078
		JZ	5260	5,260.00493	-0.00000094
		60	5300	5,299.99758	0.00000046
		64	5320	5,319.99169	0.00000156
ľ	4.29V	100	5500	5,499.99509	0.00000089
		116	5580	5,579.99564	0.00000078
		140	5700	5,699.99339	0.00000116
55 °C		36	5180	5,180.00595	-0.00000115
		44	5220	5,220.00289	-0.00000055
		48	5240	5,239.99094	0.00000173
		52	5260	5,260.00594	-0.00000113
		60	5300	5,300.00426	-0.00000080
ľ	3.51V	64	5320	5,319.99822	0.00000034
		100	5500	5,500.00473	-0.00000086
		116	5580	5,579.99146	0.00000153
		140	5700	5,700.00814	-0.00000143

Operation Mode	802.11 n_HT40	Test Date	2018.09.13
Temperature	:23 °C	Test By	Gary
Humidity	:68 %	•	

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		38	5190	5,189.99211	0.00000152
		46	5230	5,229.99132	0.00000166
		54	5270	5,270.00864	-0.00000164
	4.29V	62	5310	5,310.00030	-0.00000006
		102	5510	5,509.99446	0.00000100
		110	5550	5,550.00057	-0.00000010
-10 °C		134	5670	5,669.99249	0.00000132
		38	5190	5,190.00102	-0.00000020
		46	5230	5,230.00659	-0.00000126
		54	5270	5,270.00895	-0.00000170
	3.51V	62	5310	5,309.99194	0.00000152
		102	5510	5,510.00433	-0.00000079
		110	5550	5,550.00387	-0.00000070
		134	5670	5,669.99995	0.00000001

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 160 of 162

		38	5190	5,189.99773	0.00000044
		46	5230	5,229.99572	0.00000082
		54	5270	5,269.99424	0.00000109
		62	5310	5,310.00158	-0.00000030
25 °C	3.8V	102	5510	5,509.99656	0.00000062
		110	5550	5,550.00585	-0.00000105
		134	5670	5,669.99791	0.00000037
		38	5190	5,189.99254	0.00000144
		46	5230	5,229.99613	0.00000074
		54	5270	5,270.00591	-0.00000112
		62	5310	5,309.99768	0.00000044
	4.29V	102	5510	5,510.00211	-0.00000038
		110	5550	5,549.99846	0.00000028
		134	5670	5,669.99240	0.00000134
55 °C		38	5190	5,189.99014	0.00000190
		46	5230	5,229.99083	0.00000175
		54	5270	5,270.00768	-0.00000146
		62	5310	5,310.00061	-0.00000012
	3.51V	102	5510	5,509.99509	0.00000089
		110	5550	5,550.00717	-0.00000129
		134	5670	5,670.00426	-0.00000075

t (886-2) 2299-3279



Page: 161 of 162

Operation Mode	802.11 ac_VHT80	Test Date	2018.09.13
Temperature	:23 ℃	Test By	Gary
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	ΔFrequency (MHz)
		42	5210	5,210.00254	-0.00000049
		58	5290	5,289.99872	0.00000024
	4.29V	106	5530	5,530.00938	-0.00000170
-10 °C		122	5610	5,609.99031	0.00000173
		42	5210	5,209.99754	0.00000047
		58	5290	5,290.00512	-0.00000097
	3.51V	106	5530	5,529.99910	0.00000016
		122	5610	5,609.99460	0.00000096
		42	5210	5,210.00470	-0.00000090
		58	5290	5,289.99762	0.00000045
25 °C	3.8V	106	5530	5,529.99489	0.00000092
		122	5610	5,610.00339	-0.00000060
		42	5210	5,210.00766	-0.00000147
		58	5290	5,290.00509	-0.00000096
	4.29V	106	5530	5,529.99669	0.00000060
55 °C		122	5610	5,609.99933	0.00000012
		42	5210	5,209.99638	0.00000070
		58	5290	5,290.00781	-0.00000148
	3.51V	106	5530	5,530.00108	-0.00000020
		122	5610	5,609.99333	0.00000119

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/tems and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate paties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approximate in written approval. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279



Page: 162 of 162

14 ANTENNA REQUIREMENT

14.1 Standard Applicable

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

14.2 Antenna Connected Construction

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices there we stated the results shown in this test report relief they to the sample(s) tested and such carriers of the format of the following the first part of the first part of the following the first part of the following the first part of the pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.