

11.4.3 5785 MHz, EUT Position: Tablet,SL, Main Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 9x6x1 : Measurement x=10mm, y=10mm, z=4mm
 Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 5785MHz

Power Drift-Start : 0.090 W/kg
 Power Drift-Finish: 0.086 W/kg
 Power Drift (%) : -4.444
 Picture :



1 gram SAR value : 0.135 W/kg
 10 gram SAR value : 0.086 W/kg
 Area Scan Peak SAR : 0.102 W/kg
 Zoom Scan Peak SAR : 0.270 W/kg

11.4.4 5785 MHz, EUT Position: Tablet,SP, Aux Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 9x6x1 : Measurement x=10mm, y=10mm, z=4mm
 Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 5785MHz

Power Drift-Start : 0.072 W/kg
 Power Drift-Finish: 0.075 W/kg
 Power Drift (%) : 4.166
 Picture : (No picture)



1 gram SAR value : 0.079 W/kg
 10 gram SAR value : 0.083 W/kg
 Area Scan Peak SAR : 0.091 W/kg
 Zoom Scan Peak SAR : 0.200 W/kg

11.4.5 5785 MHz, EUT Position: Laptop, Main Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 6x8x1 : Measurement x=15mm, y=15mm, z=4mm
 Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data

DUT Position : Touch
 Separation : 0
 Channel : Mid - 5785MHz

Power Drift-Start : 0.095 W/kg
 Power Drift-Finish: 0.092 W/kg
 Power Drift (%) : -3.157
 Picture :



1 gram SAR value : 0.185 W/kg
 10 gram SAR value : 0.107 W/kg
 Area Scan Peak SAR : 0.209 W/kg
 Zoom Scan Peak SAR : 0.430 W/kg

11.4.6 5785 MHz, EUT Position: Laptop, Aux Antenna


Measurement Data

Crest Factor : 1
 Scan Type : Complete
 Area Scan : 6x8x1 : Measurement x=15mm, y=15mm, z=4mm
 Zoom Scan : 9x9x13 : Measurement x=4mm, y=4mm, z=2.5mm

Other Data


DUT Position : Touch
 Separation : 0
 Channel : Mid - 5785MHz

Power Drift-Start : 0.095 W/kg
 Power Drift-Finish: 0.099 W/kg
 Power Drift (%) : 4.210
 Picture :



1 gram SAR value : 0.171 W/kg
 10 gram SAR value : 0.112 W/kg
 Area Scan Peak SAR : 0.196 W/kg
 Zoom Scan Peak SAR : 0.350 W/kg

11.4.7 Z-Axis 5785MHz, EUT Position: Laptop, Main Antenna



12 Setup Photographs


LAPTOP mode



Tablet PL Mode



Tablet PP Mode



Tablet SL Mode



Tablet SP Mode




13 EUT Photographs

EUT-1



EUT-2




Built_In PC-1




Built_In PC -2



Built_In PC -3




Built_In PC -4




Built_In PC -5



Built_In PC -6




karafuto-1




karafoto-2




Tosa-1




Tosa-2



akita-1



akita-2



14 Appendix: Probe and Validation Dipole calibration

14.1 Probe: Refer to Probe_Cal.Pdf attached.

14.2 Dipole: Refer to Dipole_Cal.pdf attached.