


|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR81D Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2390        | 5.77        | 38.73          | 44.50          | 74.00          | 29.50       | PASS   | Horizontal | PK     |
| 2  | 2390        | 5.77        | 24.78          | 30.55          | 54.00          | 23.45       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR81D Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 36.59          | 42.36          | 74.00          | 31.64       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 24.70          | 30.47          | 54.00          | 23.53       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR81D Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 37.16          | 43.73          | 74.00          | 30.27       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 23.39          | 29.96          | 54.00          | 24.04       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR81D Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 37.70          | 44.27          | 74.00          | 29.73       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 24.18          | 30.75          | 54.00          | 23.25       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR81E Ble              |          |         |


## Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 5.77        | 37.30          | 43.07          | 74.00          | 30.93       | PASS   | Horizontal | PK     |
| 2              | 2390        | 5.77        | 25.10          | 30.87          | 54.00          | 24.13       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR81E Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 36.53          | 42.30          | 74.00          | 31.70       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 23.85          | 29.62          | 54.00          | 24.38       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR81E Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 36.47          | 43.04          | 74.00          | 30.96       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 24.09          | 30.66          | 54.00          | 23.34       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR81E Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 36.74          | 43.31          | 74.00          | 30.69       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 23.38          | 29.95          | 54.00          | 24.05       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR81E Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2390        | 5.77        | 37.23          | 43.00          | 74.00          | 31.00       | PASS   | Horizontal | PK     |
| 2  | 2390        | 5.77        | 24.78          | 30.55          | 54.00          | 23.45       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR81E Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 36.59          | 42.36          | 74.00          | 31.64       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 23.70          | 29.47          | 54.00          | 24.53       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR81E Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 36.16          | 42.73          | 74.00          | 31.27       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 23.39          | 29.96          | 54.00          | 24.04       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR81E Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 37.20          | 43.77          | 74.00          | 30.23       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 23.68          | 30.25          | 54.00          | 23.75       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR77 Ble               |          |         |


## Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 5.77        | 35.99          | 41.76          | 74.00          | 32.24       | PASS   | Horizontal | PK     |
| 2              | 2390        | 5.77        | 23.34          | 29.11          | 54.00          | 24.89       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR77 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 38.29          | 44.06          | 74.00          | 29.94       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 24.66          | 30.43          | 54.00          | 23.57       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR77 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 37.78          | 44.35          | 74.00          | 29.65       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 24.00          | 30.57          | 54.00          | 23.43       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR77 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 37.44          | 44.01          | 74.00          | 29.99       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 24.60          | 31.17          | 54.00          | 22.83       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR77 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2390        | 5.77        | 38.18          | 43.95          | 74.00          | 30.05       | PASS   | Horizontal | PK     |
| 2  | 2390        | 5.77        | 24.80          | 30.57          | 54.00          | 23.43       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR77 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 37.59          | 43.36          | 74.00          | 30.64       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 24.99          | 30.76          | 54.00          | 23.24       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR77 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 37.31          | 43.88          | 74.00          | 30.12       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 24.10          | 30.67          | 54.00          | 23.33       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR77 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 37.23          | 43.80          | 74.00          | 30.20       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 23.47          | 30.04          | 54.00          | 23.96       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR77B Ble              |          |         |


## Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 5.77        | 36.52          | 42.29          | 74.00          | 31.71       | PASS   | Horizontal | PK     |
| 2              | 2390        | 5.77        | 24.14          | 29.91          | 54.00          | 24.09       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR77B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 37.49          | 43.26          | 74.00          | 30.74       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 24.15          | 29.92          | 54.00          | 24.08       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR77B Ble              |          |         |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2483.5      | 6.57        | 36.30          | 42.87          | 74.00          | 31.13       | PASS   | Horizontal | PK     |
| 2              | 2483.5      | 6.57        | 23.38          | 29.95          | 54.00          | 24.05       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR77B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 37.09          | 43.66          | 74.00          | 30.34       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 23.47          | 30.04          | 54.00          | 23.96       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR77B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2390        | 5.77        | 36.54          | 42.31          | 74.00          | 31.69       | PASS   | Horizontal | PK     |
| 2  | 2390        | 5.77        | 23.94          | 29.71          | 54.00          | 24.29       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR77B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 36.94          | 42.71          | 74.00          | 31.29       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 23.18          | 28.95          | 54.00          | 25.05       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR77B Ble              |          |         |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2483.5      | 6.57        | 36.42          | 42.99          | 74.00          | 31.01       | PASS   | Horizontal | PK     |
| 2              | 2483.5      | 6.57        | 22.46          | 29.03          | 54.00          | 24.97       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR77B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 36.77          | 43.34          | 74.00          | 30.66       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 23.48          | 30.05          | 54.00          | 23.95       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR77C Ble              |          |         |


## Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 5.77        | 37.52          | 43.29          | 74.00          | 30.71       | PASS   | Horizontal | PK     |
| 2              | 2390        | 5.77        | 25.14          | 30.91          | 54.00          | 23.09       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR77C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 37.99          | 43.76          | 74.00          | 30.24       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 24.65          | 30.42          | 54.00          | 23.58       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR77C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 37.80          | 44.37          | 74.00          | 29.63       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 24.38          | 30.95          | 54.00          | 23.05       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR77C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 38.09          | 44.66          | 74.00          | 29.34       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 24.47          | 31.04          | 54.00          | 22.96       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR77C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2390        | 5.77        | 37.54          | 43.31          | 74.00          | 30.69       | PASS   | Horizontal | PK     |
| 2  | 2390        | 5.77        | 24.44          | 30.21          | 54.00          | 23.79       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR77C Ble              |          |         |


## Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 5.77        | 37.94          | 43.71          | 74.00          | 30.29       | PASS   | Vertical | PK     |
| 2              | 2390        | 5.77        | 24.68          | 30.45          | 54.00          | 23.55       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR77C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 37.42          | 43.99          | 74.00          | 30.01       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 23.96          | 30.53          | 54.00          | 23.47       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR77C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 37.77          | 44.34          | 74.00          | 29.66       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 23.98          | 30.55          | 54.00          | 23.45       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR32 Ble               |          |         |


## Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 5.77        | 37.02          | 42.79          | 74.00          | 31.21       | PASS   | Horizontal | PK     |
| 2              | 2390        | 5.77        | 24.64          | 30.41          | 54.00          | 23.59       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR32 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 36.99          | 42.76          | 74.00          | 31.24       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 24.15          | 29.92          | 54.00          | 24.08       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR32 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 37.30          | 43.87          | 74.00          | 30.13       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 23.88          | 30.45          | 54.00          | 23.55       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR32 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 37.09          | 43.66          | 74.00          | 30.34       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 23.97          | 30.54          | 54.00          | 23.46       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR32 Ble               |          |         |


## Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 5.77        | 37.04          | 42.81          | 74.00          | 31.19       | PASS   | Horizontal | PK     |
| 2              | 2390        | 5.77        | 23.94          | 29.71          | 54.00          | 24.29       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR32 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 37.44          | 43.21          | 74.00          | 30.79       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 23.68          | 29.45          | 54.00          | 24.55       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR32 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 36.92          | 43.49          | 74.00          | 30.51       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 22.96          | 29.53          | 54.00          | 24.47       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR32 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 37.27          | 43.84          | 74.00          | 30.16       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 23.48          | 30.05          | 54.00          | 23.95       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR32B Ble              |          |         |


## Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 5.77        | 35.99          | 41.76          | 74.00          | 32.24       | PASS   | Horizontal | PK     |
| 2              | 2390        | 5.77        | 23.34          | 29.11          | 54.00          | 24.89       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR32B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 37.79          | 43.56          | 74.00          | 30.44       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 24.66          | 30.43          | 54.00          | 23.57       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR32B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 37.28          | 43.85          | 74.00          | 30.15       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 24.00          | 30.57          | 54.00          | 23.43       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR32B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 37.44          | 44.01          | 74.00          | 29.99       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 23.60          | 30.17          | 54.00          | 23.83       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR32B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2390        | 5.77        | 36.68          | 42.45          | 74.00          | 31.55       | PASS   | Horizontal | PK     |
| 2  | 2390        | 5.77        | 23.80          | 29.57          | 54.00          | 24.43       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR32B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 36.59          | 42.36          | 74.00          | 31.64       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 23.99          | 29.76          | 54.00          | 24.24       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR32B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 36.31          | 42.88          | 74.00          | 31.12       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 23.60          | 30.17          | 54.00          | 23.83       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR32B Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 36.23          | 42.80          | 74.00          | 31.20       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 22.47          | 29.04          | 54.00          | 24.96       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR32C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2390        | 5.77        | 38.02          | 43.79          | 74.00          | 30.21       | PASS   | Horizontal | PK     |
| 2  | 2390        | 5.77        | 24.14          | 29.91          | 54.00          | 24.09       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR32C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 37.49          | 43.26          | 74.00          | 30.74       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 24.65          | 30.42          | 54.00          | 23.58       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR32C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 37.30          | 43.87          | 74.00          | 30.13       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 24.38          | 30.95          | 54.00          | 23.05       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR32C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 37.09          | 43.66          | 74.00          | 30.34       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 24.47          | 31.04          | 54.00          | 22.96       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR32C Ble              |          |         |


## Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2390        | 5.77        | 37.54          | 43.31          | 74.00          | 30.69       | PASS   | Horizontal | PK     |
| 2              | 2390        | 5.77        | 24.44          | 30.21          | 54.00          | 23.79       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR32C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 37.94          | 43.71          | 74.00          | 30.29       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 23.68          | 29.45          | 54.00          | 24.55       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR32C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 37.42          | 43.99          | 74.00          | 30.01       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 23.96          | 30.53          | 54.00          | 23.47       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR32C Ble              |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 37.27          | 43.84          | 74.00          | 30.16       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 23.98          | 30.55          | 54.00          | 23.45       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR79 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2390        | 5.77        | 37.02          | 42.79          | 74.00          | 31.21       | PASS   | Horizontal | PK     |
| 2  | 2390        | 5.77        | 24.14          | 29.91          | 54.00          | 24.09       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2402MHz |
| Test model No.: | HJSR79 Ble               |          |         |


Test Graph



| Suspected List |             |             |                |                |                |             |        |          |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
| 1              | 2390        | 5.77        | 36.99          | 42.76          | 74.00          | 31.24       | PASS   | Vertical | PK     |
| 2              | 2390        | 5.77        | 24.15          | 29.92          | 54.00          | 24.08       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR79 Ble               |          |         |


Test Graph



| Suspected List |             |             |                |                |                |             |        |            |        |
|----------------|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| NO             | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
| 1              | 2483.5      | 6.57        | 37.30          | 43.87          | 74.00          | 30.13       | PASS   | Horizontal | PK     |
| 2              | 2483.5      | 6.57        | 23.38          | 29.95          | 54.00          | 24.05       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_1M | Channel: | 2480MHz |
| Test model No.: | HJSR79 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 36.59          | 43.16          | 74.00          | 30.84       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 23.47          | 30.04          | 54.00          | 23.96       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR79 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2390        | 5.77        | 37.04          | 42.81          | 74.00          | 31.19       | PASS   | Horizontal | PK     |
| 2  | 2390        | 5.77        | 23.94          | 29.71          | 54.00          | 24.29       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2402MHz |
| Test model No.: | HJSR79 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2390        | 5.77        | 37.44          | 43.21          | 74.00          | 30.79       | PASS   | Vertical | PK     |
| 2  | 2390        | 5.77        | 24.68          | 30.45          | 54.00          | 23.55       | PASS   | Vertical | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR79 Ble               |          |         |

## Test Graph




## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity   | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|------------|--------|
| 1  | 2483.5      | 6.57        | 37.92          | 44.49          | 74.00          | 29.51       | PASS   | Horizontal | PK     |
| 2  | 2483.5      | 6.57        | 24.46          | 31.03          | 54.00          | 22.97       | PASS   | Horizontal | AV     |

|                 |                          |          |         |
|-----------------|--------------------------|----------|---------|
| Mode:           | BLE GFSK Transmitting_2M | Channel: | 2480MHz |
| Test model No.: | HJSR79 Ble               |          |         |

## Test Graph



## Suspected List

| NO | Freq. [MHz] | Factor [dB] | Reading [dBμV] | Level [dBμV/m] | Limit [dBμV/m] | Margin [dB] | Result | Polarity | Remark |
|----|-------------|-------------|----------------|----------------|----------------|-------------|--------|----------|--------|
| 1  | 2483.5      | 6.57        | 36.27          | 42.84          | 74.00          | 31.16       | PASS   | Vertical | PK     |
| 2  | 2483.5      | 6.57        | 24.48          | 31.05          | 54.00          | 22.95       | PASS   | Vertical | AV     |

## Note:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading - Correct Factor

Correct Factor = Preamplifier Factor - Antenna Factor - Cable Factor

The test report is effective only with both signature and specialized stamp, The result(s) shown in this report refer only to the sample(s) tested. Without written approval of CTI, this report can't be reproduced except in full.

\*\*\* End of Report \*\*\*