












Mode	27																																					
	Band Edge - R																																					
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																					
ANT	8																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5357.32</td><td>54.99</td><td>74.00</td><td>-19.01</td><td>42.35</td><td>34.50</td><td>9.92</td><td>31.78</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5357.32	54.99	74.00	-19.01	42.35	34.50	9.92	31.78	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5357.32	54.99	74.00	-19.01	42.35	34.50	9.92	31.78																														
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5350.01</td><td>46.16</td><td>54.00</td><td>-7.84</td><td>33.53</td><td>34.50</td><td>9.91</td><td>31.78</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.01	46.16	54.00	-7.84	33.53	34.50	9.91	31.78	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5350.01	46.16	54.00	-7.84	33.53	34.50	9.91	31.78																														






Mode	27																																																																																																																																																																																									
	LF																																																																																																																																																																																									
	U-NII-2A_5.25-5.35_802.11ac VHT80_CH58_5290MHz																																																																																																																																																																																									
ANT	8																																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																																			
Peak Avg																																																																																																																																																																																										
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>31.94</td><td>21.27</td><td>-18.73</td><td>40.00</td><td>29.36</td><td>24.40</td><td>0.48</td><td>32.97</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>88.20</td><td>22.49</td><td>-21.01</td><td>43.50</td><td>39.64</td><td>14.49</td><td>1.20</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>169.68</td><td>24.44</td><td>-19.06</td><td>43.50</td><td>39.94</td><td>15.59</td><td>1.74</td><td>32.83</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>250.19</td><td>27.76</td><td>-18.24</td><td>46.00</td><td>39.88</td><td>18.52</td><td>2.13</td><td>32.77</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>314.21</td><td>31.05</td><td>-14.95</td><td>46.00</td><td>41.95</td><td>19.55</td><td>2.39</td><td>32.84</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>556.71</td><td>31.14</td><td>-14.86</td><td>46.00</td><td>34.60</td><td>26.47</td><td>3.18</td><td>33.11</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	31.94	21.27	-18.73	40.00	29.36	24.40	0.48	32.97	---	---	Peak	2	88.20	22.49	-21.01	43.50	39.64	14.49	1.20	32.84	---	---	Peak	3	169.68	24.44	-19.06	43.50	39.94	15.59	1.74	32.83	---	---	Peak	4	250.19	27.76	-18.24	46.00	39.88	18.52	2.13	32.77	---	---	Peak	5	314.21	31.05	-14.95	46.00	41.95	19.55	2.39	32.84	---	---	Peak	6	556.71	31.14	-14.86	46.00	34.60	26.47	3.18	33.11	---	---	Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>32.91</td><td>31.00</td><td>-9.00</td><td>40.00</td><td>39.69</td><td>23.76</td><td>0.49</td><td>32.94</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>69.77</td><td>29.16</td><td>-10.84</td><td>40.00</td><td>48.68</td><td>12.32</td><td>0.96</td><td>32.80</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>255.04</td><td>31.29</td><td>-14.71</td><td>46.00</td><td>42.69</td><td>19.22</td><td>2.15</td><td>32.77</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>560.59</td><td>29.71</td><td>-16.29</td><td>46.00</td><td>32.95</td><td>26.67</td><td>3.19</td><td>33.10</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>801.15</td><td>31.54</td><td>-14.46</td><td>46.00</td><td>31.69</td><td>28.76</td><td>3.82</td><td>32.73</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	32.91	31.00	-9.00	40.00	39.69	23.76	0.49	32.94	---	---	Peak	2	69.77	29.16	-10.84	40.00	48.68	12.32	0.96	32.80	---	---	Peak	3	255.04	31.29	-14.71	46.00	42.69	19.22	2.15	32.77	---	---	Peak	4	560.59	29.71	-16.29	46.00	32.95	26.67	3.19	33.10	---	---	Peak	5	801.15	31.54	-14.46	46.00	31.69	28.76	3.82	32.73	---	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																
1	31.94	21.27	-18.73	40.00	29.36	24.40	0.48	32.97	---	---	Peak																																																																																																																																																																															
2	88.20	22.49	-21.01	43.50	39.64	14.49	1.20	32.84	---	---	Peak																																																																																																																																																																															
3	169.68	24.44	-19.06	43.50	39.94	15.59	1.74	32.83	---	---	Peak																																																																																																																																																																															
4	250.19	27.76	-18.24	46.00	39.88	18.52	2.13	32.77	---	---	Peak																																																																																																																																																																															
5	314.21	31.05	-14.95	46.00	41.95	19.55	2.39	32.84	---	---	Peak																																																																																																																																																																															
6	556.71	31.14	-14.86	46.00	34.60	26.47	3.18	33.11	---	---	Peak																																																																																																																																																																															
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																
1	32.91	31.00	-9.00	40.00	39.69	23.76	0.49	32.94	---	---	Peak																																																																																																																																																																															
2	69.77	29.16	-10.84	40.00	48.68	12.32	0.96	32.80	---	---	Peak																																																																																																																																																																															
3	255.04	31.29	-14.71	46.00	42.69	19.22	2.15	32.77	---	---	Peak																																																																																																																																																																															
4	560.59	29.71	-16.29	46.00	32.95	26.67	3.19	33.10	---	---	Peak																																																																																																																																																																															
5	801.15	31.54	-14.46	46.00	31.69	28.76	3.82	32.73	---	---	Peak																																																																																																																																																																															



Mode	28																																																																																																													
	Band Edge - L																																																																																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																													
ANT	8																																																																																																													
Pol.	Horizontal						Fundamental																																																																																																							
Peak																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5435.14</td><td>53.33</td><td>74.00</td><td>-20.67</td><td>40.58</td><td>34.50</td><td>9.99</td><td>31.74</td><td>0.00</td><td>100</td><td>230 PEAK</td></tr><tr><td>2</td><td>5463.94</td><td>53.66</td><td>68.20</td><td>-14.54</td><td>40.82</td><td>34.53</td><td>10.03</td><td>31.72</td><td>0.00</td><td>100</td><td>230 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5435.14	53.33	74.00	-20.67	40.58	34.50	9.99	31.74	0.00	100	230 PEAK	2	5463.94	53.66	68.20	-14.54	40.82	34.53	10.03	31.72	0.00	100	230 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.86</td><td>-----</td><td>-----</td><td>78.88</td><td>34.53</td><td>10.14</td><td>31.69</td><td>0.00</td><td>100</td><td>230 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.86	-----	-----	78.88	34.53	10.14	31.69	0.00	100	230 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5435.14	53.33	74.00	-20.67	40.58	34.50	9.99	31.74	0.00	100	230 PEAK																																																																																																			
2	5463.94	53.66	68.20	-14.54	40.82	34.53	10.03	31.72	0.00	100	230 PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	91.86	-----	-----	78.88	34.53	10.14	31.69	0.00	100	230 PEAK																																																																																																			
Avg																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.00</td><td>43.93</td><td>54.00</td><td>-10.07</td><td>31.15</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>100</td><td>230 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	43.93	54.00	-10.07	31.15	34.50	10.01	31.73	0.00	100	230 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>82.73</td><td>-----</td><td>-----</td><td>69.75</td><td>34.54</td><td>10.13</td><td>31.69</td><td>0.00</td><td>100</td><td>230 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	82.73	-----	-----	69.75	34.54	10.13	31.69	0.00	100	230 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5450.00	43.93	54.00	-10.07	31.15	34.50	10.01	31.73	0.00	100	230 AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	5530.00	82.73	-----	-----	69.75	34.54	10.13	31.69	0.00	100	230 AVERAGE																																																																																																			




Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT	8																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5751.37</td><td>54.82</td><td>68.20</td><td>-13.38</td><td>41.65</td><td>34.70</td><td>10.37</td><td>31.90</td><td>0.00</td><td>100</td><td>230</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5751.37	54.82	68.20	-13.38	41.65	34.70	10.37	31.90	0.00	100	230	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5751.37	54.82	68.20	-13.38	41.65	34.70	10.37	31.90	0.00	100	230	PEAK																																												





Mode	28																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																
ANT	8																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5356.12</td><td>53.50</td><td>74.00</td><td>-20.50</td><td>40.87</td><td>34.50</td><td>9.91</td><td>31.78</td><td>0.00</td><td>100</td><td>106</td><td>PEAK</td></tr><tr><td>2</td><td>5467.18</td><td>52.89</td><td>68.20</td><td>-15.31</td><td>40.04</td><td>34.53</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>106</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5356.12	53.50	74.00	-20.50	40.87	34.50	9.91	31.78	0.00	100	106	PEAK	2	5467.18	52.89	68.20	-15.31	40.04	34.53	10.04	31.72	0.00	100	106	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.69</td><td>-----</td><td>-----</td><td>78.71</td><td>34.56</td><td>10.11</td><td>31.69</td><td>0.00</td><td>100</td><td>106</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.69	-----	-----	78.71	34.56	10.11	31.69	0.00	100	106	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5356.12	53.50	74.00	-20.50	40.87	34.50	9.91	31.78	0.00	100	106	PEAK																																																																																																					
2	5467.18	52.89	68.20	-15.31	40.04	34.53	10.04	31.72	0.00	100	106	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	91.69	-----	-----	78.71	34.56	10.11	31.69	0.00	100	106	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.50</td><td>44.52</td><td>54.00</td><td>-9.48</td><td>31.72</td><td>34.51</td><td>10.02</td><td>31.73</td><td>0.00</td><td>100</td><td>106</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.50	44.52	54.00	-9.48	31.72	34.51	10.02	31.73	0.00	100	106	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>82.45</td><td>-----</td><td>-----</td><td>69.47</td><td>34.53</td><td>10.14</td><td>31.69</td><td>0.00</td><td>100</td><td>106</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	82.45	-----	-----	69.47	34.53	10.14	31.69	0.00	100	106	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5453.50	44.52	54.00	-9.48	31.72	34.51	10.02	31.73	0.00	100	106	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5530.00	82.45	-----	-----	69.47	34.53	10.14	31.69	0.00	100	106	AVERAGE																																																																																																					



Mode	28																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																			
ANT	8																																																			
Pol.	Vertical						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5764.30</td><td>54.04</td><td>68.20</td><td>-14.16</td><td>40.90</td><td>34.70</td><td>10.38</td><td>31.94</td><td>0.00</td><td>100</td><td>106 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5764.30	54.04	68.20	-14.16	40.90	34.70	10.38	31.94	0.00	100	106 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																												
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5764.30	54.04	68.20	-14.16	40.90	34.70	10.38	31.94	0.00	100	106 PEAK																																									




		28																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																							
ANT		8																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>53.19</td><td>38.12</td><td>14.61</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.70	74.00	-29.30	53.19	38.12	14.61	61.22	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11060.00	44.70	74.00	-29.30	53.19	38.12	14.61	61.22	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>52.97</td><td>38.12</td><td>14.61</td><td>61.22</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.48	74.00	-29.52	52.97	38.12	14.61	61.22	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11060.00	44.48	74.00	-29.52	52.97	38.12	14.61	61.22	0.00	---	---	PEAK																																													



Mode	29																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																
ANT	8																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5421.28</td><td>52.62</td><td>74.00</td><td>-21.38</td><td>39.90</td><td>34.50</td><td>9.97</td><td>31.75</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr><tr><td>2</td><td>5461.60</td><td>52.24</td><td>68.20</td><td>-15.96</td><td>39.41</td><td>34.52</td><td>10.03</td><td>31.72</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5421.28	52.62	74.00	-21.38	39.90	34.50	9.97	31.75	0.00	100	240	PEAK	2	5461.60	52.24	68.20	-15.96	39.41	34.52	10.03	31.72	0.00	100	240	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.77</td><td>-----</td><td>-----</td><td>80.59</td><td>34.55</td><td>10.27</td><td>31.64</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.77	-----	-----	80.59	34.55	10.27	31.64	0.00	100	240	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5421.28	52.62	74.00	-21.38	39.90	34.50	9.97	31.75	0.00	100	240	PEAK																																																																																																					
2	5461.60	52.24	68.20	-15.96	39.41	34.52	10.03	31.72	0.00	100	240	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	93.77	-----	-----	80.59	34.55	10.27	31.64	0.00	100	240	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.26</td><td>43.51</td><td>54.00</td><td>-10.49</td><td>30.73</td><td>34.50</td><td>10.01</td><td>31.73</td><td>0.00</td><td>100</td><td>240</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.26	43.51	54.00	-10.49	30.73	34.50	10.01	31.73	0.00	100	240	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>84.58</td><td>-----</td><td>-----</td><td>71.43</td><td>34.53</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>240</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	84.58	-----	-----	71.43	34.53	10.26	31.64	0.00	100	240	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5450.26	43.51	54.00	-10.49	30.73	34.50	10.01	31.73	0.00	100	240	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	84.58	-----	-----	71.43	34.53	10.26	31.64	0.00	100	240	AVERAGE																																																																																																					



Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT	8																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5744.56</td><td>54.23</td><td>68.20</td><td>-13.97</td><td>41.07</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>240</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5744.56	54.23	68.20	-13.97	41.07	34.69	10.36	31.89	0.00	100	240	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5744.56	54.23	68.20	-13.97	41.07	34.69	10.36	31.89	0.00	100	240	PEAK																																												





Mode	29																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																																
ANT	8																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5394.82</td><td>53.65</td><td>74.00</td><td>-20.35</td><td>40.97</td><td>34.50</td><td>9.94</td><td>31.76</td><td>0.00</td><td>100</td><td>98</td><td>PEAK</td></tr><tr><td>2</td><td>5465.74</td><td>51.93</td><td>68.20</td><td>-16.27</td><td>39.08</td><td>34.53</td><td>10.04</td><td>31.72</td><td>0.00</td><td>100</td><td>98</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5394.82	53.65	74.00	-20.35	40.97	34.50	9.94	31.76	0.00	100	98	PEAK	2	5465.74	51.93	68.20	-16.27	39.08	34.53	10.04	31.72	0.00	100	98	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>90.86</td><td>-----</td><td>-----</td><td>77.71</td><td>34.53</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>98</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	90.86	-----	-----	77.71	34.53	10.26	31.64	0.00	100	98	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5394.82	53.65	74.00	-20.35	40.97	34.50	9.94	31.76	0.00	100	98	PEAK																																																																																																					
2	5465.74	51.93	68.20	-16.27	39.08	34.53	10.04	31.72	0.00	100	98	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	90.86	-----	-----	77.71	34.53	10.26	31.64	0.00	100	98	PEAK																																																																																																					
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5442.16</td><td>43.64</td><td>54.00</td><td>-10.36</td><td>30.88</td><td>34.50</td><td>10.00</td><td>31.74</td><td>0.00</td><td>100</td><td>98</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.16	43.64	54.00	-10.36	30.88	34.50	10.00	31.74	0.00	100	98	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>82.15</td><td>-----</td><td>-----</td><td>69.00</td><td>34.53</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>98</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	82.15	-----	-----	69.00	34.53	10.26	31.64	0.00	100	98	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5442.16	43.64	54.00	-10.36	30.88	34.50	10.00	31.74	0.00	100	98	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	82.15	-----	-----	69.00	34.53	10.26	31.64	0.00	100	98	AVERAGE																																																																																																					






Mode	29																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																					
ANT	8																																					
Pol.	Vertical	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5744.56</td><td>54.52</td><td>68.20</td><td>-13.68</td><td>41.36</td><td>34.69</td><td>10.36</td><td>31.89</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5744.56	54.52	68.20	-13.68	41.36	34.69	10.36	31.89	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5744.56	54.52	68.20	-13.68	41.36	34.69	10.36	31.89																														






		29																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																							
ANT		8																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11228.00</td><td>44.51</td><td>74.00</td><td>-29.49</td><td>52.87</td><td>38.12</td><td>14.72</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11228.00	44.51	74.00	-29.49	52.87	38.12	14.72	61.20	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11228.00	44.51	74.00	-29.49	52.87	38.12	14.72	61.20	0.00	---	---	PEAK																																													
																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11228.00</td><td>44.52</td><td>74.00</td><td>-29.48</td><td>52.88</td><td>38.12</td><td>14.72</td><td>61.20</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11228.00	44.52	74.00	-29.48	52.88	38.12	14.72	61.20	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11228.00	44.52	74.00	-29.48	52.88	38.12	14.72	61.20	0.00	---	---	PEAK																																													





Mode	30																																																																																																																												
	Band Edge																																																																																																																												
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																												
ANT	8																																																																																																																												
Pol.	Horizontal					Fundamental																																																																																																																							
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5688.56</td><td>54.56</td><td>68.20</td><td>-13.64</td><td>41.44</td><td>34.52</td><td>10.25</td><td>31.65</td><td>0.00</td><td>105 238 PEAK</td></tr><tr><td>2</td><td>5650.17</td><td>51.67</td><td>68.33</td><td>-16.66</td><td>38.45</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>105 238 PEAK</td></tr><tr><td>3</td><td>5702.37</td><td>53.44</td><td>105.96</td><td>-52.52</td><td>40.29</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>105 238 PEAK</td></tr><tr><td>4</td><td>5720.50</td><td>52.81</td><td>112.03</td><td>-59.22</td><td>39.66</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>105 238 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5688.56	54.56	68.20	-13.64	41.44	34.52	10.25	31.65	0.00	105 238 PEAK	2	5650.17	51.67	68.33	-16.66	38.45	34.60	10.28	31.66	0.00	105 238 PEAK	3	5702.37	53.44	105.96	-52.52	40.29	34.60	10.33	31.78	0.00	105 238 PEAK	4	5720.50	52.81	112.03	-59.22	39.66	34.64	10.34	31.83	0.00	105 238 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>102.51</td><td>-----</td><td>-----</td><td>89.35</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>105 238 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	102.51	-----	-----	89.35	34.69	10.36	31.89	0.00	105 238 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5688.56	54.56	68.20	-13.64	41.44	34.52	10.25	31.65	0.00	105 238 PEAK																																																																																																																			
2	5650.17	51.67	68.33	-16.66	38.45	34.60	10.28	31.66	0.00	105 238 PEAK																																																																																																																			
3	5702.37	53.44	105.96	-52.52	40.29	34.60	10.33	31.78	0.00	105 238 PEAK																																																																																																																			
4	5720.50	52.81	112.03	-59.22	39.66	34.64	10.34	31.83	0.00	105 238 PEAK																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	102.51	-----	-----	89.35	34.69	10.36	31.89	0.00	105 238 PEAK																																																																																																																			
Avg	Blank																																																																																																																												
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>93.00</td><td>-----</td><td>-----</td><td>80.64</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>105 238 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	93.00	-----	-----	80.64	34.69	10.36	31.89	0.00	105 238 AVERAGE																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																				
1	5745.00	93.00	-----	-----	80.64	34.69	10.36	31.89	0.00	105 238 AVERAGE																																																																																																																			





Mode	30																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	8																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5617.84</td><td>54.37</td><td>68.20</td><td>-13.83</td><td>41.21</td><td>34.54</td><td>10.26</td><td>31.64</td><td>0.00</td><td>101</td><td>89</td><td>PEAK</td></tr><tr><td>2</td><td>5650.03</td><td>52.43</td><td>68.22</td><td>-15.79</td><td>39.20</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>101</td><td>89</td><td>PEAK</td></tr><tr><td>3</td><td>5701.65</td><td>52.72</td><td>105.76</td><td>-53.04</td><td>39.57</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>101</td><td>89</td><td>PEAK</td></tr><tr><td>4</td><td>5720.06</td><td>52.90</td><td>111.04</td><td>-58.14</td><td>39.75</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>101</td><td>89</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5617.84	54.37	68.20	-13.83	41.21	34.54	10.26	31.64	0.00	101	89	PEAK	2	5650.03	52.43	68.22	-15.79	39.20	34.60	10.28	31.65	0.00	101	89	PEAK	3	5701.65	52.72	105.76	-53.04	39.57	34.60	10.33	31.78	0.00	101	89	PEAK	4	5720.06	52.90	111.04	-58.14	39.75	34.64	10.34	31.83	0.00	101	89	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.55</td><td>-----</td><td>-----</td><td>84.39</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>101</td><td>89</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	97.55	-----	-----	84.39	34.69	10.36	31.89	0.00	101	89	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5617.84	54.37	68.20	-13.83	41.21	34.54	10.26	31.64	0.00	101	89	PEAK																																																																																																																													
2	5650.03	52.43	68.22	-15.79	39.20	34.60	10.28	31.65	0.00	101	89	PEAK																																																																																																																													
3	5701.65	52.72	105.76	-53.04	39.57	34.60	10.33	31.78	0.00	101	89	PEAK																																																																																																																													
4	5720.06	52.90	111.04	-58.14	39.75	34.64	10.34	31.83	0.00	101	89	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	97.55	-----	-----	84.39	34.69	10.36	31.89	0.00	101	89	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>88.46</td><td>-----</td><td>-----</td><td>75.30</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>101</td><td>89</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	88.46	-----	-----	75.30	34.69	10.36	31.89	0.00	101	89	AVERAGE																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5745.00	88.46	-----	-----	75.30	34.69	10.36	31.89	0.00	101	89	AVERAGE																																																																																																																													






Mode	30																																																							
	Harmonic																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																							
ANT	8																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>53.75</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.67	74.00	-28.33	53.75	38.19	14.91	61.18	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11490.00	45.67	74.00	-28.33	53.75	38.19	14.91	61.18	0.00	---	---	PEAK																																												
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.94</td><td>74.00</td><td>-28.06</td><td>54.02</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.94	74.00	-28.06	54.02	38.19	14.91	61.18	0.00	---	---	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	11490.00	45.94	74.00	-28.06	54.02	38.19	14.91	61.18	0.00	---	---	PEAK																																												



Mode	31																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																		
ANT	8																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>53.75</td><td>38.13</td><td>14.97</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.69	74.00	-28.31	53.75	38.13	14.97	61.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.11</td><td>74.00</td><td>-28.89</td><td>53.17</td><td>38.13</td><td>14.97</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.11	74.00	-28.89	53.17	38.13	14.97	61.16	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11570.00	45.69	74.00	-28.31	53.75	38.13	14.97	61.16	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11570.00	45.11	74.00	-28.89	53.17	38.13	14.97	61.16	0.00	---	---	PEAK																																																																																							





Mode	32																																																																																				
	Band Edge																																																																																				
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																				
ANT	8																																																																																				
Pol.	Horizontal																																																																																				
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5825 to 5950 MHz. The plot shows a blue trace with a sharp peak at 5825 MHz and a red trace labeled 'U-NII-3' showing a limit line. Four points are marked on the blue trace: 1 (5854.75 MHz), 2 (5873.88 MHz), 3 (5924.38 MHz), and 4 (5945.25 MHz). <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.75</td><td>52.91</td><td>111.47</td><td>-58.56</td><td>39.69</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>5873.88</td><td>54.89</td><td>105.61</td><td>-50.72</td><td>41.54</td><td>35.04</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>3</td><td>5924.38</td><td>54.21</td><td>68.66</td><td>-14.45</td><td>40.65</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr><tr><td>4</td><td>5945.25</td><td>54.25</td><td>68.20</td><td>-13.95</td><td>40.69</td><td>35.20</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.75	52.91	111.47	-58.56	39.69	34.93	10.45	32.16	0.00	100	239	PEAK	2	5873.88	54.89	105.61	-50.72	41.54	35.04	10.47	32.16	0.00	100	239	PEAK	3	5924.38	54.21	68.66	-14.45	40.65	35.20	10.52	32.16	0.00	100	239	PEAK	4	5945.25	54.25	68.20	-13.95	40.69	35.20	10.53	32.17	0.00	100	239	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5854.75	52.91	111.47	-58.56	39.69	34.93	10.45	32.16	0.00	100	239	PEAK																																																																									
2	5873.88	54.89	105.61	-50.72	41.54	35.04	10.47	32.16	0.00	100	239	PEAK																																																																									
3	5924.38	54.21	68.66	-14.45	40.65	35.20	10.52	32.16	0.00	100	239	PEAK																																																																									
4	5945.25	54.25	68.20	-13.95	40.69	35.20	10.53	32.17	0.00	100	239	PEAK																																																																									
Fundamental	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue trace with a sharp peak at 5825 MHz and a red trace labeled 'U-NII-3' showing a limit line. One point is marked on the blue trace: 1 (5825.00 MHz). <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.27</td><td>-----</td><td>-----</td><td>90.12</td><td>34.82</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>239</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	103.27	-----	-----	90.12	34.82	10.43	32.10	0.00	100	239	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																										
1	5825.00	103.27	-----	-----	90.12	34.82	10.43	32.10	0.00	100	239	PEAK																																																																									
Avg	Blank																																																																																				
	 Blank Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue trace with a sharp peak at 5825 MHz and a red trace labeled 'U-NII-3(AVG)' showing a limit line. One point is marked on the blue trace: 1 (5825.00 MHz). <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>93.00</td><td>-----</td><td>-----</td><td>80.65</td><td>34.80</td><td>10.43</td><td>32.00</td><td>0.00</td><td>100</td><td>239</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	93.00	-----	-----	80.65	34.80	10.43	32.00	0.00	100	239	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
1	5825.00	93.00	-----	-----	80.65	34.80	10.43	32.00	0.00	100	239	AVERAGE																																																																									






Mode	32																																																																																									
	Band Edge																																																																																									
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																									
ANT	8																																																																																									
Pol.	Vertical																																																																																									
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.75</td><td>52.86</td><td>111.47</td><td>-58.61</td><td>39.64</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr><tr><td>2</td><td>5869.38</td><td>54.84</td><td>106.87</td><td>-52.03</td><td>41.51</td><td>35.02</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr><tr><td>3</td><td>5924.25</td><td>52.99</td><td>68.75</td><td>-15.76</td><td>39.44</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr><tr><td>4</td><td>5944.88</td><td>54.53</td><td>68.20</td><td>-13.67</td><td>40.97</td><td>35.20</td><td>10.53</td><td>32.17</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.75	52.86	111.47	-58.61	39.64	34.93	10.45	32.16	0.00	100	84 PEAK	2	5869.38	54.84	106.87	-52.03	41.51	35.02	10.47	32.16	0.00	100	84 PEAK	3	5924.25	52.99	68.75	-15.76	39.44	35.20	10.51	32.16	0.00	100	84 PEAK	4	5944.88	54.53	68.20	-13.67	40.97	35.20	10.53	32.17	0.00	100	84 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5854.75	52.86	111.47	-58.61	39.64	34.93	10.45	32.16	0.00	100	84 PEAK																																																																															
2	5869.38	54.84	106.87	-52.03	41.51	35.02	10.47	32.16	0.00	100	84 PEAK																																																																															
3	5924.25	52.99	68.75	-15.76	39.44	35.20	10.51	32.16	0.00	100	84 PEAK																																																																															
4	5944.88	54.53	68.20	-13.67	40.97	35.20	10.53	32.17	0.00	100	84 PEAK																																																																															
Avg	Blank																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>95.41</td><td>-----</td><td>-----</td><td>82.26</td><td>34.80</td><td>10.43</td><td>32.08</td><td>0.00</td><td>100</td><td>84 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.41	-----	-----	82.26	34.80	10.43	32.08	0.00	100	84 PEAK																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5825.00	95.41	-----	-----	82.26	34.80	10.43	32.08	0.00	100	84 PEAK																																																																															






Mode	32																																																																																															
	Harmonic																																																																																															
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																															
ANT	8																																																																																															
Pol.	Horizontal										Vertical																																																																																					
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>45.70</td><td>74.00</td><td>-28.30</td><td>53.56</td><td>38.25</td><td>15.02</td><td>61.13</td><td>0.00 --- --- PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11650.00	45.70	74.00	-28.30	53.56	38.25	15.02	61.13	0.00 --- --- PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>11650.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>53.91</td><td>38.25</td><td>15.02</td><td>61.13</td><td>0.00 --- --- PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	11650.00	46.05	74.00	-27.95	53.91	38.25	15.02	61.13	0.00 --- --- PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																								
1	11650.00	45.70	74.00	-28.30	53.56	38.25	15.02	61.13	0.00 --- --- PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																								
1	11650.00	46.05	74.00	-27.95	53.91	38.25	15.02	61.13	0.00 --- --- PEAK																																																																																							





Mode	33																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																													
ANT	8																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5624.36</td><td>54.11</td><td>68.20</td><td>-14.09</td><td>40.94</td><td>34.55</td><td>10.26</td><td>31.64</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>2 5650.32</td><td>52.31</td><td>68.43</td><td>-16.12</td><td>39.09</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>3 5702.95</td><td>54.01</td><td>106.13</td><td>-52.12</td><td>40.86</td><td>34.61</td><td>10.33</td><td>31.79</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr><tr><td>4 5720.35</td><td>54.36</td><td>111.70</td><td>-57.34</td><td>41.21</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5624.36	54.11	68.20	-14.09	40.94	34.55	10.26	31.64	0.00	100	241 PEAK	2 5650.32	52.31	68.43	-16.12	39.09	34.60	10.28	31.66	0.00	100	241 PEAK	3 5702.95	54.01	106.13	-52.12	40.86	34.61	10.33	31.79	0.00	100	241 PEAK	4 5720.35	54.36	111.70	-57.34	41.21	34.64	10.34	31.83	0.00	100	241 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>102.15</td><td>-----</td><td>-----</td><td>88.99</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>241 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	102.15	-----	-----	88.99	34.69	10.36	31.89	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5624.36	54.11	68.20	-14.09	40.94	34.55	10.26	31.64	0.00	100	241 PEAK																																																																																																																				
2 5650.32	52.31	68.43	-16.12	39.09	34.60	10.28	31.66	0.00	100	241 PEAK																																																																																																																				
3 5702.95	54.01	106.13	-52.12	40.86	34.61	10.33	31.79	0.00	100	241 PEAK																																																																																																																				
4 5720.35	54.36	111.70	-57.34	41.21	34.64	10.34	31.83	0.00	100	241 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	102.15	-----	-----	88.99	34.69	10.36	31.89	0.00	100	241 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>92.96</td><td>-----</td><td>-----</td><td>79.00</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100</td><td>241 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	92.96	-----	-----	79.00	34.69	10.36	31.89	0.00	100	241 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	92.96	-----	-----	79.00	34.69	10.36	31.89	0.00	100	241 AVERAGE																																																																																																																				





Mode	33																																																																																																																													
	Band Edge																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																																																																																													
ANT	8																																																																																																																													
Pol.	Vertical					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5642.78</td><td>53.79</td><td>68.20</td><td>-14.41</td><td>40.56</td><td>34.59</td><td>10.28</td><td>31.64</td><td>0.00</td><td>102</td><td>87 PEAK</td></tr><tr><td>2 5651.04</td><td>51.99</td><td>68.98</td><td>-16.99</td><td>38.76</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>102</td><td>87 PEAK</td></tr><tr><td>3 5701.07</td><td>53.44</td><td>105.60</td><td>-52.16</td><td>40.29</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>102</td><td>87 PEAK</td></tr><tr><td>4 5720.06</td><td>51.71</td><td>111.04</td><td>-59.33</td><td>38.56</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>102</td><td>87 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5642.78	53.79	68.20	-14.41	40.56	34.59	10.28	31.64	0.00	102	87 PEAK	2 5651.04	51.99	68.98	-16.99	38.76	34.60	10.29	31.66	0.00	102	87 PEAK	3 5701.07	53.44	105.60	-52.16	40.29	34.60	10.33	31.78	0.00	102	87 PEAK	4 5720.06	51.71	111.04	-59.33	38.56	34.64	10.34	31.83	0.00	102	87 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>97.55</td><td>-----</td><td>-----</td><td>84.39</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>102</td><td>87 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	97.55	-----	-----	84.39	34.69	10.36	31.89	0.00	102
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5642.78	53.79	68.20	-14.41	40.56	34.59	10.28	31.64	0.00	102	87 PEAK																																																																																																																				
2 5651.04	51.99	68.98	-16.99	38.76	34.60	10.29	31.66	0.00	102	87 PEAK																																																																																																																				
3 5701.07	53.44	105.60	-52.16	40.29	34.60	10.33	31.78	0.00	102	87 PEAK																																																																																																																				
4 5720.06	51.71	111.04	-59.33	38.56	34.64	10.34	31.83	0.00	102	87 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	97.55	-----	-----	84.39	34.69	10.36	31.89	0.00	102	87 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>88.39</td><td>-----</td><td>-----</td><td>75.23</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>102</td><td>87 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	88.39	-----	-----	75.23	34.69	10.36	31.89	0.00	102	87 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5745.00	88.39	-----	-----	75.23	34.69	10.36	31.89	0.00	102	87 AVERAGE																																																																																																																				






		33																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11ac VHT20_CH149_5745MHz																																																							
ANT		8																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>53.64</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.56	74.00	-28.44	53.64	38.19	14.91	61.18	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11490.00	45.56	74.00	-28.44	53.64	38.19	14.91	61.18	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>53.75</td><td>38.19</td><td>14.91</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.67	74.00	-28.33	53.75	38.19	14.91	61.18	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11490.00	45.67	74.00	-28.33	53.75	38.19	14.91	61.18	0.00	---	---	PEAK																																													






Mode	34																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_5785MHz																																																																																																			
ANT	8																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.39</td><td>74.00</td><td>-28.61</td><td>53.45</td><td>38.13</td><td>14.97</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.39	74.00	-28.61	53.45	38.13	14.97	61.16	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>53.36</td><td>38.13</td><td>14.97</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.30	74.00	-28.70	53.36	38.13	14.97	61.16	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	45.39	74.00	-28.61	53.45	38.13	14.97	61.16	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	45.30	74.00	-28.70	53.36	38.13	14.97	61.16	0.00	---	---	PEAK																																																																																								





Mode	35																																																																																																															
	Band Edge																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																															
ANT	8																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5825 to 5950 MHz. The plot shows a red limit line and a blue signal line. Four peaks are marked with vertical lines and numbered 1 to 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.88</td><td>53.97</td><td>111.18</td><td>-57.21</td><td>40.75</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>106 237 PEAK</td></tr><tr><td>2 5873.88</td><td>54.67</td><td>105.61</td><td>-50.94</td><td>41.32</td><td>35.04</td><td>10.47</td><td>32.16</td><td>0.00</td><td>106 237 PEAK</td></tr><tr><td>3 5924.13</td><td>53.69</td><td>68.85</td><td>-15.16</td><td>40.14</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>106 237 PEAK</td></tr><tr><td>4 5939.25</td><td>55.12</td><td>68.20</td><td>-13.08</td><td>41.56</td><td>35.20</td><td>10.53</td><td>32.17</td><td>0.00</td><td>106 237 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5854.88	53.97	111.18	-57.21	40.75	34.93	10.45	32.16	0.00	106 237 PEAK	2 5873.88	54.67	105.61	-50.94	41.32	35.04	10.47	32.16	0.00	106 237 PEAK	3 5924.13	53.69	68.85	-15.16	40.14	35.20	10.51	32.16	0.00	106 237 PEAK	4 5939.25	55.12	68.20	-13.08	41.56	35.20	10.53	32.17	0.00	106 237 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A single sharp peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>102.98</td><td>-----</td><td>-----</td><td>89.83</td><td>34.80</td><td>10.43</td><td>32.08</td><td>0.00</td><td>106 237 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	102.98	-----	-----	89.83	34.80	10.43	32.08	0.00	106 237 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5854.88	53.97	111.18	-57.21	40.75	34.93	10.45	32.16	0.00	106 237 PEAK																																																																																																							
2 5873.88	54.67	105.61	-50.94	41.32	35.04	10.47	32.16	0.00	106 237 PEAK																																																																																																							
3 5924.13	53.69	68.85	-15.16	40.14	35.20	10.51	32.16	0.00	106 237 PEAK																																																																																																							
4 5939.25	55.12	68.20	-13.08	41.56	35.20	10.53	32.17	0.00	106 237 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	102.98	-----	-----	89.83	34.80	10.43	32.08	0.00	106 237 PEAK																																																																																																							
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red limit line and a blue signal line. A single sharp peak is marked with a vertical line and numbered 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>93.50</td><td>-----</td><td>-----</td><td>80.35</td><td>34.80</td><td>10.43</td><td>32.08</td><td>0.00</td><td>106 237 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5825.00	93.50	-----	-----	80.35	34.80	10.43	32.08	0.00	106 237 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5825.00	93.50	-----	-----	80.35	34.80	10.43	32.08	0.00	106 237 AVERAGE																																																																																																							



Mode	35																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																										
ANT	8																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5855.00</td><td>53.06</td><td>110.90</td><td>-57.84</td><td>39.84</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5875.00</td><td>52.41</td><td>105.30</td><td>-52.89</td><td>39.05</td><td>35.05</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>5925.00</td><td>52.18</td><td>68.20</td><td>-16.02</td><td>38.62</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>4</td><td>5938.13</td><td>54.49</td><td>68.20</td><td>-13.71</td><td>40.92</td><td>35.20</td><td>10.53</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5855.00	53.06	110.90	-57.84	39.84	34.93	10.45	32.16	0.00	100	86	PEAK	2	5875.00	52.41	105.30	-52.89	39.05	35.05	10.47	32.16	0.00	100	86	PEAK	3	5925.00	52.18	68.20	-16.02	38.62	35.20	10.52	32.16	0.00	100	86	PEAK	4	5938.13	54.49	68.20	-13.71	40.92	35.20	10.53	32.16	0.00	100	86	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>95.84</td><td>-----</td><td>-----</td><td>82.69</td><td>34.82</td><td>10.43</td><td>32.10</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	95.84	-----	-----	82.69	34.82	10.43	32.10	0.00	100	86	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5855.00	53.06	110.90	-57.84	39.84	34.93	10.45	32.16	0.00	100	86	PEAK																																																																																																																															
2	5875.00	52.41	105.30	-52.89	39.05	35.05	10.47	32.16	0.00	100	86	PEAK																																																																																																																															
3	5925.00	52.18	68.20	-16.02	38.62	35.20	10.52	32.16	0.00	100	86	PEAK																																																																																																																															
4	5938.13	54.49	68.20	-13.71	40.92	35.20	10.53	32.16	0.00	100	86	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	95.84	-----	-----	82.69	34.82	10.43	32.10	0.00	100	86	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>87.19</td><td>-----</td><td>-----</td><td>74.04</td><td>34.80</td><td>10.43</td><td>32.00</td><td>0.00</td><td>100</td><td>86</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	87.19	-----	-----	74.04	34.80	10.43	32.00	0.00	100	86	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5825.00	87.19	-----	-----	74.04	34.80	10.43	32.00	0.00	100	86	AVERAGE																																																																																																																															






Mode	35																																																																																																																																																									
	Harmonic																																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_5825MHz																																																																																																																																																									
ANT	8																																																																																																																																																									
Pol.	Horizontal					Vertical																																																																																																																																																				
Peak Avg																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>46.02</td><td>74.00</td><td>-27.98</td><td>53.88</td><td>38.25</td><td>15.02</td><td>61.13</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	46.02	74.00	-27.98	53.88	38.25	15.02	61.13								0.00	---									deg									---									PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11650.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>53.09</td><td>38.25</td><td>15.02</td><td>61.13</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>deg</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>---</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11650.00	45.23	74.00	-28.77	53.09	38.25	15.02	61.13								0.00	---									deg									---									PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																		
1	11650.00	46.02	74.00	-27.98	53.88	38.25	15.02	61.13																																																																																																																																																		
							0.00	---																																																																																																																																																		
								deg																																																																																																																																																		


								PEAK																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																		
1	11650.00	45.23	74.00	-28.77	53.09	38.25	15.02	61.13																																																																																																																																																		
							0.00	---																																																																																																																																																		
								deg																																																																																																																																																		

								PEAK																																																																																																																																																		



Mode	36																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																															
ANT	8																																																																																																															
Pol.	Horizontal	Fundamental																																																																																																														
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 5600 to 5755 MHz. The plot shows a rising red line and a blue line with four marked peaks labeled 1, 2, 3, and 4. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5607.91</td><td>54.27</td><td>68.20</td><td>-13.93</td><td>41.15</td><td>34.52</td><td>10.25</td><td>31.65</td><td>0.00</td><td>100 233 PEAK</td></tr><tr><td>2 5652.39</td><td>53.53</td><td>69.98</td><td>-16.45</td><td>40.30</td><td>34.60</td><td>10.29</td><td>31.66</td><td>0.00</td><td>100 233 PEAK</td></tr><tr><td>3 5701.06</td><td>55.11</td><td>105.60</td><td>-50.49</td><td>41.96</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100 233 PEAK</td></tr><tr><td>4 5720.59</td><td>54.08</td><td>112.25</td><td>-58.17</td><td>40.93</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100 233 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5607.91	54.27	68.20	-13.93	41.15	34.52	10.25	31.65	0.00	100 233 PEAK	2 5652.39	53.53	69.98	-16.45	40.30	34.60	10.29	31.66	0.00	100 233 PEAK	3 5701.06	55.11	105.60	-50.49	41.96	34.60	10.33	31.78	0.00	100 233 PEAK	4 5720.59	54.08	112.25	-58.17	40.93	34.64	10.34	31.83	0.00	100 233 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a red line with a sharp peak at 5755 MHz labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>99.77</td><td>-----</td><td>-----</td><td>86.61</td><td>34.69</td><td>10.36</td><td>31.89</td><td>0.00</td><td>100 233 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	99.77	-----	-----	86.61	34.69	10.36	31.89	0.00	100 233 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5607.91	54.27	68.20	-13.93	41.15	34.52	10.25	31.65	0.00	100 233 PEAK																																																																																																							
2 5652.39	53.53	69.98	-16.45	40.30	34.60	10.29	31.66	0.00	100 233 PEAK																																																																																																							
3 5701.06	55.11	105.60	-50.49	41.96	34.60	10.33	31.78	0.00	100 233 PEAK																																																																																																							
4 5720.59	54.08	112.25	-58.17	40.93	34.64	10.34	31.83	0.00	100 233 PEAK																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5755.00	99.77	-----	-----	86.61	34.69	10.36	31.89	0.00	100 233 PEAK																																																																																																							
Avg	Blank	 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz) from 1000 to 7000 MHz. The plot shows a blue line with a sharp peak at 5755 MHz labeled 1. <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5755.00</td><td>90.92</td><td>-----</td><td>-----</td><td>77.76</td><td>34.70</td><td>10.37</td><td>31.91</td><td>0.00</td><td>100 233 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.00	90.92	-----	-----	77.76	34.70	10.37	31.91	0.00	100 233 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1 5755.00	90.92	-----	-----	77.76	34.70	10.37	31.91	0.00	100 233 AVERAGE																																																																																																							




Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
ANT	8																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>53.53</td><td>112.15</td><td>-58.62</td><td>40.31</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr><tr><td>2</td><td>5874.93</td><td>53.90</td><td>105.32</td><td>-51.42</td><td>40.54</td><td>35.05</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr><tr><td>3</td><td>5923.68</td><td>54.13</td><td>69.18</td><td>-15.05</td><td>40.58</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr><tr><td>4</td><td>5926.99</td><td>55.90</td><td>68.20</td><td>-12.30</td><td>42.34</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.45	53.53	112.15	-58.62	40.31	34.93	10.45	32.16	0.00	100	233	PEAK	2	5874.93	53.90	105.32	-51.42	40.54	35.05	10.47	32.16	0.00	100	233	PEAK	3	5923.68	54.13	69.18	-15.05	40.58	35.20	10.51	32.16	0.00	100	233	PEAK	4	5926.99	55.90	68.20	-12.30	42.34	35.20	10.52	32.16	0.00	100	233	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.45	53.53	112.15	-58.62	40.31	34.93	10.45	32.16	0.00	100	233	PEAK																																																																									
2	5874.93	53.90	105.32	-51.42	40.54	35.05	10.47	32.16	0.00	100	233	PEAK																																																																									
3	5923.68	54.13	69.18	-15.05	40.58	35.20	10.51	32.16	0.00	100	233	PEAK																																																																									
4	5926.99	55.90	68.20	-12.30	42.34	35.20	10.52	32.16	0.00	100	233	PEAK																																																																									







Mode	36																																																																																													
	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																													
ANT	8																																																																																													
Pol.	Vertical																																																																																													
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5635.65</td><td>53.84</td><td>68.20</td><td>-14.36</td><td>40.63</td><td>34.57</td><td>10.27</td><td>31.63</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>52.26</td><td>68.36</td><td>-16.10</td><td>39.04</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>5701.68</td><td>53.86</td><td>105.77</td><td>-51.91</td><td>40.71</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>4</td><td>5720.75</td><td>54.11</td><td>112.60</td><td>-58.49</td><td>40.96</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5635.65	53.84	68.20	-14.36	40.63	34.57	10.27	31.63	0.00	100	86	PEAK	2	5650.22	52.26	68.36	-16.10	39.04	34.60	10.28	31.66	0.00	100	86	PEAK	3	5701.68	53.86	105.77	-51.91	40.71	34.60	10.33	31.78	0.00	100	86	PEAK	4	5720.75	54.11	112.60	-58.49	40.96	34.64	10.34	31.83	0.00	100	86	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5635.65	53.84	68.20	-14.36	40.63	34.57	10.27	31.63	0.00	100	86	PEAK																																																																																		
2	5650.22	52.26	68.36	-16.10	39.04	34.60	10.28	31.66	0.00	100	86	PEAK																																																																																		
3	5701.68	53.86	105.77	-51.91	40.71	34.60	10.33	31.78	0.00	100	86	PEAK																																																																																		
4	5720.75	54.11	112.60	-58.49	40.96	34.64	10.34	31.83	0.00	100	86	PEAK																																																																																		
Avg	Blank																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>85.11</td><td>-----</td><td>-----</td><td>71.95</td><td>34.70</td><td>10.37</td><td>31.91</td><td>0.00</td><td>100</td><td>86</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	85.11	-----	-----	71.95	34.70	10.37	31.91	0.00	100	86	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5755.00	85.11	-----	-----	71.95	34.70	10.37	31.91	0.00	100	86	AVERAGE																																																																																		





Mode	36																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																				
ANT	8																																																																																				
Pol.	Vertical	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.84</td><td>50.86</td><td>111.26</td><td>-60.40</td><td>37.64</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5874.54</td><td>53.68</td><td>105.43</td><td>-51.75</td><td>40.32</td><td>35.05</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>5924.26</td><td>53.43</td><td>68.75</td><td>-15.32</td><td>39.88</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>4</td><td>5937.72</td><td>54.62</td><td>68.20</td><td>-13.58</td><td>41.05</td><td>35.20</td><td>10.53</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.84	50.86	111.26	-60.40	37.64	34.93	10.45	32.16	0.00	100	86	PEAK	2	5874.54	53.68	105.43	-51.75	40.32	35.05	10.47	32.16	0.00	100	86	PEAK	3	5924.26	53.43	68.75	-15.32	39.88	35.20	10.51	32.16	0.00	100	86	PEAK	4	5937.72	54.62	68.20	-13.58	41.05	35.20	10.53	32.16	0.00	100	86	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.84	50.86	111.26	-60.40	37.64	34.93	10.45	32.16	0.00	100	86	PEAK																																																																									
2	5874.54	53.68	105.43	-51.75	40.32	35.05	10.47	32.16	0.00	100	86	PEAK																																																																									
3	5924.26	53.43	68.75	-15.32	39.88	35.20	10.51	32.16	0.00	100	86	PEAK																																																																									
4	5937.72	54.62	68.20	-13.58	41.05	35.20	10.53	32.16	0.00	100	86	PEAK																																																																									






Mode	36																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																		
ANT	8																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.19</td><td>74.00</td><td>-29.81</td><td>52.26</td><td>38.19</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	44.19	74.00	-29.81	52.26	38.19	14.92	61.18	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>52.06</td><td>38.19</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	43.99	74.00	-30.01	52.06	38.19	14.92	61.18	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11510.00	44.19	74.00	-29.81	52.26	38.19	14.92	61.18	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11510.00	43.99	74.00	-30.01	52.06	38.19	14.92	61.18	0.00	---	---	PEAK																																																																																							
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3700.00</td><td>44.19</td><td>74.00</td><td>-29.81</td><td>52.26</td><td>38.19</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3700.00	44.19	74.00	-29.81	52.26	38.19	14.92	61.18	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3700.00</td><td>43.99</td><td>74.00</td><td>-30.01</td><td>52.06</td><td>38.19</td><td>14.92</td><td>61.18</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3700.00	43.99	74.00	-30.01	52.06	38.19	14.92	61.18	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	3700.00	44.19	74.00	-29.81	52.26	38.19	14.92	61.18	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	3700.00	43.99	74.00	-30.01	52.06	38.19	14.92	61.18	0.00	---	---	PEAK																																																																																							




Mode	36																																																																																																												
	LF																																																																																																												
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_5755MHz																																																																																																												
ANT	8																																																																																																												
Pol.	Horizontal																																																																																																												
Peak Avg																																																																																																													
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th></th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>32.91</td><td>21.84</td><td>-18.16</td><td>40.00</td><td>30.53</td><td>23.76</td><td>0.49</td><td>32.94</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>89.17</td><td>21.30</td><td>-22.20</td><td>43.50</td><td>38.29</td><td>14.65</td><td>1.21</td><td>32.85</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>164.83</td><td>24.85</td><td>-18.65</td><td>43.50</td><td>39.93</td><td>16.03</td><td>1.72</td><td>32.83</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>256.01</td><td>31.78</td><td>-14.22</td><td>46.00</td><td>43.04</td><td>19.36</td><td>2.15</td><td>32.77</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>312.27</td><td>29.89</td><td>-16.11</td><td>46.00</td><td>40.76</td><td>19.58</td><td>2.38</td><td>32.83</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>558.65</td><td>30.52</td><td>-15.48</td><td>46.00</td><td>33.81</td><td>26.62</td><td>3.19</td><td>33.10</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor						dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	32.91	21.84	-18.16	40.00	30.53	23.76	0.49	32.94	---	Peak	2	89.17	21.30	-22.20	43.50	38.29	14.65	1.21	32.85	---	Peak	3	164.83	24.85	-18.65	43.50	39.93	16.03	1.72	32.83	---	Peak	4	256.01	31.78	-14.22	46.00	43.04	19.36	2.15	32.77	---	Peak	5	312.27	29.89	-16.11	46.00	40.76	19.58	2.38	32.83	---	Peak	6	558.65	30.52	-15.48	46.00	33.81	26.62	3.19	33.10	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor																																																																																																					
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	32.91	21.84	-18.16	40.00	30.53	23.76	0.49	32.94	---	Peak																																																																																																			
2	89.17	21.30	-22.20	43.50	38.29	14.65	1.21	32.85	---	Peak																																																																																																			
3	164.83	24.85	-18.65	43.50	39.93	16.03	1.72	32.83	---	Peak																																																																																																			
4	256.01	31.78	-14.22	46.00	43.04	19.36	2.15	32.77	---	Peak																																																																																																			
5	312.27	29.89	-16.11	46.00	40.76	19.58	2.38	32.83	---	Peak																																																																																																			
6	558.65	30.52	-15.48	46.00	33.81	26.62	3.19	33.10	---	Peak																																																																																																			
Peak Avg																																																																																																													
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th></th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>31.11</td><td>-8.89</td><td>40.00</td><td>38.71</td><td>24.93</td><td>0.46</td><td>32.99</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>73.65</td><td>27.75</td><td>-12.25</td><td>40.00</td><td>46.86</td><td>12.69</td><td>1.01</td><td>32.81</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>137.67</td><td>28.45</td><td>-15.05</td><td>43.50</td><td>42.26</td><td>17.47</td><td>1.56</td><td>32.84</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>252.13</td><td>31.80</td><td>-14.20</td><td>46.00</td><td>43.63</td><td>18.80</td><td>2.14</td><td>32.77</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>470.38</td><td>29.70</td><td>-16.30</td><td>46.00</td><td>36.21</td><td>23.56</td><td>2.93</td><td>33.00</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>559.62</td><td>30.21</td><td>-15.79</td><td>46.00</td><td>33.46</td><td>26.66</td><td>3.19</td><td>33.10</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor						dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	30.97	31.11	-8.89	40.00	38.71	24.93	0.46	32.99	---	Peak	2	73.65	27.75	-12.25	40.00	46.86	12.69	1.01	32.81	---	Peak	3	137.67	28.45	-15.05	43.50	42.26	17.47	1.56	32.84	---	Peak	4	252.13	31.80	-14.20	46.00	43.63	18.80	2.14	32.77	---	Peak	5	470.38	29.70	-16.30	46.00	36.21	23.56	2.93	33.00	---	Peak	6	559.62	30.21	-15.79	46.00	33.46	26.66	3.19	33.10	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																			
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor																																																																																																					
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	30.97	31.11	-8.89	40.00	38.71	24.93	0.46	32.99	---	Peak																																																																																																			
2	73.65	27.75	-12.25	40.00	46.86	12.69	1.01	32.81	---	Peak																																																																																																			
3	137.67	28.45	-15.05	43.50	42.26	17.47	1.56	32.84	---	Peak																																																																																																			
4	252.13	31.80	-14.20	46.00	43.63	18.80	2.14	32.77	---	Peak																																																																																																			
5	470.38	29.70	-16.30	46.00	36.21	23.56	2.93	33.00	---	Peak																																																																																																			
6	559.62	30.21	-15.79	46.00	33.46	26.66	3.19	33.10	---	Peak																																																																																																			





Mode	37																																																																																																																																								
	Band Edge - L																																																																																																																																								
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																																																																								
ANT	8																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.22</td><td>55.30</td><td>68.20</td><td>-12.90</td><td>42.08</td><td>34.59</td><td>10.28</td><td>31.65</td><td>0.00</td><td>101</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>5650.12</td><td>51.50</td><td>68.29</td><td>-16.79</td><td>38.27</td><td>34.60</td><td>10.28</td><td>31.65</td><td>0.00</td><td>101</td><td>232</td><td>PEAK</td></tr><tr><td>3</td><td>5702.38</td><td>52.46</td><td>105.97</td><td>-53.51</td><td>39.31</td><td>34.60</td><td>10.33</td><td>31.78</td><td>0.00</td><td>101</td><td>232</td><td>PEAK</td></tr><tr><td>4</td><td>5720.12</td><td>52.09</td><td>111.17</td><td>-59.08</td><td>38.94</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>101</td><td>232</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.22	55.30	68.20	-12.90	42.08	34.59	10.28	31.65	0.00	101	232	PEAK	2	5650.12	51.50	68.29	-16.79	38.27	34.60	10.28	31.65	0.00	101	232	PEAK	3	5702.38	52.46	105.97	-53.51	39.31	34.60	10.33	31.78	0.00	101	232	PEAK	4	5720.12	52.09	111.17	-59.08	38.94	34.64	10.34	31.83	0.00	101	232	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>100.47</td><td>-----</td><td>-----</td><td>87.38</td><td>34.70</td><td>10.40</td><td>32.01</td><td>0.00</td><td>101</td><td>232</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	100.47	-----	-----	87.38	34.70	10.40	32.01	0.00	101	232
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5646.22	55.30	68.20	-12.90	42.08	34.59	10.28	31.65	0.00	101	232	PEAK																																																																																																																													
2	5650.12	51.50	68.29	-16.79	38.27	34.60	10.28	31.65	0.00	101	232	PEAK																																																																																																																													
3	5702.38	52.46	105.97	-53.51	39.31	34.60	10.33	31.78	0.00	101	232	PEAK																																																																																																																													
4	5720.12	52.09	111.17	-59.08	38.94	34.64	10.34	31.83	0.00	101	232	PEAK																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	100.47	-----	-----	87.38	34.70	10.40	32.01	0.00	101	232	PEAK																																																																																																																													
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>91.10</td><td>-----</td><td>-----</td><td>78.01</td><td>34.70</td><td>10.40</td><td>32.01</td><td>0.00</td><td>101</td><td>232</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	91.10	-----	-----	78.01	34.70	10.40	32.01	0.00	101	232	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																															
1	5795.00	91.10	-----	-----	78.01	34.70	10.40	32.01	0.00	101	232	AVERAGE																																																																																																																													




Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																				
ANT	8																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.06</td><td>54.79</td><td>113.05</td><td>-58.26</td><td>41.58</td><td>34.92</td><td>10.45</td><td>32.16</td><td>0.00</td><td>101</td><td>232</td><td>PEAK</td></tr><tr><td>2</td><td>5871.88</td><td>53.95</td><td>106.17</td><td>-52.22</td><td>40.61</td><td>35.03</td><td>10.47</td><td>32.16</td><td>0.00</td><td>101</td><td>232</td><td>PEAK</td></tr><tr><td>3</td><td>5923.81</td><td>55.07</td><td>69.08</td><td>-14.01</td><td>41.52</td><td>35.20</td><td>10.51</td><td>32.16</td><td>0.00</td><td>101</td><td>232</td><td>PEAK</td></tr><tr><td>4</td><td>5940.24</td><td>54.99</td><td>68.20</td><td>-13.21</td><td>41.43</td><td>35.20</td><td>10.53</td><td>32.17</td><td>0.00</td><td>101</td><td>232</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.06	54.79	113.05	-58.26	41.58	34.92	10.45	32.16	0.00	101	232	PEAK	2	5871.88	53.95	106.17	-52.22	40.61	35.03	10.47	32.16	0.00	101	232	PEAK	3	5923.81	55.07	69.08	-14.01	41.52	35.20	10.51	32.16	0.00	101	232	PEAK	4	5940.24	54.99	68.20	-13.21	41.43	35.20	10.53	32.17	0.00	101	232	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.06	54.79	113.05	-58.26	41.58	34.92	10.45	32.16	0.00	101	232	PEAK																																																																									
2	5871.88	53.95	106.17	-52.22	40.61	35.03	10.47	32.16	0.00	101	232	PEAK																																																																									
3	5923.81	55.07	69.08	-14.01	41.52	35.20	10.51	32.16	0.00	101	232	PEAK																																																																									
4	5940.24	54.99	68.20	-13.21	41.43	35.20	10.53	32.17	0.00	101	232	PEAK																																																																									



Mode	37																																																																																													
	Band Edge - L																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																													
ANT	8																																																																																													
Pol.	Vertical																																																																																													
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.41</td><td>54.04</td><td>68.20</td><td>-14.16</td><td>40.82</td><td>34.59</td><td>10.28</td><td>31.65</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5650.31</td><td>53.06</td><td>68.43</td><td>-15.37</td><td>39.84</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>5700.04</td><td>53.01</td><td>105.31</td><td>-52.30</td><td>39.87</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>4</td><td>5721.10</td><td>53.76</td><td>113.40</td><td>-59.64</td><td>40.61</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5646.41	54.04	68.20	-14.16	40.82	34.59	10.28	31.65	0.00	100	86	PEAK	2	5650.31	53.06	68.43	-15.37	39.84	34.60	10.28	31.66	0.00	100	86	PEAK	3	5700.04	53.01	105.31	-52.30	39.87	34.60	10.32	31.78	0.00	100	86	PEAK	4	5721.10	53.76	113.40	-59.64	40.61	34.64	10.34	31.83	0.00	100	86	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5646.41	54.04	68.20	-14.16	40.82	34.59	10.28	31.65	0.00	100	86	PEAK																																																																																		
2	5650.31	53.06	68.43	-15.37	39.84	34.60	10.28	31.66	0.00	100	86	PEAK																																																																																		
3	5700.04	53.01	105.31	-52.30	39.87	34.60	10.32	31.78	0.00	100	86	PEAK																																																																																		
4	5721.10	53.76	113.40	-59.64	40.61	34.64	10.34	31.83	0.00	100	86	PEAK																																																																																		
Avg	Blank																																																																																													
																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>85.13</td><td>-----</td><td>-----</td><td>72.04</td><td>34.70</td><td>10.40</td><td>32.01</td><td>0.00</td><td>100</td><td>86</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	85.13	-----	-----	72.04	34.70	10.40	32.01	0.00	100	86	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5795.00	85.13	-----	-----	72.04	34.70	10.40	32.01	0.00	100	86	AVERAGE																																																																																		






Mode	37																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																																																													
ANT	8																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.83</td><td>51.23</td><td>111.29</td><td>-60.06</td><td>38.01</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>2</td><td>5872.35</td><td>54.02</td><td>106.04</td><td>-52.02</td><td>40.68</td><td>35.03</td><td>10.47</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>3</td><td>5924.74</td><td>52.44</td><td>68.40</td><td>-15.96</td><td>38.88</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr><tr><td>4</td><td>5935.90</td><td>54.67</td><td>68.20</td><td>-13.53</td><td>41.10</td><td>35.20</td><td>10.53</td><td>32.16</td><td>0.00</td><td>100</td><td>86</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.83	51.23	111.29	-60.06	38.01	34.93	10.45	32.16	0.00	100	86	PEAK	2	5872.35	54.02	106.04	-52.02	40.68	35.03	10.47	32.16	0.00	100	86	PEAK	3	5924.74	52.44	68.40	-15.96	38.88	35.20	10.52	32.16	0.00	100	86	PEAK	4	5935.90	54.67	68.20	-13.53	41.10	35.20	10.53	32.16	0.00	100	86	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.83	51.23	111.29	-60.06	38.01	34.93	10.45	32.16	0.00	100	86	PEAK																																																																																		
2	5872.35	54.02	106.04	-52.02	40.68	35.03	10.47	32.16	0.00	100	86	PEAK																																																																																		
3	5924.74	52.44	68.40	-15.96	38.88	35.20	10.52	32.16	0.00	100	86	PEAK																																																																																		
4	5935.90	54.67	68.20	-13.53	41.10	35.20	10.53	32.16	0.00	100	86	PEAK																																																																																		




		37																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11ac VHT40_CH159_5795MHz																																																							
ANT		8																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>44.00</td><td>74.00</td><td>-30.00</td><td>52.06</td><td>38.11</td><td>14.98</td><td>61.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	44.00	74.00	-30.00	52.06	38.11	14.98	61.15	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11590.00	44.00	74.00	-30.00	52.06	38.11	14.98	61.15	0.00	---	---	PEAK																																													
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>44.80</td><td>74.00</td><td>-29.20</td><td>52.06</td><td>38.11</td><td>14.98</td><td>61.15</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	44.80	74.00	-29.20	52.06	38.11	14.98	61.15	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11590.00	44.80	74.00	-29.20	52.06	38.11	14.98	61.15	0.00	---	---	PEAK																																													






Mode	38																																																																																																																													
	Band Edge - L																																																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																													
ANT	8																																																																																																																													
Pol.	Horizontal					Fundamental																																																																																																																								
Peak																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5602.98</td><td>53.65</td><td>68.20</td><td>-14.55</td><td>40.55</td><td>34.51</td><td>10.24</td><td>31.65</td><td>0.00</td><td>101</td><td>231 PEAK</td></tr><tr><td>2 5650.23</td><td>52.09</td><td>68.37</td><td>-16.28</td><td>38.87</td><td>34.60</td><td>10.28</td><td>31.66</td><td>0.00</td><td>101</td><td>231 PEAK</td></tr><tr><td>3 5700.45</td><td>53.48</td><td>105.43</td><td>-51.95</td><td>40.34</td><td>34.60</td><td>10.32</td><td>31.78</td><td>0.00</td><td>101</td><td>231 PEAK</td></tr><tr><td>4 5720.05</td><td>52.74</td><td>111.01</td><td>-58.27</td><td>39.59</td><td>34.64</td><td>10.34</td><td>31.83</td><td>0.00</td><td>101</td><td>231 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5602.98	53.65	68.20	-14.55	40.55	34.51	10.24	31.65	0.00	101	231 PEAK	2 5650.23	52.09	68.37	-16.28	38.87	34.60	10.28	31.66	0.00	101	231 PEAK	3 5700.45	53.48	105.43	-51.95	40.34	34.60	10.32	31.78	0.00	101	231 PEAK	4 5720.05	52.74	111.01	-58.27	39.59	34.64	10.34	31.83	0.00	101	231 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>96.99</td><td>-----</td><td>-----</td><td>83.88</td><td>34.70</td><td>10.39</td><td>31.98</td><td>0.00</td><td>101</td><td>231 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	96.99	-----	-----	83.88	34.70	10.39	31.98	0.00	101
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5602.98	53.65	68.20	-14.55	40.55	34.51	10.24	31.65	0.00	101	231 PEAK																																																																																																																				
2 5650.23	52.09	68.37	-16.28	38.87	34.60	10.28	31.66	0.00	101	231 PEAK																																																																																																																				
3 5700.45	53.48	105.43	-51.95	40.34	34.60	10.32	31.78	0.00	101	231 PEAK																																																																																																																				
4 5720.05	52.74	111.01	-58.27	39.59	34.64	10.34	31.83	0.00	101	231 PEAK																																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5775.00	96.99	-----	-----	83.88	34.70	10.39	31.98	0.00	101	231 PEAK																																																																																																																				
Avg	Blank																																																																																																																													
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>87.30</td><td>-----</td><td>-----</td><td>74.18</td><td>34.70</td><td>10.39</td><td>31.97</td><td>0.00</td><td>101</td><td>231 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	87.30	-----	-----	74.18	34.70	10.39	31.97	0.00	101	231 AVERAGE																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1 5775.00	87.30	-----	-----	74.18	34.70	10.39	31.97	0.00	101	231 AVERAGE																																																																																																																				




Mode	38																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																													
ANT	8																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.63</td><td>56.06</td><td>111.75</td><td>-55.69</td><td>42.84</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>101</td><td>231</td><td>PEAK</td></tr><tr><td>2</td><td>5863.90</td><td>57.80</td><td>108.41</td><td>-50.61</td><td>44.52</td><td>34.98</td><td>10.46</td><td>32.16</td><td>0.00</td><td>101</td><td>231</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.55</td><td>68.35</td><td>-14.80</td><td>39.99</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>101</td><td>231</td><td>PEAK</td></tr><tr><td>4</td><td>5935.48</td><td>54.39</td><td>68.20</td><td>-13.81</td><td>40.83</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>101</td><td>231</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.63	56.06	111.75	-55.69	42.84	34.93	10.45	32.16	0.00	101	231	PEAK	2	5863.90	57.80	108.41	-50.61	44.52	34.98	10.46	32.16	0.00	101	231	PEAK	3	5924.80	53.55	68.35	-14.80	39.99	35.20	10.52	32.16	0.00	101	231	PEAK	4	5935.48	54.39	68.20	-13.81	40.83	35.20	10.52	32.16	0.00	101	231	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.63	56.06	111.75	-55.69	42.84	34.93	10.45	32.16	0.00	101	231	PEAK																																																																																		
2	5863.90	57.80	108.41	-50.61	44.52	34.98	10.46	32.16	0.00	101	231	PEAK																																																																																		
3	5924.80	53.55	68.35	-14.80	39.99	35.20	10.52	32.16	0.00	101	231	PEAK																																																																																		
4	5935.48	54.39	68.20	-13.81	40.83	35.20	10.52	32.16	0.00	101	231	PEAK																																																																																		





Mode	38																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																		
ANT	8																																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																																												
Peak																																																																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5647.25	54.00	68.20	-14.20	40.78	34.59	10.28	31.65	0.00	103	87	PEAK	2	5653.03	54.31	70.45	-16.14	41.08	34.60	10.29	31.66	0.00	103	87	PEAK	3	5701.33	52.73	105.67	-52.94	39.58	34.60	10.33	31.78	0.00	103	87	PEAK	4	5720.05	53.61	111.01	-57.40	40.46	34.64	10.34	31.83	0.00	103	87	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>91.21</td><td>-----</td><td>-----</td><td>78.07</td><td>34.70</td><td>10.38</td><td>31.94</td><td>0.00</td><td>103</td><td>87</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	91.21	-----	-----	78.07	34.70	10.38	31.94	0.00	103	87
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																										
1	5647.25	54.00	68.20	-14.20	40.78	34.59	10.28	31.65	0.00	103	87	PEAK																																																																																																																							
2	5653.03	54.31	70.45	-16.14	41.08	34.60	10.29	31.66	0.00	103	87	PEAK																																																																																																																							
3	5701.33	52.73	105.67	-52.94	39.58	34.60	10.33	31.78	0.00	103	87	PEAK																																																																																																																							
4	5720.05	53.61	111.01	-57.40	40.46	34.64	10.34	31.83	0.00	103	87	PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5775.00	91.21	-----	-----	78.07	34.70	10.38	31.94	0.00	103	87	PEAK																																																																																																																							
Avg	Blank																																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>81.00</td><td>-----</td><td>-----</td><td>68.67</td><td>34.70</td><td>10.38</td><td>31.95</td><td>0.00</td><td>103</td><td>87</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	81.00	-----	-----	68.67	34.70	10.38	31.95	0.00	103	87	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	5775.00	81.00	-----	-----	68.67	34.70	10.38	31.95	0.00	103	87	AVERAGE																																																																																																																							





Mode	38																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																													
ANT	8																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.98</td><td>53.08</td><td>110.96</td><td>-57.88</td><td>39.86</td><td>34.93</td><td>10.45</td><td>32.16</td><td>0.00</td><td>103</td><td>87</td><td>PEAK</td></tr><tr><td>2</td><td>5872.83</td><td>54.54</td><td>105.91</td><td>-51.37</td><td>41.19</td><td>35.04</td><td>10.47</td><td>32.16</td><td>0.00</td><td>103</td><td>87</td><td>PEAK</td></tr><tr><td>3</td><td>5924.98</td><td>53.56</td><td>68.22</td><td>-14.66</td><td>40.00</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>103</td><td>87</td><td>PEAK</td></tr><tr><td>4</td><td>5930.40</td><td>55.79</td><td>68.20</td><td>-12.41</td><td>42.23</td><td>35.20</td><td>10.52</td><td>32.16</td><td>0.00</td><td>103</td><td>87</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.98	53.08	110.96	-57.88	39.86	34.93	10.45	32.16	0.00	103	87	PEAK	2	5872.83	54.54	105.91	-51.37	41.19	35.04	10.47	32.16	0.00	103	87	PEAK	3	5924.98	53.56	68.22	-14.66	40.00	35.20	10.52	32.16	0.00	103	87	PEAK	4	5930.40	55.79	68.20	-12.41	42.23	35.20	10.52	32.16	0.00	103	87	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	5854.98	53.08	110.96	-57.88	39.86	34.93	10.45	32.16	0.00	103	87	PEAK																																																																																		
2	5872.83	54.54	105.91	-51.37	41.19	35.04	10.47	32.16	0.00	103	87	PEAK																																																																																		
3	5924.98	53.56	68.22	-14.66	40.00	35.20	10.52	32.16	0.00	103	87	PEAK																																																																																		
4	5930.40	55.79	68.20	-12.41	42.23	35.20	10.52	32.16	0.00	103	87	PEAK																																																																																		





		38																																																							
Mode		Harmonic																																																							
		U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																							
ANT		8																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>44.94</td><td>74.00</td><td>-29.06</td><td>53.00</td><td>38.15</td><td>14.95</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	44.94	74.00	-29.06	53.00	38.15	14.95	61.16	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11550.00	44.94	74.00	-29.06	53.00	38.15	14.95	61.16	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>54.25</td><td>38.15</td><td>14.95</td><td>61.16</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.19	74.00	-27.81	54.25	38.15	14.95	61.16	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11550.00	46.19	74.00	-27.81	54.25	38.15	14.95	61.16	0.00	---	---	PEAK																																													





Mode	39																																																														
	Harmonic																																																														
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																														
ANT	8																																																														
Pol.	Horizontal						Vertical																																																								
Peak Avg																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11440.00</td><td>45.31</td><td>74.00</td><td>-28.69</td><td>53.49</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11440.00	45.31	74.00	-28.69	53.49	38.14	14.87	61.19	0.00	---	---	---	PEAK
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																				
1 11440.00	45.31	74.00	-28.69	53.49	38.14	14.87	61.19	0.00	---	---	---	PEAK																																																			
<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 11440.00</td><td>46.11</td><td>74.00</td><td>-27.89</td><td>54.29</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1 11440.00	46.11	74.00	-27.89	54.29	38.14	14.87	61.19	0.00	---	---	---	PEAK	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																				
1 11440.00	46.11	74.00	-27.89	54.29	38.14	14.87	61.19	0.00	---	---	---	PEAK																																																			



Mode	40																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																																																			
ANT	8																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>54.09</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.91	74.00	-28.09	54.09	38.14	14.87	61.19	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>45.38</td><td>74.00</td><td>-28.62</td><td>53.56</td><td>38.14</td><td>14.87</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	45.38	74.00	-28.62	53.56	38.14	14.87	61.19	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	45.91	74.00	-28.09	54.09	38.14	14.87	61.19	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11440.00	45.38	74.00	-28.62	53.56	38.14	14.87	61.19	0.00	---	---	PEAK																																																																																								



Mode	41																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																																																			
ANT	8																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.11</td><td>74.00</td><td>-29.89</td><td>52.32</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	44.11	74.00	-29.89	52.32	38.12	14.86	61.19	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11420.00</td><td>44.50</td><td>74.00</td><td>-29.50</td><td>52.71</td><td>38.12</td><td>14.86</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11420.00	44.50	74.00	-29.50	52.71	38.12	14.86	61.19	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11420.00	44.11	74.00	-29.89	52.32	38.12	14.86	61.19	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11420.00	44.50	74.00	-29.50	52.71	38.12	14.86	61.19	0.00	---	---	PEAK																																																																																								




		42																																																							
Mode		Harmonic																																																							
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																							
ANT		8																																																							
Pol.		Horizontal						Vertical																																																	
Peak Avg																																																									
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.27</td><td>74.00</td><td>-28.73</td><td>53.51</td><td>38.12</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	45.27	74.00	-28.73	53.51	38.12	14.83	61.19	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11380.00	45.27	74.00	-28.73	53.51	38.12	14.83	61.19	0.00	---	---	PEAK																																													
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11380.00</td><td>45.05</td><td>74.00</td><td>-28.95</td><td>53.29</td><td>38.12</td><td>14.83</td><td>61.19</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11380.00	45.05	74.00	-28.95	53.29	38.12	14.83	61.19	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	11380.00	45.05	74.00	-28.95	53.29	38.12	14.83	61.19	0.00	---	---	PEAK																																													



Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.46	1.391	0.719	0.75KHz
802.11ac VHT20	97.31	1.312	0.762	0.82KHz
802.11ac VHT40	95.15	0.654	1.530	1.6kHz
802.11ac VHT80	86.54	0.326	3.067	3.3KHz

802.11a






802.11ac VHT20



802.11ac VHT40





802.11ac VHT80

