

TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe: ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.38 mW/g, SAR (10g): 0.932 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A CDMA HEAD

SAM Phantom; Right Hand Section; Probe: ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.701 mW/g, SAR (10g): 0.472 mW/g

Toshiba TriMode Phone Model: CDM-9500

Cellular CDMA Mode, Ch.1013 [824.70MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/23/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe: ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.25 mW/g , SAR (10g): 0.688 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Body SAR

SAM Phantom; Flat Section; Probe: ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.464 mW/g, SAR (10g): 0.328 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Extended Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 27.2dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Beltclip

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A CDMA Body

SAM Phantom; Flat Section; Probe: ET3DV6 - SN1560; ConvF(6.52,6.52,6.52)

Med. Parameters 835 MHz Muscle: $\sigma = 0.93$ mho/m $\epsilon_r = 56.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor.0


SAR (1g): 0.222 mW/g, **SAR** (10g): 0.157 mW/g

Toshiba TriMode Phone Model: CDM-9500

Cellular CDMA Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 24.5dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Beltclip

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe: ET3DV6 - SN1560; ConvF(4.70,4.70,4.70)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.55$ mho/m $\epsilon_r = 54.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0

SAR (1g): 0.309 mW/g, SAR (10g): 0.179 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.0dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Beltclip

Test Date - 04/26/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

