

# T H E L I N C O L N E L E C T R I C C O M P A N Y 22801 Saint Clair Avenue • Cleveland, Ohio 44117 • U.S.A Tel: +1 (216) 481-8100 • Fax: +1 (216) 486-1751

#### Request for Modular/Limited Modular Approval

Date: November 9, 2022				
Subject: Manufacturer's Declaration for	□ - Modular Approval ☑ - Limited Modular Approval	□ - Split Modu		
Confidentiality Request for: 2AJY8-	LEB00030451			
8 Basic For Items Marked "NO(*)", the Lin	c Requirements – FCC Part 15.212(a mited Module Description Must be I		ollowing Page	es
	proval Requirement			ment Met
1. The modular transmitter must have its own R does not have to rely upon the shielding provall modular transmitter emissions to comply between the RF circuitry of the module and a module is installed. Such coupling may result tuning capacitors may be located external to	wided by the device into which it is ins with FCC limits. It is also intended to any wires or circuits in the device into It in non-compliant operation. The ph	talled in order for prevent coupling which the ysical crystal and	⊠ - YES	□ - NO(*)
Details: RF circuitry is located inside the B printed circuit board.	Bluetooth SoC, which is separated fro	m wires and comm	on solder poir	its on the
2. The modular transmitter must have buffered ensure that the module will comply with FCC or over-modulation. 15.212(a)(1)(ii)			⊠ - YES	□ - NO(*)
Details: Data to the modulation circuit is b	buffered by the Debug circuitry locate	ed inside the Blueto	oth SoC.	
3. The modular transmitter must have its own p to ensure that the module will comply with F supplying circuitry in the device into which t	FCC requirements regardless of the des	sign of the power	⊠ - YES	☐ - NO(*)
Details: The module contains its own power	er supply regulation. Please refer to	schematic filed with	h this applicat	tion.
4. The modular transmitter must comply with the \$\\$ 15.203, 15.204(b), 15.204(c), 15.212(a), a attached or employ a "unique" antenna coupantenna, including the cable). The "profession applicable to modules but can apply to limite 15.212(a)(1)(iv)	and 2.929(b). The antenna must either pler (at all connections between the monal installation" provision of § 15.20	be permanently odule and the 13 is not	⊠ - YES	□ - NO(*)
Details: The module contains a permanent	tly attached antenna inside the Bluet	ooth SoC.		
5. The modular transmitter must be tested in a sinside another device during testing. This is it complying with Part 15 emission limits regar Unless the transmitter module will be battery requirements found in Section 15.207. AC or to the module must not contain ferrites, unless 15.27(a)). The length of these lines shall be lunknown, at least 10 centimeters to insure the and supporting equipment. Any accessories, module during testing shall be unmodified or 15.212(a)(1)(v)	intended to demonstrate that the module rdless of the device into which it is every powered, it must comply with the AC or DC power lines and data input/output sest they will be marketed with the modulength typical of actual use or, if that leat there is no coupling between the car peripherals, or support equipment compared to the coupling between the car peripherals, or support equipment compared to the car peripherals.	le is capable of entually installed. Cline conducted t lines connected ule (see Section ength is se of the module unected to the	⊠ - YES	□ - NO(*)
Details: The module was tested stand-alone	e as shown in test setup photographs	filed with this appli	cation	



## THE LINCOLN ELECTRIC COMPANY

22801 Saint Clair Avenue • Cleveland, Ohio 44117 • U.S.A Tel: +1 (216) 481-8100 • Fax: +1 (216) 486-1751

Modular Approval Requirement		Requirement Met	
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748).  If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.  If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)	⊠ - YES	□ - NO(*)
	Details: There is an electronic display on the product which it is installed and the FCC ID is visible instructions are in the instruction manual filed with this application.	e. Electronic	display
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)
	Details: The module will only be used or installed in products designed and sold by the grantee.		
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)
	Details: The module meets Portable exclusion levels as shown in the RF exposure information filed	d with this ap	plication.



### THE LINCOLN ELECTRIC COMPANY

22801 Saint Clair Avenue • Cleveland, Ohio 44117 • U.S.A Tel: +1 (216) 481-8100 • Fax: +1 (216) 486-1751

#### **Limited Module Description – When Applicable**

\* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: The module will not be sold separately and will only be used or installed in products designed and sold by the grantee. Design and bill of materials for the module will be controlled by the schematic print filed with this application.

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement	Requirement Met		
<ol> <li>For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.</li> </ol>	□ - Provided in Separate     Cover Letter	□ - N/A	
Details: See M26970 FCC Request for Modular Approval letter attached to this application.			
<ol> <li>For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.</li> </ol>	- Provided in Separate     Cover Letter	⊠ - N/A	
Details: N/A			

Split Modular Requirements			
Requirement	Provided in Manual		
<ol> <li>For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained.</li> </ol>	☐ - Provided in Separate Cover Letter	⊠ - N/A	
Details: N/A			



#### THE LINCOLN ELECTRIC COMPANY

22801 Saint Clair Avenue • Cleveland, Ohio 44117 • U.S.A Tel: +1 (216) 481-8100 • Fax: +1 (216) 486-1751

OEM Integration Manual Guidance – KDB 996369 D03 Section 2				
Clear and Specific Instructions Describing the Conditions, Limitations, and Procedures				
for third-parties to use and/or integrate the module into a host device.				
Requiremen	t			
			⊠ - No,	
			If No, and LMA applies, the applicant	
			not make the following detailed info pu	
Is this module inte		□ - YES	needs to be basic integration instruction	
sale to third parties	s?	□ - 1L5	the information below must still be inc description. <u>If the applicant wishes to k</u>	
			this will require a separate statement co	
			module is not for sale to third partie	
			instructions are internal confide	ential documents.
1 PM 4 4040 :			ual – See KDB 996369 D03, Section 2	36 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
			ormation to be in the installation manual	
			or all these items indicating clearly when ndicate "Not Applicable". Also if a modu	
			arties, the user instructions may not need	
following items	can be place	d in the operational descri	ption, but this should include a cover let	
		DB 996369 D03, Section 2.	2	
	•	lated to the transmitter.		
		onal use conditions. KDB 99		
		onal installation info	loss, reduction of power for point to point	
		OB 996369 D03, Section 2.4		
			ses to verify the host meets the necessary	
limi	ting condition	ns		☐ - All Items shown to
	b. When RF exposure evaluation is necessary, state how control will be maintained such the left are provided in			
		is ensured, such as Class II f	or new hosts, etc.	the Modular Integration
		96369 D03, Section 2.5	nnectors, isolation requirements, tests for	Guide (or UM) for Full Modular Approval
			edures for ensuring compliance. If	(MA) or LMA.
			ential must be identified and information	, , , , , , , , , , , , , , , , , , , ,
pro	vided in the o	perational description.		□ - An LMA applies
		DB 996369 D03, Section 2.6		and is approved ONLY
			low host manufacturers to use the	for use by the grantee in
			sary: first to the host manufacturer to from body) and second additional text	their own products, and
		vided to the end user in the h		not intended for sale to 3 <sup>rd</sup> parties as provided in
6. Antennas. KDB 99				a separate cover letter.
a. List	of antennas i	included in the application a	nd all applicable professional installer	Therefore the
			at shall also identify the antenna types	information shown to
			nni-directional" is not considered a type)	the left is found in the
		on. KDB 996369 D03, Secti	rovide a physical or e-label stating	theory of operation.
		D: " with their finished prod		
			nts. KDB 996369 D03, Section 2.9	
a. Tes	a. Test modes that should be taken into consideration by host integrators including			
clarifications necessary for stand-alone and simultaneous configurations.				
		ion on how to configure test		
9. Auditional testing,	rart 15 Subp	eart B disclaimer. KDB 9963	עט אטט, אפכווסוז 2.10	
Cin canalty				
Sincerely,	( 0			
D.,,	( Innin	Faich	Comin Forch	
Ву:	(C		Samir Farah	
	(Signati	ure/Title <sup>1</sup> )	(Print name)	

<sup>&</sup>lt;sup>1</sup> - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.