

Appendix B: Test Results of Radiated Emissions & Mains Conducted Emission Test


Band Edges, 2.31GHz ~ 2.9GHz

802.11b

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.47	54.26	16.71	37.55	74.00	-19.74	192	47	Peak	Horizontal	
2 *	2412.00	103.67	65.95	37.72	74.00	29.67	192	47	Peak	Horizontal	
3	2512.72	55.23	17.01	38.22	74.00	-18.77	192	47	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec 2, Fenhua Rd., Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.41	55.21	17.65	37.56	74.00	-18.79	200	35	Peak	Vertical	
2 *	2412.00	101.59	63.87	37.72	74.00	27.59	200	35	Peak	Vertical	
3	2890.21	55.42	16.85	38.57	74.00	-18.58	200	35	Peak	Vertical	

802.11b

Low Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2388.47	43.03	5.48	37.55	54.00	-10.97	182	47	Average	Horizontal	
2 *	2412.00	101.00	63.36	37.72	54.00	47.00	182	47	Average	Horizontal	
3	2512.72	42.21	3.99	38.22	54.00	-11.79	182	47	Average	Horizontal	




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.41	42.23	4.67	37.56	54.00	-11.77	200	35	Average	Vertical	
2 *	2412.00	99.00	61.28	37.72	54.00	45.00	200	35	Average	Vertical	
3	2890.21	42.10	3.53	38.57	54.00	-11.90	200	35	Average	Vertical	

802.11b

High Channel (Horizontal) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2346.93	53.83	16.57	37.26	74.00	-20.17	100	52	Peak	Horizontal	
2 *	2462.00	102.56	64.50	38.06	74.00	28.56	100	52	Peak	Horizontal	
3	2483.70	57.24	19.08	38.16	74.00	-16.76	100	52	Peak	Horizontal	




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2343.39	53.87	16.61	37.26	74.00	-20.13	203	15	Peak	Vertical	
2 *	2462.00	101.74	63.68	38.06	74.00	27.74	203	15	Peak	Vertical	
3	2484.40	55.04	16.87	38.17	74.00	-18.96	203	15	Peak	Vertical	

802.11b

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2346.93	41.34	4.08	37.26	54.00	-12.66	100	52	Average	Horizontal	
2 *	2462.00	99.76	61.70	38.06	54.00	45.76	100	52	Average	Horizontal	
3	2483.70	42.58	4.42	38.16	54.00	-11.42	100	52	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2343.39	41.12	3.86	37.26	54.00	-12.88	203	15	Average	Vertical	
2 *	2462.00	98.91	60.85	38.06	54.00	44.91	203	15	Average	Vertical	
3	2484.40	42.38	4.21	38.17	54.00	-11.62	203	15	Average	Vertical	

802.11g

Low Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	61.36	23.80	37.56	74.00	-12.64	206	326	Peak	Horizontal	
2 *	2412.00	106.42	68.70	37.72	74.00	32.42	206	326	Peak	Horizontal	
3	2486.65	55.02	16.84	38.18	74.00	-18.98	206	326	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2399.89	61.38	23.82	37.56	74.00	-12.62	115	346	Peak	Vertical	
2 *	2412.00	104.86	67.14	37.72	74.00	30.86	115	346	Peak	Vertical	
3	2491.25	55.51	17.31	38.20	74.00	-18.49	115	346	Peak	Vertical	

802.11g

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	46.64	9.08	37.56	54.00	-7.36	206	326	Average	Horizontal	
2 *	2412.00	97.19	59.47	37.72	54.00	43.19	206	326	Average	Horizontal	
3	2486.65	42.58	4.40	38.18	54.00	-11.42	206	326	Average	Horizontal	

Low Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.89	46.34	8.78	37.56	54.00	-7.66	115	346	Average	Vertical	
2 *	2412.00	95.93	58.21	37.72	54.00	41.93	115	346	Average	Vertical	
3	2491.25	42.50	4.30	38.20	54.00	-11.50	115	346	Average	Vertical	

802.11g

High Channel (Horizontal) Peak




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2346.93	53.68	16.34	37.26	74.00	-20.40	100	52	Peak	Horizontal	
2 *	2462.00	105.56	67.50	38.06	74.00	31.56	100	52	Peak	Horizontal	
3	2483.70	62.28	24.12	38.16	74.00	-11.72	100	52	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2374.55	54.14	16.69	37.45	74.00	-19.86	310	360	Peak	Vertical	
2 *	2462.00	105.37	67.31	38.06	74.00	31.37	310	360	Peak	Vertical	
3	2483.58	60.86	22.70	38.16	74.00	-13.14	310	360	Peak	Vertical	

802.11g

High Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2346.93	40.96	3.70	37.26	54.00	-13.04	100	52	Average	Horizontal	
2 *	2462.00	95.52	57.46	38.06	54.00	41.52	100	52	Average	Horizontal	
3	2483.70	46.41	8.25	38.16	54.00	-7.59	100	52	Average	Horizontal	

High Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec. 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2374.55	40.90	3.45	37.45	74.00	-33.10	310	360	Peak	Vertical	
2 *	2462.00	95.37	57.31	38.06	74.00	21.37	310	360	Peak	Vertical	
3	2483.58	44.42	6.26	38.16	74.00	-29.58	310	360	Peak	Vertical	

802.11n HT20

Low Channel (Horizontal) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2389.77	63.48	25.92	37.56	74.00	-10.52	182	46	Peak	Horizontal	
2 *	2412.00	107.09	69.37	37.72	74.00	33.09	182	46	Peak	Horizontal	
3	2532.67	55.40	17.24	38.16	74.00	-18.60	182	46	Peak	Horizontal	




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	2390.00	61.36	23.00	37.56	74.00	-12.64	290	7	Peak	Vertical	
2 *	2412.00	105.56	67.84	37.72	74.00	31.56	290	7	Peak	Vertical	
3	2824.24	55.25	16.92	38.33	74.00	-18.75	290	7	Peak	Vertical	

802.11n HT20

Low Channel (Horizontal) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2389.77	47.91	10.35	37.56	54.00	-6.09	102	46	Average	Horizontal		
2 *	2412.00	96.96	59.24	37.72	54.00	42.96	102	46	Average	Horizontal		
3	2532.67	42.03	3.87	38.16	54.00	-11.97	102	46	Average	Horizontal		

Low Channel (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2390.00	46.71	9.15	37.56	54.00	-7.29	290	7	Average	Vertical		
2 *	2412.00	95.66	58.14	37.72	54.00	41.66	290	7	Average	Vertical		
3	2824.24	42.12	3.79	38.33	54.00	-11.88	290	7	Average	Vertical		

802.11n HT20

High Channel (Horizontal) Peak



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2333.84	53.96	16.74	37.22	74.00	-20.04	100	52	Peak	Horizontal	
2 *	2462.00	105.71	67.65	38.06	74.00	31.71	100	52	Peak	Horizontal	
3	2484.05	60.22	22.05	38.17	74.00	-13.78	100	52	Peak	Horizontal	




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	dB	cm	deg			
1	2388.71	53.75	16.20	37.55	74.00	-20.25	204	14	Peak	Vertical	
2 *	2462.00	104.78	66.72	38.06	74.00	30.78	204	14	Peak	Vertical	
3	2483.81	59.21	21.04	38.17	74.00	-14.79	204	14	Peak	Vertical	

802.11n HT20

High Channel (Horizontal) Average




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



High Channel (Vertical) Average



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Spurious Emissions, Tx Mode, 9kHz ~ 30MHz


802.11b

High Channel (open) 9kHz~150kHz

High Channel (Open) 150kHz~30MHz


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322


	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	79.98	3.91	76.07	126.24	-46.26	100	195	QP	Open		
2	0.04	68.18	1.16	67.02	116.21	-48.03	100	279	QP	Open		
3	0.07	61.06	-0.73	61.79	111.26	-50.29	100	170	QP	Open		
4	0.09	57.29	-1.64	58.93	108.77	-51.48	100	83	QP	Open		
5	0.11	54.19	-2.63	56.82	106.75	-52.56	100	28	QP	Open		
6	0.14	54.01	-1.68	55.69	104.90	-50.89	100	116	QP	Open		


 TÜV Rheinland Taiwan Ltd.
 No. 438-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
 Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.26	64.44	13.94	50.50	99.39	-34.95	100	166	QP	Open		
2	4.63	48.70	12.24	36.46	69.50	-20.80	100	32	QP	Open		
3	10.33	52.37	14.22	38.15	69.50	-17.13	100	188	QP	Open		
4	16.78	49.01	11.32	37.69	69.50	-20.49	100	328	QP	Open		
5	22.84	52.25	13.48	38.77	69.50	-17.25	100	235	QP	Open		
6	28.94	55.61	13.98	41.63	69.50	-13.89	100	154	QP	Open		

802.11b

High Channel (Close) 9kHz~150kHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.01	82.29	5.16	77.13	127.90	-45.61	100	385 QP		Close		
2	0.03	70.34	2.02	68.32	117.55	-47.21	100	106 QP		Close		
3	0.05	62.42	-0.77	63.19	112.79	-50.37	100	229 QP		Close		
4	0.08	56.79	-2.75	59.54	109.24	-52.45	100	62 QP		Close		
5	0.11	54.89	-1.74	56.63	106.42	-51.53	100	251 QP		Close		
6	0.14	51.90	-3.78	55.68	104.88	-52.98	100	121 QP		Close		

High Channel (Close) 150kHz~30MHz



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	0.22	65.39	13.09	52.30	100.92	-35.53	100	320 QP		Close		
2	4.45	51.73	15.23	36.50	69.50	-17.77	100	239 QP		Close		
3	9.33	49.32	11.38	37.94	69.50	-20.18	100	157 QP		Close		
4	13.61	49.70	11.78	37.92	69.50	-19.80	100	360 QP		Close		
5	20.96	49.73	11.83	37.90	69.50	-19.77	100	125 QP		Close		
6	25.81	52.41	12.25	40.16	69.50	-17.09	100	62 QP		Close		


Spurious Emissions, Tx Mode, 30MHz ~ 1GHz

802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	143.98	31.88	39.42	-7.62	43.58	-11.70	300	288	QP	Horizontal		
2	252.32	29.11	37.21	-8.10	46.00	-16.89	100	152	QP	Horizontal		
3	329.73	36.61	42.31	-5.70	46.00	-9.39	100	83	QP	Horizontal		
4	413.73	28.14	32.35	-4.21	46.00	-17.86	100	87	QP	Horizontal		
5	639.65	28.62	29.34	-0.72	46.00	-17.38	400	181	QP	Horizontal		
6	844.98	32.48	29.93	2.55	46.00	-13.52	100	44	QP	Horizontal		

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	47.17	31.85	39.33	-7.48	46.00	-14.15	226	0	QP	Vertical		
2	144.65	34.07	41.62	-7.55	43.58	-9.43	100	120	QP	Vertical		
3	231.57	30.63	39.21	-8.58	46.00	-15.37	100	174	QP	Vertical		
4	337.39	35.10	40.72	-5.62	46.00	-10.90	200	253	QP	Vertical		
5	521.50	30.92	33.50	-2.58	46.00	-15.08	100	255	QP	Vertical		
6	878.89	31.82	28.91	2.91	46.00	-14.18	300	176	QP	Vertical		


Spurious Emissions, Tx Mode, 1GHz ~ 26.5GHz

802.11b


Low Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11b

Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	45.54	55.21	-9.67	74.00	-28.46	400	292	Peak	Horizontal	
2	7311.00	50.11	57.36	-7.25	54.00	-3.89	100	341	Average	Horizontal	
3	7311.00	55.12	62.37	-7.25	74.00	-18.88	100	341	Peak	Horizontal	

Middle Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4874.00	49.90	59.57	-9.67	54.00	-4.10	105	325	Average	Vertical	
2	4874.00	52.24	61.91	-9.67	74.00	-21.76	105	325	Peak	Vertical	
3	7311.00	49.28	56.53	-7.25	54.00	-4.72	100	345	Average	Vertical	
4	7311.00	54.41	61.66	-7.25	74.00	-19.59	100	345	Peak	Vertical	

802.11b

High Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	47.95	57.48	-9.53	54.00	-6.05	377	3112	Average	Horizontal	
2	4924.00	50.37	59.90	-9.53	74.00	-23.63	377	312	Peak	Horizontal	
3	7386.00	45.97	53.30	-7.33	54.00	-8.03	100	339	Average	Horizontal	
4	7386.00	51.64	58.97	-7.33	74.00	-22.36	100	339	Peak	Horizontal	

High Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	52.55	62.08	-9.53	54.00	-1.45	100	332	Average	Vertical	
2	4924.00	54.73	64.26	-9.53	74.00	-19.27	100	332	Peak	Vertical	
3	7386.00	46.49	53.82	-7.33	54.00	-7.51	100	357	Average	Vertical	
4	7386.00	51.90	59.23	-7.33	74.00	-22.10	100	357	Peak	Vertical	

802.11g

Low Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11g

High Channel (Horizontal)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	43.73	53.26	-9.53	74.00	-30.27	300	97	Peak	Horizontal	
2	7386.00	43.00	50.33	-7.33	54.00	-11.00	342	28	Average	Horizontal	
3	7386.00	57.68	65.01	-7.33	74.00	-16.32	342	28	Peak	Horizontal	
4	9848.00	46.00	50.44	-4.44	85.56	-39.56	300	322	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	40.54	50.07	-9.53	54.00	-13.46	277	33	Average	Vertical	
2	4924.00	54.13	63.66	-9.53	74.00	-19.87	277	33	Peak	Vertical	
3	7386.00	44.23	51.56	-7.33	54.00	-9.77	269	16	Average	Vertical	
4	7386.00	59.44	66.77	-7.33	74.00	-14.56	269	16	Peak	Vertical	
5	9848.00	46.48	50.92	-4.44	85.37	-38.89	400	37	Peak	Vertical	


802.11n HT20

Low Channel (Horizontal)


Low Channel (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20


Middle Channel (Horizontal)



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11n HT20

High Channel (Horizontal)

High Channel (Vertical)




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	42.81	52.34	-9.53	74.00	-31.19	390	286	Peak	Horizontal	
2	7386.00	42.85	50.18	-7.33	54.00	-11.15	370	31	Average	Horizontal	
3	7386.00	57.70	65.03	-7.33	74.00	-16.30	370	31	Peak	Horizontal	
4	9848.00	46.11	50.55	-4.44	85.71	-39.60	200	311	Peak	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec. 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	4924.00	49.26	58.79	-9.53	74.00	-24.74	390	49	Peak	Vertical	
2	7386.00	42.94	50.27	-7.33	54.00	-11.06	280	17	Average	Vertical	
3	7386.00	59.44	66.77	-7.33	74.00	-14.56	280	17	Peak	Vertical	
4	9848.00	46.39	50.83	-4.44	84.78	-38.39	200	355	Peak	Vertical	

Mains Conducted Emission, 150kHz ~ 30MHz


Worst Band

(Line)

(Neutral)



TUV Rheinland Taiwan Ltd(New Taipei City Branch).
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322




Trace: 1

	Freq	Read	Factor	Level	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.162	37.97	9.66	47.63	65.34	-17.71	QP	line1	
2	0.162	24.55	9.66	34.21	55.34	-21.13	Average	line1	
3	0.201	32.88	9.65	42.53	63.56	-21.03	QP	line1	
4	0.201	17.88	9.65	27.53	53.56	-26.03	Average	line1	
5	0.331	20.74	9.64	30.38	59.42	-29.04	QP	line1	
6	0.331	12.22	9.64	21.86	49.42	-27.56	Average	line1	
7	0.603	31.90	9.65	41.55	56.00	-14.45	QP	line1	
8	0.603	25.42	9.65	35.07	46.00	-10.93	Average	line1	
9	0.781	19.91	9.67	29.58	56.00	-26.42	QP	line1	
10	0.781	12.35	9.67	22.02	46.00	-23.98	Average	line1	
11	6.527	18.47	9.74	28.21	60.00	-31.79	QP	line1	
12	6.527	12.04	9.74	21.78	50.00	-28.22	Average	line1	



TUV Rheinland Taiwan Ltd(New Taipei City Branch).
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Read	Factor	Level	Limit	Over	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dBuV	dB			
1	0.183	33.41	9.67	43.08	64.34	-21.26	QP	neutral	
2	0.183	19.82	9.67	29.49	54.34	-24.85	Average	neutral	
3	0.600	33.31	9.66	42.97	56.00	-13.03	QP	neutral	
4	0.600	27.05	9.66	36.71	46.00	-9.29	Average	neutral	
5	1.734	16.25	9.70	25.95	56.00	-30.05	QP	neutral	
6	1.734	10.33	9.70	20.03	46.00	-25.97	Average	neutral	
7	3.415	15.62	9.71	25.33	56.00	-30.67	QP	neutral	
8	3.415	7.63	9.71	17.34	46.00	-28.66	Average	neutral	
9	11.407	20.42	9.80	30.22	60.00	-29.78	QP	neutral	
10	11.407	15.56	9.80	25.36	50.00	-24.64	Average	neutral	
11	18.778	17.52	9.83	27.35	60.00	-32.65	QP	neutral	
12	18.778	11.75	9.83	21.58	50.00	-28.42	Average	neutral	