



FCC Class II Permissive Change Evaluation Report

FOR:

Ring, Inc.

Model Name:
Video Doorbell 2

Product Description:
Doorbell

FCC ID: 2AEUPBHARG041

Applied Rules and Standards:
KDB 178919 D01 Permission Change Policy v06

REPORT#: EMC_RING_014_18001



A2LA Accredited

IC recognized #
3462B-1

CETECOM Inc.

411 Dixon Landing Road ♦ Milpitas, CA 95035 ♦ U.S.A.

Phone: + 1 (408) 586 6200 ♦ Fax: + 1 (408) 586 6299 ♦ E-mail: info@cetecom.com ♦ <http://www.cetecom.com>
CETECOM Inc. is a Delaware Corporation with Corporation number: 2905571

TABLE OF CONTENTS

1	Assessment	2
2	Administrative Data	3
2.1	Identification of the Testing Laboratory Issuing the EMC Test Report	3
2.2	Identification of Client	3
2.3	Identification of Manufacturer	3
3	Equipment Under Test (EUT)	4
3.1	EUT Specifications	4
3.2	EUT Sample Details	4
4	History	5
5	Initial Setup and Channel Selection	6
5.1	Ring Device without battery	6
5.1	Ring Device with Battery	7
5.2	WiFi Analyzer inSSIDer filtered for search of RING Network	8
5.3	Ring Device Solid Light indicating ready to initiate setup	9
5.4	Ring Device Flashing Lights indicating Transmission	10
5.5	Ring Network appears on inSSIDer Network Analyzer	11
5.6	Power cycled Ring Device and followed steps to initiate transmission	12
6	Setup on Channel 3	13
6.1	ASUS AP on channel 3	13
6.1	Connecting to RING SSID	14
6.1	Selection of ASUS SSID on channel 3	15
6.1	Enter credentials for ASUS on channel 3	16
6.1	Setup complete on channel 3	17
6.1	Product working on channel 3	18
7	Setup on Channel 13	19
7.1	ASUS AP on channel 13	19
7.2	Selection of ASUS SSID on channel 13 not possible part 1	20
7.3	Selection of ASUS SSID on channel 13 not possible part 2	21
7.1	Selecting a fake address in Germany	22
7.1	Spoofed address does not make channel 13 available part 1	23
7.1	Spoofed address does not make channel 13 available part 2	24
7.1	Hidden network experiment	25
7.1	Ring forced to connect to hidden network ASUS on channel 13	26
7.2	Ring Searching for hidden network with no success	27

1 **Assessment**

The following device was evaluated against the applicable criteria specified in FCC KDB 178919 D01 Permission Change Policy v06.

It has been verified that the device behaves as specified in the "FCC doc for Europe setup" and cannot be operated on channels and powers prohibited in USA/Canada.

Company	Description	Model #
Ring, Inc.	Door Bell	Video Doorbell 2

Responsible for Testing Laboratory:

Dr. Peter Nevermann
(Director RC&E)

03/08/2018 Compliance

Date	Section	Name	Signature
-------------	----------------	-------------	------------------

Responsible for the Report:

Joseph Pacheco
(Technician)

03/08/2018 Compliance

Date	Section	Name	Signature
-------------	----------------	-------------	------------------

2 Administrative Data

2.1 Identification of the Testing Laboratory Issuing the EMC Test Report

Company Name:	CETECOM Inc.
Department:	Compliance
Street Address:	411 Dixon Landing Road
City/Zip Code	Milpitas, CA 95035
Country	USA
Telephone:	+1 (408) 586 6200
Fax:	+1 (408) 586 6299
Lab Manager:	James Donnellan
Responsible Project Leader:	Laith Saman

2.2 Identification of Client

Applicant's Name:	Ring, Inc.
Street Address:	1523 26th Street
City/Zip Code	Santa Monica, CA 90404
Country	USA
Contact Person:	Spiro Sacre
Phone No.	540-724-1444
e-mail:	spiro@ring.com

2.3 Identification of Manufacturer

Manufacturer's Name:	Same as Applicant
Manufacturers Address:	-----
City/Zip Code	-----
Country	-----

3 Equipment Under Test (EUT)

3.1 EUT Specifications

Model No	Video Doorbell 2
HW Version	Video Doorbell 2
SW Version	NA
FCC-ID:	2AEUPBHARG041
IC-ID:	20271-BHARG041
FWIN:	NA
HVIN:	NA
PMN:	NA
Product Description	Doorbell
Frequency Range / number of channels:	2412-2462 1-11 Channels US and 1-13 in Europe
Type(s) of Modulation:	DSSS and OFDM
Modes of Operation:	AP Mode for Setup / Station mode all other times
Antenna Information as declared:	PIFA Antenna
Max. Output Power From Report #: BTL-FCCP-1-1703117	19.24dBm
Power Supply/ Rated Operating Voltage Range:	Battery powered by 6000mAh Li-Ion battery
Operating Temperature Range	-20 to + 50C
Other Radios included in the device:	N/A
Sample Revision	<input type="checkbox"/> Prototype Unit; <input checked="" type="checkbox"/> Production Unit; <input type="checkbox"/> Pre-Production
EUT Dimensions	5.05" x 2.50" x 1.08" (12.83cm x 6.35cm x 2.74cm)

3.2 EUT Sample Details

EUT #	Serial Number	HW Version	SW Version	Notes/Comments
1	BHRG44717LH005033			-----

4 History

Date	Report Name	Changes to report	Report prepared by
03/08/2018	EMC_RING_014_18001	Initial Version	Josephine Mena

5 Initial Setup and Channel Selection


5.1 Ring Device without battery



5.1 Ring Device with Battery




5.2 WiFi Analyzer inSSIDer filtered for search of RING Network




5.3 Ring Device Solid Light indicating ready to initiate setup




5.4 Ring Device Flashing Lights indicating Transmission



5.5 Ring Network appears on inSSIDer Network Analyzer




5.6 Power cycled Ring Device and followed steps to initiate transmission




6 Setup on Channel 3


6.1 ASUS AP on channel 3



6.1 Connecting to RING SSID



6.1 Selection of ASUS SSID on channel 3



6.1 Enter credentials for ASUS on channel 3

Settings 11:35 AM 56%

Wi-Fi Setup Cancel

Enter the Wi-Fi password for ASUS.

Double check your Wi-Fi password before continuing. Wi-Fi passwords are case sensitive. An incorrect password will cause setup to fail.

1234567890

HIDE PASSWORD

CONTINUE

Advanced Options


1 2 3 4 5 6 7 8 9 0

- / : ; () \$ & @ "


#+= . , ? ! ' < >

ABC globe microphone space Done

6.1 Setup complete on channel 3




6.1 Product working on channel 3




7 Setup on Channel 13


7.1 ASUS AP on channel 13




7.2 Selection of ASUS SSID on channel 13 not possible part 1




7.3 Selection of ASUS SSID on channel 13 not possible part 2




7.1 Selecting a fake address in Germany



7.1 Spoofed address does not make channel 13 available part 1



7.1 Spoofed address does not make channel 13 available part 2



7.1 Hidden network experiment

The screenshot shows the 'Wi-Fi Setup' screen on an iPhone. At the top, the status bar displays 'Settings', signal strength, Wi-Fi icon, time '11:19 AM', location services, Bluetooth, and battery at '62%'. The title bar is blue with a back arrow, 'Wi-Fi Setup', and a 'Cancel' button. The main content area is titled 'Enter your hidden network details'. It contains a text input field with 'ASUS' and a clear button (X). Below it is a 'Channel (optional)' field. There are three buttons for security: 'None' (selected), 'WPA', and 'WEP'. A large blue 'CONTINUE' button is below these. Underneath is the 'Advanced Options' section, which is currently empty. At the bottom, a standard QWERTY keyboard is visible, with a 'Done' button in the bottom right corner.

7.1 Ring forced to connect to hidden network ASUS on channel 13

The screenshot displays the 'Wi-Fi Setup' interface on an iPhone. At the top, the status bar shows 'Settings', signal strength, Wi-Fi icon, time '11:19 AM', location services, Bluetooth, and battery level '62%'. The title bar is blue with a back arrow, 'Wi-Fi Setup', and a 'Cancel' button. The main content area has a light gray background. A white text field contains 'ASUS'. Below it is another white text field labeled 'Channel (optional)'. A row of three buttons is shown: 'None', 'WPA' (highlighted in blue), and 'WEP'. Below these is a white password field containing '1234567890' with a clear 'x' button. To the right of the password field is a 'HIDE PASSWORD' link. A large blue 'CONTINUE' button is centered below the password field. Underneath the button is the text 'Advanced Options'. At the bottom of the screen is a standard iOS keyboard with a blue 'Done' button.

7.2 Ring Searching for hidden network with no success

