



Appendix B. Radiated Spurious Emission Plots



Test Engineer :	Tsung Lee, Stan Hsieh, and Ray Lee	Temperature :	20~22°C
		Relative Humidity :	41~43%

Note symbol



-L	Low channel location
-R	High channel location



2.4GHz 2400~2483.5MHz

BT (Band Edge @ 3m)



BT	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																	
ANT	BT CH00 2402MHz																																																																																																	
1	Horizontal						Vertical																																																																																											
Peak																																																																																																		
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : I						Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : I																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2325.34</td><td>48.82</td><td>-25.18</td><td>74.00</td><td>49.70</td><td>27.05</td><td>5.33</td><td>33.26</td><td>107</td><td>295 Peak</td></tr><tr><td>2 *</td><td>2402.04</td><td>98.51</td><td>24.51</td><td>74.00</td><td>99.11</td><td>27.23</td><td>5.39</td><td>33.22</td><td>107</td><td>295 Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2325.34	48.82	-25.18	74.00	49.70	27.05	5.33	33.26	107	295 Peak	2 *	2402.04	98.51	24.51	74.00	99.11	27.23	5.39	33.22	107	295 Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>2325.34</td><td>47.87</td><td>-26.13</td><td>74.00</td><td>48.75</td><td>27.05</td><td>5.33</td><td>33.26</td><td>319</td><td>247 Peak</td></tr><tr><td>2 *</td><td>2402.04</td><td>97.74</td><td>23.74</td><td>74.00</td><td>98.34</td><td>27.23</td><td>5.39</td><td>33.22</td><td>319</td><td>247 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2325.34	47.87	-26.13	74.00	48.75	27.05	5.33	33.26	319	247 Peak	2 *	2402.04	97.74	23.74	74.00	98.34	27.23	5.39	33.22	319
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																									
1	2325.34	48.82	-25.18	74.00	49.70	27.05	5.33	33.26	107	295 Peak																																																																																								
2 *	2402.04	98.51	24.51	74.00	99.11	27.23	5.39	33.22	107	295 Peak																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																									
1	2325.34	47.87	-26.13	74.00	48.75	27.05	5.33	33.26	319	247 Peak																																																																																								
2 *	2402.04	97.74	23.74	74.00	98.34	27.23	5.39	33.22	319	247 Peak																																																																																								





BT		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																																																
ANT		BT CH39 2441MHz																																																																																																																																
1		Horizontal					Vertical																																																																																																																											
Peak																																																																																																																																		
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 2										Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 2																																																																																																																							
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2364.15</td><td>50.02</td><td>-23.98</td><td>74.00</td><td>50.74</td><td>27.14</td><td>5.39</td><td>33.25</td><td>100</td><td>294 Peak</td></tr><tr><td>2 *</td><td>2441.10</td><td>99.37</td><td>25.37</td><td>74.00</td><td>99.78</td><td>27.37</td><td>5.42</td><td>33.20</td><td>100</td><td>294 Peak</td></tr><tr><td>3</td><td>2484.99</td><td>43.89</td><td>-30.11</td><td>74.00</td><td>44.15</td><td>27.46</td><td>5.46</td><td>33.18</td><td>100</td><td>294 Peak</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2364.15	50.02	-23.98	74.00	50.74	27.14	5.39	33.25	100	294 Peak	2 *	2441.10	99.37	25.37	74.00	99.78	27.37	5.42	33.20	100	294 Peak	3	2484.99	43.89	-30.11	74.00	44.15	27.46	5.46	33.18	100	294 Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2364.53</td><td>47.28</td><td>-26.72</td><td>74.00</td><td>47.99</td><td>27.14</td><td>5.39</td><td>33.24</td><td>356</td><td>247 Peak</td></tr><tr><td>2 *</td><td>2441.10</td><td>99.25</td><td>25.25</td><td>74.00</td><td>99.66</td><td>27.37</td><td>5.42</td><td>33.20</td><td>356</td><td>247 Peak</td></tr><tr><td>3</td><td>2486.13</td><td>42.63</td><td>-31.37</td><td>74.00</td><td>42.89</td><td>27.46</td><td>5.46</td><td>33.18</td><td>356</td><td>247 Peak</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2364.53	47.28	-26.72	74.00	47.99	27.14	5.39	33.24	356	247 Peak	2 *	2441.10	99.25	25.25	74.00	99.66	27.37	5.42	33.20	356	247 Peak	3	2486.13	42.63	-31.37	74.00	42.89	27.46	5.46	33.18	356	247 Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																									
1	2364.15	50.02	-23.98	74.00	50.74	27.14	5.39	33.25	100	294 Peak																																																																																																																								
2 *	2441.10	99.37	25.37	74.00	99.78	27.37	5.42	33.20	100	294 Peak																																																																																																																								
3	2484.99	43.89	-30.11	74.00	44.15	27.46	5.46	33.18	100	294 Peak																																																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																									
1	2364.53	47.28	-26.72	74.00	47.99	27.14	5.39	33.24	356	247 Peak																																																																																																																								
2 *	2441.10	99.25	25.25	74.00	99.66	27.37	5.42	33.20	356	247 Peak																																																																																																																								
3	2486.13	42.63	-31.37	74.00	42.89	27.46	5.46	33.18	356	247 Peak																																																																																																																								



BT		2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																																																									
ANT		BT CH78 2480MHz																																																																																																									
1		Horizontal					Vertical																																																																																																				
Peak																																																																																																											
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 3										Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 3																																																																																																
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>2479.98</td><td>99.92</td><td>25.92</td><td>74.00</td><td>100.20</td><td>27.46</td><td>5.44</td><td>33.18</td><td>100</td><td>292 Peak</td></tr><tr><td>2</td><td>2489.57</td><td>56.78</td><td>-17.22</td><td>74.00</td><td>57.00</td><td>27.50</td><td>5.46</td><td>33.18</td><td>100</td><td>292 Peak</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2479.98	99.92	25.92	74.00	100.20	27.46	5.44	33.18	100	292 Peak	2	2489.57	56.78	-17.22	74.00	57.00	27.50	5.46	33.18	100	292 Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 *</td><td>2479.98</td><td>98.74</td><td>24.74</td><td>74.00</td><td>99.02</td><td>27.46</td><td>5.44</td><td>33.18</td><td>337</td><td>248 Peak</td></tr><tr><td>2</td><td>2483.50</td><td>54.96</td><td>-19.04</td><td>74.00</td><td>55.22</td><td>27.46</td><td>5.46</td><td>33.18</td><td>337</td><td>248 Peak</td></tr></table>											Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 *	2479.98	98.74	24.74	74.00	99.02	27.46	5.44	33.18	337	248 Peak	2	2483.50	54.96	-19.04	74.00	55.22	27.46	5.46	33.18	337
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																		
1 *	2479.98	99.92	25.92	74.00	100.20	27.46	5.44	33.18	100	292 Peak																																																																																																	
2	2489.57	56.78	-17.22	74.00	57.00	27.50	5.46	33.18	100	292 Peak																																																																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																		
1 *	2479.98	98.74	24.74	74.00	99.02	27.46	5.44	33.18	337	248 Peak																																																																																																	
2	2483.50	54.96	-19.04	74.00	55.22	27.46	5.46	33.18	337	248 Peak																																																																																																	

**2.4GHz 2400~2483.5MHz****BT (Harmonic @ 3m)**

BT	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																				
ANT	BT CH00 2402MHz																																																																				
1	Horizontal					Vertical																																																															
Peak Avg.																																																																					
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5NI313 Mode : 1					Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5NI313 Mode : 1																																																															
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>38.83</td><td>-35.17</td><td>74.00</td><td>60.47</td><td>31.42</td><td>7.58</td><td>60.64</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4804.00	38.83	-35.17	74.00	60.47	31.42	7.58	60.64	100 0 Peak	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>41.86</td><td>-32.14</td><td>74.00</td><td>63.50</td><td>31.42</td><td>7.58</td><td>60.64</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4804.00	41.86	-32.14	74.00	63.50	31.42	7.58	60.64
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																													
1	4804.00	38.83	-35.17	74.00	60.47	31.42	7.58	60.64	100 0 Peak																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																													
1	4804.00	41.86	-32.14	74.00	63.50	31.42	7.58	60.64	100 0 Peak																																																												

BT	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																									
ANT	BT CH39 2441MHz																																																									
1	Horizontal							Vertical																																																		
Peak Avg.																																																										
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5NI313 Mode : 2																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>38.65</td><td>-35.35</td><td>74.00</td><td>59.79</td><td>31.56</td><td>7.82</td><td>60.52</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7323.00</td><td>43.77</td><td>-30.23</td><td>74.00</td><td>59.02</td><td>36.22</td><td>9.51</td><td>60.98</td><td>100</td><td>0 Peak</td></tr></table>															Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	38.65	-35.35	74.00	59.79	31.56	7.82	60.52	100	0 Peak	2	7323.00	43.77	-30.23	74.00	59.02	36.22	9.51	60.98	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																
1	4882.00	38.65	-35.35	74.00	59.79	31.56	7.82	60.52	100	0 Peak																																																
2	7323.00	43.77	-30.23	74.00	59.02	36.22	9.51	60.98	100	0 Peak																																																
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5NI313 Mode : 2																																																									
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4882.00</td><td>43.72</td><td>-30.28</td><td>74.00</td><td>64.86</td><td>31.56</td><td>7.82</td><td>60.52</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7323.00</td><td>41.27</td><td>-32.73</td><td>74.00</td><td>56.52</td><td>36.22</td><td>9.51</td><td>60.98</td><td>100</td><td>0 Peak</td></tr></table>															Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4882.00	43.72	-30.28	74.00	64.86	31.56	7.82	60.52	100	0 Peak	2	7323.00	41.27	-32.73	74.00	56.52	36.22	9.51	60.98	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																
1	4882.00	43.72	-30.28	74.00	64.86	31.56	7.82	60.52	100	0 Peak																																																
2	7323.00	41.27	-32.73	74.00	56.52	36.22	9.51	60.98	100	0 Peak																																																



BT	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	BT CH78 2480MHz																																																																																																	
1	Horizontal						Vertical																																																																																											
Peak Avg.																																																																																																		
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 3						Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 3																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>40.21</td><td>-33.79</td><td>74.00</td><td>60.91</td><td>31.73</td><td>7.93</td><td>60.36</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7440.00</td><td>42.82</td><td>-31.18</td><td>74.00</td><td>58.06</td><td>36.49</td><td>9.61</td><td>61.34</td><td>100</td><td>0 Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	40.21	-33.79	74.00	60.91	31.73	7.93	60.36	100	0 Peak	2	7440.00	42.82	-31.18	74.00	58.06	36.49	9.61	61.34	100	0 Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>42.08</td><td>-31.92</td><td>74.00</td><td>62.78</td><td>31.73</td><td>7.93</td><td>60.36</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7440.00</td><td>43.36</td><td>-30.64</td><td>74.00</td><td>58.60</td><td>36.49</td><td>9.61</td><td>61.34</td><td>100</td><td>0 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	42.08	-31.92	74.00	62.78	31.73	7.93	60.36	100	0 Peak	2	7440.00	43.36	-30.64	74.00	58.60	36.49	9.61	61.34	100
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4960.00	40.21	-33.79	74.00	60.91	31.73	7.93	60.36	100	0 Peak																																																																																								
2	7440.00	42.82	-31.18	74.00	58.06	36.49	9.61	61.34	100	0 Peak																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4960.00	42.08	-31.92	74.00	62.78	31.73	7.93	60.36	100	0 Peak																																																																																								
2	7440.00	43.36	-30.64	74.00	58.60	36.49	9.61	61.34	100	0 Peak																																																																																								

Emission below 1GHz

2.4GHz BT (LF)

BT	2.4GHz 2400~2483.5MHz																																																																																																																																																																																										
ANT	BT LF																																																																																																																																																																																										
1	Horizontal						Vertical																																																																																																																																																																																				
QP / Peak																																																																																																																																																																																											
	Site : 03CH10-HY						Site : 03CH10-HY																																																																																																																																																																																				
	Condition : FCC CLASS-B 3m CBL6111D-35414 HORIZONTAL						Condition : FCC CLASS-B 3m CBL6111D-35414 VERTICAL																																																																																																																																																																																				
	Detector : Peak						Detector : Peak																																																																																																																																																																																				
	Project : 5N1313						Project : 5N1313																																																																																																																																																																																				
	Mode : 27						Mode : 27																																																																																																																																																																																				
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>119.91</td><td>37.96</td><td>-5.54</td><td>43.50</td><td>51.77</td><td>17.70</td><td>1.14</td><td>32.65</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>167.97</td><td>35.46</td><td>-8.04</td><td>43.50</td><td>50.58</td><td>16.10</td><td>1.48</td><td>32.70</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>206.85</td><td>35.96</td><td>-7.54</td><td>43.50</td><td>50.94</td><td>16.13</td><td>1.62</td><td>32.73</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>311.90</td><td>40.76</td><td>-5.24</td><td>46.00</td><td>51.57</td><td>20.05</td><td>1.88</td><td>32.74</td><td>100</td><td>327 Peak</td></tr><tr><td>5</td><td>796.30</td><td>34.81</td><td>-11.19</td><td>46.00</td><td>36.47</td><td>28.25</td><td>2.97</td><td>32.88</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>815.90</td><td>35.51</td><td>-10.49</td><td>46.00</td><td>36.74</td><td>28.49</td><td>3.07</td><td>32.79</td><td>---</td><td>--- Peak</td></tr></tbody></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	119.91	37.96	-5.54	43.50	51.77	17.70	1.14	32.65	---	--- Peak	2	167.97	35.46	-8.04	43.50	50.58	16.10	1.48	32.70	---	--- Peak	3	206.85	35.96	-7.54	43.50	50.94	16.13	1.62	32.73	---	--- Peak	4	311.90	40.76	-5.24	46.00	51.57	20.05	1.88	32.74	100	327 Peak	5	796.30	34.81	-11.19	46.00	36.47	28.25	2.97	32.88	---	--- Peak	6	815.90	35.51	-10.49	46.00	36.74	28.49	3.07	32.79	---	--- Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>34.86</td><td>34.63</td><td>-5.37</td><td>40.00</td><td>43.69</td><td>23.10</td><td>0.65</td><td>32.81</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>45.12</td><td>34.93</td><td>-5.07</td><td>40.00</td><td>49.72</td><td>17.07</td><td>0.93</td><td>32.79</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>51.60</td><td>35.19</td><td>-4.81</td><td>40.00</td><td>52.43</td><td>14.60</td><td>0.93</td><td>32.77</td><td>100</td><td>21 Peak</td></tr><tr><td>4</td><td>870.50</td><td>31.59</td><td>-14.41</td><td>46.00</td><td>31.89</td><td>29.02</td><td>3.16</td><td>32.48</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>923.00</td><td>31.62</td><td>-14.38</td><td>46.00</td><td>30.62</td><td>29.86</td><td>3.20</td><td>32.06</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>949.60</td><td>32.21</td><td>-13.79</td><td>46.00</td><td>30.08</td><td>30.60</td><td>3.29</td><td>31.76</td><td>---</td><td>--- Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	34.86	34.63	-5.37	40.00	43.69	23.10	0.65	32.81	---	--- Peak	2	45.12	34.93	-5.07	40.00	49.72	17.07	0.93	32.79	---	--- Peak	3	51.60	35.19	-4.81	40.00	52.43	14.60	0.93	32.77	100	21 Peak	4	870.50	31.59	-14.41	46.00	31.89	29.02	3.16	32.48	---	--- Peak	5	923.00	31.62	-14.38	46.00	30.62	29.86	3.20	32.06	---	--- Peak	6	949.60	32.21	-13.79	46.00	30.08	30.60	3.29	31.76	---	--- Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																
	1	119.91	37.96	-5.54	43.50	51.77	17.70	1.14	32.65	---	--- Peak																																																																																																																																																																																
2	167.97	35.46	-8.04	43.50	50.58	16.10	1.48	32.70	---	--- Peak																																																																																																																																																																																	
3	206.85	35.96	-7.54	43.50	50.94	16.13	1.62	32.73	---	--- Peak																																																																																																																																																																																	
4	311.90	40.76	-5.24	46.00	51.57	20.05	1.88	32.74	100	327 Peak																																																																																																																																																																																	
5	796.30	34.81	-11.19	46.00	36.47	28.25	2.97	32.88	---	--- Peak																																																																																																																																																																																	
6	815.90	35.51	-10.49	46.00	36.74	28.49	3.07	32.79	---	--- Peak																																																																																																																																																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																	
1	34.86	34.63	-5.37	40.00	43.69	23.10	0.65	32.81	---	--- Peak																																																																																																																																																																																	
2	45.12	34.93	-5.07	40.00	49.72	17.07	0.93	32.79	---	--- Peak																																																																																																																																																																																	
3	51.60	35.19	-4.81	40.00	52.43	14.60	0.93	32.77	100	21 Peak																																																																																																																																																																																	
4	870.50	31.59	-14.41	46.00	31.89	29.02	3.16	32.48	---	--- Peak																																																																																																																																																																																	
5	923.00	31.62	-14.38	46.00	30.62	29.86	3.20	32.06	---	--- Peak																																																																																																																																																																																	
6	949.60	32.21	-13.79	46.00	30.08	30.60	3.29	31.76	---	--- Peak																																																																																																																																																																																	