

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

*FCC PART 15.247, 15.407, SUBPART C  
IC RSS-247  
TEST REPORT*

*for**the*

SkydioLink Dual Band Module

Model: SMODBV1

Prepared for

Skydio, Inc.  
114 Hazel Avenue  
Redwood City, California, 94061

Prepared by:   
Andreas Davidsson

Approved by:   
Kevin Bothmann

Electro Magnetic Test, Inc.  
1547 Plymouth Street  
Mountain View, California 94043  
(650) 965-4000

Issued Date: June 12, 2022

Revised Date: July 7, 2022

|       | REPORT<br>BODY | APPENDICES |   |   |   | TOTAL |
|-------|----------------|------------|---|---|---|-------|
|       |                | A          | B | C | D |       |
| PAGES | 37             | 420        | 3 | 2 | 3 | 465   |

This report shall not be reproduced except in full, without the written approval of Electro Magnetic Test, Inc.



Electro Magnetic Test, Inc. (EMT) is accredited by NVLAP, Lab Code 200147-0 to perform the tests listed in this report, except where noted otherwise. This report and the information contained herein represent the test results related only to the sample tested. This report should not be relied upon as an endorsement or certification by EMT or NVLAP for the sample tested, nor does it represent any statement whatsoever as to its marketing status or fitness of the equipment for a particular purpose.

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

**REVISION HISTORY**

| REVISION | DATE          | COMMENTS                                              | MODIFIED BY |
|----------|---------------|-------------------------------------------------------|-------------|
| 0        | June 12, 2022 | Original Document                                     | -           |
| 1        | July 7, 2022  | Corrected FCC ID, updated report with band edge plots | KB          |



# **ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

## **TABLE OF CONTENTS**

| <b>SECTION</b>                                                                                                          | <b>TITLE</b> | <b>PAGE</b> |
|-------------------------------------------------------------------------------------------------------------------------|--------------|-------------|
| REVISION HISTORY .....                                                                                                  |              | 2           |
| GENERAL REPORT SUMMARY .....                                                                                            |              | 6           |
| SUMMARY OF TEST RESULTS .....                                                                                           |              | 7           |
| TECHNICAL DESCRIPTION OF THE EUT .....                                                                                  |              | 8           |
| 1. PURPOSE .....                                                                                                        |              | 9           |
| 2. ADMINISTRATIVE DATA .....                                                                                            |              | 10          |
| 2.1 Location of Testing .....                                                                                           |              | 10          |
| 2.2 Traceability Statement .....                                                                                        |              | 10          |
| 2.3 Cognizant Personnel .....                                                                                           |              | 10          |
| 2.4 Date Test Sample was Received .....                                                                                 |              | 10          |
| 2.5 Disposition of the Test Sample .....                                                                                |              | 10          |
| 2.6 Abbreviations and Acronyms .....                                                                                    |              | 10          |
| 3. APPLICABLE DOCUMENTS .....                                                                                           |              | 11          |
| 4. DESCRIPTION OF TEST CONFIGURATION .....                                                                              |              | 12          |
| 4.1 Description of Test Configuration - EMI .....                                                                       |              | 12          |
| 4.1.1 Cable Construction and Termination .....                                                                          |              | 13          |
| 5. LISTS OF EUT, ACCESSORIES AND TEST EQUIPMENT .....                                                                   |              | 14          |
| 5.1 EUT and Accessory List .....                                                                                        |              | 14          |
| 5.2 EMI Test Equipment .....                                                                                            |              | 15          |
| 6. TEST SITE DESCRIPTION .....                                                                                          |              | 17          |
| 6.1 Test Facility Description .....                                                                                     |              | 17          |
| 6.2 EUT Mounting, Bonding and Grounding .....                                                                           |              | 17          |
| 6.3 Facility Environmental Characteristics .....                                                                        |              | 17          |
| 7. TEST PROCEDURES .....                                                                                                |              | 18          |
| 7.1 Emissions in Restricted and Non-Restricted Bands .....                                                              |              | 18          |
| 7.1.3 Test Procedure (Radiated) .....                                                                                   |              | 20          |
| 7.1.4 Test Procedure (Band Edge) .....                                                                                  |              | 21          |
| 7.2 Conducted Emissions Test – Mains Ports .....                                                                        |              | 21          |
| 7.2.1 Limit (FCC PART 15 Section 15.207(a), IC RSS-GEN Issue 5 [8.8]) .....                                             |              | 22          |
| 7.2.2 Test Procedure (Conducted) .....                                                                                  |              | 22          |
| 7.2.3 Test Result .....                                                                                                 |              | 23          |
| 7.3 Occupied Bandwidth .....                                                                                            |              | 24          |
| 7.3.1 Limit (FCC PART 15 Section 15.247(a)(2), 15.407(e), IC-RSS 247 Issue 2, [5.2.1]) .....                            |              | 24          |
| 7.3.2 Test Procedure .....                                                                                              |              | 24          |
| 7.3.3 Test Result .....                                                                                                 |              | 24          |
| 7.4 Maximum Peak Output Power .....                                                                                     |              | 25          |
| 7.4.1 Limit (FCC PART 15 Section 15.247(b)(3), 15.407(a)(1)(iv), 15.407(a)(3), IC-RSS 247 Issue 2, [5.4.4]) .....       |              | 25          |
| 7.4.2 Test Procedure .....                                                                                              |              | 26          |
| 7.4.3 Test Result .....                                                                                                 |              | 26          |
| 7.5 Maximum Peak Power Spectral Density .....                                                                           |              | 27          |
| 7.5.1 Limit (FCC PART 15 Section 15.247(e), 15.407(a)(1)(iv), 15.407(a)(3), IC-RSS 247 Issue 2, [5.2.2]) .....          |              | 27          |
| 7.5.2 Test Procedure .....                                                                                              |              | 27          |
| 7.5.3 Test Result .....                                                                                                 |              | 28          |
| 7.6 Antenna Requirement .....                                                                                           |              | 29          |
| 7.6.1 Requirement (FCC PART 15 SECTION 15.203, 15.247(b)(4)), 15.407(a)(1)(i), 15.407(a)(2) .....                       |              | 29          |
| 7.6.2 Test Result .....                                                                                                 |              | 29          |
| 7.7 FHSS Requirements .....                                                                                             |              | 30          |
| 7.7.1 Requirement (FCC PART 15 SECTION 15.247(a), 15.247(b)(1), 15.247(b)(2), and RSS 247 Issue 2, [5.1, 5.4(b)]) ..... |              | 30          |
| 7.7.2 Test Procedure(s) .....                                                                                           |              | 32          |
| 7.7.3 Test Result .....                                                                                                 |              | 32          |
| 7.8 Security Requirements .....                                                                                         |              | 33          |

***ELECTRO MAGNETIC TEST, INC.***1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

|       |                                                                          |    |
|-------|--------------------------------------------------------------------------|----|
| 7.8.1 | Transmission Detection .....                                             | 33 |
| 7.8.2 | Transmit Power Control (TPC) and Dynamic Frequency Selection (DFS). .... | 34 |
| 7.8.3 | Device Security .....                                                    | 35 |
| 7.9   | Frequency Stability .....                                                | 36 |
| 7.9.1 | Limits 15.407(g) .....                                                   | 36 |
| 7.9.2 | Frequency Stability (Voltage) .....                                      | 36 |
| 8.    | CONCLUSIONS / COMPLIANCE STATEMENT .....                                 | 37 |

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

## LIST OF APPENDICES

| APPENDIX | TITLE                                                                                                                                                                                                                                                                                                                                                                       |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| A        | Radiated and Conducted Data Sheets <ul style="list-style-type: none"><li>• Radiated Emissions Test Data (General Requirements, and Restricted Bands)</li><li>• Emissions in Non-Restricted Frequency Bands Test Data</li><li>• Occupied Bandwidth Test Data</li><li>• Maximum Peak Output Power Test Data</li><li>• Maximum Peak Power Spectral Density Test Data</li></ul> |
| B        | Test Setup Diagrams                                                                                                                                                                                                                                                                                                                                                         |
| C        | Modifications To The EUT                                                                                                                                                                                                                                                                                                                                                    |
| D        | Additional Models Covered Under This Report                                                                                                                                                                                                                                                                                                                                 |

## LIST OF FIGURES

| FIGURE | TITLE                                   |
|--------|-----------------------------------------|
| 1      | Conducted Emissions Test Setup          |
| 2      | Plot Map And Layout of Test Site        |
| 3      | Layout of 5 Meter Semi-Anechoic Chamber |



## **ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

### **GENERAL REPORT SUMMARY**

This electromagnetic emission test report is generated by Electro Magnetic Test, Inc., which is an independent testing and consulting firm. The test report is based on testing performed Electro Magnetic Test, Inc. personnel according to the measurement procedure described in the test specification given below and in the "Test Procedures" section of this report.

The measurement data and conclusions appearing herein relate only to the sample tested and this report may not be reproduced in any form unless done so in full.

This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Federal Government.

Electro Magnetic Test, Inc. is recognized by the following agencies for performing EMI/EMC testing:

| <b>COUNTRY</b>                                                       | <b>AGENCY</b>                                                                                                                                                                                                                              | <b>IDENTIFYING #</b>               |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| USA                                                                  | Federal Communications Commission (FCC)<br>(EMT's test site is recognized by the FCC)                                                                                                                                                      | Registration Number:<br>US5352     |
| USA, Canada, Taiwan,<br>Australia/New Zealand,<br>European Community | National Voluntary Lab Accreditation Program (NVLAP)<br>(EMT is accredited by NVLAP. A copy of the NVLAP<br>Scope Of Accreditation is available upon request.)                                                                             | Lab Code: 200147-0                 |
| Canada                                                               | Industry Canada                                                                                                                                                                                                                            | File No.: IC 2804A                 |
| Japan                                                                | Voluntary Control Council For Interference (VCCI)                                                                                                                                                                                          | A-0118                             |
|                                                                      | Open Field Test Site "A"                                                                                                                                                                                                                   | -                                  |
|                                                                      | Mains Conducted Emissions Test Site "D"                                                                                                                                                                                                    | -                                  |
|                                                                      | Telecom Conducted Emissions Test Site "D"                                                                                                                                                                                                  | -                                  |
|                                                                      | 3 Meter Semi-Anechoic Chamber Site "E"                                                                                                                                                                                                     | -                                  |
|                                                                      | 3 Meter Semi-Anechoic Chamber Site "E" (1GHz – 6GHz)                                                                                                                                                                                       | -                                  |
|                                                                      | Mains Conducted missions Test Site "E"                                                                                                                                                                                                     | -                                  |
|                                                                      | Telecom Conducted Emissions Test Site "E"                                                                                                                                                                                                  | -                                  |
| Korea                                                                | Ministry of Information and Communication's Radio<br>Research Laboratory (RRL) under the Asia Pacific<br>Economic Cooperation (APEC) Mutual Recognition<br>Arrangement (A copy of the Scope Of Accreditation is<br>available upon request) | US0036                             |
| Taiwan                                                               | Bureau Of Standards, Metrology and Inspection (BSMI)                                                                                                                                                                                       | Reference Number:<br>SL2-IN-E-1024 |
| Australia / New Zealand                                              | Australian Communications Authority (AUSTEL)                                                                                                                                                                                               | *                                  |

\*These agencies do not issue an identifying number to test labs.



# **ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

## **GENERAL REPORT SUMMARY (CONTINUED)**

Device Tested: SkydioLink Dual Band Module  
 Model: SMODBV1  
 S/N: N/A

Product Description: The SkydioLink Dual Band Module is a WiFi module to be used in the Skydio line of products.

Modifications: The EUT was not modified during the testing.

Manufacturer: Skydio, Inc.  
 114 Hazel Avenue  
 Redwood City, California, 94061

Test Date(s): May 28, 31, June 1, 2, 3, 6, 7, 8, 9, 10, 11, 12 2022

Test Specifications: EMI requirements  
 Limits: CISPR 22: 1997 plus A1:2000 & A2:2002 Class B  
 FCC Title 47, Part 15 Subpart B, Class B  
 FCC Title 47, Part 15 Subpart C  
 RSS-GEN Issue 5  
 RSS 247 Issue 2  
 Test Procedure: ANSI C63.10: 2013

Test Deviations: The test procedure was not deviated from during the testing.

## **SUMMARY OF TEST RESULTS**

| <b>TEST</b> | <b>DESCRIPTION</b>                               | <b>FCC STANDARD</b>                                   | <b>IC STANDARD</b>                                | <b>RESULTS</b>               |
|-------------|--------------------------------------------------|-------------------------------------------------------|---------------------------------------------------|------------------------------|
| 7.1         | Emissions in Restricted and Non-Restricted Bands | 15.209, 15.247, 15.247(d)                             | RSS-GEN Issue 5, [8.9]<br>RSS 247 Issue 2, [5.5]: | <b>PASS</b>                  |
| 7.2         | Conducted Emissions                              | 15.207(a)                                             | RSS-GEN Issue 5 [8.8]                             | <b>PASS</b>                  |
| 7.3         | Occupied Bandwidth                               | 15.247(a)(2), 15.407(e)                               | RSS 247 Issue 2, [5.2.1, 6.2.4.1]                 | <b>PASS</b>                  |
| 7.4         | Maximum Peak Output Power                        | 15.247 (b), 15.407(a)(1)(iv), 15.407(a)(3)            | RSS 247 Issue 2, [5.4.4]                          | <b>PASS</b>                  |
| 7.5         | Maximum Peak Power Spectral Density              | 15.247(e), 15.407(a)(1)(iv), 15.407(a)(3)             | RSS 247 Issue 2, [5.2.2]                          | <b>PASS</b>                  |
| 7.6         | Antenna Requirement                              | 15.203, 15.247(b)(4)), 15.407(a)(1)(iv), 15.407(a)(2) | N/A                                               | <b>PASS</b>                  |
| 7.7         | FHSS Requirements                                | 15.247(a), 15.247(b)(1), and 15.247(b)(2)             | RSS 247 Issue 2, [5.1, 5.4(b)]                    | <b>N/A, EUT is not a FHS</b> |
| 7.8         | Safety Requirements                              | 15.407(c), 15.407(h), 15.407(a)(1)(iv)                | N/A                                               | <b>PASS</b>                  |
| 7.9         | Frequency Stability                              | 15.407(g)                                             | N/A                                               | <b>PASS</b>                  |



# **ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

## **TECHNICAL DESCRIPTION OF THE EUT**

|                                          |                 |                                                      |                 |
|------------------------------------------|-----------------|------------------------------------------------------|-----------------|
| Manufacturer:                            |                 | Skydio, Inc.                                         |                 |
| Manufacturer Address:                    |                 | 114 Hazel Avenue Redwood City, California, 94061     |                 |
| EUT Name:                                |                 | SkydioLink Dual Band Module                          |                 |
| Model No:                                |                 | Model: SMODBV1                                       |                 |
| Operation frequency:                     |                 | 2412 to 2462 MHz, 5170 to 5240 MHz, 5730 to 5825 MHz |                 |
| Channel Number:                          |                 | 11, 8, 10                                            |                 |
| Modulation Technology:                   |                 | DSSS (WiFi), OFDM (WiFi)                             |                 |
| Antenna Type:                            |                 | Dipole                                               |                 |
| Antenna Gain:                            |                 | 6.12, 6.9, 4.9, 7.8dBi                               |                 |
| Maximum Output Power:                    |                 | 29.88dBm (2.4GHz), 29.04dBm (UNII-1), 29.75 (UNII-3) |                 |
| Description of Channel:                  |                 |                                                      |                 |
| WiFi 802.11(a/g/n/ac) (5, 10, 20, 40MHz) |                 |                                                      |                 |
| Frequency (MHz)                          | Frequency (MHz) | Frequency (MHz)                                      | Frequency (MHz) |
| 2412                                     | 2417            | 2422                                                 | 2427            |
| 2432                                     | 2437            | 2442                                                 | 2447            |
| 2457                                     | 2452            | 2462                                                 |                 |
|                                          |                 |                                                      |                 |
| 5170                                     | 5180            | 5190                                                 | 5200            |
| 5210                                     | 5220            | 5230                                                 | 5240            |
|                                          |                 |                                                      |                 |
| 5730                                     | 5745            | 5755                                                 | 5765            |
| 5775                                     | 5785            | 5795                                                 | 5805            |
| 5815                                     | 5825            |                                                      |                 |

***ELECTRO MAGNETIC TEST, INC.***1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

**1. PURPOSE**

This document is a qualification test report based on the Electromagnetic Interference (EMI) tests performed on the SkydioLink Dual Band Module Model: SMODBV1. The EMI measurements were performed according to the measurement procedure described in ANSI C63.10-2013. The tests were performed in order to determine whether the electromagnetic emissions from the equipment under test, referred to as EUT hereafter, are within the specification limits defined in FCC Title 47, Part 15, Subpart C and IC RSS 247, Issue 2.

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

## **2. ADMINISTRATIVE DATA**

### **2.1 Location of Testing**

The EMI tests described herein were performed at the test facility of Electro Magnetic Test, Inc., 1547 Plymouth Street, Mountain View, California, 94043.

### **2.2 Traceability Statement**

The calibration certificates of all test equipment used during the test are on file at the location of the test. The measurement results in this report and the calibration of the test equipment are traceable to the National Institute of Standards and Technology (NIST).

### **2.3 Cognizant Personnel**

#### Skydio, Inc.

Joe Marcinkowski      Engineering Program Manager

#### Electro Magnetic Test, Inc.

Andreas Davidsson      Test Technician

Chinmay Shendurnikar      Test Technician

David Vivanco      Test Technician

Simeet Gandhi      Test Technician

Manan Modi      Test Technician

Kevin Bothmann      Lab Manager

### **2.4 Date Test Sample was Received**

The test sample was received on May 28, 2022.

### **2.5 Disposition of the Test Sample**

The test sample has not yet been returned to Skydio, Inc.

### **2.6 Abbreviations and Acronyms**

The following abbreviations and acronyms may be used in this document.

|       |                                                       |
|-------|-------------------------------------------------------|
| RF    | Radio Frequency                                       |
| EMI   | Electromagnetic Interference                          |
| EUT   | Equipment Under Test                                  |
| P/N   | Part Number                                           |
| S/N   | Serial Number                                         |
| HP    | Hewlett Packard                                       |
| ITE   | Information Technology Equipment                      |
| CML   | Corrected Meter Limit                                 |
| LISN  | Line Impedance Stabilization Network                  |
| CISPR | International Special Committee On Radio Interference |
| FCC   | Federal Communications Commission                     |

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

### 3. APPLICABLE DOCUMENTS

The following documents are referenced or used in the preparation of this EMI Test Report.

| SPEC                                | TITLE                                                                                                                                                                                                     |
|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| RSS-Gen Issue 5,<br>April 2018      | General Requirements for Compliance of Radio Apparatus                                                                                                                                                    |
| RSS 247, Issue 2,<br>February 2017  | Digital Transmission Systems (DTSs), Frequency Hopping Systems (FHSs) and Licence-Exempt Local Area Network (LE-LAN) Devices                                                                              |
| FCC Title 47,<br>Part 15, Subpart C | FCC Rules - Radio frequency devices (including digital devices).                                                                                                                                          |
| FCC Publication<br>KDB558074        | Guidance for compliance measurements on digital transmission system, frequency hopping spread spectrum system, and hybrid system devices operating under section 15.247 of the fcc rules, August 24, 2018 |
| ANSI C63.10-2013                    | American National Standard of Procedures for Compliance Testing of Unlicensed Wireless Devices.                                                                                                           |

***ELECTRO MAGNETIC TEST, INC.***1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

#### **4. DESCRIPTION OF TEST CONFIGURATION**

##### **4.1 Description of Test Configuration - EMI**

The SkydioLink Dual Band Module was connected to the DC power supply through its positive and negative leads. During testing the radio was continuously transmitting and the SkydioLink Dual Band Module was tested in its worst case orientation

Radio was controlled via an Ethernet connection between the EUT and a Laptop outside the chamber, which was sending commands to the EUT via Qualcomm Radio Control Tool. Maximum input power that was set was 19.5, 17.5, and 22.5dB for WiFi 2.4GHz, UNII-1 and UNII 3 respectively.

The EUT was tested in three physical configurations across all modes, flat, vertical with antenna facing upwards, and vertical with antenna facing downwards. The flat orientation was found to have the highest intentional and unintentional emissions.

It was determined that the emissions were at their highest level when the EUT was operating in the above configuration. The cables were moved to maximize the emissions. The final conducted as well as radiated data was taken in this mode of operation. All initial investigations were performed with the EMI receiver in manual mode scanning the frequency range continuously.

***ELECTRO MAGNETIC TEST, INC.***1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

**4.1.1****Cable Construction and Termination**Cable #1

This is a 3.5 ft. unshielded power cable connecting the EUT to the DC Generator. It has a positive and negative lead power connector on the both ends of the cable.

Cable #2

This is a 6 ft. unshielded Cat 6 cable connecting the EUT to the laptop. It has an USB type C connector on both ends of the cable.

Cable #3

This is an unshielded power cable connecting the DC Generator power supply into a power outlet.

Cable #4

This is an unshielded power cable connecting the fan into a power outlet.

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

## 5. LISTS OF EUT, ACCESSORIES AND TEST EQUIPMENT

### 5.1 EUT and Accessory List

| EQUIPMENT TYPE                                    | MANUFACTURER | MODEL               | SERIAL NUMBER   | FCC ID        |
|---------------------------------------------------|--------------|---------------------|-----------------|---------------|
| SkydioLink Dual Band Module (EUT)                 | Skydio, Inc. | SMODBV1             | N/A             | 2ATQRSM ODBV1 |
| DC Generator                                      | HP           | 6012A               | 135373          | DoC           |
| THE FOLLOWING WERE LOCATED OUTSIDE THE TEST SITE: |              |                     |                 |               |
| Laptop                                            | Toshiba      | PORTEGE R835-ST6N02 | 1C094689H       | DoC           |
| Laptop Power Supply                               | Toshiba      | PA3822U-1ACA        | 200140618512947 | DoC           |



## ***ELECTRO MAGNETIC TEST, INC.***

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

### **5.2 EMI Test Equipment**

| <b>EQUIPMENT TYPE</b>        | <b>MANUFACTURER</b> | <b>MODEL NUMBER</b>   | <b>SERIAL NUMBER</b> | <b>CAL. DATE</b>  | <b>CAL. CYCLE</b> |
|------------------------------|---------------------|-----------------------|----------------------|-------------------|-------------------|
| EMI Receiver                 | Rohde & Schwarz     | ESU40                 | 100295               | February 23, 2022 | 1 Year            |
| Radiated EMI Software        | Sector Design       | N/A                   | Ver.1.4.6            | N/A               | N/A               |
| EMI Receiver (Conducted EMI) | Rohde & Schwarz     | ESU40                 | 100295               | February 23, 2022 | 1 Year            |
| Conducted EMI Software       | ETS-Lindgren        | Tile!                 | Rev. 7.0.12.697      | N/A               | N/A               |
| Preamplifier                 | Hewlett Packard     | 8447D                 | 1937A02579           | March 5, 2022     | 1 Year            |
| RF Attenuator                | Com-Power           | LIT-153A              | 531175               | December 17, 2021 | 1 Year            |
| LISN                         | Solar Electronics   | Type 21107-50-TS-50-N | 21107150701          | June 15, 2021     | 1 Year            |
| LISN                         | Solar Electronics   | Type 21107-50-TS-50-N | 21107150702          | June 15, 2021     | 1 Year            |
| LISN                         | Solar Electronics   | Type 21107-50-TS-50-N | 21107150703          | June 15, 2021     | 1 Year            |
| LISN                         | Solar Electronics   | Type 21107-50-TS-50-N | 21107150704          | June 15, 2021     | 1 Year            |
| Biconical Antenna            | Com Power           | AB-100                | 01557                | March 2, 2022     | 1 Year            |
| Log Periodic Antenna         | Com Power           | AL-100                | 16001                | March 3, 2022     | 1 Year            |
| Antenna Mast                 | Com Power           | AM-400                | N/A                  | N/A               | N/A               |
| Turntable                    | Com Power           | TT-100                | N/A                  | N/A               | N/A               |
| Computer                     | Dell, Inc.          | DHS                   | DNSV641              | N/A               | N/A               |
| Printer                      | Hewlett Packard     | C8124A                | CN39A220ZD           | N/A               | N/A               |


**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**5.2 EMI Test Equipment (Continued)**

| <b>EQUIPMENT TYPE</b>     | <b>MANUFACTURER</b> | <b>MODEL NUMBER</b>  | <b>SERIAL NUMBER</b> | <b>CAL. DATE</b>  | <b>CAL. CYCLE</b> |
|---------------------------|---------------------|----------------------|----------------------|-------------------|-------------------|
| EMI Receiver              | Rohde & Schwarz     | ESU40                | 100127               | February 23, 2022 | 1 Year            |
| EMI Test Software         | Rohde & Schwarz     | EMC32                | V8.54.0              | N/A               | N/A               |
| BiConiLog Antenna         | ETS-Lindgren        | 3143B                | 00206757             | February 2, 2022  | 1 Year            |
| Horn Antenna (1-18GHz)    | ETS-Lindgren        | 3117                 | 00109294             | February 2, 2022  | 1 Year            |
| Horn Antenna (18-26.5GHz) | ETS-Lindgren        | 3160-09              | 102646               | August 13, 2021   | 1 Year            |
| Horn Antenna (26.5-40GHz) | ETS-Lindgren        | 3160-10              | 109153               | August 13, 2021   | 1 Year            |
| Preamplifier (1-18GHz)    | Rohde & Schwarz     | TS-PR18              | 100056               | December 17, 2021 | 1 Year            |
| Preamplifier (18-26.5GHz) | Rohde & Schwarz     | TS-PR26              | 100034               | August 12, 2021   | 1 Year            |
| Preamplifier (26.5-40GHz) | Rohde & Schwarz     | TS-PR40              | 100030               | August 12, 2021   | 1 Year            |
| Antenna Mast              | ETS-Lindgren        | 2171B                | 00150364             | N/A               | N/A               |
| Turntable                 | ETS-Lindgren        | 2187-3.0             | 00118231             | N/A               | N/A               |
| Computer                  | Dell, Inc.          | Precision Tower 3620 | GPQCDH2              | N/A               | N/A               |
| Multi-Function Controller | ETS-Lindgren        | 2090                 | 00102270             | N/A               | N/A               |

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

## **6. TEST SITE DESCRIPTION**

### **6.1 Test Facility Description**

Please refer to the table below and section 7.1 of this report for the details of which sites were used for testing. All sites are located at 1547 Plymouth Street, Mountain View, California 94043.

| <b>Site Used For Test</b> | <b>Site Description</b>                   |
|---------------------------|-------------------------------------------|
|                           | Open Field Test Site "A"                  |
| X                         | Mains Conducted Emissions Test Site "D"   |
|                           | Telecom Conducted Emissions Test Site "D" |
| X                         | 3 Meter Semi-Anechoic Chamber Site "E"    |
|                           | Mains Conducted Emissions Test Site "E"   |
|                           | Telecom Conducted Emissions Test Site "E" |

### **6.2 EUT Mounting, Bonding and Grounding**

The EUT was mounted on a 1.0 by 1.5 meter non-conductive table 0.8 meters above the ground plane for all tests not including radiated measurements above 1GHz.

For radiated measurements above 1GHz the EUT was mounted on a 0.7 meter non-conductive hollow cube that was placed on a 1.0 by 1.5 meter table 0.8 meters above the ground plane with a total height of 1.5 meters.

The EUT was not grounded.

### **6.3 Facility Environmental Characteristics**

All tests were performed in a climate-controlled building. The temperature was 24° C, humidity 45%, and barometric pressure 101.6 kPa.



## **ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

### **7. TEST PROCEDURES**

The following sections describe the test methods and the specifications for the tests.

#### **7.1 Emissions in Restricted and Non-Restricted Bands**

##### **7.1.1 General Requirements Limit (FCC PART 15 Section 15.209(a)(1), IC-RSS-GEN Issue 5, [8.9])**

| Frequency of Emission<br>(MHz) | Field Strength  |                          | Measurement Distance<br>(Meters) |
|--------------------------------|-----------------|--------------------------|----------------------------------|
|                                | $\mu\text{V/m}$ | $\text{dB}\mu\text{V/m}$ |                                  |
| 0.009-0.49                     | 2400/F(kHz)     |                          | 300                              |
| 0.49-1.705                     | 24000/F(kHz)    |                          | 30                               |
| 1.705-30                       | 30              |                          | 30                               |
| 30-88                          | 100             | 40                       | 3                                |
| 88-216                         | 150             | 43.5                     | 3                                |
| 216-960                        | 200             | 46                       | 3                                |
| Above 960                      | 500             | 54                       | 3                                |

##### **7.1.2 Emissions in Restricted and Non-Restricted Bands Limit (FCC PART 15 Section 15.247(d), 15.407, IC RSS-GEN Issue 5, [8.10], IC-RSS 247 Issue 2, [5.5] )**

###### **Emissions in Restricted and Non-Restricted Bands FCC PART 15 Section 15.247(d):**

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in Section 15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in Section 15.205(a), must also comply with the radiated emission limits specified in Section 15.209(a) (see Section 15.205(c)).



## **ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

### **7.1.2**

#### **Emissions in Restricted and Non-Restricted Bands Limit (FCC PART 15 Section 15.247(d), IC-RSS-GEN Issue 5, [8.10], IC-RSS 247 Issue 2, [5.5] ) (Continued)**

##### **Emissions in Restricted Bands IC-RSS-GEN Issue 5, [8.10]:**

Restricted bands, identified in Table 6, are designated primarily for safety-of-life services (distress calling and certain aeronautical bands), certain satellite downlinks, radio astronomy and some government uses. Except where otherwise indicated, the following restrictions apply:

- (a) Fundamental components of modulation of licence-exempt radio apparatus shall not fall within the restricted bands of Table 6 except for apparatus complying under RSS-287
- (b) Unwanted emissions that fall into restricted bands of Table 6 shall comply with the limits specified in RSS-Gen; and
- (c) Unwanted emissions that do not fall within the restricted frequency bands of Table 6 shall comply either with the limits specified in the applicable RSS or with those specified in this RSS-Gen.

| <b>Limit (For Restricted Bands)</b>                           |
|---------------------------------------------------------------|
| See General Limits Requirement In Above Chart (Section 7.1.1) |

##### **Emissions in Non-Restricted Bands IC-RSS 247 Issue 2, [5.5]:**

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated device is operating, the RF power that is produced shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided that the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of root-mean-square averaging over a time interval, as permitted under Section 5.4(4), the attenuation required shall be 30 dB instead of 20 dB. Attenuation below the general field strength limits specified in RSS-Gen is not required.

| <b>Limit (For Non Restricted Bands)</b>   |
|-------------------------------------------|
| 20db Below Peak Power Spectral Density    |
| 30db Below Average Power Spectral Density |

##### **Emissions in Restricted and Non-Restricted Bands FCC PART 15 Section 15.407(b(1)):**

For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

##### **Emissions in Restricted and Non-Restricted Bands FCC PART 15 Section 15.407(b(4(i))):**

All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

### 7.1.3 Test Procedure (Radiated)

The Rohde & Schwarz ESU40 EMI receiver was used as a measuring meter while under software control by the Rohde & Schwarz EMC32 software. To increase the sensitivity of the instrument, the built in preamplifier was used from 9 KHz to 1 GHz and an external preamplifier was used from 1 GHz to 26.5 GHz. The EMI receiver was used in the peak detect mode with the "Max Hold" feature activated. In this mode, the EMI receiver records the highest measured reading over all the sweeps. The built in quasi-peak or average detector was used only for those readings which are marked accordingly on the data sheets. The effective measurement bandwidth used for the radiated emissions test was 100 kHz from 9 kHz to 26.5 GHz.

The Loop Antenna, Broadband BiConiLog and horn antennas were used as transducers during the measurement. The Loop antenna was used from 9 KHz to 30 MHz, the BiConiLog antenna was used from 30 MHz to 1000 MHz and horn antennas were used from 1GHz – 26.5 GHz. The frequency spans were wide (9 kHz to 150 kHz, 150 kHz to 30 MHz, 30 MHz to 88 MHz, 88 MHz to 216 MHz, 216 to 300 MHz, 300 MHz to 1 GHz, 1 GHz to 18 GHz and 18 GHz to 26.5 GHz) during preliminary investigations. The final data was taken with a frequency span of 1 MHz. Furthermore, the frequency span was reduced during the preliminary investigations as deemed necessary.

The 5 meter semi-anechoic chamber of Electro Magnetic Test, Inc. was used for radiated emission testing. This test site is set up according to ANSI C63.10-2013. Please see section 6.2 of this report for mounting, bonding and grounding of the EUT. The turntable supporting the EUT is remote controlled using a motor. The turntable permits EUT rotation of 360 degrees in order to maximize emissions. Also, the antenna mast allows height variation of the antenna from 1 meter to 4 meters. Data was collected in the worst case (highest emission) configuration of the EUT. The EUT was rotated 360 degrees and the antenna height was varied from 1 to 4 meters (for E field radiated field strength).

The presence of non EUT signals was verified by turning the EUT off. In case a non EUT signal was detected, the measurement bandwidth was reduced temporarily and verification was made that an additional adjacent peak did not exist. This ensures that the other signal does not hide any emissions from the EUT. The EUT was tested at a 3 meter test distance from 9 kHz to 26.5 GHz. to obtain final test data.

Calculation Of Radiated Emission Test Data:

Amplitude - Gain + Antenna Factor + Cable Loss = Corrected Amplitude

Corrected Amplitude - Limit = Margin

Associated with the radiated emission test data in this report is a  $\pm 5.1$ dB measurement uncertainty.

***ELECTRO MAGNETIC TEST, INC.***1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

#### **7.1.4 Test Procedure (Band Edge)**

1. Set RBW of spectrum analyzer to 100 kHz with a convenient frequency span including 100 kHz bandwidth from band edge.
2. Measure the highest amplitude appearing on spectral display and set it as a reference level. Plot the graph with marking the highest point and edge frequency.

•



## **ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

### **7.2 Conducted Emissions Test – Mains Ports**

#### **7.2.1 Limit (FCC PART 15 Section 15.207(a), IC RSS-GEN Issue 5 [8.8])**

| Frequency of Emission (MHz) | Conducted Limit (dBμV) |            |
|-----------------------------|------------------------|------------|
|                             | Quasi-peak             | Average    |
| 0.15-0.5                    | 66 to 56 *             | 56 to 46 * |
| 0.5-5                       | 56                     | 46         |
| 5-30                        | 60                     | 50         |

\*Note: Decreases with the logarithm of the frequency

#### **7.2.2 Test Procedure (Conducted)**

The Rohde & Schwarz ESU40 EMI receiver was used as a measuring meter. The data was collected with the EMI receiver in the peak detect mode with the "Max Hold" feature activated. The quasi-peak and average detectors were used only where indicated in the data sheets. A 10 dB attenuation pad was used for the protection of the EMI receiver input stage, and the EMI receiver offset was adjusted accordingly to read the actual data measured. The LISN output was read by the Rohde & Schwarz ESU40 EMI receiver. The output of the second LISN was terminated by a 50 ohm termination. The effective measurement bandwidth used for the conducted emissions test was 9 kHz.

Please see section 6.2 of this report for mounting, bonding and grounding of the EUT. The EUT was powered through the LISN, which was bonded to the ground plane. The LISN power was filtered and the filter was bonded to the ground plane. The EUT was set up with the minimum distances from any conductive surfaces as specified in ANSI C63.10-2013. The excess power cord was wrapped in a figure eight pattern to form a bundle not exceeding 0.4 meters in length.

The initial test data was taken in manual mode while scanning the frequency ranges of 0.15 MHz to 1.6 MHz, 1.6 MHz to 5 MHz and 5 MHz to 30 MHz. The conducted emissions from the EUT were maximized for operating mode as well as cable and peripheral placement. Once a predominant frequency (within 12 dB of the limit) was found, it was more closely examined with the spectrum analyzer span adjusted to 1 MHz.

The final data was collected under program control by the ETS-Lindgren Tile! software in several overlapping sweeps by running the spectrum analyzer at a minimum scan rate of 10 seconds per octave.

Calculation Of Conducted Emission Test Data:

Amplitudes shown on the test data are already corrected and include the following equation:

Raw Amplitude + LISN Insertion Loss + Attenuator + Cable Loss = Corrected Amplitude

Corrected Amplitude - Limit = Margin

***ELECTRO MAGNETIC TEST, INC.***1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

Associated with the conducted emission test data in this report is a  $\pm 3.4$ dB measurement uncertainty.

**7.2.3****Test Result**

The EUT meets the requirements. Please see the datasheets in Appendix A for the measurement results.

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

**7.3 Occupied Bandwidth****7.3.1 Limit (FCC PART 15 Section 15.247(a)(2), 15.407(e), IC-RSS 247 Issue 2, [5.2.1])****FCC PART 15 Section 15.247(a)(2)**

Systems using digital modulation techniques may operate in the 902 - 928 MHz, 2400 - 2483.5 MHz, and 5725 - 5850 MHz bands. The minimum 6 dB bandwidth shall be at least 500 kHz

**FCC PART 15 Section 15.407(e)**

Within the 5.725-5.85 GHz band, the minimum 6 dB bandwidth of U-NII devices shall be at least 500 kHz.

**IC-RSS 247 Issue 2 [5.2.1]**

DTSs include systems that employ digital modulation techniques resulting in spectral characteristics similar to direct sequence systems. The following applies to the bands 902-928 MHz and 2400-2483.5 MHz

| Limit                         |
|-------------------------------|
| 6 dB Bandwidth $\geq$ 500 kHz |

**7.3.2 Test Procedure**

Follow the radiated test procedure but set the Spectrum Analyzer as below:

RBW: 100 kHz

VBW:  $\geq 3 \times$  RBW

Detector: Peak

Trace Mode: Max Hold

- (1) Set analyzer center frequency to center of signal
- (2) Turn on occupied bandwidth measurement mode
- (3) Set measurement to 6db bandwidth

Associated with the Occupied Bandwidth test data in this report is a  $\pm 2.5\%$  measurement uncertainty.

**7.3.3 Test Result**

The EUT meets the requirements. Please see the datasheets in Appendix A for the measurement results.

**ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

**7.4 Maximum Peak Output Power****7.4.1 Limit (FCC PART 15 Section 15.247(b)(3), 15.407(a)(1)(iv), 15.407(a)(3), IC-RSS 247 Issue 2, [5.4.4])****FCC PART 15 Section 15.247(b)(3)**

For systems using digital modulation in the 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz bands: 1 Watt.

**IC-RSS 247 Issue 2, [5.4.4]**

For DTSS employing digital modulation techniques operating in the bands 902-928 MHz and 2400-2483.5 MHz, the maximum peak conducted output power shall not exceed 1W. Except provided in Section 5.4(5), the e.i.r.p. shall not exceed 4 W.

| Limit                                                                 |
|-----------------------------------------------------------------------|
| Maximum Peak Output Power (Digital Modulation) $\leq$ 1Watt or 30 dBm |

**FCC PART 15 Section 15.407(a)(1)(iv)**

For client devices in the 5.15-5.25 GHz band, the maximum conducted output power over the frequency band of operation shall not exceed 250 mW provided the maximum antenna gain does not exceed 6 dBi.

**FCC PART 15 Section 15.407(a)(3)**

For the band 5.725-5.85 GHz, the maximum conducted output power over the frequency band of operation shall not exceed 1 W.

| Limit                                                                                   |
|-----------------------------------------------------------------------------------------|
| 5.15-5.25 GHz: Peak Output Power (Digital Modulation) $\leq$ 250 milliwatt or 23.98 dBm |
| 5.725-5.85 GHz: Peak Output Power (Digital Modulation) $\leq$ 1Watt or 30 dBm           |

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

#### 7.4.2 Test Procedure

Follow the radiated test procedure but set the Spectrum Analyzer as below:

RBW > DTS Bandwidth

VBW  $\geq 3 \times$  RBW

Span  $\geq 3 \times$  RBW

Detector: Peak

Trace Mode: Max Hold

- (1) When the trace is completed, mark the peak value
- (2) Calculate the Field strength at 3Meters.
  - a.  $E3 = \text{Results} - GP + AF + CL + 107$   
Where:
    - b. Results = Specific uncorrected results from test (dBm)
    - c. GP = Pre-Amp Gain (dB)
    - d. AF = Antenna Factor (dB/m)
    - e. CL = Cable Loss (dB)
- (3) Calculate the EIRP by using the following equation:
  - a.  $EIRP = E3 - 95.2$   
Where:
    - b.  $E3 = \text{See Step 2 (dBuV/m @ 3m)}$
- (4) Calculate the Peak Output Power by using the following equation:
  - a.  $\text{Peak Power} = EIRP - G_A$   
Where:
    - b.  $EIRP = \text{See step 3 (dBm)}$
    - c.  $G_A = \text{Antenna Gain (dBi)}$

Associated with the Maximum Peak Output Power test data in this report is a  $\pm 5.1$ dB measurement uncertainty.

#### 7.4.3 Test Result

The EUT meets the requirements. Please see the datasheets in Appendix A for the measurement results.



## **ELECTRO MAGNETIC TEST, INC.**

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

### **7.5 Maximum Peak Power Spectral Density**

#### **7.5.1 Limit (FCC PART 15 Section 15.247(e), 15.407(a)(1)(iv), 15.407(a)(3), IC-RSS 247 Issue 2, [5.2.2])**

##### **FCC PART 15 Section 15.247(e)**

For digitally modulated systems, the power spectral density conducted from the intentional radiator to the antenna shall not be greater than 8 dBm in any 3 kHz band during any time interval of continuous transmission. This power spectral density shall be determined in accordance with the provisions of paragraph (b) of this section. The same method of determining the conducted output power shall be used to determine the power spectral density

| <b>Limit</b> |
|--------------|
| 8 dBm/3 KHz  |

##### **FCC PART 15 Section 15.407(a)(1)(iv)**

For client devices in the 5.15-5.25 GHz band, the maximum power spectral density shall not exceed 11 dBm in any 1 megahertz band.

##### **FCC PART 15 Section 15.407(a)(3)**

For the band 5.725-5.85 GHz the maximum power spectral density shall not exceed 30 dBm in any 500-kHz band.

| <b>Limit</b>                   |
|--------------------------------|
| 5150-5250MHz: 11 dBm / 1 MHz   |
| 5725-5850MHz: 30 dBm / 500 kHz |

### **7.5.2 Test Procedure**

Follow the radiated test procedure but set the Spectrum Analyzer as below:

$3 \text{ kHz} \leq \text{RBW} \leq 100 \text{ kHz}$

$\text{VBW} \geq 3 \times \text{RBW}$

$\text{Span} \geq 1.5 \times \text{DTS Bandwidth}$

Detector: Peak

Sweep Time auto

- 1) Use Peak Marker Function
- 2) If value Exceeds limit, reduce RBW (no less than 3 kHz)
- 3) Calculate the Field strength at 3Meters.
  - a)  $E_3 = \text{Results} - G_p + \text{AF} + \text{CL} + 107$   
Where:
    - b) Results = Specific uncorrected results from test (dBm)
    - c)  $G_p$  = Pre-Amp Gain (dB)
    - d) AF = Antenna Factor (dB/m)
    - e) CL = Cable Loss (dB)
- 4) Calculate the EIRP by using the following equation:
  - a)  $\text{EIRP} = E_3 - 95.2$   
Where:
    - b)  $E_3$  = See Step 3 (dBuV/m @ 3m)

***ELECTRO MAGNETIC TEST, INC.***1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

5) Calculate the Peak Output Power by using the following equation:

a)  $\text{Peak Power} = \text{EIRP} - G_A$

Where:

b)  $\text{EIRP} = \text{See step 4 (dBm)}$

c)  $G_A = \text{Antenna Gain (dBi)}$

Associated with the Maximum Peak Power Spectral Density test data in this report is a  $\pm 5.1\text{dB}$  measurement uncertainty.

### **7.5.3**

#### **Test Result**

The EUT meets the requirements. Please see the datasheets in Appendix A for the measurement results.

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

## **7.6 Antenna Requirement**

### **7.6.1 Requirement (FCC PART 15 SECTION 15.203,15.247(b)(4)), 15.407(a)(1)(i), 15.407(a)(2)**

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this Section.

(4) The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(iv) For client devices in the 5.15-5.25 GHz band, if transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

(2) For the 5.25-5.35 GHz and 5.47-5.725 GHz bands, the maximum conducted output power over the frequency bands of operation shall not exceed the lesser of 250 mW or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in megahertz.

### **7.6.2 Test Result**

The internal antenna is integrated on the main PCB with no consideration for replacement on the SkydioLink Dual Band Module.

The external antenna uses a unique Mini FAKRA female connector to the EUT, thus fulfilling the requirements of this section.

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

## **7.7 FHSS Requirements**

### **7.7.1 Requirement (FCC PART 15 SECTION 15.247(a), 15.247(b)(1), 15.247(b)(2), and RSS 247 Issue 2, [5.1, 5.4(b)])**

15.247 (a) Operation under the provisions of this Section is limited to frequency hopping and digitally modulated intentional radiators that comply with the following provisions:

(1) Frequency hopping systems shall have hopping channel carrier frequencies separated by a minimum of 25 kHz or the 20 dB bandwidth of the hopping channel, whichever is greater. Alternatively, frequency hopping systems operating in the 2400-2483.5 MHz band may have hopping channel carrier frequencies that are separated by 25 kHz or two-thirds of the 20 dB bandwidth of the hopping channel, whichever is greater, provided the systems operate with an output power no greater than 125 mW. The system shall hop to channel frequencies that are selected at the system hopping rate from a pseudo randomly ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

(i) For frequency hopping systems operating in the 902-928 MHz band: if the 20 dB bandwidth of the hopping channel is less than 250 kHz, the system shall use at least 50 hopping frequencies and the average time of occupancy on any frequency shall not be greater than 0.4 seconds within a 20 second period; if the 20 dB bandwidth of the hopping channel is 250 kHz or greater, the system shall use at least 25 hopping frequencies and the average time of occupancy on any frequency shall not be greater than 0.4 seconds within a 10 second period. The maximum allowed 20 dB bandwidth of the hopping channel is 500 kHz.

(ii) Frequency hopping systems operating in the 5725-5850 MHz band shall use at least 75 hopping frequencies. The maximum 20 dB bandwidth of the hopping channel is 1 MHz. The average time of occupancy on any frequency shall not be greater than 0.4 seconds within a 30 second period.

(iii) Frequency hopping systems in the 2400-2483.5 MHz band shall use at least 15 channels. The average time of occupancy on any channel shall not be greater than 0.4 seconds within a period of 0.4 seconds multiplied by the number of hopping channels employed. Frequency hopping systems may avoid or suppress transmissions on a particular hopping frequency provided that a minimum of 15 channels are used.

(2) Systems using digital modulation techniques may operate in the 902-928 MHz, 2400-2483.5 MHz, and 5725-5850 MHz bands. The minimum 6 dB bandwidth shall be at least 500 kHz.

15.247(b)(1) For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 non-overlapping hopping channels, and all frequency hopping systems in the 5725-5850 MHz band: 1 watt. For all other frequency hopping systems in the 2400-2483.5 MHz band: 0.125 watts.

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

(2) For frequency hopping systems operating in the 902-928 MHz band: 1 watt for systems employing at least 50 hopping channels; and, 0.25 watts for systems employing less than 50 hopping channels, but at least 25 hopping channels, as permitted under paragraph (a)(1)(i) of this section.

RSS 247 Issue 2 5.1: The following applies to FHSs in each of the three bands:

a) The bandwidth of a frequency hopping channel is the 20 dB emission bandwidth, measured with the hopping stopped. The system's radio frequency (RF) bandwidth is equal to the channel bandwidth multiplied by the number of channels in the hopset. The system shall hop to channel frequencies that are selected at the system hopping rate from a pseudo randomly ordered list of hopping frequencies. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

b) FHSs shall have hopping channel carrier frequencies separated by a minimum of 25 kHz or the 20 dB bandwidth of the hopping channel, whichever is greater. Alternatively, FHSs operating in the band 2400-2483.5 MHz may have hopping channel carrier frequencies that are separated by 25 kHz or two thirds of the 20 dB bandwidth of the hopping channel, whichever is greater, provided that the systems operate with an output power no greater than 0.125 W.

c) For FHSs in the band 902-928 MHz: if the 20 dB bandwidth of the hopping channel is less than 250 kHz, the system shall use at least 50 hopping channels and the average time of occupancy on any channel shall not be greater than 0.4 seconds within a 20-second period. If the 20 dB bandwidth of the hopping channel is 250 kHz or greater, the system shall use at least 25 hopping channels and the average time of occupancy on any channel shall not be greater than 0.4 seconds.

5.4(b): For FHSs operating in the band 2400-2483.5 MHz, the maximum peak conducted output power shall not exceed 1.0 W if the hopset uses 75 or more hopping channels; the maximum peak conducted output power shall not exceed 0.125 W if the hopset uses less than 75 hopping channels. The e.i.r.p. shall not exceed 4 W, except as provided in section 5.4(e).

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

### **7.7.2 Test Procedure(s)**

#### QUANTITY OF HOPPING CHANNEL TEST

1. Set the EUT into hopping mode.
2. Maxhold the trace
3. Allow it to stabilize.

#### TIME OF OCCUPANCY (DWELL TIME)

1. Set the EUT into hopping mode.
2. Set the RBW to: 1MHz
3. VBW:  $\geq 3 \times$  RBW
4. Span: 0Hz
5. Detector: Peak
6. Sweep time: Auto Couple
7. Trace mode: max hold
8. Allow trace to fully stabilize.

#### CHANNEL SEPARATION TEST

1. Set the EUT into transmitting mode, maxhold the trace.
2. Allow it to stabilize.
3. Set the adjacent channel of the EUT and maxhold another trace.
4. Use the marker-delta function to determine the separation between the peaks of the adjacent channels.

### **7.7.3 Test Result**

Not Applicable, EUT is not a FHS.

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

**7.8 Security Requirements****7.8.1 Transmission Detection****7.8.1.1 Limits 15.407(c)**

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signalling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

**7.8.1.2 Test Result**

The client has been informed of this requirement and has included in a separate document how this requirement is met on the EUT.

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

**7.8.2 Transmit Power Control (TPC) and Dynamic Frequency Selection (DFS).****7.8.2.1 Limits 15.407(h)**

(1) Transmit power control (TPC). U-NII devices operating in the 5.25-5.35 GHz band and the 5.47-5.725 GHz band shall employ a TPC mechanism. The U-NII device is required to have the capability to operate at least 6 dB below the mean EIRP value of 30 dBm. A TPC mechanism is not required for systems with an e.i.r.p. of less than 500 mW.

(2) Radar Detection Function of Dynamic Frequency Selection (DFS). U-NII devices operating with any part of its 26 dB emission bandwidth in the 5.25-5.35 GHz and 5.47-5.725 GHz bands shall employ a DFS radar detection mechanism to detect the presence of radar systems and to avoid co-channel operation with radar systems. Operators shall only use equipment with a DFS mechanism that is turned on when operating in these bands. The device must sense for radar signals at 100 percent of its emission bandwidth. The minimum DFS detection threshold for devices with a maximum e.i.r.p. of 200 mW to 1 W is -64 dBm. For devices that operate with less than 200 mW e.i.r.p. and a power spectral density of less than 10 dBm in a 1 MHz band, the minimum detection threshold is -62 dBm. The detection threshold is the received power averaged over 1 microsecond referenced to a 0 dBi antenna. For the initial channel setting, the manufacturers shall be permitted to provide for either random channel selection or manual channel selection.

**7.8.2.2 Test Result**

This test is not applicable due to the EUT not operating within the 5.25-5.35GHz and 5.47-5.725GHz bands.

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

**7.8.3 Device Security****7.8.3.1 Limits 15.407(i)**

All U-NII devices must contain security features to protect against modification of software by unauthorized parties.

(1) Manufacturers must implement security features in any digitally modulated devices capable of operating in any of the U-NII bands, so that third parties are not able to reprogram the device to operate outside the parameters for which the device was certified. The software must prevent the user from operating the transmitter with operating frequencies, output power, modulation types or other radio frequency parameters outside those that were approved for the device. Manufacturers may use means including, but not limited to the use of a private network that allows only authenticated users to download software, electronic signatures in software or coding in hardware that is decoded by software to verify that new software can be legally loaded into a device to meet these requirements and must describe the methods in their application for equipment authorization.

(2) Manufacturers must take steps to ensure that DFS functionality cannot be disabled by the operator of the U-NII device.

**7.8.3.2 Test Result**

The client has been informed of this requirement.

**ELECTRO MAGNETIC TEST, INC.**1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

**7.9 Frequency Stability****7.9.1 Limits 15.407(g)**

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

**7.9.2 Frequency Stability (Voltage)****7.9.2.2 Test Procedure**

Follow the peak output power test procedure but set the EUT within the temperature chamber and take the following steps:

**Voltage Test**

1. Turn on the device by connecting it to an adjustable power source.
2. Set the device to a representative band in the frequency range.
3. Set the temperature chamber and power input to nominal levels.
4. Measure the results.
5. Set the voltage to 85% of the nominal supply voltage
6. Allow the signal to stabilize.
7. Measure the results.
8. Set the voltage to 115% of the nominal supply voltage.
9. Allow the signal to stabilize.
10. Measure the results.

Associated with the Frequency Stability test data in this report is a  $\pm 5.3\%$  measurement uncertainty.

**7.9.2.3 Test Result**

The EUT meets the requirements.

***ELECTRO MAGNETIC TEST, INC.***1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

**8. CONCLUSIONS / COMPLIANCE STATEMENT**

Based upon the results contained in this report, Electro Magnetic Test, Inc. has determined that the SkydioLink Dual Band Module, Model: SMODBV1 meets all of the specification limits defined in FCC Title 47, Part 15, Subpart C.



***ELECTRO MAGNETIC TEST, INC.***

1547 Plymouth Street, Mountain View, CA 94043 Tel: (650) 965-4000 Fax: (650) 965-3000

---

## **APPENDIX A**

# ***RADIATED AND CONDUCTED EMISSIONS DATA SHEETS***

# Radiated Emission Test Report


**Tested At:****Electro Magnetic Test, Inc.****1547 Plymouth Street****Mountain View, CA 94043****Tel. 650-965-4000****Fax. 650-965-3000****Common Information**

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Manan Modi                     |

**EUT Information**

|                |                                                 |
|----------------|-------------------------------------------------|
| Company Name:  | Skydio, Inc.                                    |
| EUT Name       | SkydioLink Dual Band Module                     |
| Model Number:  | SMODBV1                                         |
| Serial Number: | N/A                                             |
| Comment:       | 802.11g, 5MHz, 24dB, 2412MHz, Skydio 2+ Antenna |

## FCC Class B Radiated Scan 3m PK QP Wireless



--- Restricted  
◆ Final Result 1-PK+  
◆ Final Result 2-QPK  
— Preview Result 1V-PK+  
— Preview Result 1H-PK+

**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 37.860000       | 30.7             | 100.0       | V            | 344.0         | 16.0       | 9.30        | 40.00          |         |
| 73.110000       | 31.8             | 100.0       | V            | 330.0         | 11.8       | 8.20        | 40.00          |         |
| 74.850000       | 31.1             | 100.0       | V            | 309.0         | 11.8       | 8.90        | 40.00          |         |
| 249.960000      | 36.5             | 273.0       | H            | 359.0         | 18.0       | 9.50        | 46.00          |         |
| 284.310000      | 36.4             | 100.0       | H            | 78.0          | 18.5       | 9.60        | 46.00          |         |
| 963.750000      | 43.8             | 100.0       | V            | 120.0         | 30.9       | 10.20       | 54.00          |         |

**Final Result 2**

| Frequency (MHz) | QuasiPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|--------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 37.860000       | 24.2               | 100.0       | V            | 344.0         | 16.0       | 15.80       | 40.00          |         |
| 73.110000       | 25.2               | 100.0       | V            | 330.0         | 11.8       | 14.80       | 40.00          |         |
| 74.850000       | 25.0               | 100.0       | V            | 309.0         | 11.8       | 15.00       | 40.00          |         |
| 249.960000      | 30.7               | 273.0       | H            | 359.0         | 18.0       | 15.30       | 46.00          |         |
| 284.310000      | 31.2               | 100.0       | H            | 78.0          | 18.5       | 14.80       | 46.00          |         |
| 963.750000      | 38.0               | 100.0       | V            | 120.0         | 30.9       | 16.00       | 54.00          |         |

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Manan Modi                     |

## EUT Information

|                |                                                  |
|----------------|--------------------------------------------------|
| Company Name:  | Skydio, Inc.                                     |
| EUT Name       | SkydioLink Dual Band Module                      |
| Model Number:  | SMODBV1                                          |
| Serial Number: | N/A                                              |
| Comment:       | 802.11g, 5MHz, 24dB, 2412MHz, Enterpeise Antenna |

## FCC Class B Radiated Scan 3m PK QP Wireless



--- Restricted  
◆ Final Result 1-PK+

--- Preview Result 1V-PK+  
◆ Final Result 2-QPK

--- Preview Result 1H-PK+

**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 37.890000       | 31.3             | 100.0       | V            | 339.0         | 16.0       | 8.70        | 40.00          |         |
| 74.250000       | 29.5             | 142.0       | V            | 155.0         | 11.8       | 10.50       | 40.00          |         |
| 75.120000       | 32.2             | 131.0       | V            | 161.0         | 11.8       | 7.80        | 40.00          |         |
| 249.960000      | 38.2             | 113.0       | H            | 205.0         | 18.0       | 7.80        | 46.00          |         |
| 280.050000      | 34.8             | 164.0       | V            | 190.0         | 18.5       | 11.20       | 46.00          |         |
| 997.500000      | 44.0             | 100.0       | V            | 86.0          | 30.1       | 10.00       | 54.00          |         |

**Final Result 2**

| Frequency (MHz) | QuasiPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|--------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 37.890000       | 23.4               | 100.0       | V            | 339.0         | 16.0       | 16.60       | 40.00          |         |
| 74.250000       | 23.5               | 142.0       | V            | 155.0         | 11.8       | 16.50       | 40.00          |         |
| 75.120000       | 26.4               | 131.0       | V            | 161.0         | 11.8       | 13.60       | 40.00          |         |
| 249.960000      | 32.3               | 113.0       | H            | 205.0         | 18.0       | 13.70       | 46.00          |         |
| 280.050000      | 21.8               | 164.0       | V            | 190.0         | 18.5       | 24.20       | 46.00          |         |
| 997.500000      | 35.2               | 100.0       | V            | 86.0          | 30.1       | 18.80       | 54.00          |         |

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Manan Modi                     |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| Company Name:  | Skydio, Inc.                             |
| EUT Name       | SkydioLink Dual Band Module              |
| Model Number:  | SMODBV1                                  |
| Serial Number: | N/A                                      |
| Comment:       | 802.11g, 5MHz, 24dB, 2412MHz, GW Antenna |

## FCC Class B Radiated Scan 3m PK QP Wireless



--- Restricted  
◆ Final Result 1-PK+

--- Preview Result 1V-PK+  
◆ Final Result 2-QPK

--- Preview Result 1H-PK+

**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 38.010000       | 34.0             | 100.0       | V            | 57.0          | 15.9       | 6.00        | 40.00          |         |
| 74.580000       | 31.9             | 100.0       | V            | 168.0         | 11.8       | 8.10        | 40.00          |         |
| 74.970000       | 32.5             | 124.0       | V            | 143.0         | 11.8       | 7.50        | 40.00          |         |
| 249.990000      | 38.8             | 120.0       | H            | 247.0         | 18.0       | 7.20        | 46.00          |         |
| 610.380000      | 33.3             | 147.0       | V            | 353.0         | 27.1       | 12.70       | 46.00          |         |
| 960.360000      | 45.0             | 100.0       | V            | 134.0         | 30.9       | 9.00        | 54.00          |         |

**Final Result 2**

| Frequency (MHz) | QuasiPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|--------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 38.010000       | 27.6               | 100.0       | V            | 57.0          | 15.9       | 12.40       | 40.00          |         |
| 74.580000       | 25.8               | 100.0       | V            | 168.0         | 11.8       | 14.20       | 40.00          |         |
| 74.970000       | 26.0               | 124.0       | V            | 143.0         | 11.8       | 14.00       | 40.00          |         |
| 249.990000      | 34.5               | 120.0       | H            | 247.0         | 18.0       | 11.50       | 46.00          |         |
| 610.380000      | 27.2               | 147.0       | V            | 353.0         | 27.1       | 18.80       | 46.00          |         |
| 960.360000      | 38.6               | 100.0       | V            | 134.0         | 30.9       | 15.40       | 54.00          |         |

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Chinmay Shendurnikar           |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| Company Name:  | Skydio, Inc.                             |
| EUT Name       | SkydioLink Dual Band Module              |
| Model Number:  | SMODBV1                                  |
| Serial Number: | N/A                                      |
| Comment:       | 802.11n, 5MHz, 23dB, 5240MHz, GW Antenna |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20 — Restricted — Preview Result 1V-PK+  
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG

## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4536.000000     | 48.6             | 121.0       | V            | 20.0          | 5.3        | 25.40       | 74.00          |         |
| 4887.333333     | 56.8             | 117.0       | V            | 5.0           | 5.4        | 17.20       | 74.00          |         |
| 5417.166667     | 51.1             | 209.0       | V            | 329.0         | 6.6        | 23.00       | 74.00          |         |
| 5591.700000     | 60.9             | 195.0       | V            | 331.0         | 6.7        | 27.30       | 88.20          |         |
| 15723.133333    | 73.9             | 157.0       | V            | 169.0         | 21.1       | 0.10        | 74.00          |         |
| 15724.266667    | 69.0             | 203.0       | H            | 206.0         | 21.1       | 5.00        | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4536.000000     | 36.3             | 121.0       | V            | 20.0          | 5.3        | 17.70       | 54.00          |         |
| 4887.333333     | 45.5             | 117.0       | V            | 5.0           | 5.4        | 8.50        | 54.00          |         |
| 5417.166667     | 39.3             | 209.0       | V            | 329.0         | 6.6        | 14.80       | 54.00          |         |
| 5591.700000     | 49.7             | 195.0       | V            | 331.0         | 6.7        | 18.50       | 68.20          |         |
| 15723.133333    | 53.8             | 157.0       | V            | 169.0         | 21.1       | 0.20        | 54.00          |         |
| 15724.266667    | 46.8             | 203.0       | H            | 206.0         | 21.1       | 7.20        | 54.00          |         |

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Manan Modi                     |

## EUT Information

|                |                                                  |
|----------------|--------------------------------------------------|
| Company Name:  | Skydio, Inc.                                     |
| EUT Name       | SkydioLink Dual Band Module                      |
| Model Number:  | SMODBV1                                          |
| Serial Number: | N/A                                              |
| Comment:       | 802.11n, 5MHz, 23dB, 5240MHz, Enterprise Antenna |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20 — Restricted — Preview Result 1V-PK+  
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG

## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4879.400000     | 54.4             | 220.0       | V            | 235.0         | 5.4        | 19.60       | 74.00          |         |
| 4885.066667     | 59.4             | 168.0       | V            | 264.0         | 5.4        | 14.60       | 74.00          |         |
| 5065.833333     | 53.4             | 208.0       | V            | 264.0         | 5.5        | 20.60       | 74.00          |         |
| 5414.900000     | 58.6             | 204.0       | V            | 260.0         | 6.6        | 15.40       | 74.00          |         |
| 15716.333333    | 69.1             | 208.0       | H            | 106.0         | 21.1       | 4.90        | 74.00          |         |
| 15719.733333    | 72.5             | 140.0       | V            | 222.0         | 21.1       | 1.50        | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4879.400000     | 39.4             | 220.0       | V            | 235.0         | 5.4        | 14.60       | 54.00          |         |
| 4885.066667     | 44.3             | 168.0       | V            | 264.0         | 5.4        | 9.70        | 54.00          |         |
| 5065.833333     | 39.7             | 208.0       | V            | 264.0         | 5.5        | 14.30       | 54.00          |         |
| 5414.900000     | 45.1             | 204.0       | V            | 260.0         | 6.6        | 8.90        | 54.00          |         |
| 15716.333333    | 47.9             | 208.0       | H            | 106.0         | 21.1       | 6.10        | 54.00          |         |
| 15719.733333    | 50.3             | 140.0       | V            | 222.0         | 21.1       | 3.70        | 54.00          |         |

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Manan Modi                     |

## EUT Information

|                |                                                 |
|----------------|-------------------------------------------------|
| Company Name:  | Skydio, Inc.                                    |
| EUT Name       | SkydioLink Dual Band Module                     |
| Model Number:  | SMODBV1                                         |
| Serial Number: | N/A                                             |
| Comment:       | 802.11n, 5MHz, 23dB, 5240MHz, Skydio 2+ Antenna |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG

## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4536.566667     | 49.9             | 190.0       | V            | 151.0         | 5.3        | 24.10       | 74.00          |         |
| 4888.466667     | 61.9             | 137.0       | V            | 292.0         | 5.4        | 12.10       | 74.00          |         |
| 5418.300000     | 52.6             | 246.0       | V            | 210.0         | 6.6        | 21.40       | 74.00          |         |
| 5592.266667     | 60.1             | 227.0       | V            | 46.0          | 6.7        | 28.10       | 88.20          |         |
| 15720.866667    | 70.4             | 192.0       | V            | 57.0          | 21.1       | 3.60        | 74.00          |         |
| 15722.000000    | 70.3             | 192.0       | H            | 178.0         | 21.1       | 3.70        | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4536.566667     | 37.9             | 190.0       | V            | 151.0         | 5.3        | 16.10       | 54.00          |         |
| 4888.466667     | 51.0             | 137.0       | V            | 292.0         | 5.4        | 3.00        | 54.00          |         |
| 5418.300000     | 39.8             | 246.0       | V            | 210.0         | 6.6        | 14.20       | 54.00          |         |
| 5592.266667     | 49.4             | 227.0       | V            | 46.0          | 6.7        | 18.80       | 68.20          |         |
| 15720.866667    | 53.2             | 192.0       | V            | 57.0          | 21.1       | 0.80        | 54.00          |         |
| 15722.000000    | 53.7             | 192.0       | H            | 178.0         | 21.1       | 0.30        | 54.00          |         |

# Radiated Emission Test Report


**Tested At:****Electro Magnetic Test, Inc.****1547 Plymouth Street****Mountain View, CA 94043****Tel. 650-965-4000****Fax. 650-965-3000****Common Information**

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Chinmay Shendurnikar           |

**EUT Information**

|                |                                          |
|----------------|------------------------------------------|
| Company Name:  | Skydio, Inc.                             |
| EUT Name       | SkydioLink Dual Band Module              |
| Model Number:  | SMODBV1                                  |
| Serial Number: | N/A                                      |
| Comment:       | 802.11n, 5MHz, 23dB, 5240MHz, GW Antenna |

## FCC Class B Radiated Sweep 18GHz-26.5GHz 3m PK AVG Wireless



— Restricted\_20      - - - Restricted      — Preview Result 1V-PK+  
— Preview Result 1H-PK+      ◆ Final Result 1-PK+      ◆ Final Result 2-AVG

## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 18350.625000    | 46.7             | 285.0       | H            | 57.0          | 9.7        | 27.30       | 74.00          |         |
| 19159.825000    | 47.8             | 248.0       | V            | 76.0          | 10.1       | 26.20       | 74.00          |         |
| 19742.500000    | 47.2             | 248.0       | V            | 89.0          | 10.0       | 26.80       | 74.00          |         |
| 20962.250000    | 51.6             | 236.0       | V            | 67.0          | 10.2       | 22.40       | 74.00          |         |
| 22934.250000    | 47.0             | 164.0       | H            | 170.0         | 11.0       | 27.00       | 74.00          |         |
| 23637.625000    | 46.6             | 180.0       | V            | 133.0         | 10.5       | 27.40       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 18350.625000    | 33.3             | 285.0       | H            | 57.0          | 9.7        | 20.70       | 54.00          |         |
| 19159.825000    | 33.9             | 248.0       | V            | 76.0          | 10.1       | 20.10       | 54.00          |         |
| 19742.500000    | 33.9             | 248.0       | V            | 89.0          | 10.0       | 20.10       | 54.00          |         |
| 20962.250000    | 41.0             | 236.0       | V            | 67.0          | 10.2       | 13.00       | 54.00          |         |
| 22934.250000    | 33.8             | 164.0       | H            | 170.0         | 11.0       | 20.20       | 54.00          |         |
| 23637.625000    | 33.0             | 180.0       | V            | 133.0         | 10.5       | 21.00       | 54.00          |         |

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Chinmay Shendurnikar           |

## EUT Information

|                |                                         |
|----------------|-----------------------------------------|
| Company Name:  | Skydio, Inc.                            |
| EUT Name       | SkydioLink Dual Band Module             |
| Model Number:  | SMODBV1                                 |
| Serial Number: | N/A                                     |
| Comment:       | 802.11n, 5MHz, 23dB, 5240MHz, Skydio 2+ |

## FCC Class B Radiated Sweep 18GHz-26.5GHz 3m PK AVG Wireless



— Restricted\_20      - - - Restricted      — Preview Result 1V-PK+  
— Preview Result 1H-PK+      ◆ Final Result 1-PK+      ◆ Final Result 2-AVG

## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 18521.900000    | 46.2             | 220.0       | V            | 68.0          | 9.7        | 27.80       | 74.00          |         |
| 19408.450000    | 47.5             | 141.0       | V            | 282.0         | 10.2       | 26.50       | 74.00          |         |
| 20961.825000    | 54.8             | 204.0       | V            | 115.0         | 10.2       | 19.20       | 74.00          |         |
| 22013.275000    | 46.5             | 213.0       | V            | 48.0          | 10.7       | 27.50       | 74.00          |         |
| 23604.050000    | 47.1             | 228.0       | H            | 133.0         | 10.6       | 27.00       | 74.00          |         |
| 23912.175000    | 46.4             | 288.0       | V            | 302.0         | 10.6       | 27.60       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 18521.900000    | 33.2             | 220.0       | V            | 68.0          | 9.7        | 20.80       | 54.00          |         |
| 19408.450000    | 34.0             | 141.0       | V            | 282.0         | 10.2       | 20.00       | 54.00          |         |
| 20961.825000    | 49.1             | 204.0       | V            | 115.0         | 10.2       | 4.90        | 54.00          |         |
| 22013.275000    | 33.5             | 213.0       | V            | 48.0          | 10.7       | 20.50       | 54.00          |         |
| 23604.050000    | 33.3             | 228.0       | H            | 133.0         | 10.6       | 20.70       | 54.00          |         |
| 23912.175000    | 33.0             | 288.0       | V            | 302.0         | 10.6       | 21.00       | 54.00          |         |

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Chinmay Shendurnikar           |

## EUT Information

|                |                                                  |
|----------------|--------------------------------------------------|
| Company Name:  | Skydio, Inc.                                     |
| EUT Name       | SkydioLink Dual Band Module                      |
| Model Number:  | SMODBV1                                          |
| Serial Number: | N/A                                              |
| Comment:       | 802.11n, 5MHz, 23dB, 5240MHz, Enterprise Antenna |

## FCC Class B Radiated Sweep 18GHz-26.5GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG

**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 18248.625000    | 46.4             | 232.0       | V            | 151.0         | 9.7        | 27.60       | 74.00          |         |
| 19615.425000    | 46.3             | 263.0       | V            | 259.0         | 9.8        | 27.70       | 74.00          |         |
| 20961.825000    | 53.2             | 208.0       | V            | 109.0         | 10.2       | 20.80       | 74.00          |         |
| 22536.025000    | 46.3             | 220.0       | V            | 190.0         | 10.7       | 27.70       | 74.00          |         |
| 23604.050000    | 46.2             | 248.0       | V            | 95.0          | 10.6       | 27.80       | 74.00          |         |
| 24005.250000    | 47.6             | 173.0       | V            | 100.0         | 10.6       | 40.60       | 88.20          |         |
| 26199.100000    | 54.1             | 192.0       | V            | 275.0         | 10.8       | 34.10       | 88.20          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 18248.625000    | 33.2             | 232.0       | V            | 151.0         | 9.7        | 20.80       | 54.00          |         |
| 19615.425000    | 32.6             | 263.0       | V            | 259.0         | 9.8        | 21.40       | 54.00          |         |
| 20961.825000    | 47.5             | 208.0       | V            | 109.0         | 10.2       | 6.50        | 54.00          |         |
| 22536.025000    | 33.2             | 220.0       | V            | 190.0         | 10.7       | 20.80       | 54.00          |         |
| 23604.050000    | 33.1             | 248.0       | V            | 95.0          | 10.6       | 20.90       | 54.00          |         |
| 24005.250000    | 34.1             | 173.0       | V            | 100.0         | 10.6       | 34.10       | 68.20          |         |
| 26199.100000    | 36.7             | 192.0       | V            | 275.0         | 10.8       | 31.50       | 68.20          |         |

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Chinmay Shendurnikar           |

## EUT Information

|                |                                          |
|----------------|------------------------------------------|
| Company Name:  | Skydio, Inc.                             |
| EUT Name       | SkydioLink Dual Band Module              |
| Model Number:  | SMODBV1                                  |
| Serial Number: | N/A                                      |
| Comment:       | 802.11n, 5MHz, 23dB, 5240MHz, Enterprise |

## FCC Class B Radiated Sweep 26.5GHz-40GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG

## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 28342.750000    | 49.2             | 300.0       | V            | 119.0         | -0.5       | 39.00       | 88.20          |         |
| 29432.200000    | 48.5             | 246.0       | V            | 307.0         | -0.4       | 39.70       | 88.20          |         |
| 31247.050000    | 48.8             | 117.0       | V            | 310.0         | -0.7       | 25.20       | 74.00          |         |
| 31757.350000    | 49.9             | 255.0       | V            | 142.0         | -0.7       | 24.10       | 74.00          |         |
| 33102.850000    | 49.9             | 300.0       | V            | 188.0         | -0.9       | 38.30       | 88.20          |         |
| 36644.350000    | 50.2             | 248.0       | V            | 318.0         | -3.0       | 38.00       | 88.20          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 28342.750000    | 36.0             | 300.0       | V            | 119.0         | -0.5       | 32.20       | 68.20          |         |
| 29432.200000    | 35.7             | 246.0       | V            | 307.0         | -0.4       | 32.50       | 68.20          |         |
| 31247.050000    | 35.8             | 117.0       | V            | 310.0         | -0.7       | 18.20       | 54.00          |         |
| 31757.350000    | 36.5             | 255.0       | V            | 142.0         | -0.7       | 17.50       | 54.00          |         |
| 33102.850000    | 36.8             | 300.0       | V            | 188.0         | -0.9       | 31.40       | 68.20          |         |
| 36644.350000    | 37.0             | 248.0       | V            | 318.0         | -3.0       | 31.20       | 68.20          |         |

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Chinmay Shendurnikar           |

## EUT Information

|                |                                  |
|----------------|----------------------------------|
| Company Name:  | Skydio, Inc.                     |
| EUT Name       | SkydioLink Dual Band Module      |
| Model Number:  | SMODBV1                          |
| Serial Number: | N/A                              |
| Comment:       | 802.11n, 5MHz, 23dB, 5240MHz, GW |

## FCC Class B Radiated Sweep 26.5GHz-40GHz 3m PK AVG Wireless



— Restricted\_20      - - - Restricted      — Preview Result 1V-PK+  
— Preview Result 1H-PK+      ◆ Final Result 1-PK+      ◆ Final Result 2-AVG

## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 26785.750000    | 49.1             | 175.0       | H            | 25.0          | -1.7       | 39.10       | 88.20          |         |
| 29429.050000    | 49.3             | 131.0       | V            | 234.0         | -0.4       | 38.90       | 88.20          |         |
| 31243.000000    | 49.5             | 274.0       | V            | 16.0          | -0.7       | 24.50       | 74.00          |         |
| 31680.400000    | 50.1             | 229.0       | V            | 68.0          | -0.9       | 23.90       | 74.00          |         |
| 33085.750000    | 50.2             | 215.0       | V            | 95.0          | -0.9       | 38.00       | 88.20          |         |
| 37191.550000    | 49.4             | 294.0       | H            | 138.0         | -3.8       | 38.80       | 88.20          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 26785.750000    | 35.6             | 175.0       | H            | 25.0          | -1.7       | 32.60       | 68.20          |         |
| 29429.050000    | 35.8             | 131.0       | V            | 234.0         | -0.4       | 32.40       | 68.20          |         |
| 31243.000000    | 35.9             | 274.0       | V            | 16.0          | -0.7       | 18.10       | 54.00          |         |
| 31680.400000    | 36.8             | 229.0       | V            | 68.0          | -0.9       | 17.20       | 54.00          |         |
| 33085.750000    | 37.1             | 215.0       | V            | 95.0          | -0.9       | 31.10       | 68.20          |         |
| 37191.550000    | 36.0             | 294.0       | H            | 138.0         | -3.8       | 32.20       | 68.20          |         |

# Radiated Emission Test Report


**Tested At:****Electro Magnetic Test, Inc.****1547 Plymouth Street****Mountain View, CA 94043****Tel. 650-965-4000****Fax. 650-965-3000****Common Information**

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Chinmay Shendurnikar           |

**EUT Information**

|                |                                         |
|----------------|-----------------------------------------|
| Company Name:  | Skydio, Inc.                            |
| EUT Name       | SkydioLink Dual Band Module             |
| Model Number:  | SMODBV1                                 |
| Serial Number: | N/A                                     |
| Comment:       | 802.11n, 5MHz, 23dB, 5240MHz, Skydio 2+ |

## FCC Class B Radiated Sweep 26.5GHz-40GHz 3m PK AVG Wireless



— Restricted\_20      - - - Restricted      — Preview Result 1V-PK+  
— Preview Result 1H-PK+      ◆ Final Result 1-PK+      ◆ Final Result 2-AVG

## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 26728.600000    | 48.7             | 185.0       | V            | 301.0         | -1.6       | 39.50       | 88.20          |         |
| 28520.050000    | 47.8             | 117.0       | V            | 239.0         | -0.4       | 40.40       | 88.20          |         |
| 31255.600000    | 49.8             | 291.0       | V            | 293.0         | -0.7       | 24.20       | 74.00          |         |
| 31752.850000    | 50.2             | 181.0       | V            | 320.0         | -0.7       | 23.80       | 74.00          |         |
| 33144.700000    | 49.8             | 141.0       | V            | 25.0          | -0.9       | 38.40       | 88.20          |         |
| 36636.700000    | 50.8             | 259.0       | V            | 204.0         | -3.0       | 37.40       | 88.20          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 26728.600000    | 35.1             | 185.0       | V            | 301.0         | -1.6       | 33.10       | 68.20          |         |
| 28520.050000    | 34.7             | 117.0       | V            | 239.0         | -0.4       | 33.50       | 68.20          |         |
| 31255.600000    | 35.8             | 291.0       | V            | 293.0         | -0.7       | 18.20       | 54.00          |         |
| 31752.850000    | 36.8             | 181.0       | V            | 320.0         | -0.7       | 17.20       | 54.00          |         |
| 33144.700000    | 36.4             | 141.0       | V            | 25.0          | -0.9       | 31.80       | 68.20          |         |
| 36636.700000    | 37.0             | 259.0       | V            | 204.0         | -3.0       | 31.20       | 68.20          |         |

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | David Vivanco                  |

## EUT Information

|                |                              |
|----------------|------------------------------|
| Company Name:  | Skydio, Inc.                 |
| EUT Name       | SkydioLink Dual Band Module  |
| Model Number:  | SMODBV1                      |
| Serial Number: | N/A                          |
| Comment:       | 802.11g, 5MHz, 24dB, 2412MHz |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2236.466667     | 45.5             | 149.0       | H            | 225.0         | 1.1        | 28.50       | 74.00          |         |
| 2238.166667     | 50.0             | 264.0       | V            | 150.0         | 1.1        | 24.00       | 74.00          |         |
| 3216.233333     | 52.3             | 234.0       | V            | 351.0         | 3.1        | 35.90       | 88.20          |         |
| 4824.433333     | 53.0             | 199.0       | V            | 164.0         | 5.6        | 21.00       | 74.00          |         |
| 7236.733333     | 52.1             | 118.0       | V            | 288.0         | 9.6        | 36.10       | 88.20          |         |
| 15779.800000    | 53.5             | 172.0       | V            | 21.0          | 21.1       | 20.50       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2236.466667     | 32.3             | 149.0       | H            | 225.0         | 1.1        | 21.70       | 54.00          |         |
| 2238.166667     | 36.4             | 264.0       | V            | 150.0         | 1.1        | 17.60       | 54.00          |         |
| 3216.233333     | 48.9             | 234.0       | V            | 351.0         | 3.1        | 19.30       | 68.20          |         |
| 4824.433333     | 39.4             | 199.0       | V            | 164.0         | 5.6        | 14.60       | 54.00          |         |
| 7236.733333     | 37.6             | 118.0       | V            | 288.0         | 9.6        | 30.60       | 68.20          |         |
| 15779.800000    | 40.4             | 172.0       | V            | 21.0          | 21.1       | 13.60       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2243.266667     | 49.8             | 202.0       | V            | 193.0         | 1.1        | 24.20       | 74.00          |         |
| 3249.666667     | 48.7             | 200.0       | V            | 353.0         | 3.1        | 39.50       | 88.20          |         |
| 4873.733333     | 50.6             | 214.0       | V            | 169.0         | 5.5        | 23.40       | 74.00          |         |
| 7310.400000     | 59.0             | 244.0       | V            | 57.0          | 9.6        | 15.00       | 74.00          |         |
| 9748.200000     | 55.0             | 217.0       | V            | 53.0          | 13.6       | 33.20       | 88.20          |         |
| 15784.333333    | 53.8             | 118.0       | H            | 81.0          | 21.1       | 20.20       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2243.266667     | 36.3             | 202.0       | V            | 193.0         | 1.1        | 17.70       | 54.00          |         |
| 3249.666667     | 44.3             | 200.0       | V            | 353.0         | 3.1        | 23.90       | 68.20          |         |
| 4873.733333     | 36.4             | 214.0       | V            | 169.0         | 5.5        | 17.60       | 54.00          |         |
| 7310.400000     | 41.8             | 244.0       | V            | 57.0          | 9.6        | 12.20       | 54.00          |         |
| 9748.200000     | 39.3             | 217.0       | V            | 53.0          | 13.6       | 28.90       | 68.20          |         |
| 15784.333333    | 40.4             | 118.0       | H            | 81.0          | 21.1       | 13.60       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2242.700000     | 49.4             | 196.0       | V            | 194.0         | 1.1        | 24.60       | 74.00          |         |
| 3283.100000     | 45.7             | 141.0       | V            | 193.0         | 3.1        | 42.50       | 88.20          |         |
| 4925.300000     | 52.0             | 149.0       | V            | 219.0         | 5.4        | 22.00       | 74.00          |         |
| 7387.466667     | 54.2             | 229.0       | H            | 222.0         | 9.7        | 19.80       | 74.00          |         |
| 7388.600000     | 55.2             | 279.0       | V            | 50.0          | 9.7        | 18.80       | 74.00          |         |
| 16133.966667    | 54.0             | 187.0       | V            | 6.0           | 21.8       | 20.00       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2242.700000     | 35.7             | 196.0       | V            | 194.0         | 1.1        | 18.30       | 54.00          |         |
| 3283.100000     | 38.3             | 141.0       | V            | 193.0         | 3.1        | 29.90       | 68.20          |         |
| 4925.300000     | 37.5             | 149.0       | V            | 219.0         | 5.4        | 16.50       | 54.00          |         |
| 7387.466667     | 38.5             | 229.0       | H            | 222.0         | 9.7        | 15.50       | 54.00          |         |
| 7388.600000     | 39.6             | 279.0       | V            | 50.0          | 9.7        | 14.40       | 54.00          |         |
| 16133.966667    | 40.9             | 187.0       | V            | 6.0           | 21.8       | 13.10       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless




## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2238.733333     | 50.8             | 265.0       | V            | 198.0         | 1.1        | 23.20       | 74.00          |         |
| 4822.166667     | 52.6             | 152.0       | H            | 225.0         | 5.6        | 21.40       | 74.00          |         |
| 4823.866667     | 55.5             | 207.0       | V            | 171.0         | 5.6        | 18.50       | 74.00          |         |
| 7237.866667     | 59.2             | 229.0       | V            | 53.0          | 9.6        | 29.00       | 88.20          |         |
| 12063.033333    | 57.6             | 207.0       | V            | 39.0          | 17.4       | 16.40       | 74.00          |         |
| 16891.033333    | 60.7             | 264.0       | V            | 71.0          | 22.7       | 27.50       | 88.20          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2238.733333     | 36.8             | 265.0       | V            | 198.0         | 1.1        | 17.20       | 54.00          |         |
| 4822.166667     | 38.5             | 152.0       | H            | 225.0         | 5.6        | 15.50       | 54.00          |         |
| 4823.866667     | 41.2             | 207.0       | V            | 171.0         | 5.6        | 12.80       | 54.00          |         |
| 7237.866667     | 43.4             | 229.0       | V            | 53.0          | 9.6        | 24.80       | 68.20          |         |
| 12063.033333    | 40.6             | 207.0       | V            | 39.0          | 17.4       | 13.40       | 54.00          |         |
| 16891.033333    | 43.9             | 264.0       | V            | 71.0          | 22.7       | 24.30       | 68.20          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20      - - - Restricted      — Preview Result 1V-PK+  
— Preview Result 1H-PK+      ◆ Final Result 1-PK+      ◆ Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2256.866667     | 47.5             | 100.0       | V            | 341.0         | 1.2        | 26.50       | 74.00          |         |
| 3249.100000     | 47.5             | 192.0       | V            | 1.0           | 3.1        | 40.70       | 88.20          |         |
| 4874.300000     | 53.9             | 114.0       | V            | 230.0         | 5.5        | 20.10       | 74.00          |         |
| 7303.600000     | 53.6             | 236.0       | H            | 72.0          | 9.6        | 20.40       | 74.00          |         |
| 7312.666667     | 65.2             | 176.0       | V            | 122.0         | 9.6        | 8.80        | 74.00          |         |
| 15879.533333    | 53.4             | 158.0       | H            | 117.0         | 21.4       | 20.60       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2256.866667     | 34.0             | 100.0       | V            | 341.0         | 1.2        | 20.00       | 54.00          |         |
| 3249.100000     | 42.0             | 192.0       | V            | 1.0           | 3.1        | 26.20       | 68.20          |         |
| 4874.300000     | 39.9             | 114.0       | V            | 230.0         | 5.5        | 14.10       | 54.00          |         |
| 7303.600000     | 32.3             | 236.0       | H            | 72.0          | 9.6        | 21.70       | 54.00          |         |
| 7312.666667     | 39.2             | 176.0       | V            | 122.0         | 9.6        | 14.80       | 54.00          |         |
| 15879.533333    | 40.3             | 158.0       | H            | 117.0         | 21.4       | 13.70       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20 — Restricted — Preview Result 1V-PK+  
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2244.966667     | 49.2             | 198.0       | V            | 166.0         | 1.1        | 24.80       | 74.00          |         |
| 4927.000000     | 53.1             | 130.0       | V            | 230.0         | 5.4        | 20.90       | 74.00          |         |
| 7386.900000     | 55.0             | 235.0       | H            | 122.0         | 9.7        | 19.00       | 74.00          |         |
| 7389.166667     | 60.2             | 208.0       | V            | 352.0         | 9.7        | 13.80       | 74.00          |         |
| 17228.200000    | 59.5             | 200.0       | V            | 146.0         | 22.6       | 28.70       | 88.20          |         |
| 17864.566667    | 55.4             | 276.0       | V            | 112.0         | 23.0       | 18.60       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2244.966667     | 35.5             | 198.0       | V            | 166.0         | 1.1        | 18.50       | 54.00          |         |
| 4927.000000     | 38.4             | 130.0       | V            | 230.0         | 5.4        | 15.60       | 54.00          |         |
| 7386.900000     | 35.9             | 235.0       | H            | 122.0         | 9.7        | 18.10       | 54.00          |         |
| 7389.166667     | 42.0             | 208.0       | V            | 352.0         | 9.7        | 12.00       | 54.00          |         |
| 17228.200000    | 43.6             | 200.0       | V            | 146.0         | 22.6       | 24.60       | 68.20          |         |
| 17864.566667    | 41.8             | 276.0       | V            | 112.0         | 23.0       | 12.20       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2236.466667     | 51.5             | 200.0       | V            | 185.0         | 1.1        | 22.50       | 74.00          |         |
| 3216.233333     | 48.7             | 137.0       | H            | 228.0         | 3.1        | 39.50       | 88.20          |         |
| 3216.800000     | 54.8             | 252.0       | V            | 53.0          | 3.1        | 33.40       | 88.20          |         |
| 4825.566667     | 56.0             | 179.0       | V            | 164.0         | 5.5        | 18.00       | 74.00          |         |
| 7238.433333     | 56.5             | 242.0       | V            | 48.0          | 9.6        | 31.70       | 88.20          |         |
| 12064.166667    | 55.7             | 208.0       | V            | 44.0          | 17.4       | 18.30       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2236.466667     | 37.5             | 200.0       | V            | 185.0         | 1.1        | 16.50       | 54.00          |         |
| 3216.233333     | 44.0             | 137.0       | H            | 228.0         | 3.1        | 24.20       | 68.20          |         |
| 3216.800000     | 51.7             | 252.0       | V            | 53.0          | 3.1        | 16.50       | 68.20          |         |
| 4825.566667     | 41.4             | 179.0       | V            | 164.0         | 5.5        | 12.60       | 54.00          |         |
| 7238.433333     | 39.6             | 242.0       | V            | 48.0          | 9.6        | 28.60       | 68.20          |         |
| 12064.166667    | 39.6             | 208.0       | V            | 44.0          | 17.4       | 14.40       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+

Restricted  
Final Result 1-PK+

Preview Result 1V-PK+  
Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2246.100000     | 50.1             | 198.0       | V            | 194.0         | 1.1        | 23.90       | 74.00          |         |
| 3249.666667     | 49.3             | 232.0       | V            | 1.0           | 3.1        | 38.90       | 88.20          |         |
| 4870.900000     | 46.7             | 110.0       | V            | 272.0         | 5.5        | 27.30       | 74.00          |         |
| 7313.800000     | 50.9             | 247.0       | H            | 253.0         | 9.6        | 23.10       | 74.00          |         |
| 7314.366667     | 58.1             | 206.0       | V            | 321.0         | 9.6        | 15.90       | 74.00          |         |
| 15561.066667    | 53.6             | 206.0       | V            | 44.0          | 20.8       | 20.40       | 74.00          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2246.100000     | 36.4             | 198.0       | V            | 194.0         | 1.1        | 17.60       | 54.00          |         |
| 3249.666667     | 45.0             | 232.0       | V            | 1.0           | 3.1        | 23.20       | 68.20          |         |
| 4870.900000     | 30.7             | 110.0       | V            | 272.0         | 5.5        | 23.30       | 54.00          |         |
| 7313.800000     | 35.1             | 247.0       | H            | 253.0         | 9.6        | 18.90       | 54.00          |         |
| 7314.366667     | 39.6             | 206.0       | V            | 321.0         | 9.6        | 14.40       | 54.00          |         |
| 15561.066667    | 40.2             | 206.0       | V            | 44.0          | 20.8       | 13.80       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20      Restricted      Preview Result 1V-PK+  
Preview Result 1H-PK+      Final Result 1-PK+      Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2237.600000     | 48.8             | 176.0       | V            | 155.0         | 1.1        | 25.20       | 74.00          |         |
| 4924.733333     | 52.5             | 130.0       | V            | 220.0         | 5.4        | 21.50       | 74.00          |         |
| 7386.333333     | 56.1             | 195.0       | H            | 236.0         | 9.7        | 17.90       | 74.00          |         |
| 7386.900000     | 59.5             | 219.0       | V            | 58.0          | 9.7        | 14.50       | 74.00          |         |
| 12368.466667    | 50.7             | 125.0       | V            | 268.0         | 17.7       | 23.30       | 74.00          |         |
| 15546.900000    | 53.6             | 235.0       | V            | 165.0         | 20.8       | 20.40       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2237.600000     | 35.6             | 176.0       | V            | 155.0         | 1.1        | 18.40       | 54.00          |         |
| 4924.733333     | 38.4             | 130.0       | V            | 220.0         | 5.4        | 15.60       | 54.00          |         |
| 7386.333333     | 36.8             | 195.0       | H            | 236.0         | 9.7        | 17.20       | 54.00          |         |
| 7386.900000     | 43.6             | 219.0       | V            | 58.0          | 9.7        | 10.40       | 54.00          |         |
| 12368.466667    | 37.3             | 125.0       | V            | 268.0         | 17.7       | 16.70       | 54.00          |         |
| 15546.900000    | 40.3             | 235.0       | V            | 165.0         | 20.8       | 13.70       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2237.600000     | 51.2             | 240.0       | V            | 142.0         | 1.1        | 22.80       | 74.00          |         |
| 4810.833333     | 50.7             | 168.0       | V            | 286.0         | 5.6        | 23.30       | 74.00          |         |
| 7250.900000     | 57.4             | 250.0       | V            | 40.0          | 9.6        | 16.60       | 74.00          |         |
| 7253.166667     | 56.6             | 199.0       | V            | 321.0         | 9.6        | 17.40       | 74.00          |         |
| 12060.200000    | 54.5             | 195.0       | V            | 43.0          | 17.4       | 19.50       | 74.00          |         |
| 16240.500000    | 54.4             | 283.0       | H            | 81.0          | 21.9       | 33.80       | 88.20          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2237.600000     | 37.1             | 240.0       | V            | 142.0         | 1.1        | 16.90       | 54.00          |         |
| 4810.833333     | 35.6             | 168.0       | V            | 286.0         | 5.6        | 18.40       | 54.00          |         |
| 7250.900000     | 31.8             | 250.0       | V            | 40.0          | 9.6        | 22.20       | 54.00          |         |
| 7253.166667     | 33.8             | 199.0       | V            | 321.0         | 9.6        | 20.20       | 54.00          |         |
| 12060.200000    | 39.4             | 195.0       | V            | 43.0          | 17.4       | 14.60       | 54.00          |         |
| 16240.500000    | 41.2             | 283.0       | H            | 81.0          | 21.9       | 27.00       | 68.20          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20      - - - Restricted      — Preview Result 1V-PK+  
— Preview Result 1H-PK+      ◆ Final Result 1-PK+      ◆ Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 7292.833333     | 59.8             | 244.0       | V            | 134.0         | 9.6        | 14.20       | 74.00          |         |
| 7297.933333     | 61.9             | 199.0       | V            | 338.0         | 9.6        | 12.10       | 74.00          |         |
| 7308.700000     | 65.8             | 198.0       | V            | 315.0         | 9.6        | 8.20        | 74.00          |         |
| 7328.533333     | 60.5             | 215.0       | V            | 66.0          | 9.6        | 13.50       | 74.00          |         |
| 15938.466667    | 54.5             | 368.0       | V            | 29.0          | 21.6       | 19.50       | 74.00          |         |
| 17867.400000    | 55.3             | 189.0       | H            | 81.0          | 23.1       | 18.70       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 7292.833333     | 33.6             | 244.0       | V            | 134.0         | 9.6        | 20.40       | 54.00          |         |
| 7297.933333     | 34.7             | 199.0       | V            | 338.0         | 9.6        | 19.30       | 54.00          |         |
| 7308.700000     | 40.7             | 198.0       | V            | 315.0         | 9.6        | 13.30       | 54.00          |         |
| 7328.533333     | 36.3             | 215.0       | V            | 66.0          | 9.6        | 17.70       | 54.00          |         |
| 15938.466667    | 40.5             | 368.0       | V            | 29.0          | 21.6       | 13.50       | 54.00          |         |
| 17867.400000    | 41.9             | 189.0       | H            | 81.0          | 23.1       | 12.10       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20 — Restricted — Preview Result 1V-PK+  
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2235.900000     | 48.5             | 244.0       | V            | 178.0         | 1.1        | 25.50       | 74.00          |         |
| 4925.866667     | 51.3             | 141.0       | V            | 221.0         | 5.4        | 22.70       | 74.00          |         |
| 7389.166667     | 63.2             | 137.0       | V            | 24.0          | 9.7        | 10.80       | 74.00          |         |
| 7399.366667     | 58.4             | 238.0       | H            | 108.0         | 9.7        | 15.60       | 74.00          |         |
| 12522.600000    | 50.6             | 397.0       | H            | 134.0         | 18.0       | 23.40       | 74.00          |         |
| 15725.400000    | 53.9             | 164.0       | V            | 34.0          | 21.1       | 20.10       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2235.900000     | 35.1             | 244.0       | V            | 178.0         | 1.1        | 18.90       | 54.00          |         |
| 4925.866667     | 37.2             | 141.0       | V            | 221.0         | 5.4        | 16.80       | 54.00          |         |
| 7389.166667     | 36.7             | 137.0       | V            | 24.0          | 9.7        | 17.40       | 54.00          |         |
| 7399.366667     | 34.1             | 238.0       | H            | 108.0         | 9.7        | 19.90       | 54.00          |         |
| 12522.600000    | 37.3             | 397.0       | H            | 134.0         | 18.0       | 16.70       | 54.00          |         |
| 15725.400000    | 40.4             | 164.0       | V            | 34.0          | 21.1       | 13.60       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20 — Restricted — Preview Result 1V-PK+  
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2237.033333     | 50.4             | 160.0       | V            | 184.0         | 1.1        | 23.60       | 74.00          |         |
| 4843.133333     | 47.4             | 162.0       | V            | 220.0         | 5.5        | 26.60       | 74.00          |         |
| 7256.000000     | 53.8             | 242.0       | H            | 212.0         | 9.6        | 20.20       | 74.00          |         |
| 7275.833333     | 61.8             | 195.0       | V            | 314.0         | 9.6        | 12.20       | 74.00          |         |
| 12097.600000    | 51.1             | 156.0       | V            | 313.0         | 17.6       | 22.90       | 74.00          |         |
| 15574.666667    | 53.4             | 287.0       | V            | 327.0         | 20.8       | 20.60       | 74.00          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2237.033333     | 36.0             | 160.0       | V            | 184.0         | 1.1        | 18.00       | 54.00          |         |
| 4843.133333     | 33.1             | 162.0       | V            | 220.0         | 5.5        | 20.90       | 54.00          |         |
| 7256.000000     | 32.3             | 242.0       | H            | 212.0         | 9.6        | 21.70       | 54.00          |         |
| 7275.833333     | 34.4             | 195.0       | V            | 314.0         | 9.6        | 19.60       | 54.00          |         |
| 12097.600000    | 37.8             | 156.0       | V            | 313.0         | 17.6       | 16.20       | 54.00          |         |
| 15574.666667    | 40.2             | 287.0       | V            | 327.0         | 20.8       | 13.80       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20      Restricted      Preview Result 1V-PK+  
Preview Result 1H-PK+      Final Result 1-PK+      Final Result 2-AVG

## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2250.633333     | 49.5             | 217.0       | V            | 177.0         | 1.2        | 24.50       | 74.00          |         |
| 4919.066667     | 46.8             | 149.0       | V            | 221.0         | 5.4        | 27.20       | 74.00          |         |
| 7395.966667     | 66.8             | 211.0       | V            | 315.0         | 9.7        | 7.20        | 74.00          |         |
| 7396.533333     | 57.3             | 149.0       | H            | 120.0         | 9.7        | 16.70       | 74.00          |         |
| 10767.633333    | 49.0             | 299.0       | H            | 63.0          | 15.0       | 25.00       | 74.00          |         |
| 15680.066667    | 53.8             | 253.0       | H            | 278.0         | 21.0       | 20.20       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2250.633333     | 35.1             | 217.0       | V            | 177.0         | 1.2        | 18.90       | 54.00          |         |
| 4919.066667     | 31.1             | 149.0       | V            | 221.0         | 5.4        | 22.90       | 54.00          |         |
| 7395.966667     | 38.4             | 211.0       | V            | 315.0         | 9.7        | 15.60       | 54.00          |         |
| 7396.533333     | 33.4             | 149.0       | H            | 120.0         | 9.7        | 20.60       | 54.00          |         |
| 10767.633333    | 35.2             | 299.0       | H            | 63.0          | 15.0       | 18.80       | 54.00          |         |
| 15680.066667    | 40.4             | 253.0       | H            | 278.0         | 21.0       | 13.60       | 54.00          |         |

---

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | David Vivanco                  |

## EUT Information

|                |                              |
|----------------|------------------------------|
| Company Name:  | Skydio, Inc.                 |
| EUT Name       | SkydioLink Dual Band Module  |
| Model Number:  | SMODBV1                      |
| Serial Number: | N/A                          |
| Comment:       | 802.11a, 5MHz, 23dB, 5170MHz |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20 — Restricted — Preview Result 1V-PK+  
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4817.633333     | 64.4             | 254.0       | V            | 19.0          | 5.6        | 9.60        | 74.00          |         |
| 4993.300000     | 60.3             | 248.0       | V            | 20.0          | 5.4        | 13.70       | 74.00          |         |
| 5038.066667     | 54.1             | 236.0       | V            | 15.0          | 5.5        | 19.90       | 74.00          |         |
| 5521.433333     | 64.1             | 232.0       | V            | 15.0          | 6.6        | 24.10       | 88.20          |         |
| 10341.500000    | 69.7             | 197.0       | V            | 114.0         | 14.8       | 18.50       | 88.20          |         |
| 15515.166667    | 71.1             | 193.0       | V            | 235.0         | 20.8       | 2.90        | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4817.633333     | 51.6             | 254.0       | V            | 19.0          | 5.6        | 2.40        | 54.00          |         |
| 4993.300000     | 47.2             | 248.0       | V            | 20.0          | 5.4        | 6.80        | 54.00          |         |
| 5038.066667     | 41.2             | 236.0       | V            | 15.0          | 5.5        | 12.80       | 54.00          |         |
| 5521.433333     | 52.0             | 232.0       | V            | 15.0          | 6.6        | 16.20       | 68.20          |         |
| 10341.500000    | 58.1             | 197.0       | V            | 114.0         | 14.8       | 10.10       | 68.20          |         |
| 15515.166667    | 52.8             | 193.0       | V            | 235.0         | 20.8       | 1.20        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4848.800000     | 57.9             | 187.0       | V            | 166.0         | 5.5        | 16.10       | 74.00          |         |
| 5008.033333     | 50.2             | 192.0       | V            | 282.0         | 5.5        | 23.80       | 74.00          |         |
| 5023.900000     | 62.0             | 192.0       | V            | 118.0         | 5.5        | 12.00       | 74.00          |         |
| 5552.600000     | 65.2             | 200.0       | V            | 16.0          | 6.6        | 23.00       | 88.20          |         |
| 10401.000000    | 65.7             | 148.0       | V            | 1.0           | 14.8       | 22.50       | 88.20          |         |
| 15600.166667    | 69.4             | 110.0       | V            | 183.0         | 20.8       | 4.60        | 74.00          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4848.800000     | 45.9             | 187.0       | V            | 166.0         | 5.5        | 8.10        | 54.00          |         |
| 5008.033333     | 36.6             | 192.0       | V            | 282.0         | 5.5        | 17.40       | 54.00          |         |
| 5023.900000     | 49.7             | 192.0       | V            | 118.0         | 5.5        | 4.30        | 54.00          |         |
| 5552.600000     | 52.4             | 200.0       | V            | 16.0          | 6.6        | 15.80       | 68.20          |         |
| 10401.000000    | 53.1             | 148.0       | V            | 1.0           | 14.8       | 15.10       | 68.20          |         |
| 15600.166667    | 52.8             | 110.0       | V            | 183.0         | 20.8       | 1.20        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4888.466667     | 55.5             | 172.0       | V            | 135.0         | 5.4        | 18.50       | 74.00          |         |
| 5063.566667     | 55.6             | 189.0       | V            | 142.0         | 5.5        | 18.50       | 74.00          |         |
| 5416.033333     | 57.9             | 164.0       | V            | 155.0         | 6.6        | 16.10       | 74.00          |         |
| 10482.033333    | 64.8             | 252.0       | V            | 184.0         | 14.9       | 23.40       | 88.20          |         |
| 15720.300000    | 68.1             | 200.0       | H            | 294.0         | 21.1       | 5.90        | 74.00          |         |
| 15723.133333    | 67.7             | 133.0       | V            | 145.0         | 21.1       | 6.30        | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4888.466667     | 43.8             | 172.0       | V            | 135.0         | 5.4        | 10.20       | 54.00          |         |
| 5063.566667     | 43.1             | 189.0       | V            | 142.0         | 5.5        | 10.90       | 54.00          |         |
| 5416.033333     | 44.6             | 164.0       | V            | 155.0         | 6.6        | 9.40        | 54.00          |         |
| 10482.033333    | 51.4             | 252.0       | V            | 184.0         | 14.9       | 16.80       | 68.20          |         |
| 15720.300000    | 53.6             | 200.0       | H            | 294.0         | 21.1       | 0.40        | 54.00          |         |
| 15723.133333    | 53.1             | 133.0       | V            | 145.0         | 21.1       | 0.90        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20 — Restricted — Preview Result 1V-PK+  
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4815.933333     | 54.9             | 188.0       | V            | 165.0         | 5.6        | 19.10       | 74.00          |         |
| 4993.866667     | 60.0             | 167.0       | V            | 198.0         | 5.4        | 14.00       | 74.00          |         |
| 4995.566667     | 53.3             | 137.0       | H            | 325.0         | 5.4        | 20.70       | 74.00          |         |
| 5035.233333     | 54.4             | 208.0       | V            | 123.0         | 5.5        | 19.60       | 74.00          |         |
| 5080.566667     | 54.3             | 208.0       | V            | 122.0         | 5.4        | 19.70       | 74.00          |         |
| 15508.366667    | 72.1             | 200.0       | V            | 188.0         | 20.8       | 1.90        | 74.00          |         |
| 15514.033333    | 65.6             | 200.0       | H            | 289.0         | 20.8       | 8.40        | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4815.933333     | 40.7             | 188.0       | V            | 165.0         | 5.6        | 13.30       | 54.00          |         |
| 4993.866667     | 48.5             | 167.0       | V            | 198.0         | 5.4        | 5.50        | 54.00          |         |
| 4995.566667     | 38.1             | 137.0       | H            | 325.0         | 5.4        | 15.90       | 54.00          |         |
| 5035.233333     | 39.9             | 208.0       | V            | 123.0         | 5.5        | 14.10       | 54.00          |         |
| 5080.566667     | 40.9             | 208.0       | V            | 122.0         | 5.4        | 13.10       | 54.00          |         |
| 15508.366667    | 52.7             | 200.0       | V            | 188.0         | 20.8       | 1.30        | 54.00          |         |
| 15514.033333    | 50.2             | 200.0       | H            | 289.0         | 20.8       | 3.80        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4847.666667     | 56.6             | 190.0       | V            | 165.0         | 5.5        | 17.40       | 74.00          |         |
| 5024.466667     | 63.4             | 185.0       | V            | 197.0         | 5.5        | 10.60       | 74.00          |         |
| 5047.133333     | 51.8             | 164.0       | V            | 197.0         | 5.5        | 22.20       | 74.00          |         |
| 10399.866667    | 64.5             | 201.0       | V            | 354.0         | 14.8       | 23.70       | 88.20          |         |
| 15599.033333    | 70.0             | 203.0       | H            | 305.0         | 20.8       | 4.00        | 74.00          |         |
| 15604.133333    | 72.5             | 214.0       | V            | 137.0         | 20.8       | 1.50        | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4847.666667     | 42.8             | 190.0       | V            | 165.0         | 5.5        | 11.20       | 54.00          |         |
| 5024.466667     | 49.9             | 185.0       | V            | 197.0         | 5.5        | 4.10        | 54.00          |         |
| 5047.133333     | 38.1             | 164.0       | V            | 197.0         | 5.5        | 15.90       | 54.00          |         |
| 10399.866667    | 51.1             | 201.0       | V            | 354.0         | 14.8       | 17.10       | 68.20          |         |
| 15599.033333    | 52.4             | 203.0       | H            | 305.0         | 20.8       | 1.60        | 54.00          |         |
| 15604.133333    | 53.5             | 214.0       | V            | 137.0         | 20.8       | 0.50        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20 — Restricted — Preview Result 1V-PK+  
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4891.300000     | 53.9             | 218.0       | V            | 137.0         | 5.4        | 20.10       | 74.00          |         |
| 5063.000000     | 56.8             | 199.0       | V            | 25.0          | 5.5        | 17.20       | 74.00          |         |
| 5414.900000     | 60.1             | 165.0       | V            | 208.0         | 6.6        | 13.90       | 74.00          |         |
| 10476.366667    | 65.5             | 191.0       | V            | 206.0         | 14.9       | 22.70       | 88.20          |         |
| 15713.500000    | 72.2             | 148.0       | V            | 359.0         | 21.1       | 1.80        | 74.00          |         |
| 15720.866667    | 73.8             | 199.0       | H            | 291.0         | 21.1       | 0.20        | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4891.300000     | 39.9             | 218.0       | V            | 137.0         | 5.4        | 14.10       | 54.00          |         |
| 5063.000000     | 42.9             | 199.0       | V            | 25.0          | 5.5        | 11.10       | 54.00          |         |
| 5414.900000     | 45.6             | 165.0       | V            | 208.0         | 6.6        | 8.40        | 54.00          |         |
| 10476.366667    | 50.6             | 191.0       | V            | 206.0         | 14.9       | 17.60       | 68.20          |         |
| 15713.500000    | 52.9             | 148.0       | V            | 359.0         | 21.1       | 1.10        | 54.00          |         |
| 15720.866667    | 53.2             | 199.0       | H            | 291.0         | 21.1       | 0.80        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20 — Restricted — Preview Result 1V-PK+  
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4818.766667     | 59.1             | 208.0       | V            | 184.0         | 5.6        | 14.90       | 74.00          |         |
| 4995.000000     | 59.0             | 185.0       | V            | 137.0         | 5.4        | 15.00       | 74.00          |         |
| 5037.500000     | 54.8             | 188.0       | V            | 142.0         | 5.5        | 19.20       | 74.00          |         |
| 5082.266667     | 54.5             | 164.0       | V            | 137.0         | 5.4        | 19.50       | 74.00          |         |
| 15511.766667    | 67.7             | 194.0       | H            | 85.0          | 20.8       | 6.30        | 74.00          |         |
| 15513.466667    | 70.5             | 100.0       | V            | 184.0         | 20.8       | 3.50        | 74.00          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4818.766667     | 46.1             | 208.0       | V            | 184.0         | 5.6        | 7.90        | 54.00          |         |
| 4995.000000     | 45.4             | 185.0       | V            | 137.0         | 5.4        | 8.60        | 54.00          |         |
| 5037.500000     | 42.1             | 188.0       | V            | 142.0         | 5.5        | 11.90       | 54.00          |         |
| 5082.266667     | 42.3             | 164.0       | V            | 137.0         | 5.4        | 11.70       | 54.00          |         |
| 15511.766667    | 52.0             | 194.0       | H            | 85.0          | 20.8       | 2.00        | 54.00          |         |
| 15513.466667    | 51.8             | 100.0       | V            | 184.0         | 20.8       | 2.20        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20      - - - Restricted      — Preview Result 1V-PK+  
— Preview Result 1H-PK+      ◆ Final Result 1-PK+      ◆ Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4849.933333     | 58.8             | 189.0       | V            | 183.0         | 5.5        | 15.20       | 74.00          |         |
| 5023.333333     | 60.0             | 172.0       | V            | 194.0         | 5.5        | 14.00       | 74.00          |         |
| 5552.600000     | 65.1             | 185.0       | V            | 62.0          | 6.6        | 23.10       | 88.20          |         |
| 10399.866667    | 67.0             | 154.0       | V            | 6.0           | 14.8       | 21.20       | 88.20          |         |
| 15603.566667    | 70.6             | 191.0       | H            | 315.0         | 20.8       | 3.40        | 74.00          |         |
| 15604.700000    | 68.8             | 203.0       | V            | 100.0         | 20.8       | 5.20        | 74.00          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4849.933333     | 45.2             | 189.0       | V            | 183.0         | 5.5        | 8.80        | 54.00          |         |
| 5023.333333     | 45.6             | 172.0       | V            | 194.0         | 5.5        | 8.40        | 54.00          |         |
| 5552.600000     | 50.3             | 185.0       | V            | 62.0          | 6.6        | 17.90       | 68.20          |         |
| 10399.866667    | 54.1             | 154.0       | V            | 6.0           | 14.8       | 14.10       | 68.20          |         |
| 15603.566667    | 52.1             | 191.0       | H            | 315.0         | 20.8       | 1.90        | 54.00          |         |
| 15604.700000    | 52.9             | 203.0       | V            | 100.0         | 20.8       | 1.10        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4879.400000     | 59.7             | 196.0       | V            | 184.0         | 5.4        | 14.30       | 74.00          |         |
| 5055.066667     | 58.3             | 164.0       | V            | 198.0         | 5.5        | 15.70       | 74.00          |         |
| 5406.966667     | 56.8             | 196.0       | V            | 281.0         | 6.6        | 17.20       | 74.00          |         |
| 10459.933333    | 65.6             | 209.0       | V            | 16.0          | 14.8       | 22.60       | 88.20          |         |
| 15691.400000    | 73.2             | 153.0       | V            | 281.0         | 21.1       | 0.80        | 74.00          |         |
| 15691.966667    | 70.1             | 200.0       | H            | 295.0         | 21.1       | 3.90        | 74.00          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4879.400000     | 45.1             | 196.0       | V            | 184.0         | 5.4        | 8.90        | 54.00          |         |
| 5055.066667     | 45.0             | 164.0       | V            | 198.0         | 5.5        | 9.00        | 54.00          |         |
| 5406.966667     | 42.3             | 196.0       | V            | 281.0         | 6.6        | 11.70       | 54.00          |         |
| 10459.933333    | 53.0             | 209.0       | V            | 16.0          | 14.8       | 15.20       | 68.20          |         |
| 15691.400000    | 52.3             | 153.0       | V            | 281.0         | 21.1       | 1.70        | 54.00          |         |
| 15691.966667    | 50.5             | 200.0       | H            | 295.0         | 21.1       | 3.50        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4827.266667     | 52.6             | 207.0       | V            | 180.0         | 5.5        | 21.40       | 74.00          |         |
| 4997.833333     | 57.0             | 184.0       | V            | 137.0         | 5.5        | 17.00       | 74.00          |         |
| 5085.666667     | 51.6             | 195.0       | V            | 180.0         | 5.4        | 22.40       | 74.00          |         |
| 10360.766667    | 62.4             | 199.0       | V            | 49.0          | 14.8       | 25.80       | 88.20          |         |
| 15537.266667    | 69.7             | 236.0       | V            | 245.0         | 20.8       | 4.30        | 74.00          |         |
| 15545.766667    | 66.9             | 152.0       | V            | 283.0         | 20.8       | 7.10        | 74.00          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4827.266667     | 39.0             | 207.0       | V            | 180.0         | 5.5        | 15.00       | 54.00          |         |
| 4997.833333     | 41.8             | 184.0       | V            | 137.0         | 5.5        | 12.20       | 54.00          |         |
| 5085.666667     | 36.7             | 195.0       | V            | 180.0         | 5.4        | 17.30       | 54.00          |         |
| 10360.766667    | 46.7             | 199.0       | V            | 49.0          | 14.8       | 21.50       | 68.20          |         |
| 15537.266667    | 50.3             | 236.0       | V            | 245.0         | 20.8       | 3.70        | 54.00          |         |
| 15545.766667    | 50.1             | 152.0       | V            | 283.0         | 20.8       | 3.90        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20      Restricted      Preview Result 1V-PK+  
Preview Result 1H-PK+      Final Result 1-PK+      Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4872.600000     | 52.1             | 189.0       | V            | 182.0         | 5.5        | 21.90       | 74.00          |         |
| 5040.333333     | 57.3             | 172.0       | V            | 195.0         | 5.5        | 16.70       | 74.00          |         |
| 5398.466667     | 54.2             | 195.0       | V            | 281.0         | 6.6        | 19.80       | 74.00          |         |
| 10440.100000    | 64.5             | 200.0       | V            | 1.0           | 14.8       | 23.70       | 88.20          |         |
| 15657.966667    | 81.2             | 202.0       | V            | 151.0         | 21.0       | -7.20       | 74.00          |         |
| 15660.233333    | 80.1             | 209.0       | H            | 292.0         | 21.0       | -6.10       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4872.600000     | 37.7             | 189.0       | V            | 182.0         | 5.5        | 16.30       | 54.00          |         |
| 5040.333333     | 42.9             | 172.0       | V            | 195.0         | 5.5        | 11.10       | 54.00          |         |
| 5398.466667     | 37.9             | 195.0       | V            | 281.0         | 6.6        | 16.10       | 54.00          |         |
| 10440.100000    | 50.1             | 200.0       | V            | 1.0           | 14.8       | 18.10       | 68.20          |         |
| 15657.966667    | 59.6             | 202.0       | V            | 151.0         | 21.0       | -5.60       | 54.00          |         |
| 15660.233333    | 57.2             | 209.0       | H            | 292.0         | 21.0       | -3.20       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4872.600000     | 52.1             | 189.0       | V            | 182.0         | 5.5        | 21.90       | 74.00          |         |
| 5040.333333     | 57.3             | 172.0       | V            | 195.0         | 5.5        | 16.70       | 74.00          |         |
| 5398.466667     | 54.2             | 195.0       | V            | 281.0         | 6.6        | 19.80       | 74.00          |         |
| 10440.100000    | 64.5             | 200.0       | V            | 1.0           | 14.8       | 23.70       | 88.20          |         |
| 15657.966667    | 73.8             | 202.0       | V            | 151.0         | 21.0       | 0.20        | 74.00          |         |
| 15660.233333    | 73.6             | 209.0       | H            | 292.0         | 21.0       | 0.40        | 74.00          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4872.600000     | 37.7             | 189.0       | V            | 182.0         | 5.5        | 16.30       | 54.00          |         |
| 5040.333333     | 42.9             | 172.0       | V            | 195.0         | 5.5        | 11.10       | 54.00          |         |
| 5398.466667     | 37.9             | 195.0       | V            | 281.0         | 6.6        | 16.10       | 54.00          |         |
| 10440.100000    | 50.1             | 200.0       | V            | 1.0           | 14.8       | 18.10       | 68.20          |         |
| 15657.966667    | 53.6             | 202.0       | V            | 151.0         | 21.0       | 0.40        | 54.00          |         |
| 15660.233333    | 53.3             | 209.0       | H            | 292.0         | 21.0       | 0.70        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20      - - - Restricted      — Preview Result 1V-PK+  
— Preview Result 1H-PK+      ◆ Final Result 1-PK+      ◆ Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4891.300000     | 50.8             | 190.0       | V            | 62.0          | 5.4        | 23.20       | 74.00          |         |
| 5065.833333     | 53.6             | 195.0       | V            | 137.0         | 5.5        | 20.40       | 74.00          |         |
| 5416.600000     | 57.1             | 188.0       | V            | 229.0         | 6.6        | 16.90       | 74.00          |         |
| 10477.500000    | 62.1             | 137.0       | V            | 321.0         | 14.9       | 26.10       | 88.20          |         |
| 15716.333333    | 73.6             | 204.0       | V            | 151.0         | 21.1       | 0.40        | 74.00          |         |
| 15737.866667    | 73.1             | 200.0       | H            | 297.0         | 21.1       | 0.90        | 74.00          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4891.300000     | 37.1             | 190.0       | V            | 62.0          | 5.4        | 16.90       | 54.00          |         |
| 5065.833333     | 39.3             | 195.0       | V            | 137.0         | 5.5        | 14.70       | 54.00          |         |
| 5416.600000     | 42.5             | 188.0       | V            | 229.0         | 6.6        | 11.50       | 54.00          |         |
| 10477.500000    | 48.2             | 137.0       | V            | 321.0         | 14.9       | 20.00       | 68.20          |         |
| 15716.333333    | 50.2             | 204.0       | V            | 151.0         | 21.1       | 3.80        | 54.00          |         |
| 15737.866667    | 52.1             | 200.0       | H            | 297.0         | 21.1       | 1.90        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20      - - - Restricted      — Preview Result 1V-PK+  
— Preview Result 1H-PK+      ◆ Final Result 1-PK+      ◆ Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4834.633333     | 48.9             | 181.0       | V            | 174.0         | 5.5        | 25.10       | 74.00          |         |
| 5017.666667     | 57.2             | 153.0       | V            | 142.0         | 5.5        | 16.80       | 74.00          |         |
| 5180.866667     | 53.8             | 172.0       | V            | 138.0         | 5.7        | 34.40       | 88.20          |         |
| 5539.566667     | 53.3             | 180.0       | V            | 142.0         | 6.6        | 34.90       | 88.20          |         |
| 10376.066667    | 59.9             | 149.0       | V            | 7.0           | 14.8       | 28.30       | 88.20          |         |
| 15580.900000    | 68.6             | 205.0       | H            | 297.0         | 20.8       | 5.40        | 74.00          |         |
| 15597.900000    | 69.0             | 100.0       | V            | 176.0         | 20.8       | 5.00        | 74.00          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 4834.633333     | 35.9             | 181.0       | V            | 174.0         | 5.5        | 18.10       | 54.00          |         |
| 5017.666667     | 41.0             | 153.0       | V            | 142.0         | 5.5        | 13.00       | 54.00          |         |
| 5180.866667     | 41.3             | 172.0       | V            | 138.0         | 5.7        | 26.90       | 68.20          |         |
| 5539.566667     | 40.5             | 180.0       | V            | 142.0         | 6.6        | 27.70       | 68.20          |         |
| 10376.066667    | 39.7             | 149.0       | V            | 7.0           | 14.8       | 28.50       | 68.20          |         |
| 15580.900000    | 50.4             | 205.0       | H            | 297.0         | 20.8       | 3.60        | 54.00          |         |
| 15597.900000    | 49.7             | 100.0       | V            | 176.0         | 20.8       | 4.30        | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20 — Restricted — Preview Result 1V-PK+  
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2303.333333     | 51.6             | 251.0       | V            | 182.0         | 1.4        | 36.60       | 88.20          |         |
| 5044.300000     | 56.3             | 188.0       | V            | 117.0         | 5.5        | 17.70       | 74.00          |         |
| 5044.300000     | 56.7             | 192.0       | V            | 117.0         | 5.5        | 17.30       | 74.00          |         |
| 5413.200000     | 55.4             | 187.0       | V            | 16.0          | 6.6        | 18.60       | 74.00          |         |
| 5555.433333     | 47.2             | 201.0       | V            | 359.0         | 6.6        | 41.00       | 88.20          |         |
| 5584.900000     | 56.2             | 195.0       | V            | 328.0         | 6.7        | 32.00       | 88.20          |         |
| 10467.300000    | 57.0             | 162.0       | V            | 11.0          | 14.9       | 31.20       | 88.20          |         |
| 15714.066667    | 71.2             | 197.0       | V            | 164.0         | 21.1       | 2.80        | 74.00          |         |
| ...             | ...              | ...         | ...          | ...           | ...        | ...         | ...            | ...     |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2303.333333     | 25.9             | 251.0       | V            | 182.0         | 1.4        | 42.30       | 68.20          |         |
| 5044.300000     | 40.5             | 188.0       | V            | 117.0         | 5.5        | 13.50       | 54.00          |         |
| 5044.300000     | 40.7             | 192.0       | V            | 117.0         | 5.5        | 13.30       | 54.00          |         |
| 5413.200000     | 39.9             | 187.0       | V            | 16.0          | 6.6        | 14.10       | 54.00          |         |
| 5555.433333     | 33.8             | 201.0       | V            | 359.0         | 6.6        | 34.40       | 68.20          |         |
| 5584.900000     | 41.2             | 195.0       | V            | 328.0         | 6.7        | 27.00       | 68.20          |         |
| 10467.300000    | 38.9             | 162.0       | V            | 11.0          | 14.9       | 29.30       | 68.20          |         |
| 15714.066667    | 53.0             | 197.0       | V            | 164.0         | 21.1       | 1.00        | 54.00          |         |
| ...             | ...              | ...         | ...          | ...           | ...        | ...         | ...            | ...     |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2236.466667     | 45.5             | 149.0       | H            | 225.0         | 1.1        | 28.50       | 74.00          |         |
| 2238.166667     | 50.0             | 264.0       | V            | 150.0         | 1.1        | 24.00       | 74.00          |         |
| 3216.233333     | 52.3             | 234.0       | V            | 351.0         | 3.1        | 35.90       | 88.20          |         |
| 4824.433333     | 53.0             | 199.0       | V            | 164.0         | 5.6        | 21.00       | 74.00          |         |
| 7236.733333     | 52.1             | 118.0       | V            | 288.0         | 9.6        | 36.10       | 88.20          |         |
| 15779.800000    | 53.5             | 172.0       | V            | 21.0          | 21.1       | 20.50       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2236.466667     | 32.3             | 149.0       | H            | 225.0         | 1.1        | 21.70       | 54.00          |         |
| 2238.166667     | 36.4             | 264.0       | V            | 150.0         | 1.1        | 17.60       | 54.00          |         |
| 3216.233333     | 48.9             | 234.0       | V            | 351.0         | 3.1        | 19.30       | 68.20          |         |
| 4824.433333     | 39.4             | 199.0       | V            | 164.0         | 5.6        | 14.60       | 54.00          |         |
| 7236.733333     | 37.6             | 118.0       | V            | 288.0         | 9.6        | 30.60       | 68.20          |         |
| 15779.800000    | 40.4             | 172.0       | V            | 21.0          | 21.1       | 13.60       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2243.266667     | 49.8             | 202.0       | V            | 193.0         | 1.1        | 24.20       | 74.00          |         |
| 3249.666667     | 48.7             | 200.0       | V            | 353.0         | 3.1        | 39.50       | 88.20          |         |
| 4873.733333     | 50.6             | 214.0       | V            | 169.0         | 5.5        | 23.40       | 74.00          |         |
| 7310.400000     | 59.0             | 244.0       | V            | 57.0          | 9.6        | 15.00       | 74.00          |         |
| 9748.200000     | 55.0             | 217.0       | V            | 53.0          | 13.6       | 33.20       | 88.20          |         |
| 15784.333333    | 53.8             | 118.0       | H            | 81.0          | 21.1       | 20.20       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2243.266667     | 36.3             | 202.0       | V            | 193.0         | 1.1        | 17.70       | 54.00          |         |
| 3249.666667     | 44.3             | 200.0       | V            | 353.0         | 3.1        | 23.90       | 68.20          |         |
| 4873.733333     | 36.4             | 214.0       | V            | 169.0         | 5.5        | 17.60       | 54.00          |         |
| 7310.400000     | 41.8             | 244.0       | V            | 57.0          | 9.6        | 12.20       | 54.00          |         |
| 9748.200000     | 39.3             | 217.0       | V            | 53.0          | 13.6       | 28.90       | 68.20          |         |
| 15784.333333    | 40.4             | 118.0       | H            | 81.0          | 21.1       | 13.60       | 54.00          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG

## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2242.700000     | 49.4             | 196.0       | V            | 194.0         | 1.1        | 24.60       | 74.00          |         |
| 3283.100000     | 45.7             | 141.0       | V            | 193.0         | 3.1        | 42.50       | 88.20          |         |
| 4925.300000     | 52.0             | 149.0       | V            | 219.0         | 5.4        | 22.00       | 74.00          |         |
| 7387.466667     | 54.2             | 229.0       | H            | 222.0         | 9.7        | 19.80       | 74.00          |         |
| 7388.600000     | 55.2             | 279.0       | V            | 50.0          | 9.7        | 18.80       | 74.00          |         |
| 16133.966667    | 54.0             | 187.0       | V            | 6.0           | 21.8       | 20.00       | 74.00          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 2242.700000     | 35.7             | 196.0       | V            | 194.0         | 1.1        | 18.30       | 54.00          |         |
| 3283.100000     | 38.3             | 141.0       | V            | 193.0         | 3.1        | 29.90       | 68.20          |         |
| 4925.300000     | 37.5             | 149.0       | V            | 219.0         | 5.4        | 16.50       | 54.00          |         |
| 7387.466667     | 38.5             | 229.0       | H            | 222.0         | 9.7        | 15.50       | 54.00          |         |
| 7388.600000     | 39.6             | 279.0       | V            | 50.0          | 9.7        | 14.40       | 54.00          |         |
| 16133.966667    | 40.9             | 187.0       | V            | 6.0           | 21.8       | 13.10       | 54.00          |         |

# Radiated Emission Test Report

**Tested At:**  
**Electro Magnetic Test, Inc.**  
**1547 Plymouth Street**  
**Mountain View, CA 94043**  
**Tel. 650-965-4000**  
**Fax. 650-965-3000**


## Common Information

|                       |                                |
|-----------------------|--------------------------------|
| Test Description:     | FCC Class B Radiated Emissions |
| Operating Conditions: | Normal                         |
| Test Engineer:        | Chinmay Shendurnikar           |

## EUT Information

|                |                              |
|----------------|------------------------------|
| Company Name:  | Skydio, Inc.                 |
| EUT Name       | SkydioLink Dual Band Module  |
| Model Number:  | SMODBV1                      |
| Serial Number: | N/A                          |
| Comment:       | 802.11a, 5MHz, 23dB, 5730MHz |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 5026.166667     | 50.5             | 100.0       | V            | 227.0         | 5.5        | 23.50       | 74.00          |         |
| 5376.933333     | 55.2             | 206.0       | H            | 321.0         | 6.5        | 18.80       | 74.00          |         |
| 5379.766667     | 60.5             | 239.0       | V            | 356.0         | 6.5        | 13.50       | 74.00          |         |
| 7640.766667     | 50.3             | 254.0       | V            | 62.0          | 10.2       | 23.70       | 74.00          |         |
| 11461.233333    | 67.0             | 191.0       | V            | 322.0         | 16.4       | 7.00        | 74.00          |         |
| 17190.800000    | 70.2             | 219.0       | H            | 159.0         | 22.5       | 18.00       | 88.20          |         |
| 17190.800000    | 77.4             | 254.0       | V            | 179.0         | 22.5       | 10.80       | 88.20          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 5026.166667     | 38.9             | 100.0       | V            | 227.0         | 5.5        | 15.10       | 54.00          |         |
| 5376.933333     | 44.1             | 206.0       | H            | 321.0         | 6.5        | 9.90        | 54.00          |         |
| 5379.766667     | 50.2             | 239.0       | V            | 356.0         | 6.5        | 3.80        | 54.00          |         |
| 7640.766667     | 44.5             | 254.0       | V            | 62.0          | 10.2       | 9.50        | 54.00          |         |
| 11461.233333    | 49.6             | 191.0       | V            | 322.0         | 16.4       | 4.40        | 54.00          |         |
| 17190.800000    | 56.1             | 219.0       | H            | 159.0         | 22.5       | 12.10       | 68.20          |         |
| 17190.800000    | 63.7             | 254.0       | V            | 179.0         | 22.5       | 4.50        | 68.20          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20      Restricted      Preview Result 1V-PK+  
Preview Result 1H-PK+      Final Result 1-PK+      Final Result 2-AVG


**Final Result 1**

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 5091.333333     | 60.6             | 244.0       | V            | 20.0          | 5.4        | 13.40       | 74.00          |         |
| 5443.800000     | 65.9             | 235.0       | V            | 169.0         | 6.6        | 8.10        | 74.00          |         |
| 7727.466667     | 53.8             | 230.0       | V            | 62.0          | 10.4       | 20.20       | 74.00          |         |
| 11591.000000    | 70.4             | 190.0       | V            | 44.0          | 16.7       | 3.60        | 74.00          |         |
| 11593.266667    | 60.5             | 208.0       | H            | 127.0         | 16.7       | 13.50       | 74.00          |         |
| 17384.600000    | 76.6             | 164.0       | V            | 146.0         | 22.9       | 11.60       | 88.20          |         |

**Final Result 2**

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 5091.333333     | 48.5             | 244.0       | V            | 20.0          | 5.4        | 5.50        | 54.00          |         |
| 5443.800000     | 53.1             | 235.0       | V            | 169.0         | 6.6        | 0.90        | 54.00          |         |
| 7727.466667     | 49.9             | 230.0       | V            | 62.0          | 10.4       | 4.10        | 54.00          |         |
| 11591.000000    | 51.7             | 190.0       | V            | 44.0          | 16.7       | 2.30        | 54.00          |         |
| 11593.266667    | 44.5             | 208.0       | H            | 127.0         | 16.7       | 9.50        | 54.00          |         |
| 17384.600000    | 61.0             | 164.0       | V            | 146.0         | 22.9       | 7.20        | 68.20          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20  
Preview Result 1H-PK+  
Restricted  
Final Result 1-PK+  
Preview Result 1V-PK+  
Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 5120.800000     | 57.3             | 231.0       | V            | 16.0          | 5.5        | 16.70       | 74.00          |         |
| 5416.600000     | 47.8             | 262.0       | V            | 175.0         | 6.6        | 26.20       | 74.00          |         |
| 5473.266667     | 64.8             | 228.0       | V            | 21.0          | 6.6        | 23.40       | 88.20          |         |
| 11649.933333    | 69.2             | 183.0       | V            | 127.0         | 16.7       | 4.80        | 74.00          |         |
| 11651.066667    | 60.6             | 221.0       | H            | 133.0         | 16.7       | 13.40       | 74.00          |         |
| 17476.966667    | 72.1             | 211.0       | V            | 240.0         | 22.9       | 16.10       | 88.20          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 5120.800000     | 44.9             | 231.0       | V            | 16.0          | 5.5        | 9.10        | 54.00          |         |
| 5416.600000     | 34.1             | 262.0       | V            | 175.0         | 6.6        | 19.90       | 54.00          |         |
| 5473.266667     | 53.5             | 228.0       | V            | 21.0          | 6.6        | 14.70       | 68.20          |         |
| 11649.933333    | 53.9             | 183.0       | V            | 127.0         | 16.7       | 0.10        | 54.00          |         |
| 11651.066667    | 46.3             | 221.0       | H            | 133.0         | 16.7       | 7.70        | 54.00          |         |
| 17476.966667    | 56.7             | 211.0       | V            | 240.0         | 22.9       | 11.50       | 68.20          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



Restricted\_20      Restricted      Preview Result 1V-PK+  
Preview Result 1H-PK+      Final Result 1-PK+      Final Result 2-AVG


## Final Result 1

| Frequency (MHz) | MaxPeak (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 5025.600000     | 57.9             | 249.0       | V            | 21.0          | 5.5        | 16.10       | 74.00          |         |
| 5375.233333     | 65.4             | 240.0       | V            | 30.0          | 6.5        | 8.60        | 74.00          |         |
| 5553.733333     | 61.9             | 242.0       | V            | 177.0         | 6.6        | 26.30       | 88.20          |         |
| 7640.200000     | 53.0             | 227.0       | V            | 62.0          | 10.2       | 21.00       | 74.00          |         |
| 11460.666667    | 67.3             | 184.0       | V            | 133.0         | 16.4       | 6.70        | 74.00          |         |
| 17191.933333    | 75.9             | 149.0       | V            | 174.0         | 22.5       | 12.30       | 88.20          |         |

## Final Result 2

| Frequency (MHz) | Average (dBμV/m) | Height (cm) | Polarization | Azimuth (deg) | Corr. (dB) | Margin (dB) | Limit (dBμV/m) | Comment |
|-----------------|------------------|-------------|--------------|---------------|------------|-------------|----------------|---------|
| 5025.600000     | 45.4             | 249.0       | V            | 21.0          | 5.5        | 8.60        | 54.00          |         |
| 5375.233333     | 51.2             | 240.0       | V            | 30.0          | 6.5        | 2.80        | 54.00          |         |
| 5553.733333     | 49.6             | 242.0       | V            | 177.0         | 6.6        | 18.60       | 68.20          |         |
| 7640.200000     | 48.8             | 227.0       | V            | 62.0          | 10.2       | 5.20        | 54.00          |         |
| 11460.666667    | 51.8             | 184.0       | V            | 133.0         | 16.4       | 2.20        | 54.00          |         |
| 17191.933333    | 58.4             | 149.0       | V            | 174.0         | 22.5       | 9.80        | 68.20          |         |

## FCC Class B Radiated Sweep 1GHz-18GHz 3m PK AVG Wireless



— Restricted\_20 — Restricted — Preview Result 1V-PK+  
— Preview Result 1H-PK+ ◆ Final Result 1-PK+ ◆ Final Result 2-AVG