

Report No.: SUCR240400012707

Rev.:

Page: 1 of 117

### **TEST REPORT**

**Application No.:** SUCR2404000127MO

Applicant: TP-Link Systems Inc.

10 Mauchly, Irvine, CA 92618 **Address of Applicant:** 

TP-Link Systems Inc. Manufacturer:

Address of Manufacturer: 10 Mauchly, Irvine, CA 92618

**EUT Description:** 5G Mobile Wi-Fi

Model No.: M8550 Trade Mark: tp-link

FCC ID: 2BH7FM8550

Standards: FCC 47 CFR Part 2, Subpart J

FCC 47 CFR Part 15, Subpart E

**Date of Receipt:** 2024/04/23

**Date of Test:** 2024/05/10 to 2024/08/29

Date of Issue: 2024/09/02

Test Result: PASS \*

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Coud -

Cloud Peng **Technical Manager** 



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 2 of 117

#### **Version**

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2024/09/02		Original

Prepared By	(Ives Cheng) / Test Engineer
Checked By	Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 3 of 117

2 Test Summary

Test Item	Band <sup>[1]</sup>	FCC rules No.	Test Require	ments	Test Result	Result
Dynamic Frequency Selection	Band II-A Band II-C	15.407	DFS Detection Thresholds:  Maximum Transmit Power  EIRP > 200 milliwart  EIRP > 200 milliwart  EIRP > 200 milliwart  EIRP > 200 milliwart and power spectral density < 10 dBm/MHz  EIRP < 200 milliwart that do not meet the power spectral density requirement  Note 1: This is the level at the input of the receiver assuming a 0 d Note 2: Throughout these test procedures an additional 1 dB has b test transmission waveforms to account for variations in measurem the test signal is at or above the detection threshold level to trigger Note3: EIRP is based on the highest antenna gain. For MIMO dev 66/2911 DOI  DFS Response Requireme  Parameter Non-occupancy period Channel Availability Check Time Channel Move Time  Channel Move Time  Channel Glosting Transmission Time  V.NII Detection Bandwidth  Note 1: Channel Move Time and the Channel Closting Transmiss Radar Type 0. The measurement timing begans at the end of the Ra Note 2: The Channel Closting Transmiston Time is comprised of 2 beginning of the Channel Move Time plus any additional intermitte faciliate a Channel move an aggregate to 66 milliseconds) during period. The aggregate duration of control signals will not count qui Note 3: During the V.NII Detection Bandwidth detection test, rada frequency step the minimum percentage of detection is 90 percent. no data traffic.	em added to the amplitude of the ent equipment. This will ensure that a DFS response, icces refer to KDB Publication  This will ensure that a DFS response.  Value Minimum 30 minutes  60 seconds  10 seconds  10 seconds  See Note 1.  200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period.  See Notes 1 and 2.  Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.  on Time should be performed with fair Type 0 burst.  On Ilme to the to Second starting at the ent control signals required to the remainder of the 10 second 4 periods in between transmissions.	Clause 4.1	PASS

Note 1:

Band II-A: 5250-5350MHz Band II-C: 5470-5725MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 4 of 117

#### **Contents**

1	Vers	ion	2
2	Test	Summary	3
3	Gene	eral Information	5
	3.1	Details of Client	5
	3.2	Test Location	5
	3.3	Test Facility	5
	3.4	General Description of EUT	6
	3.5	Test Environment and Mode	8
	3.6	Description of Support Units	8
	3.7	Worst-case configuration and mode	8
4	Test	results and Measurement Data	9
	4.1	Dynamic Frequency Selection	9
		4.1.1 DFS Measurement Configuration	9
		4.1.2 DFS Threshold level	9
		4.1.3 Power-on cycle	9
		4.1.4 User Access Restrctions	9
		4.1.5 Channel Loading/Data Streaming	9
		4.1.6 Conducted Setup of Calibration of DFS Detection Threshold Level	
		4.1.7 Test Setup	10
		4.1.8 Test Procedures	11
		4.1.9 Applicability of DFS Requirements Prior to Use of a Channel	18
		4.1.10 Applicability of DFS Requirements During Normal Operation	
		4.1.11 DFS Detection Thresholds	19
		4.1.12 Response Requirements	19
		4.1.13 Short Pulse Radar Test Waveforms	20
		4.1.14 Long Pulse Radar Test Waveform	22
		4.1.15 Frequency Hopping Radar Test Waveform	22
5	Mea	surement Uncertainty (95% confidence levels, k=2)	23
6		oment List	
7	-	ographs - Setup Photos	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000

: 215000 t (86-



Report No.: SUCR240400012707

01 Rev.:

Page: 5 of 117

#### **General Information** 3

#### 3.1 Details of Client

Applicant:	TP-Link Systems Inc.
Address of Applicant:	10 Mauchly, Irvine, CA 92618
Manufacturer:	TP-Link Systems Inc.
Address of Manufacturer:	10 Mauchly, Irvine, CA 92618

#### 3.2 Test Location

Company:	SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.
Address:	South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone
Post code:	215000
Test engineer:	Ives Cheng

#### 3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### • A2LA (Certificate No. 6336.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

#### • Innovation, Science and Economic Development Canada

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• FCC -Designation Number: CN1312

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an

accredited testing laboratory. Designation Number: CN1312.

Test Firm Registration Number: 717327





Report No.: SUCR240400012707

Rev.: 01

Page: 6 of 117

### 3.4 General Description of EUT

EUT Description:	5G Mobile Wi-Fi		
Model No.:	M8550		
Trade Mark:	tp-link		
Hardware Version:	V1.0		
Software Version:	V1.0		
IMEI:	3529219700	001476	
	802.11a:	20 MHz channel bandwidth	
	802.11n:	20 MHz / 40 MHz channel bandwidth	
WLAN Mode Supported:	802.11ac:	20 MHz / 40 MHz / 80 MHz / 160 MHz channel bandwidth	
	802.11ax:	20 MHz / 40 MHz / 80 MHz / 160 MHz channel bandwidth	
Operation Frequency:	5250MHz to 5470MHz to		
	802.11a:	OFDM (BPSK, QPSK, 16QAM, 64QAM)	
	802.11n:	OFDM (BPSK, QPSK, 16QAM, 64QAM)	
Modulation Type:	802.11ac:	OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)	
	802.11ax:	OFDM/OFDMA (BPSK, QPSK, 16QAM, 64QAM, 256QAM, 1024QAM)	
	20MHz:	802.11a/n(HT20)/ac(VHT20)/ax(HE20)	
Channal Chanina	40MHz:	802.11n(HT40)/ac(VHT40)/ax(HE40)	
Channel Spacing:	80MHz:	802.11ac(VHT80)/ax(HE80)	
	160MHz:	802.11ac(VHT160)/ax(HE160)	
Antenna Type:	Internal Antenna		
	5250MHz to 5350MHz: 3.95dBi(Ant1); 3.95dBi(Ant2); 5470MHz to 5725MHz: 3.9dBi(Ant1); 3.9dBi(Ant2);		
Antenna Gain:	Note: The antenna gain are derived from the gain information report provided by the manufacturer.		
	SISO	802.11a/n/ac/ax	
Smart System:	⊠ MIMO	TXBF: 802.11n/ac/ax: 2Tx & 2Rx	
	□ Diversity	802.11a: 2Tx & 2Rx	
DEC Emplis	⊠Master		
DFS Function:	☐Slave with radar detection ☐Slave without radar detection		
RF Cable:	2.0dB		
Remark: As above information is p suitability, reliability or/and		confirmed by the applicant. SGS is not liable to the accuracy, the information.	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration ropery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, Chine (Jiangsu) Pilot Free Trade Zore 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 w t (86–512) 62992980 s



Report No.: SUCR240400012707

Rev.: 01

Page: 7 of 117

#### Remark:

In FCC 15.31, for each band in which the device can be operated with the device operating at the number of frequencies in each band specified in the following table, and the selected channel to perform the test as below:

Frequency range over which device operates	Number of Measurement Frequencies Required	Location of Measurement Frequency in Band of Operation		
1 MHz or less	1	centre		
1 MHz to 10 MHz	2	1 near high end, 1 near low end		
Greater than 10 MHz	3	1 near high end, 1 near centre		

For UNII Band II-A:			
Mode	Channel	Frequency(MHz)	
	The Lowest channel	5260	
IEEE 802.11a/n/ac/ax 20MHz	The Middle channel	5280	
	The Highest channel	5320	
IEEE 902 445/00/04 40MHz	The Lowest channel	5270	
IEEE 802.11n/ac/ax 40MHz	The Highest channel	5310	
IEEE 802.11ac/ax 80MHz	The Middle channel	5290	
IEEE 802.11ax 160MHz	The Middle channel	5250	

For UNII Band II-C:			
Mode	Channel	Frequency(MHz)	
	The Lowest channel	5500	
IEEE 802.11a/n/ac/ax 20MHz	The Middle channel	5580	
	The Highest channel	5700	
	The Lowest channel	5510	
IEEE 802.11n/ac/ax 40MHz	The Middle channel	5550	
	The Highest channel	5670	
IEEE 802.11ac/ax 80MHz	The Middle channel	5530	
IEEE 802.11ax 160MHz	The Middle channel	5570	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 215000 t (86–512) 62992980



Report No.: SUCR240400012707

Rev.: 01 Page: 8 of 117

#### 3.5 Test Environment and Mode

Environment Parameter	101.0 kPa Selected Values During Tests		
Relative Humidity	44-46 % RH Ambient		
Value	Temperature(℃)	Voltage(V)	
NTNV	22~23	5	

Remark:

NV: Normal Voltage NT: Normal Temperature

#### 3.6 Description of Support Units

The EUT has been tested as an independent unit.

#### 3.7 Worst-case configuration and mode

Low data rate was used to test on antenna port conducted tests and radiated spurious emissions since it has the highest maximum power. Following are the worst-case data rates set for test:

Modulation Type	SISO - Data Rate	CDD/MIMO - Data Rate
802.11a	/	12 Mbps
802.11n (HT 20)	/	MCS0 (13 Mbps)
802.11n (HT 40)	/	MCS0 (27 Mbps)
802.11ac (VHT 20)	/	MCS0 (13 Mbps)
802.11ac (VHT 40)	/	MCS0 (27 Mbps)
802.11ac (VHT 80)	/	MCS0 (58.5 Mbps)
802.11ac (VHT 160)	/	MCS0 (117 Mbps)
802.11ax (HE 20)	/	MCS0 (16 Mbps)
802.11ax (HE 40)	/	MCS0 (32 Mbps)
802.11ax (HE 80)	/	MCS0 (68 Mbps)
802.11ax (HE 160)	/	MCS0 (136 Mbps)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 t (86–512) 62992980 t (86–512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 9 of 117

#### 4 Test results and Measurement Data

#### 4.1 Dynamic Frequency Selection

#### 4.1.1 DFS Measurement Configuration

	Conducted Measurement
Test Condition	Use 50Ohms to connect cable/connector calibration and testing, Use wifi1 port for
	testing. Refer to Section 4.11.7 for test connection.

#### 4.1.2 DFS Threshold level

DFS Threshold level:( -59.65; -57.79 )dBm				
DF3 Tilleshold level.( -59.05, -57.79 )dbfil	☐ In front of the antenna			
The Interference Radar Detection Threshold Level	is:			
(Band II-A: $-62dBm + 3.95dBi + 0dB = -58.05dBm$ );				
(Band II-C: -62dBm + 3.9dBi + 0dB = -58.1dBm)				
That had been taken into account the output power range and antenna gain.				

#### 4.1.3 Power-on cycle

The time required for the Master Device and/or Client Device to complete its power-on cycle(105.955S).

#### **4.1.4 User Access Restrctions**

DFS Controls(Hardware or software) related to radar detection are NOT accessible to the user. Manufacturer statement confirming that information regarding the parameters of the detected Radar Waveforms is not available to the end user.

#### 4.1.5 Channel Loading/Data Streaming

The dara file(MPEG-4) has been transmitting in a streaming mode.
Software to ping the client is permitted to simuate data transfer with random ping intervals.
Minimum channel loading of approximately 17%.
Unicast protocol has been used.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service prints overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document as Intb://www.sgs.com/en/Terms-and-Conditions/T

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SUCR240400012707


Rev.: 01

Page: 10 of 117

#### 4.1.6 Conducted Setup of Calibration of DFS Detection Threshold Level



#### 4.1.7 Test Setup





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 11 of 117

#### 4.1.8 Test Procedures

#### 4.1.8.1 U-NII Detection Bandwidth

Adjust the equipment to produce a single *Burst* of any one of the Short Pulse Radar Types 0 – 4 in **Table 5** at the center frequency of the UUT *Operating Channel* at the specified *DFS Detection Threshold* level found in **Table 3**.

Set the UUT up as a standalone device (no associated Client or Master, as appropriate) and no traffic. Frame based systems will be set to a talk/listen ratio reflecting the worst case (maximum) that is user configurable during this test.

Generate a single radar *Burst*, and note the response of the UUT. Repeat for a minimum of 10 trials. The UUT must detect the *Radar Waveform* within the DFS band using the specified *U-NII Detection Bandwidth* criterion shown in **Table 4**. In cases where the channel bandwidth may exceed past the DFS band edge on specific channels (i.e., 802.11ac or wideband frame based systems) select a channel that has the entire emission bandwidth within the DFS band. If this is not possible, test the detection BW to the DFS band edge. Starting at the center frequency of the UUT operating *Channel*, increase the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the *U-NII Detection Bandwidth* criterion specified in **Table 4**. Repeat this measurement in 1MHz steps at frequencies 5 MHz below where the detection rate begins to fall. Record the highest frequency (denote as FH) at which detection is greater than or equal to the *U-NII Detection Bandwidth* criterion. Recording the detection rate at frequencies above FH is not required to demonstrate compliance.

Starting at the center frequency of the UUT operating *Channel*, decrease the radar frequency in 5 MHz steps, repeating the above test sequence, until the detection rate falls below the *U-NII Detection Bandwidth* criterion specified in **Table 4**. Repeat this measurement in 1MHz steps at frequencies 5 MHz above where the detection rate begins to fall. Record the lowest frequency (denote as FL) at which detection is greater than or equal to the *U-NII Detection Bandwidth* criterion. Recording the detection rate at frequencies below FL is not required to demonstrate compliance.

The *U-NII Detection Bandwidth* is calculated as follows:

U-NII Detection Bandwidth = FH - FL

The *U-NII Detection Bandwidth* must meet the *U-NII Detection Bandwidth* criterion specified in **Table 4**. Otherwise, the UUT does not comply with DFS requirements. This is essential to ensure that the UUT is capable of detecting *Radar Waveforms* across the same frequency spectrum that contains the significant energy from the system. In the case that the *U-NII Detection Bandwidth* is greater than or equal to the 99 percent power bandwidth for the measured FH and FL, the test can be truncated and the *U-NII Detection Bandwidth* can be reported as the measured FH and FL.

#### 4.1.8.2 Performance Requirements Check

The following tests must be performed for U-NII device certification: Initial *Channel Startup Check* with a radar *Burst* at start of *Channel Availability Check* and with a radar *Burst* at end of *Channel Availability Check*; *In-Service Monitoring*; and the 30 minute *Non-Occupancy Period*.

#### 4.1.8.3 Initial Channel Availability Check Time

The Initial Channel Availability Check Time tests that the UUT does not emit beacon, control, or data signals on the test Channel until the power-up sequence has been completed and the U-NII device checks for Radar Waveforms for one minute on the test Channel. This test does not use any Radar Waveforms and only needs to be performed one time.

- a) The U-NII devices will be powered on and be instructed to operate on the appropriate U-NII *Channel* that must incorporate DFS functions. At the same time the UUT is powered on, the spectrum analyzer will be set to zero span mode with a 3 MHz RBW and 3 MHz VBW on the *Channel* occupied by the radar (Chr) with a 2.5 minute sweep time. The spectrum analyzer's sweep will be started at the same time power is applied to the U-NII device.
- b) The UUT should not transmit any beacon or data transmissions until at least 1 minute after the completion of the power-on cycle.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend of the law Luless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

\*\*Attention:\*\* To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, \*\*Attention:\*\* To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, \*\*\*

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区测胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 12 of 117

c) Confirm that the UUT initiates transmission on the channel

This measurement can be used to determine the length of the power-on cycle if it is not supplied by the manufacturer. If the spectrum analyzer sweep is started at the same time the UUT is powered on and the UUT does not begin transmissions until it has completed the cycle, the power-on time can be determined by comparing the two times.

#### 4.1.8.4 Radar Burst at the Beginning of the Channel Availability Check Time

The steps below define the procedure to verify successful radar detection on the test *Channel* during a period equal to the *Channel Availability Check Time* and avoidance of operation on that *Channel* when a radar *Burst* with a level equal to the *DFS Detection Threshold* + 1 dB occurs at the beginning of the *Channel Availability Check Time*. This is illustrated in **Figure 15**.

- a) The *Radar Waveform* generator and UUT are connected using the applicable test setup described in the sections on configuration for Conducted Tests (7.2) or Radiated Tests (7.3) and the power of the UUT is switched off.
- b) The UUT is powered on at T0. T1 denotes the instant when the UUT has completed its power-up sequence (Tpower\_up). The *Channel Availability Check Time* commences on Chr at instant T1 and will end no sooner than T1 + Tch\_avail\_check.
- c) A single *Burst* of one of the Short Pulse Radar Types 0-4 will commence within a 6 second window starting at T1. An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.
- d) Visual indication or measured results on the UUT of successful detection of the radar *Burst* will be recorded and reported. Observation of Chr for UUT emissions will continue for 2.5 minutes after the radar *Burst* has been generated.
- e) Verify that during the 2.5 minute measurement window no UUT transmissions occurred on Chr. The *Channel Availability Check* results will be recorded.




Figure 15: Example of timing for radar testing at the beginning of the Channel Availability Check Time



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.">http://www.sgs.com/en/Terms-and-Conditions.aspx.</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a> advised that Information contained hereon reflects the Company's findings at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent or the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区河胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 13 of 117

#### 4.1.8.5 Radar Burst at the End of the Channel Availability Check Time

The steps below define the procedure to verify successful radar detection on the test Channel during a period equal to the Channel Availability Check Time and avoidance of operation on that Channel when a radar Burst with a level equal to the DFS Detection Threshold + 1dB occurs at the end of the Channel Availability Check Time. This is illustrated in Figure 16.

- a) The Radar Waveform generator and UUT are connected using the applicable test setup described in the sections for Conducted Tests (7.2) or Radiated Tests (7.3) and the power of the UUT is switched off.
- b) The UUT is powered on at T0. T1 denotes the instant when the UUT has completed its power-up sequence (Tpower up). The Channel Availability Check Time commences on Chr at instant T1 and will end no sooner than T1 + Tch avail check.
- c) A single Burst of one of the Short Pulse Radar Types 0-4 will commence within a 6 second window starting at T1 + 54 seconds. An additional 1 dB is added to the radar test signal to ensure it is at or above the DFS Detection Threshold, accounting for equipment variations/errors.
- d) Visual indication or measured results on the UUT of successful detection of the radar Burst will be recorded and reported. Observation of Chr for UUT emissions will continue for 2.5 minutes after the radar Burst has been generated.
- e) Verify that during the 2.5 minute measurement window no UUT transmissions occurred on Chr. The Channel Availability Check results will be recorded.




Figure 16: Example of timing for radar testing towards the end of the Channel Availability Check Time

#### 4.1.8.6 In-Service Monitoring for Channel Move Time, Channel Closing Transmission Time and **Non-Occupancy Period**

These tests define how the following DFS parameters are verified during *In-Service Monitoring*;

- Channel Closing Transmission Time
- Channel Move Time
- Non-Occupancy Period



s otherwise agreed in writing, this document is issued by the Company subject to its General Coat, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx">https://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for to Terms and Conditions for Electronic Documents at <a href="https://mww.sgs.com/en/Terms-and-Condition">https://mww.sgs.com/en/Terms-and-Condition</a> ion is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any dital tindramation contained hereon reflects the Company's findings at the time of its intervention's instructions, if any. The Company's sole responsibility is to its Client and this document does clion from exercising all their rights and obligations under the transaction documents. This documents This documents This documents This documents This documents. ent is issued by the Company subject to its General Conditions p://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms demnification and jurisdiction issues defined therein. Any holder of

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 14 of 117

The steps below define the procedure to determine the above mentioned parameters when a radar Burst with a level equal to the DFS Detection Threshold + 1dB is generated on the Operating Channel of the U-NII device (In- Service Monitorina).

- a) One frequency will be chosen from the Operating Channels of the UUT within the 5250-5350 MHz or 5470-5725 MHz bands. For 802.11 devices, the test frequency must contain control signals. This can be verified by disabling channel loading and monitoring the spectrum analyzer. If no control signals are detected, another frequency must be selected within the emission bandwidth where control signals are detected. b) In case the UUT is a U-NII device operating as a Client Device (with or without DFS), a U-NII device operating as a Master Device will be used to allow the UUT (Client device) to Associate with the Master Device. In case the UUT is a Master Device, a U-NII device operating as a Client Device will be used and it is assumed that the Client will Associate with the UUT (Master). In both cases for conducted tests, the Radar Waveform generator will be connected to the Master Device. For radiated tests, the emissions of the Radar Waveform generator will be directed towards the Master Device. If the Master Device has antenna gain, the main beam of the antenna will be directed toward the radar emitter. Vertical polarization is used for testing. c) Stream the channel loading test file from the Master Device to the Client Device on the test Channel for the entire period of the test.
- d) At time T0 the Radar Waveform generator sends a Burst of pulses for one of the Radar Type 0 in Table 5 at levels defined in Table 3, on the Operating Channel. An additional 1 dB is added to the radar test signal to ensure it is at or above the DFS Detection Threshold, accounting for equipment variations/errors.
- e) Observe the transmissions of the UUT at the end of the radar Burst on the Operating Channel for duration greater than 10 seconds. Measure and record the transmissions from the UUT during the observation time (Channel Move Time). Measure and record the Channel Move Time and Channel Closing Transmission Time if radar detection occurs. Figure 17 illustrates Channel Closing Transmission Time.
- f) When operating as a Master Device, monitor the UUT for more than 30 minutes following instant T2 to verify that the UUT does not resume any transmissions on this Channel. Perform this test once and record the measurement result.
- g) In case the UUT is a U-NII device operating as a *Client Device* with *In-Service Monitoring*, perform steps a) to f).




Figure 17: Example of Channel Closing Transmission Time & Channel Closing Time

#### 4.1.8.7 Statistical Performance Check

The steps below define the procedure to determine the minimum percentage of successful detection requirements found in Tables 5-7 when a radar burst with a level equal to the DFS Detection Threshold + 1dB is generated on the Operating Channel of the U-NII device (In- Service Monitoring).

- a) One frequency will be chosen from the Operating Channels of the UUT within the 5250-5350 MHz or 5470-5725 MHz bands.
- b) In case the UUT is a U-NII device operating as a Client Device (with or without Radar Detection), a U-NII device operating as a Master Device will be used to allow the UUT (Client device) to Associate with the Master Device. In case the UUT is a Master Device, a U-NII device operating as a Client Device will be used and it is assumed that the Client will Associate with the UUT (Master). In both cases for conducted tests, the



so otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed leaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, so to Terms and Conditions for Electronic Document as <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>, title is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is set in the second of the second of the second only and the second of the second only and the second of the second only and the second of the second

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 15 of 117

Radar Waveform generator will be connected to the Master Device. For radiated tests, the emissions of the Radar Waveform generator will be directed towards the Master Device. If the Master Device has antenna gain, the main beam of the antenna will be directed toward the radar emitter. Vertical polarization is used for testing.

- c) Stream the channel loading test file from the *Master Device* to the Client Device on the test *Channel* for the entire period of the test.
- d) At time T0 the *Radar Waveform* generator sends the individual waveform for each of the Radar Types 1-6 in **Tables 5-7**, at levels defined in **Table 3**, on the *Operating Channel*. An additional 1 dB is added to the radar test signal to ensure it is at or above the *DFS Detection Threshold*, accounting for equipment variations/errors.
- e) Observe the transmissions of the UUT at the end of the Burst on the *Operating Channel* for duration greater than 10 seconds for Radar Type 0 to ensure detection occurs.
- f) Observe the transmissions of the UUT at the end of the Burst on the *Operating Channel* for duration greater than 22 seconds for Long Pulse Radar Type 5 to ensure detection occurs.
- g) In case the UUT is a U-NII device operating as a *Client Device* with *In-Service Monitoring*, perform steps a) to f).

#### 4.1.8.8 Short Pulse Radar Test

Once the performance requirements check is complete, statistical data will be gathered, to determine the ability of the device to detect the radar test waveforms (Short Pulse Radar Types 1-4) found in **Table 5**. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trials. The percentage of successful detection is calculated by:

TotalWaveformDetections

x100 = Percentage of Successful Detection Radar Waveform N = PdN

TotalWaveformTrials

In addition an aggregate minimum percentage of successful detection across all Short Pulse Radar Types 1-4 is required and is calculated as follows:

$$P_d 1 + P_d 2 + P_d 3 + P_d 4$$

The minimum number of trails, minimum percentage of successful detection and the aggregate minimum percentage of successful detection are found in **Table 5**.

#### 4.1.8.9 Long Pulse Radar Test

Statistical data will be gathered to determine the ability of the device to detect the Long Pulse Radar Type 5 found in **Table 6**. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trials.

Three subsets of trials will be performed with a minimum of ten trials per subset. The subset of trials differ in where the Long Pulse Type 5 Signal is tuned in frequency:

- a) the Channel center frequency (Figure 18);
- b) tuned frequencies such that 90% of the Long Pulse Type 5 frequency modulation is within the low edge of the UUT *Occupied Bandwidth* (Figure 19); and
- c) tuned frequencies such that 90% of the Long Pulse Type 5 frequency modulation is within the high edge of the UUT *Occupied Bandwidth* (Figure 20).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.">http://www.sgs.com/en/Terms-and-Conditions.aspx.</a> and, for electronic format documents, at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a> Attention. The company is the service of the service o

South of No. 6 Plant, No. 1, Runshang Road, Suthou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上区苏州工业园区园胜路;日的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 16 of 117




Figure 18: Example of the Relationship Between Long Pulse Type 5 Signal and the U-NII channel when the Signal is Tuned to the UUT Channel Center Frequency




Figure 19: Example of the Relationship Between Long Pulse Type 5 Signal and the U-NII channel when the Signal is Tuned so that 90% of the Radar Signal Overlaps with the Low Edge of the UUT Occupied Bandwidth




Figure 20: Example of the Relationship Between Long Pulse Type 5 Signal and the U-NII channel when the Signal is Tuned so that 90% of the Radar Signal Overlaps with the High Edge of the UUT Occupied Bandwidth

For subset case 1: the center frequency of the signal generator will remain fixed at the center of the UUT *Channel*.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-a

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industria Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 17 of 117

For subset case 2: to retain 90% frequency overlap between the radar signal and the UUT *Occupied Bandwidth*, the center frequency of the signal generator will vary for each of the ten trials in subset case 2. The center frequency of the signal generator for each trial is calculated by:

 $FL+(0.4*Chirp\ Width\ [in\ MHz])$ 

For subset case 3: to retain 90% frequency overlap between the radar signal and the UUT *Occupied Bandwidth*, the center frequency of the signal generator will vary for each of the ten trials in subset case 3. The center frequency of the signal generator for each trial is calculated by:

FH-(0.4\*Chirp Width [in MHz])

The percentage of successful detection is calculated by dividing the sum of the detections for the three subsets by the sum of trials for the three subsets:

 $\frac{TotalWaveformDetections}{TotalWaveformTrials} \times 100$ 

#### 4.1.8.10 Frequency Hopping Radar Test

Statistical data will be gathered to determine the ability of the device to detect the Frequency Hopping radar test signal (radar type 6) found in **Table 7**. The device can utilize a test mode to demonstrate when detection occurs to prevent the need to reset the device between trial runs. The probability of successful detection is calculated by:

 $\frac{TotalWaveformDetections}{TotalWaveformTrials} \times 100$ 



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-

South of No. 6 Plant, No. 1, Runshang Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州上版区 大州上版区 河路 路行民的6号厂房南部 邮编: 215000

00 t (86–512) 62992980 00 t (86–512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 18 of 117

#### 4.1.9 Applicability of DFS Requirements Prior to Use of a Channel

	DFS Operational mode			
Requirement	Master	Client Without Radar Detection	Client With Radar Detection	
Non-Occupancy Period	Yes	Not required	Yes	
DFS Detection Threshold	Yes	Not required	Yes	
Channel Availability Check Time	Yes	Not required	Not required	
U-NII Detection Bandwidth	Yes	Not required	Yes	

#### 4.1.10 Applicability of DFS Requirements During Normal Operation

	DFS Operational mode		
Requirement	Master Device or Client with Radar Detection	Client Without Radar Detection	
DFS Detection Threshold	Yes	Not required	
Channel Availability Check Time	Yes	Yes	
Channel Move Time	Yes	Yes	
U-NII Detection Bandwidth	Yes	Not required	

Additional requirements for devices with multiple bandwidth modes	Master Device or Client with Radar Detection	Client Without Radar Detection	
U-NII Detection Bandwidth and Statistical Performance Check	All BW modes must be tested	Not required	
Channel Move Time and Channel Closing Transmission Time	Test using widest BW mode available	Test using the widest BW mode available for the link	
All other tests	Any single BW mode	Not required	

Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.





Report No.: SUCR240400012707

Rev.:

Page: 19 of 117

#### 4.1.11 DFS Detection Thresholds

#### Table 3: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection

Maximum Transmit Power	Value (See Notes 1, 2, and 3)	
EIRP ≥ 200 milliwatt	-64 dBm	
EIRP < 200 milliwatt and power spectral density < 10 dBm/MHz	-62 dBm	
EIRP < 200 milliwatt that do not meet the power spectral density requirement	-64 dBm	

Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna.

Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response.

Note3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.

#### 4.1.12 Response Requirements

**Table 4: DFS Response Requirement Values** 

Parameter	Value	
Non-occupancy period	Minimum 30 minutes	
Channel Availability Check Time	60 seconds	
Channel Move Time	10 seconds See Note 1.	
Channel Closing Transmission Time	200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period. See Notes 1 and 2.	
U-NII Detection Bandwidth	Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.	

Note 1: Channel Move Time and the Channel Closing Transmission Time should be performed with Radar

Type 0. The measurement timing begins at the end of the Radar Type 0 burst.

Note 2: The Channel Closing Transmission Time is comprised of 200 milliseconds starting at the beginning of the Channel Move Time plus any additional intermittent control signals required to facilitate a Channel move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions.

Note 3: During the U-NII Detection Bandwidth detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.



s otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service p af, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format document is the first of the intervention of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties of the company's sole responsibility is to its Client and this document does not exonerate parties of the company sole for the transaction of the sole of the company sole responsibility is to its Client and this document does not exonerate parties of the company sole of the sole of the company sole of the company sole of the sole of the company s



Report No.: SUCR240400012707

Rev.: 01

Page: 20 of 117

#### 4.1.13 Short Pulse Radar Test Waveforms

Table 5 - Short Pulse Radar Test Waveforms

Radar Type	Pulse Width (µsec)	PRI(µsec)	Number of Pulses	Minimum Percentage of Successful Detection	Minimum Number of Trials
0	1	1428	18	See Note 1	See Note 1
1	1	Test A: 15 unique PRI values randomly selected from the list of 23 PRI values in Table 5a  Test B: 15 unique PRI values randomly selected within the range of 518-3066 µsec, with a minimum increment of 1 µsec, excluding PRI values selected in Test A	$ \operatorname{Roundup} \left\{ \left( \frac{1}{360} \right). \atop \left( \frac{19 \cdot 10^6}{\operatorname{PRI}_{\mu \text{sec}}} \right) \right\} $	60%	30
2	1-5	150-230	23-29	60%	30
3	6-10	200-500	16-18	60%	30
4	11-20	200-500	12-16	60%	30
Aggreg	ate (Radar Ty	/pes 1-4)		80%	120

Note 1: Short Pulse Radar Type 0 should be used for the detection bandwidth test, channel move time, and channel closing time tests.

A minimum of 30 unique waveforms are required for each of the Short Pulse Radar Types 2 through 4. If more than 30 waveforms are used for Short Pulse Radar Types 2 through 4, then each additional waveform must also be unique and not repeated from the previous waveforms. If more than 30 waveforms are used for Short Pulse Radar Type 1, then each additional waveform is generated with Test B and must also be unique and not repeated from the previous waveforms in Tests A or B.

For example if in Short Pulse Radar Type 1 Test B a PRI of 3066 µsec is selected, the number of pulses

would be 6 1 19 10 Roundup 
$$\left\{ \left( \frac{1}{360} \right) \cdot \left( \frac{19 \cdot 10^6}{3066} \right) \right\}$$
 Round up  $\{17.2\} = 18$ .



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SUCR240400012707

Rev.: 01

Page: 21 of 117

Table 5a - Pulse Repetition Intervals Values for Test A

Pulse Repetition Frequency	Pulse Repetition Frequency	Pulse Repetition Interval
Number	(Pulses Per Second)	(Microseconds)
1	1930.5	518
2	1858.7	538
3	1792.1	558
4	1730.1	578
5	1672.2	598
6	1618.1	618
7	1567.4	638
8	1519.8	658
9	1474.9	678
10	1432.7	698
11	1392.8	718
12	1355	738
13	1319.3	758
14	1285.3	778
15	1253.1	798
16	1222.5	818
17	1193.3	838
18	1165.6	858
19	1139	878
20	1113.6	898
21	1089.3	918
22	1066.1	938
23	326.2	3066

The aggregate is the average of the percentage of successful detections of Short Pulse Radar Types 1-4. For example, the following table indicates how to compute the aggregate of percentage of successful detections.

Radar Type	Number of Trials	Number of Successful Detections	Minimum Percentage of Successful Detection			
1	35	29	82.9%			
2	30	18	60%			
3 30		27	90%			
4	4 50 44 88%					
Aggregate (82.9% + 60% + 90% + 88%)/4 = 80.2%						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SUCR240400012707

Rev.: 01

22 of 117 Page:

#### 4.1.14 Long Pulse Radar Test Waveform

Table 6 - Long Pulse Radar Test Waveform

Radar Type	\/\/idth	Chirp Width (MHz)	PRI (µsec)	Number of Pulses per Burst	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials
5	50-100	5-20	1000-2000	1-3	8-20	80%	30

Each waveform is defined as follows:

- 1) The transmission period for the Long Pulse Radar test signal is 12 seconds.
- 2) There are a total of 8 to 20 Bursts in the 12 second period, with the number of Bursts being randomly chosen. This number is Burst Count.
- 3) Each Burst consists of 1 to 3 pulses, with the number of pulses being randomly chosen. Each Burst within the 12 second sequence may have a different number of pulses.
- 4) The pulse width is between 50 and 100 microseconds, with the pulse width being randomly chosen. Each pulse within a Burst will have the same pulse width. Pulses in different Bursts may have different pulse widths.
- 5) Each pulse has a linear frequency modulated chirp between 5 and 20 MHz, with the chirp width being randomly chosen. Each pulse within a transmission period will have the same chirp width. The chirp is centered on the pulse. For example, with a radar frequency of 5300 MHz and a 20 MHz chirped signal, the chirp starts at 5290 MHz and ends at 5310 MHz.
- 6) If more than one pulse is present in a Burst, the time between the pulses will be between 1000 and 2000 microseconds, with the time being randomly chosen. If three pulses are present in a Burst, the random time interval between the first and second pulses is chosen independently of the random time interval between the second and third pulses.
- 7) The 12 second transmission period is divided into even intervals. The number of intervals is equal to Burst Count. Each interval is of length (12,000,000 / Burst Count) microseconds. Each interval contains one Burst. The start time for the Burst, relative to the beginning of the interval, is between 1 and [(12,000,000 / Burst Count) - (Total Burst Length) + (One Random PRI Interval)] microseconds, with the start time being randomly chosen. The step interval for the start time is 1 microsecond. The start time for each Burst is chosen randomly.

#### 4.1.15 Frequency Hopping Radar Test Waveform

Table 7 - Frequency Hopping Radar Test Waveform

Radar Type	\/\/idth	Chirp Width (MHz)	(1 /	Number of Pulses per Burst	Number of Bursts	Minimum Percentage of Successful Detection	Minimum Number of Trials
6	1	333	9	0.333	300	70%	30

For the Frequency Hopping Radar Type, the same Burst parameters are used for each waveform. The hopping sequence is different for each waveform and a 100-length segment is selected from the hopping sequence defined by the following algorithm: If a segment does not contain at least 1 frequency within the U-NII Detection Bandwidth of the UUT, then that segment is not used.

The detailed test data see: Appendix



otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Servi, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format to Terms and Conditions for Electronic Documents at <a href="https://rems-and-conditions/Terms-and-c

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 23 of 117

### 5 Measurement Uncertainty (95% confidence levels, k=2)

No.	Item	Measurement Uncertainty
1	Radio Frequency	±1.0 %

#### Remark:

The U<sub>lab</sub> (lab Uncertainty) is less than U<sub>cispr/ETSI</sub> (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;

- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf">https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf</a>, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention">https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 24 of 117

6 Equipment List

		RF Test Eq	uipment		
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy/mm/dd)	Cal.Due date (yyyy/mm/dd)
Shielding Room	Brilliant-emc	N/A	SUWI-04-08-01	2022/11/09	2025/11/08
Temperature and humidity meter	MingGao	TH101B	SUWI-01-01-07	2024/02/18	2025/02/17
Signal Analyzer	ROHDE&SCHWARZ	FSV3030	SUWI-01-02-02	2024/05/08	2025/05/07
Measurement Software	Tonscend	TST272 V2.0	SUWI-03-55-03	NCR	NCR
Signal Analyzer	ROHDE&SCHWARZ	FSW43	SUWI-01-02-04	2024/05/08	2025/05/07
Temperature Chamber	ESPEC	SU-242	SUWI-01-13-02	2024/05/09	2025/05/08
Wideband Radio Communication Tester	ROHDE&SCHWARZ	CMW500	SUWI-01-16-05	2024/02/04	2025/02/03
DC Power Supply	HYELEC	HY3005B	SUWI-01-18-01	2024/02/04	2025/02/03
Power meter	Anritsu	ML2495A	SUWI-01-31-01	2023/11/21	2024/11/20
Pulse power sensor	Anritsu	MA2411B	SUWI-01-32-01	2023/11/21	2024/11/20
MXG Vector signal genitor	KEYSIGHT	N5182B	SUWI-01-38-01	2024/02/04	2025/02/03
Signal Analyzer	KEYSIGHT	N9020A	SUWI-01-02-07	2023/11/21	2024/11/20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 25 of 117

### 7 Photographs - Setup Photos

Refer to Appendix A.2 WLAN Setup Photos.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspt.)
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 26 of 117

# **Appendix**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms.and-Conditions.apx and, for electronic formard documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the contents or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

215000 t (86–5



Report No.: SUCR240400012707

Rev.: 01

Page: 27 of 117

1. Signal Calibration

1.1 Test Result

1.1.1 SC

			В	and: 2C				
Mode	Bandwidth	Frequency	Rada	r Signal	Signal Calib	ration	Verdict	
Mode	(MHz)	(MHz)	Type	Trial Id	Result	Limit	verdict	
	160	5570	0	0	Refer To Test	Graph	Pass	
			1	0	Refer To Test	Graph	Pass	
000 44			2	0	Refer To Test	Graph	Pass	
802.11ax (HE160)			3	0	Refer To Test	Graph	Pass	
(HE 160)					4	0	Refer To Test	Graph
			5	0	Refer To Test	Graph	Pass	
			6	0	Refer To Test	Graph	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi




Report No.: SUCR240400012707

Rev.: 01

Page: 28 of 117

#### 1.2 Test Graph

#### 1.2.1 SC





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.">http://www.sgs.com/en/Terms-and-Conditions.aspx.</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Term


South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 29 of 117





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.">http://www.sgs.com/en/Terms-and-Conditions.aspx.</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a> advised that Information contained hereon reflects the Company's Indiangs at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent or the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 30 of 117





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.">http://www.sgs.com/en/Terms-and-Conditions.aspx.</a> and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a> advised that Information contained hereon reflects the Company's Indiangs at the time of its Intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent or the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 31 of 117





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 32 of 117

### 2. Channel Loading (Payload)

#### 2.1 Test Result

#### 2.1.1 Payload

	Band: 2C										
Mode	Bandwidth	Frequency	Channel Loadin		Verdict						
	(MHz)	(MHz)	Result	Limit							
802.11ax (HE20)	20	5500	76.50	>=17	Pass						
802.11ax (HE40)	40	5510	76.90	>=17	Pass						
802.11ax (HE80)	80	5530	58.08	>=17	Pass						
802.11ax (HE160)	160	5570	76.25	>=17	Pass						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf">https://www.sgs.com/en/Ferms-and-Conditions.aspx.aaf</a>, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention">https://www.sgs.com/en/Ferms-and-Conditions/Ferms-a-Document.aspx.adtention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content cappearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsteing Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州广区苏州工业园区润胜路(号约6号厂房南部 邮编: 215000




Report No.: SUCR240400012707

Rev.: 01

Page: 33 of 117

#### 2.2 Test Graph

#### 2.2.1 Payload






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgc.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgc.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest sent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区消胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions">http://www.sgs.com/en/Terms-and-Conditions</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-en-Document.aspx.com/en/Terms-and-Conditions/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Document.aspx.com/en/Terms-en-Docume

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国。苏州。中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 35 of 117

#### 3. U-NII Detection Bandwidth

#### 3.1 Test Result

#### 3.1.1 20MHz\_5500MHz

Band: 2C											
Modo	Bandwidth	Frequency		Detection Bandwidth (MHz)							
Mode	(MHz)	(MHz)	FL	FH	Result	Limit	Verdict				
802.11ax (HE20)	20	5500	5490.000	5510.000	20.000	19.502	Pass				

#### 3.1.2 20MHz\_5500MHz\_Data

			Band: 2	2C / Ba	ndwidth	n: 20MI	lz / Fre	equency	y: 5500	MHz / I	RadarType	e: 0		
Frequency	Trial	Numbe	er and I	Detection	on resu	lt (Y: D	etectec	d; N: No	n-dete	cted)	Detection	on Probab	ility (%)	Verdict
(MHz)	(MHz) 0 1 2 3 4 5 6 7 8 9 Result FL/FH Limit V								verdict					
5485	N	N	N	N	N	N	N	N	N	N	0.00	/	>=60	Pass
5490	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	FL	>=60	Pass
5495	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5505	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5510	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	FH	>=60	Pass
5515	N	N	N	N	N	N	N	N	N	N	0.00	/	>=60	Pass

#### 3.1.3 40MHz\_5510MHz

	Band: 2C											
Mode	Bandwidth	Frequency			Verdict							
Mode	(MHz)	(MHz)	FL	FH	Result	Limit	verdict					
802.11ax (HE40)	40	5510	5490.000	5530.000	40.000	38.288	Pass					

#### 3.1.4 40MHz 5510MHz Data

			Band: 2	2C / Ba	ndwidth	า: 40MI	Hz / Fre	equency	/: 5510	MHz / I	RadarType	e: 0		
Frequency	Trial	Numbe	er and l	Detection	on resu	It (Y: D	(Y: Detected; N: Non-detected)				Detection Probability (%)			Verdict
(MHz)	0	1	2	3	4	5	6	7	8	9	Result	FL/FH	Limit	verdict
5485	N	N	N	N	N	N	N	N	N	N	0.00	/	>=60	Pass
5490	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	FL	>=60	Pass
5495	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5500	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5505	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5515	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5520	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5525	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5530	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	FH	>=60	Pass
5535	N	N	N	N	N	N	N	N	N	N	0.00	/	>=60	Pass



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Cond

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 36 of 117

#### 3.1.5 80MHz\_5530MHz

Band: 2C											
Mode	Bandwidth	Frequency		Detection Bandwidth (MHz)							
Mode	(MHz)	(MHz)	FL	FH	Result	Limit	Verdict				
802.11ax (HE80)	80	5530	5490.000	5570.000	80.000	78.318	Pass				

#### 3.1.6 80MHz\_5530MHz\_Data

			Band:	2C / Ba	ndwidth	n: 80Ml	Hz / Fre	equency	y: 5530	MHz / I	RadarType	e: 0		
Frequency	Trial	Numbe	er and l	Detection	on resu	lt (Y: D	etectec	l; N: No	n-dete	cted)	Detection	on Probab	ility (%)	\/ordigt
(MHz)	0	1	2	3	4	5	6	7	8	9	Result	FL/FH	Limit	Verdict
5485	Ν	N	N	N	N	Ν	N	N	N	N	0.00	/	>=60	Pass
5490	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	FL	>=60	Pass
5495	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5500	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5505	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5510	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5515	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5520	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5525	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5535	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5540	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5545	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5550	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5555	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5560	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5565	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5570	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	FH	>=60	Pass
5575	N	N	N	N	N	N	N	N	N	N	0.00	/	>=60	Pass

#### 3.1.7 160MHz\_5570MHz

	Band: 2C											
	Mode	Bandwidth	Frequency		Detection Bandwidth (MHz)							
'	Mode	(MHz)	(MHz)	FL	FL FH Result Limit		Limit	Verdict				
	02.11ax HE160)	160	5570	5490.000	5650.000	160.000	156.757	Pass				



Inless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed verleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Conditi

South of No. 6 Plant, No. 1, Runsheng Read, Suzhou Industrial Park, Suzhou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 37 of 117

#### 3.1.8 160MHz\_5570MHz\_Data

											RadarTyp			
Frequency	Trial	Numbe	er and [	Detection	on resu	It (Y: D	etectec	l; N: Nc	n-dete	cted)	Detection	on Probab	ility (%)	Verdict
(MHz)	0	1	2	3	4	5	6	7	8	9	Result	FL/FH	Limit	veruici
5485	N	N	Ν	N	Ν	N	N	N	N	N	0.00	/	>=60	Pass
5490	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	FL	>=60	Pass
5495	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5500	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5505	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5510	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5515	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5520	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5525	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5530	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5535	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5540	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5545	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5550	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5555	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5560	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5565	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5575	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5580	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5585	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5590	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5595	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5600	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5605	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5610	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5615	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5620	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5625	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5630	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5635	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5640	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5645	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	/	>=60	Pass
5650	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	Υ	100.00	FH	>=60	Pass
5655	N	N	N	N	N	N	N	N	N	N	0.00	/	>=60	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 38 of 117

4. Channel Available Check\_init

4.1 Test Result

4.1.1 CAC\_init

		E	Band: 2C		
Mode	Bandwidth	Frequency	Channel Availab	le Check_init (s)	Verdict
Wiode	(MHz)	(MHz)	Result	Limit	verdict
802.11ax (HE160)	160	5570	114.72	>=60	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000




Report No.: SUCR240400012707

Rev.: 01

Page: 39 of 117

### 4.2 Test Graph

#### 4.2.1 CAC\_init





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration from great prior transaction in the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are related and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 40 of 117

### 5. Channel Available Check\_Beginning

5.1 Test Result

5.1.1 CAC\_Begin

			Band: 2C		
Mada	Bandwidth	Frequency	Channel Available	Check_Beginning	Vardiat
Mode	(MHz)	(MHz)	Result	Limit	Verdict
802.11ax (HE160)	160	5570	Refer To T	est Graph	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspt.) at the first of the strength of t

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000




Report No.: SUCR240400012707

Rev.: 01

Page: 41 of 117

5.2 Test Graph

#### 5.2.1 CAC\_Begin





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 42 of 117

### 6. Channel Available Check\_Ending

6.1 Test Result

6.1.1 CAC\_End

			Band: 2C		
Mode	Bandwidth	Frequency	Channel Available	e Check_Ending	Verdict
iviode	(MHz)	(MHz)	Result	Limit	verdict
802.11ax (HE160)	160	5570	Refer To To	est Graph	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions (Ferms-Document.aspt.) at the first of the strength of t

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000




Report No.: SUCR240400012707

Rev.: 01

Page: 43 of 117

6.2 Test Graph

6.2.1 CAC\_End





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration (orgeny or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔(号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 44 of 117

### 7. Channel Move Time and Closing Transmission Time

#### 7.1 Test Result

#### 7.1.1 CMT\_CTT

			Band: 2C		
Mode	Bandwidth	Frequency	Channel Move Time and C	Closing Transmission Time	Verdict
Mode	(MHz)	(MHz)	Result	Limit	verdict
802.11ax (HE160)	160	5570	Refer To 1	Fest Graph	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SUCR240400012707

Rev.: 01

Page: 45 of 117

### 7.2 Test Graph

#### 7.2.1 CMT\_CTT





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 46 of 117

### 8. Non-Occupancy Period

#### 8.1 Test Result

#### 8.1.1 Period

		В	and: 2C		
Mada	Bandwidth	Frequency	Non-Occupand	cy Period	\/ordigt
Mode	(MHz)	(MHz)	Result	Limit	Verdict
802.11ax (HE160)	160	5570	Refer To Tes	t Graph	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000




Report No.: SUCR240400012707

Rev.: 01

Page: 47 of 117

#### 8.2 Test Graph

#### 8.2.1 Period





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 48 of 117

#### 9. Statistical Performance Check

#### 9.1 Test Result

#### 9.1.1 SPC

			Band: 2C			
Mode	Bandwidth	Frequency	Radar Signal Type	Detection Pr	obability (%)	Verdict
Mode	(MHz)	(MHz)	Radai Signai Type	Result	Limit	verdict
			1	100.00	>=60	Pass
			2	90.00	>=60	Pass
802.11ax			3	96.67	>=60	Pass
(HE20)	20	5500	4	93.33	>=60	Pass
(1120)			ADP <sup>1</sup>	95.00	>=80	Pass
			5	96.67	>=80	Pass
			6	96.67	>=70	Pass
			1	93.33	>=60	Pass
			2	100.00	>=60	Pass
902 11 ov			3	100.00	>=60	Pass
802.11ax (HE40)	40	5510	4	96.67	>=60	Pass
(11640)			ADP <sup>1</sup>	97.50	>=80	Pass
			5	90.00	>=80	Pass
			6	96.67	>=70	Pass
			1	86.67	>=60	Pass
			2	96.67	>=60	Pass
802.11ax			3	93.33	>=60	Pass
(HE80)	80	5530	4	93.33	>=60	Pass
(⊓⊑60)			ADP <sup>1</sup>	92.50	>=80	Pass
			5	90.00	>=80	Pass
			6	96.67	>=70	Pass
			1	96.67	>=60	Pass
			2	100.00	>=60	Pass
000 44			3	96.67	>=60	Pass
802.11ax (HE160)	160	5570	4	86.67	>=60	Pass
(1100)			ADP <sup>1</sup>	95.00	>=80	Pass
			5	93.33	>=80	Pass
			6	96.67	>=70	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (langsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 49 of 117

#### 9.1.2 SPC\_Data

			Ba	nd: 2C					
Mode	Bandwidth	Frequency	Trial Id			Radar Si	gnal Type		
Mode	(MHz)	(MHz)	Tilai iu	1	2	3	4	5	6
			0	Υ	Υ	Υ	Υ	Υ	Υ
			1	Υ	N	Υ	Υ	Y	N
			2	Υ	Υ	Υ	Υ	Y	Υ
			3	Υ	Υ	Υ	N	Υ	Υ
			4	Υ	N	Υ	Υ	Υ	Υ
			5	Υ	Υ	Υ	Υ	Υ	Υ
			6	Υ	Υ	Υ	Υ	Υ	Υ
			7	Υ	Υ	Υ	Υ	Υ	Υ
			8	Υ	Υ	N	Υ	Υ	Υ
			9	Υ	Υ	Υ	Υ	Υ	Υ
			10	Υ	Υ	Υ	Υ	Υ	Υ
			11	Υ	Υ	Υ	Υ	Υ	Υ
			12	Y	N	Y	Y	Y	Y
			13	Y	Y	Y	Y	Y	Y
802.11ax			14	Y	Y	Y	Y	Y	Y
(HE20)	20	5500	15	Y	Y	Y	Y	Y	Y
()			16	Y	Y	Y	Y	Y	Y
			17	Y	Y	Y	Y	N	Y
			18	Y	Y	Y	Y	Y	Y
			19	Y	Y	Y	Y	Y	Y
			20	Y	Y	Y	Y	Y	Y
			21	Y	Y	Y	Y	Y	Y
			22	Y	Y	Y	Y	Y	Y
			23	Y	Y	Y	Y	Y	Y
			24	Y	Y	Y	Y	Y	Y
			25	Y	Y	Y	Y	Y	Y
			26	Y	Y	Y	Y	Y	Y
			27	Y	Y	Y	N	Y	Y
			28	Y	Y	Y	Y	Y	Y
				Y	Y	Y	Y		Y
			29	Y	Y	Y	Y	Y	Y
			0						
			1	Y	Y	Y	Y	Y	Y
			2	Y	Y	Y	Y	Y	Y
			3	Y	Y	Y	Y	Y	Y
			4	Y	Y	Y	Y	Y	Y
			5	Y	Y	Y	Y	Y	Y
			6	Y	Y	Y	Y	Y	Y
			7	Y	Y	Y	Y	Y	Y
			8	Y	Y	Y	N	N	Y
802.11ax			9	Y	Y	Y	Y	Y	Y
(HE40)	40	5510	10	Y	Y	Y	Y	Y	Y
( 10)			11	Y	Y	Y	Y	Y	Y
			12	Υ	Υ	Υ	Υ	Υ	Y
			13	Υ	Υ	Y	Υ	Υ	Υ
			14	N	Y	Y	Y	Y	Υ
			15	Υ	Υ	Υ	Y	Y	Υ
			16	Υ	Υ	Υ	Y	Y	N
			17	Υ	Υ	Υ	Y	Y	Y
			18	Υ	Υ	Υ	Υ	Υ	Υ
			19	Υ	Υ	Υ	Υ	Y	Υ
			20	Υ	Y	Y	Y	Y	Υ



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration ropery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are related for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443,

South of No. F Part, No. 1, Runsheng Road, Suzhou Industrial Part, Suzhou Area, China (Jangsu) Pilot Free Trade Zone 自 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

50 of 117 Page:

					Page		00 01 117		
			21	Υ	Υ	Υ	Υ	Υ	Υ
			22	Υ	Υ	Υ	Υ	Υ	Υ
			23	Υ	Υ	Υ	Υ	Υ	Υ
			24	Υ	Υ	Υ	Υ	Υ	Υ
			25	Υ	Υ	Υ	Υ	N	Υ
			26	Υ	Υ	Υ	Υ	Υ	Υ
			27	N	Υ	Υ	Υ	N	Υ
			28	Υ	Υ	Υ	Υ	Υ	Υ
			29	Υ	Υ	Υ	Υ	Υ	Υ
			0	Υ	Υ	Υ	Υ	Υ	Υ
			1	Υ	Υ	Υ	N	Υ	Υ
			2	Υ	Υ	Υ	Υ	Υ	Υ
			3	Υ	Υ	N	Υ	Y	Y
			4	Υ	Υ	Υ	Υ	Υ	Υ
			5	Υ	Υ	Υ	Υ	Υ	Υ
			6	Υ	Υ	Υ	Υ	Υ	Υ
			7	Υ	Υ	Υ	Υ	Υ	Υ
			8	Υ	Υ	N	Υ	Υ	Υ
			9	N	Y	Y	Y	N	Y
			10	Y	Y	Y	Y	Y	Y
			11	N	N	Y	N	Y	Y
			12	Y	Y	Y	Y	Y	Y
			13	Y	Y	Y	Y	Y	Y
802.11ax			14	Y	Y	Y	Y	Y	Y
(HE80)	80	5530	15	Y	Y	Y	Y	Y	Y
(1.200)			16	Y	Y	Y	Y	Y	Y
			17	Y	Y	Y	Y	Y	Y
			18	Y	Y	Y	Y	Y	Y
			19	Y	Y	Y	Y	Y	Y
			20	Y	Y	Y	Y	Y	Y
			21	Y	Y	Y	Y	Y	N
			22	N	Y	Y	Y	N	Y
			23	N	Y	Y	Y	N	Y
			24	Y	Y	Y	Y	Y	Y
			25	Y	Y	Y	Y	Y	Y
			26	Y	Y	Y	Y	Y	Y
				Y	Y	Y	Y	Y	Y
			27 28	Y	Y	Y	Y	Y	Y
			28	Y	Y	Y	Y	Y	Y
				Y	Y	Y	Y	Y	Y
			0		Y		Y		
			1	N	Y	Y		Y	Y
			2	Y		Y	Y	N	Y
			3	Y	Y		Y	Y	Y
			4	Y	Y	Y	Y	Y	Y
			5	Y	Y	Y	Y	Y	Y
			6	Y	Y	Y	Y	Y	Y
			7	Y	Y	Y	Y	Y	Y
802.11ax	160	5570	8	Y	Y	Y	Y	Y	Y
(HE160)		]	9	Y	Y	Y	Y	Y	Y
			10	Y	Y	Y	Y	Y	Y
			11	Y	Y	Y	Y	Y	Y
			12	Υ	Υ	Υ	Y	N	Υ
			13	Υ	Υ	Y	Y	Y	Υ
			14	Υ	Υ	Υ	Y	Υ	Υ
			15	Υ	Υ	Υ	Υ	Υ	Υ
			16	Υ	Υ	Υ	N	Υ	Υ
			17	Υ	Υ	Υ	Υ	Υ	Υ
					•	•	•	•	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN. Doccheck@ass.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 51 of 117

	18	Υ	Υ	Υ	Ν	Υ	Υ
	19	Υ	Υ	Υ	Υ	Υ	Υ
	20	Υ	Υ	Υ	Υ	Υ	Υ
	21	Υ	Υ	N	N	Υ	Υ
	22	Υ	Υ	Υ	Υ	Υ	Υ
	23	Υ	Υ	Υ	Υ	Υ	Υ
	24	Υ	Υ	Υ	Υ	Υ	Υ
	25	Υ	Υ	Υ	Υ	Υ	Υ
	26	Υ	Υ	Υ	Υ	Υ	Υ
	27	Υ	Υ	Υ	Υ	Υ	Υ
	28	Υ	Υ	Υ	N	Υ	N
	29	Υ	Υ	Υ	Υ	Υ	Υ



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 52 of 117

### Appendix Radar Test Waveforms

#### Radar Type 0

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type O	1.0	1428.0	18	25704.0
Download	1	Type O	1.0	1428.0	18	25704.0
Download	2	Type O	1.0	1428.0	18	25704.0
Download	3	Type O	1.0	1428.0	18	25704.0
Download	4	Type O	1.0	1428.0	18	25704.0
Download	5	Type O	1.0	1428.0	18	25704.0
Download	6	Type O	1.0	1428.0	18	25704.0
Download	7	Type O	1.0	1428.0	18	25704.0
Download	8	Type O	1.0	1428.0	18	25704.0
Download	9	Type O	1.0	1428.0	18	25704.0
Download	10	Type O	1.0	1428.0	18	25704.0
Download	11	Type O	1.0	1428.0	18	25704.0
Download	12	Type O	1.0	1428.0	18	25704.0
Oownload	13	Type O	1.0	1428.0	18	25704.0
Download	14	Type O	1.0	1428.0	18	25704.0
Download	15	Type O	1.0	1428.0	18	25704.0
Download	16	Type O	1.0	1428.0	18	25704.0
Download	17	Type O	1.0	1428.0	18	25704.0
Download	18	Type O	1.0	1428.0	18	25704.0
Download	19	Type O	1.0	1428.0	18	25704.0
Download	20	Type O	1.0	1428.0	18	25704.0
Download	21	Type O	1.0	1428.0	18	25704.0
Download	22	Type O	1.0	1428.0	18	25704.0
Download	23	Type O	1.0	1428.0	18	25704.0
Download	24	Type O	1.0	1428.0	18	25704.0
Download	25	Type O	1.0	1428.0	18	25704.0
Download	26	Type O	1.0	1428.0	18	25704.0
Download	27	Type O	1.0	1428.0	18	25704.0
Download	28	Type O	1.0	1428.0	18	25704.0
Download	29	Type O	1.0	1428.0	18	25704.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 ww t (86–512) 62992980 sgs



Report No.: SUCR240400012707

Rev.: 01

Page: 53 of 117

#### Radar Type 1

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 1	1.0	938.0	57	53466.0
Download	1	Type 1	1.0	698.0	76	53048.0
Download	2	Type 1	1.0	618.0	86	53148.0
Download	3	Type 1	1.0	538.0	99	53262.0
Download	4	Type 1	1.0	878.0	61	53558.0
Download	5	Type 1	1.0	3066.0	18	55188.0
Download	6	Type 1	1.0	638.0	83	52954.0
Download	7	Type 1	1.0	918.0	58	53244.0
Download	8	Type 1	1.0	838.0	63	52794.0
Download	9	Type 1	1.0	858.0	62	53196.0
Download	10	Type 1	1.0	798.0	67	53466.0
Download	11	Type 1	1.0	718.0	74	53132.0
Download	12	Type 1	1.0	578.0	92	53176.0
Download	13	Type 1	1.0	598.0	89	53222.0
Download	14	Type 1	1.0	558.0	95	53010.0
Download	15	Type 1	1.0	2536.0	21	53256.0
Download	16	Type 1	1.0	966.0	55	53130.0
Download	17	Type 1	1.0	827.0	64	52928.0
Download	18	Type 1	1.0	2501.0	22	55022.0
Download	19	Type 1	1.0	2595.0	21	54495.0
Download	20	Type 1	1.0	1114.0	48	53472.0
Download	21	Type 1	1.0	1302.0	41	53382.0
Download	22	Type 1	1.0	3045.0	18	54810.0
Download	23	Type 1	1.0	1624.0	33	53592.0
Download	24	Type 1	1.0	2878.0	19	54682.0
Download	25	Type 1	1.0	1027.0	52	53404.0
Download	26	Type 1	1.0	2485.0	22	54670.0
Download	27	Type 1	1.0	1600.0	33	52800.0
Download	28	Type 1	1.0	1172.0	46	53912.0
Download	29	Type 1	1.0	1177.0	45	52965.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request for accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.anf">https://www.sgs.com/en/Terms-and-Conditions.aspx.anf</a>, for electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document accoment cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone
中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路(号的6号厂房南部 邮编: 215000

t (86–512) 62992980 w t (86–512) 62992980 se



Report No.: SUCR240400012707

Rev.: 01

Page: 54 of 117

#### Radar Type 2

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 2	3.2	179.0	26	4654.0
Download	1	Type 2	1.1	207.0	23	4761.0
Download	2	Type 2	2.1	230.0	24	5520.0
Download	3	Type 2	4.8	200.0	29	5800.0
Download	4	Type 2	3.9	214.0	28	5992.0
Download	5	Type 2	2.9	222.0	26	5772.0
Download	6	Type 2	3.2	204.0	26	5304.0
Download	7	Type 2	2.5	192.0	25	4800.0
Download	8	Type 2	3. 1	164.0	26	4264.0
Download	9	Type 2	1.2	156.0	23	3588.0
Download	10	Type 2	3.9	210.0	27	5670.0
Download	11	Туре 2	4.6	201.0	29	5829.0
Download	12	Type 2	3.2	162.0	26	4212.0
Download	13	Туре 2	2.2	197.0	25	4925.0
Download	14	Type 2	4.5	163.0	29	4727.0
Download	15	Type 2	3.0	203.0	26	5278.0
Download	16	Type 2	5.0	168.0	29	4872.0
Download	17	Type 2	2.4	217.0	25	5425.0
Download	18	Type 2	2.9	191.0	26	4966.0
Download	19	Type 2	2.3	166.0	25	4150.0
Download	20	Type 2	3. 7	150.0	27	4050.0
Download	21	Type 2	2.2	176.0	25	4400.0
Download	22	Type 2	4.9	195.0	29	5655.0
Download	23	Type 2	2.9	202.0	26	5252.0
Download	24	Type 2	2.5	178.0	25	4450.0
Download	25	Type 2	1.1	206.0	23	4738.0
Download	26	Type 2	3.8	155.0	27	4185.0
Download	27	Туре 2	4. 7	157.0	29	4553.0
Download	28	Type 2	2.4	224.0	25	5600.0
Download	29	Type 2	4.2	159.0	28	4452.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document one to exceed reparts to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) test etailed for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@as.com

South of No. 6 Plant, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国 (江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 w t (86–512) 62992980 s



Report No.: SUCR240400012707

Rev.: 01

55 of 117 Page:

#### **Radar Type 3**

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 3	8.2	355.0	17	6035.0
Download	1	Туре З	6.1	487.0	16	7792.0
Download	2	Туре З	7. 1	344.0	16	5504.0
Download	3	Туре З	9.8	288.0	18	5184.0
Download	4	Туре З	8.9	230.0	18	4140.0
Download	5	Туре З	7.9	432.0	17	7344.0
Download	6	Туре З	8.2	207.0	17	3519.0
Download	7	Туре З	7.5	443.0	17	7531.0
Download	8	Туре З	8. 1	439.0	17	7463.0
Download	9	Туре З	6.2	223.0	16	3568.0
Download	10	Туре З	8.9	208.0	18	3744.0
Download	11	Туре З	9.6	463.0	18	8334.0
Download	12	Туре З	8.2	441.0	17	7497.0
Download	13	Туре З	7.2	323.0	16	5168.0
Download	14	Туре З	9.5	297.0	18	5346.0
Download	15	Туре З	8.0	412.0	17	7004.0
Download	16	Туре З	10.0	324.0	18	5832.0
Download	17	Туре З	7. 4	271.0	17	4607.0
Download	18	Туре З	7.9	349.0	17	5933.0
Download	19	Туре З	7.3	409.0	16	6544.0
Download	20	Туре З	8. 7	373.0	18	6714.0
Download	21	Туре З	7.2	254.0	16	4064.0
Download	22	Туре З	9.9	274.0	18	4932.0
Download	23	Туре З	7.9	278.0	17	4726.0
Download	24	Туре З	7.5	317.0	17	5389.0
Download	25	Туре З	6.1	260.0	16	4160.0
Download	26	Туре З	8.8	211.0	18	3798.0
Download	27	Туре З	9. 7	272.0	18	4896.0
Download	28	Туре З	7. 4	264.0	17	4488.0
Download	29	Туре З	9.2	284.0	18	5112.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 56 of 117

#### Radar Type 4

	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Number of Pulses	Waveform Length (us)
Download	0	Type 4	16.0	355.0	14	4970.0
Download	1	Type 4	11.3	487.0	12	5844.0
Download	2	Type 4	13.5	344.0	13	4472.0
Download	3	Type 4	19.4	288.0	16	4608.0
Download	4	Type 4	17.5	230.0	15	3450.0
Download	5	Type 4	15.3	432.0	14	6048.0
Download	6	Type 4	15.9	207.0	14	2898.0
Download	7	Type 4	14.3	443.0	13	5759.0
Download	8	Type 4	15.8	439.0	14	6146.0
Download	9	Type 4	11.5	223.0	12	2676.0
Download	10	Type 4	17.4	208.0	15	3120.0
Download	11	Type 4	19.0	463.0	16	7408.0
Download	12	Type 4	16.0	441.0	14	6174.0
Download	13	Type 4	13.8	323.0	13	4199.0
Download	14	Type 4	18.9	297.0	16	4752.0
Download	15	Type 4	15.5	412.0	14	5768.0
Download	16	Type 4	19.9	324.0	16	5184.0
Download	17	Type 4	14. 1	271.0	13	3523.0
Download	18	Type 4	15.2	349.0	14	4886.0
Download	19	Type 4	13.8	409.0	13	5317.0
Download	20	Type 4	17. 1	373.0	15	5595.0
Download	21	Type 4	13.8	254.0	13	3302.0
Download	22	Type 4	19.8	274.0	16	4384.0
Download	23	Type 4	15.3	278.0	14	3892.0
Download	24	Type 4	14.5	317.0	13	4121.0
Download	25	Type 4	11.3	260.0	12	3120.0
Download	26	Type 4	17.3	211.0	15	3165.0
Download	27	Type 4	19.2	272.0	16	4352.0
Download	28	Type 4	14.2	264.0	13	3432.0
Download	29	Type 4	18.2	284.0	15	4260.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions/Fer

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suzhou Area, China (Jiangsu) Plot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜裔1号約6号厂房南部 邮编: 215000 t (86–512) 62992980 www. t (86–512) 62992980 sgs.cl



Report No.: SUCR240400012707

Rev.: 01

Page: 57 of 117

#### Radar Type 5 - All

Tr	al List —				· ·		·	
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)	
÷	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000	
+	Download	1	Type 5	8	1.5000000	12.0000000	5. 500000000	
+	Download	2	Type 5	11	1.0909091	12.0000000	5. 500000000	
+	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000	
<b>±</b>	Download	4	Type 5	17	0.7058824	12.0000000	5.500000000	
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000	
+	Download	6	Type 5	15	0.8000000	12.0000000	5. 500000000	
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000	
+	Download	8	Type 5	14	0.8571429	12.0000000	5. 500000000	
#	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000	
+	Download	10	Type 5	17	0. 7058824	12.0000000	5. 503900000	
+	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000	
+	Download	12	Type 5	15	0.8000000	12.0000000	5. 502700000	
+	Download	13	Туре 5	12	1.0000000	12.0000000	5. 501500000	
+	Download	14	Type 5	19	0.6315789	12.0000000	5. 504700000	
+	Download	15	Type 5	14	0.8571429	12.0000000	5. 502300000	
+	Download	16	Type 5	20	0.6000000	12.0000000	5. 505500000	
+	Download	17	Type 5	12	1.0000000	12.0000000	5. 501500000	
+	Download	18	Type 5	14	0.8571429	12.0000000	5. 502300000	
+	Download	19	Туре 5	12	1.0000000	12.0000000	5.501500000	
+	Download	20	Type 5	16	0.7500000	12.0000000	5. 496500000	
+	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000	
+	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000	
+	Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000	
+	Download	24	Type 5	13	0.9230769	12.0000000	5. 498100000	
+	Download	25	Type 5	8	1.5000000	12.0000000	5. 500500000	
+	Download	26	Type 5	17	0. 7058824	12.0000000	5. 496100000	
+	Download	27	Type 5	19	0.6315789	12.0000000	5. 494900000	
+	Download	28	Type 5	12	1.0000000	12.0000000	5. 498500000	
+	Download	29	Type 5	18	0.6666667	12.0000000	5. 495700000	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx">https://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SUCR240400012707

Rev.: 01

Page: 58 of 117

#### Radar Type 5 - Trial 0

		Trial Id	Radar	Number of Bursts	Burst Period	Waveform Length	Center Frequency				
3	Download	10	Туре	Bursts 15	(s) 0.8000000	(s) 12.0000000	(GHz) 5.500000000				
	DOMITORG	0	Type 5 Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	636185.0	77.8	13	2	1665.0	1477.0	-	
			1	32674.0	51.9	13	1	1074.0	-	-	
			2	226294.0	63.8	13	1	1584.0	-	-	
			3	417976.0	96.6	13	3	1682.0	1786.0	1843.0	
			4	611152.0	85.9	13	3	1795.0	1215.0	1729.0	
			5	8789.0	73. 7	13	2	1198.0	1549.0	-	
			6	201917.0	77.2	13	2	1837. 0	1819.0	-	
			7	395530.0	68.4	13	2	1587.0	1114.0	-	
			8	588564.0	76. 7	13	2	2000.0	1155.0	-	
			9	783794.0	53.2	13	1	1147.0	-	-	
			10	177933.0	85. 7	13	3	1433.0	1695.0	1394.0	
			11	370624.0	94.3	13	3	1670.0	1426.0	1935.0	
			12	564893.0	77.6	13	2	1294.0	1671.0	-	
			13	759583.0	65. 7	13	1	1512.0	-	-	
_			14	154262.0	93.5	13	3	1444.0	1130.0	1468.0	
Ŧ	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
±	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
<b>±</b>	Download	3	Туре 5	20	0.6000000	12.0000000	5.500000000				
<b>±</b>	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
<b>+</b>	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
+	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	10	Type 5	17	0. 7058824	12.0000000	5.503900000				
+	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
+	Download	12	Type 5	15	0.8000000	12.0000000	5. 502700000				
+	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
±	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
_		1		+						-	



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 59 of 117

#### Radar Type 5 - Trial 1

Tr		1	1 -	1 -	Burst	Waveform	Center	1	1	1	
		Trial Id	Radar Type	Number of Bursts	Period (s)	Length (s)	Frequency (GHz)				
Ŧ	Download	0	Туре 5	15	0.8000000	12.0000000	5.500000000				
	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	653020.0	75.0	5	2	1880.0	1527. 0	-	
			1	1015643.0	99.4	5	3	1401.0	1262.0	1257.0	
			2	1379398.0	67.4	5	2	1531.0	1403.0	-	
			3	245489.0	73.6	5	2	1449.0	1041.0	-	
			4	609113.0	65.9	5	1	1432.0	-	_	
			5	970852.0	83.8	5	3	1356.0	1292.0	1419.0	
			6	1335913.0	65.5	5	1	1543.0	-	-	
			7	200406.0	98.6	5	3	1548.0	1796.0	1728.0	
+	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
<b>±</b>	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
+	Download	4	Туре 5	17	0. 7058824	12.0000000	5.500000000				
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
#	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
+	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	10	Type 5	17	0. 7058824	12.0000000	5.503900000				
+	Download	11	Type 5	19	0. 6315789	12.0000000	5.505100000				
+	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
+	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	14	Туре 5	19	0.6315789	12.0000000	5.504700000				
+	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
+	Download	16	Type 5	20	0.6000000	12.0000000	5.505500000				
+	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
#	Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
ш		0.4		1		40.0000000		1	1		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SUCR240400012707

Rev.: 01

Page: 60 of 117

#### Radar Type 5 - Trial 2

Tr	ial List —										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
+	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000				
+	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	409565.0	73.8	9	2	1806.0	1538.0	-	
			1	673692.0	69.5	9	2	1117.0	1649.0	-	
			2	938562.0	51.9	9	1	1651.0	-	-	
			3	113209.0	84.6	9	3	1976.0	1032.0	1271.0	
			4	376726.0	95.4	9	3	1060.0	1903.0	1388.0	
			5	641212.0	68.0	9	2	1368.0	1351.0	-	
			6	903714.0	89.6	9	3	1338.0	1514.0	1573.0	
			7	80863.0	81.9	9	2	1022.0	1689.0	_	
			8	344067.0	88.3	9	3	1810.0	1330.0	1838.0	
			9	609331.0	53. 7	9	1	1597.0	-	_	
_	_ , ,		10	871542.0	91.3	9	3	1961.0	1106.0	1001.0	
#	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
± +	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	6	Type 5	15	0.8000000	12.0000000	5. 500000000				
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
+	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	10	Туре 5	17	0. 7058824	12.0000000	5.503900000				
+	Download	11	Туре 5	19	0.6315789	12.0000000	5.505100000				
+	Download	12	Туре 5	15	0.8000000	12.0000000	5.502700000				
+	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
+	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
+	Download	16	Type 5	20	0.6000000	12.0000000	5. 505500000				
+	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	18	Type 5	14	0.8571429	12.0000000	5. 502300000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SUCR240400012707

Rev.: 01

Page: 61 of 117

#### Radar Type 5 - Trial 3

Tr	ial List —										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
E	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000				
E	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	2	Туре 5	11	1.0909091	12.0000000	5.500000000				
Ξ	Download	3	Туре 5	20	0.6000000	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	26541.0	68.1	19	2	1339.0	1355.0	_	
			1	171821.0	58. 7	19	1	1251.0	-	_	
			2	316229.0	75.3	19	2	1136.0	1640.0	_	
			3	461864.0	56.4	19	1	1753.0	-	-	
			4	8677.0	99. 7	19	3	1196.0	1708.0	1159.0	
			5	153995.0	57. 7	19	1	1013.0	-	-	
			6	299238.0	59.5	19	1	1072.0	-	_	
			7	443177.0	80.0	19	2	1482.0	1369.0	-	
			8	587671.0	82.0	19	2	1993.0	1197.0	_	
			9	135674.0	82.8	19	2	1883.0	1005.0	_	
			10	279928.0	88.0	19	3	1061.0	1928.0	1101.0	
			11	424279.0	93.2	19	3	1207.0	1907.0	1223.0	
			12	570132.0	70.4	19	2	1526.0	1360.0	-	
			13	117439.0	95.3	19	3	1171.0	1955.0	1775.0	
			14	262502.0	81.9	19	2	1690.0	1545.0	_	
			15	406573.0	98.5	19	3	1975.0	1169.0	1062.0	
			16	553328.0	65.0	19	1	1767.0	-	-	
			17	99799.0	85.4	19	3	1011.0	1637.0	1425.0	
			18	244095.0	91.6	19	3	1878.0	1445.0	1325.0	
			19	390012.0	67.3	19	2	1091.0	1218.0	-	
+	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
+	Download	5	Туре 5	14	0.8571429	12.0000000	5.500000000				
+	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
+	Download	8	Type 5	14	0.8571429	12.0000000	5. 500000000				
+	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	10	Туре 5	17	0. 7058824	12.0000000	5. 503900000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx">https://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 62 of 117

#### Radar Type 5 - Trial 4

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
+	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000	İ	Ì		
+	Download	1	Туре 5	8	1.5000000	12.0000000	5.500000000				
+	Download	2	Туре 5	11	1.0909091	12.0000000	5.500000000				
+	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
⊟	Download	4	Type 5	17	0.7058824	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	629614.0	67.9	16	2	1320.0	1133.0	_	
			1	96856.0	62.3	16	1	1957.0	-	-	
			2	267719.0	53.3	16	1	1592.0	-	-	
			3	436784.0	90.0	16	3	1900.0	1153.0	1346.0	
			4	608289.0	77. 1	16	2	1166.0	1646.0	_	
			5	75610.0	83.9	16	3	1278.0	1232.0	1459.0	
			6	245638.0	89.1	16	3	1240.0	1384.0	1939.0	
			7	416355.0	81.8	16	2	1833.0	1676.0	-	
			8	588736.0	50.3	16	1	1075.0	-	_	
			9	54571.0	87. 1	16	3	1116.0	1996.0	1756.0	
			10	225175.0	71.3	16	2	1225.0	1815.0	-	
			11	394825.0	97.5	16	3	1884.0	1465.0	1132.0	
			12	565361.0	90.6	16	3	1561.0	1040.0	1354.0	
			13	33643.0	86.3	16	3	1596.0	1183.0	1792.0	
			14	203957.0	97.6	16	3	1365.0	1073.0	1361.0	
_			15	373812.0	84. 7	16	3	1021.0	1718.0	1854.0	
_		1	16	544060.0	99. 7	16	3	1150.0	1244.0	1988.0	
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
± —	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
#	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
+	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	9	Туре 5	8	1.5000000	12.0000000	5.500000000				
+	Download	10	Type 5	17	0. 7058824	12.0000000	5. 503900000				
#	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
+	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
Ħ	Download	13	Time 5	12	1 0000000	12 0000000	5 501500000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions/Fer

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000



Report No.: SUCR240400012707

Rev.: 01

63 of 117 Page:

#### Radar Type 5 - Trial 5

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
+	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000				٦
+	Download	1	Туре 5	8	1.5000000	12.0000000	5.500000000				_
+	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
#	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
Ŧ	Download	4	Туре 5	17	0. 7058824	12.0000000	5.500000000				
Ξ	Download	5	Туре 5	14	0.8571429	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	15438.0	92.9	12	3	1085.0	1564.0	1407.0	٦
			1	222486.0	67. 7	12	2	1744.0	1747.0	-	
			2	430731.0	65.8	12	1	1092.0	-	-	
			3	637784.0	56.3	12	1	1851.0	-	-	
			4	845342.0	53. 7	12	1	1727.0	-	-	
			5	196720.0	83.5	12	3	1679.0	1930.0	1025.0	
			6	404955.0	65.8	12	1	1519.0	-	-	
_			7	610711.0	85.9	12	3	1134.0	1034.0	1808.0	_
_			8	818057.0	76.3	12	2	1606.0	1926.0	-	_
			9	171459.0	81.5	12	2	1891.0	1714.0	-	_
			10	377969.0	89.4	12	3	1310.0	1594.0	1827. 0	_
_			11	586875.0	63.4	12	1	1568.0	-	_	_
_			12	792834.0	69.6	12	2	1307.0	1925.0	_	_
+	P 1 1		13	146044.0	74.5	12	2	1264.0	1846.0	_	-
	Download	6	Туре 5	15	0.8000000	12.0000000	5.500000000				_
+	Download	7	Туре 5	12	1.0000000	12.0000000	5.500000000				_
+	Download	8	Туре 5	14	0.8571429	12.0000000	5.500000000				_
+	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	10	Туре 5	17	0. 7058824	12.0000000	5.503900000				
+	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
+	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				_
+	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				7
+	Download	14	Туре 5	19	0.6315789	12.0000000	5.504700000				_
+	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				-



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 64 of 117

#### Radar Type 5 - Trial 6

_		1	_ ,		Burst	Waveform	Center				
		Trial Id	Radar Type	Number of Bursts	Period (s)	Length (s)	Frequency (GHz)				
+	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000				
+	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
+	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
+	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	329022.0	96.6	13	3	1182.0	1609.0	1581.0	
			1	521718.0	96. 7	13	3	1829.0	1799.0	1154.0	
			2	714222.0	86.5	13	3	1923.0	1396.0	1865.0	
			3	112450.0	73.3	13	2	1908.0	1318.0	_	
			4	306283.0	55.8	13	1	1688.0	-	_	
			5	500239.0	55.4	13	1	1145.0	-	_	
			6	690932.0	85.3	13	3	1336.0	1504.0	1820.0	
			7	88645.0	79.4	13	2	1344.0	1893.0	_	
			8	282508.0	65. 7	13	1	1476.0	-	_	
			9	475842.0	68.6	13	2	1008.0	1028.0	_	
			10	667887.0	77. 7	13	2	1972.0	1835.0	_	
			11	64845.0	79.6	13	2	1882.0	1331.0	_	
			12	257755.0	94.9	13	3	1830.0	1070.0	1349.0	
			13	452335.0	61.4	13	1	1451.0	-	_	
			14	643395.0	90.6	13	3	1233.0	1562.0	1887. 0	
+	Download	7	Type 5	12	1.0000000	12.0000000	5. 500000000				
+	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
+	Download	10	Туре 5	17	0. 7058824	12.0000000	5.503900000				
+	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
+	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
+	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
_			+	+	+	+	+	+	+	+	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx">https://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgs t (86–512) 62992980 sgs.china



Report No.: SUCR240400012707

Rev.: 01

Page: 65 of 117

#### Radar Type 5 - Trial 7

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
+	Download	0	Type 5	15	0.8000000	12.0000000	5.500000000	İ			
+	Download	1	Туре 5	8	1.5000000	12.0000000	5.500000000				
+	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
#	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
#	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	6	Туре 5	15	0.8000000	12.0000000	5.500000000				
Θ	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	51446.0	52.6	10	1	1210.0	-	_	
			1	292696.0	84. 1	10	3	1314.0	1725.0	1529.0	
			2	533989.0	97. 7	10	3	1139.0	1868.0	1805.0	
			3	775564.0	97.3	10	3	1341.0	1446.0	1755.0	
			4	21542.0	98.8	10	3	1544.0	1386.0	1302.0	
			5	263385.0	72.2	10	2	1771.0	1184.0	-	
			6	505581.0	67.6	10	2	1175.0	1027.0	-	
			7	747058.0	75. 7	10	2	1026.0	1871.0	_	
			8	989976.0	60.9	10	1	1798.0	-	-	
			9	234024.0	64.2	10	1	1138.0	-	_	
			10	475207.0	78.8	10	2	1784.0	1604.0	-	
			11	715825.0	87.5	10	3	1511.0	1712.0	1683.0	
+	Download	8	Туре 5	14	0.8571429	12.0000000	5.500000000				
+	Download	9	Type 5	8	1.5000000	12.0000000	5. 500000000				
+	Download	10	Type 5	17	0. 7058824	12.0000000	5.503900000				
+	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
+	Download	12	Туре 5	15	0.8000000	12.0000000	5.502700000				
+	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
+	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
+	Download	16	Type 5	20	0.6000000	12.0000000	5. 505500000				
<u> </u>	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions/Fer

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 66 of 117

#### Radar Type 5 - Trial 8

11	ial List —		l_ ,	l- 1 0	Burst	Waveform	Center				
		Trial Id	Radar Type	Number of Bursts	Period (s)	Length (s)	Frequency (GHz)				
+	Download	0	Type 5	15	0.8000000	12.0000000	5. 500000000				
+	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
#	Download	2	Туре 5	11	1.0909091	12.0000000	5.500000000				
#	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
+	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	6	Type 5	15	0.8000000	12.0000000	5. 500000000				
#	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	823112.0	54.1	13	1	1415.0	-	-	
			1	174965.0	50. 7	13	1	1221.0	-	_	
			2	382216.0	52.3	13	1	1974.0	-	-	
			3	587395.0	99.8	13	3	1558.0	1696.0	1949.0	
			4	796897.0	68.4	13	2	1014.0	1099.0	-	
			5	149042.0	80.8	13	2	1736.0	1505.0	_	
			6	356750.0	62.5	13	1	1778.0	-	_	
			7	563824.0	74.8	13	2	1149.0	1204.0	_	
			8	772314.0	50.8	13	1	1049.0	-	_	_
			9	123796.0	54.0	13	1	1417.0	-	_	_
_			10	331215.0	63.0	13	1	1730.0	-	_	_
			11	537402.0	91.8	13	3	1143.0	1270.0	1347.0	_
			12	744805.0	79.3	13	2	1274.0	1992.0	_	_
<u> </u>	p 1 1		13	98172.0	64.3	13	F 500000000	1937. 0			_
⊞ ⊞	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				_
<u></u> ⊕	Download	10	Type 5	17	0.7058824	12.0000000	5.503900000				_
<u></u> ⊕	Download Download	12	Type 5	19	0.6315789	12.0000000	5.505100000				-
<u></u> ⊕	DownLoad	13	Type 5 Type 5	12	1.0000000	12.0000000	5. 502700000 5. 501500000				_
<u></u>	Download	14	+	19	0.6315789	12.0000000	5.504700000				-
<u></u>	DownLoad	15	Type 5	14			5.504700000				-
_	nownToad	15	Type 5	14	0.8571429	12.0000000	5.502300000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx">https://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx">https://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx</a> Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.s t (86–512) 62992980 sgs.ch



Report No.: SUCR240400012707

Rev.: 01

Page: 67 of 117

#### Radar Type 5 - Trial 9

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
+	Download	0	Туре 5	15	0.8000000	12.0000000	5.500000000				_
+	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				_
<b></b>	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
#	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
#	Download	4	Type 5	17	0. 7058824	12.0000000	5.500000000				
+	Download	5	Type 5	14	0.8571429	12.0000000	5.500000000				
+	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
+	Download	7	Туре 5	12	1.0000000	12.0000000	5.500000000				_
+	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				_
	Download	9	Type 5	8	1.5000000	12.0000000	5.500000000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	535615.0	63.4	6	1	1043.0	-	-	
			1	898668.0	52.0	6	1	1863.0	-	_	
			2	1259235.0	97.2	6	3	1973.0	1605.0	1583.0	
_			3	127106.0	78. 7	6	2	1466.0	1743.0	-	
			4	490358.0	74. 2	6	2	1280.0	1219.0	_	_
			5	852409.0	88. 7	6	3	1293.0	1934.0	1273.0	_
_			6	1217152.0	54.3	6	1	1991.0	-	_	_
<u> </u>	- 1 1	Lo	7	82296.0	95.4	6	3	1580.0	1555.0	1791.0	_
_	Download	10	Type 5	17	0. 7058824	12.0000000	5.503900000				_
<b>⊞</b> —	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				_
<b>⊞</b> —	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
±	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
<b>±</b>	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
+	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
+	Download	16	Type 5	20	0.6000000	12.0000000	5. 505500000				_
+	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				_
+	Download	18	Type 5	14	0.8571429	12.0000000	5. 502300000				-
+	Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				-
<u> </u>	Download	20	Туре 5	16	0. 7500000	12.0000000	5. 496500000				-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 t (86–512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 68 of 117

#### Radar Type 5 - Trial 10

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
+	Download	0	Туре 5	15	0.8000000	12.0000000	5.500000000				
+	Download	1	Type 5	8	1.5000000	12.0000000	5.500000000				
#	Download	2	Type 5	11	1.0909091	12.0000000	5.500000000				
<b>±</b>	Download	3	Type 5	20	0.6000000	12.0000000	5.500000000				
#	Download	4	Туре 5	17	0. 7058824	12.0000000	5.500000000				
+	Download	5	Туре 5	14	0.8571429	12.0000000	5.500000000				
+	Download	6	Type 5	15	0.8000000	12.0000000	5.500000000				
+	Download	7	Type 5	12	1.0000000	12.0000000	5.500000000				
#	Download	8	Type 5	14	0.8571429	12.0000000	5.500000000				
#	Download	9	Туре 5	8	1.5000000	12.0000000	5.500000000				
Θ	Download	10	Туре 5	17	0. 7058824	12.0000000	5,503900000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	209249.0	73. 7	16	2	1208.0	1497.0	_	
			1	378386.0	97.4	16	3	1942.0	1754.0	1613.0	
			2	548411.0	91.7	16	3	1999.0	1702.0	1462.0	
			3	17733.0	66.2	16	1	1393.0	-	_	
			4	187952.0	70.8	16	2	1968.0	1821.0	-	
			5	359277.0	52.3	16	1	1740.0	-	_	
			6	528886.0	78.9	16	2	1308.0	1984.0	_	
			7	700166.0	70.9	16	2	1050.0	1358.0	-	
			8	167197.0	75.6	16	2	1437.0	1430.0	_	
			9	338262.0	59.1	16	1	1697.0	-	-	
			10	508324.0	77. 0	16	2	1397.0	1304.0	-	
			11	678689.0	67.9	16	2	1803.0	1083.0	-	
			12	146031.0	81.2	16	2	1720.0	1932.0	-	
			13	316923.0	78. 7	16	2	1247.0	1121.0	-	
			14	488056.0	63.3	16	1	1634.0	-	-	
			15	657326.0	68.9	16	2	1849.0	1423.0	-	
			16	125509.0	59.3	16	1	1093.0	-	_	
<b>⊞</b>	Download	11	Type 5	19	0.6315789	12.0000000	5.505100000				
+	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 69 of 117

#### Radar Type 5 - Trial 11

[r	ial List —										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
3	Download	11	Туре 5	19	0.6315789	12.0000000	5.505100000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	263736.0	98.9	19	3	1381.0	1680.0	1488.0	
			1	416459.0	82.3	19	2	1716.0	1855.0	-	
			2	567902.0	86. 7	19	3	1211.0	1400.0	1919.0	
			3	92979.0	89. 7	19	3	1861.0	1068.0	1282.0	
			4	245155.0	98.6	19	3	1507.0	1194.0	1461.0	
			5	397609.0	71.1	19	2	1921.0	1789.0	-	
			6	551431.0	55.9	19	1	1947.0	-	-	
			7	74413.0	67.9	19	2	1350.0	1372.0	-	
			8	226559.0	84.4	19	3	1203.0	1107.0	1443.0	
			9	380056.0	58.8	19	1	1715.0	-	-	
			10	533408.0	65.6	19	1	1017.0	-	_	
			11	55547.0	78.5	19	2	1911.0	1704.0	-	
			12	207876.0	82.3	19	2	1845.0	1686.0	-	
			13	359771.0	90.1	19	3	1938.0	1071.0	1266.0	
			14	511297.0	90.2	19	3	1989.0	1089.0	1950.0	
_			15	36803.0	83.1	19	2	1943.0	1406.0	-	
_			16	189652.0	58.8	19	1	1742.0	-	-	
			17	341809.0	77. 0	19	2	1187.0	1657.0	-	
			18	495737.0	55.0	19	1	1012.0	-	_	
<b>±</b>	Download	12	Type 5	15	0.8000000	12.0000000	5.502700000				
+	Download	13	Туре 5	12	1.0000000	12.0000000	5.501500000				
+	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
+	Download	15	Type 5	14	0.8571429	12.0000000	5.502300000				
+	Download	16	Type 5	20	0.6000000	12.0000000	5. 505500000				
+	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
+	Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
±	Download	21	Туре 5	12	1.0000000	12.0000000	5. 498900000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.s t (86–512) 62992980 sgs.ch



Report No.: SUCR240400012707

Rev.: 01

70 of 117 Page:

#### Radar Type 5 - Trial 12

Tr	ial List —				<u> </u>			<u> </u>			
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Ξ	Download	12	Туре 5	15	0.8000000	12.0000000	5.502700000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	22911.0	58.1	13	1	1929.0	-	-	
			1	216473.0	52.1	13	1	1910.0	-	-	
			2	410004.0	59.9	13	1	1971.0	-	-	
			3	603671.0	60.2	13	1	1812.0	-	-	
			4	794160.0	95.9	13	3	1399.0	1906.0	1608.0	
			5	192251.0	79.9	13	2	1626.0	1859.0	-	
			6	385590.0	78.5	13	2	1238.0	1917.0	-	
			7	579862.0	53.8	13	1	1763.0	_	_	
			9	773423.0	64. 7	13	1	1800.0		_	
			10	168898. 0 361606. 0	61. 4 83. 2	13	2	1390. 0 1692. 0	1858. 0		
			11	553866.0	84. 7	13	3	1533.0	1677. 0	1638.0	
			12	747241.0	88. 7	13	3	1703.0	1528.0	1058.0	
			13	144710.0	78.3	13	2	1258.0	1951.0	-	
			14	337856.0	69.3	13	2	1731.0	1717.0	-	
+	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
+	Download	15	Туре 5	14	0.8571429	12.0000000	5. 502300000				
+	Download	16	Type 5	20	0.6000000	12.0000000	5. 505500000				
+	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	18	Туре 5	14	0.8571429	12.0000000	5.502300000				
+	Download	19	Туре 5	12	1.0000000	12.0000000	5.501500000				
+	Download	20	Туре 5	16	0. 7500000	12.0000000	5. 496500000				
+	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000				
+	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000				
+	Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000				
+	Download	24	Type 5	13	0.9230769	12.0000000	5. 498100000				
+	Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
+	Download	26	Type 5	17	0.7058824	12.0000000	5.496100000				



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 71 of 117

#### Radar Type 5 - Trial 13

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
3	Download	13	Type 5	12	1.0000000	12.0000000	5.501500000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	664275.0	75.3	10	2	1994.0	1612.0	-	
			1	907886.0	56.3	10	1	1456.0	-	-	
			2	151316.0	67. 7	10	2	1617.0	1185.0	-	
			3	393746.0	55.6	10	1	1337.0	-	-	
			4	635093.0	75.2	10	2	1421.0	1267.0	-	
_			5	876993.0	76.3	10	2	1359.0	1305.0	-	
			6	121278.0	85. 7	10	3	1547. 0	1362.0	1924.0	
			7	362696.0	98.4	10	3	1873.0	1550.0	1249.0	
			8	604342.0	86.4	10	3	1779.0	1439.0	1046.0	
			9	846453.0	93.6	10	3	1059.0	1031.0	1452.0	
			10	91871.0	63.3	10	1	1328.0	-	-	
±	_ , ,		11	333050.0	92.4	10	3	1412.0	1673.0	1322.0	
± ±	Download Download	14	Type 5	19	0.6315789 0.8571429	12.0000000	5. 504700000 5. 502300000				
	Download	16	Type 5 Type 5	20	0.6000000	12.0000000	5. 505500000				
+	Download	17	Type 5	12	1.0000000	12.0000000	5. 501500000				
+	Download	18	Type 5	14	0.8571429	12.0000000	5. 502300000				
+	Download	19	Туре 5	12	1.0000000	12.0000000	5.501500000				
+	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
+	Download	21	Туре 5	12	1.0000000	12.0000000	5. 498900000				
Ŧ	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000				
Ŧ	Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000				
Ŧ	Download	24	Туре 5	13	0.9230769	12.0000000	5. 498100000				
Ŧ	Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
+	Download	26	Type 5	17	0. 7058824	12.0000000	5. 496100000				
+	Download	27	Type 5	19	0.6315789	12.0000000	5. 494900000				
<b>±</b>	Download	28	Туре 5	12	1.0000000	12.0000000	5. 498500000				
+	Download	29	Type 5	18	0.6666667	12.0000000	5. 495700000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SUCR240400012707

Rev.: 01

Page: 72 of 117

#### Radar Type 5 - Trial 14

	al List	1	1	1	1	L 0	1.0	1		1	
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (5)	Center Frequency (GHz)				
3	Download	14	Type 5	19	0.6315789	12.0000000	5.504700000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	361323.0	93.3	18	3	1983.0	1912.0	1535.0	
			1	515261.0	69.1	18	2	1102.0	1794.0	_	
			2	39025.0	86.9	18	3	1044.0	1152.0	1148.0	
			3	190900.0	84.9	18	3	1894.0	1948.0	1118.0	
			4	343941.0	72.3	18	2	1094.0	1916.0	-	
			5	497624.0	51.7	18	1	1447.0	-	-	
			6	20319.0	58.3	18	1	1429.0	-	-	
			7	172999.0	60.8	18	1	1979.0	-	-	
			8	325872.0	57. 1	18	1	1641.0	-	-	
			9	475841.0	88.9	18	3	1886.0	1964.0	1489.0	
			10	1489.0	72.0	18	2	1909.0	1297.0	-	
			11	153647.0	90.9	18	3	1261.0	1566.0	1370.0	
			12	307096.0	59.8	18	1	1552.0	-	-	
			13	458804.0	70.0	18	2	1759.0	1291.0	-	
			14	610798.0	67.2	18	2	1625.0	1881.0	-	
			15	134759.0	91.2	18	3	1382.0	1832.0	1661.0	
			16	288306.0	56.5	18	1	1483.0	-	_	
			17	441296.0	51.2	18	1	1237.0	-	_	
			18	592780.0	74. 1	18	2	1471.0	1245.0	_	
+	Download	15	Туре 5	14	0.8571429	12.0000000	5.502300000				
+	Download	16	Туре 5	20	0.6000000	12.0000000	5.505500000				
+	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
+	Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
+	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000				
+	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000				
+	Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000				
+	Download	24	Туре 5	13	0. 9230769	12.0000000	5. 498100000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SUCR240400012707

Rev.: 01

Page: 73 of 117

### Radar Type 5 - Trial 15

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
3	Download	15	Туре 5	14	0.8571429	12.0000000	5,502300000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	158286.0	76.9	12	2	1110.0	1140.0	-	
			1	366024.0	50.2	12	1	1316.0	-	-	
			2	573452.0	62.9	12	1	1520.0	-	-	
			3	780619.0	64. 7	12	1	1902.0	-	-	
			4	132455.0	83.8	12	3	1410.0	1097.0	1621.0	
			5	340207.0	65.4	12	1	1944.0	_	_	
			6	548208.0	53.2	12	1	1024.0	_	-	
			7	755333.0	51. 7	12	1	1603.0	-	_	
			9	107117. 0 314500. 0	78. 7 72. 4	12	2	1804. 0 1030. 0	1168. 0 1343. 0		
-			10	522447.0	53.8	12	1	1327. 0	1343.0		
_			11	728517.0	73.6	12	2	1524.0	1553.0	_	
			12	81611.0	66. 7	12	2	1722.0	1122.0	_	
			13	288948.0	82.5	12	2	1404.0	1019.0	-	
Ŧ	Download	16	Type 5	20	0.6000000	12.0000000	5.505500000				
Ŧ	Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
Ŧ	Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
+	Download	19	Type 5	12	1.0000000	12.0000000	5.501500000				
+	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
+	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000				
#	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000				
Ŧ	Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000				
#	Download	24	Type 5	13	0.9230769	12.0000000	5. 498100000				
+	Download	25	Туре 5	8	1.5000000	12.0000000	5.500500000				
+	Download	26	Туре 5	17	0. 7058824	12.0000000	5. 496100000				
#	Download	27	Туре 5	19	0.6315789	12.0000000	5. 494900000				
#	Download	28	Туре 5	12	1.0000000	12.0000000	5. 498500000				
+	Download	29	Туре 5	18	0.6666667	12.0000000	5. 495700000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 74 of 117

### Radar Type 5 - Trial 16

rial List —										
	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Download	16	Type 5	20	0.6000000	12.0000000	5,505500000				
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
		0	345766.0	87.6	20	3	1565.0	1055.0	1840.0	
		1	490019.0	85.2	20	3	1735.0	1541.0	1408.0	
		2	39073.0	84.8	20	3	1534.0	1889.0	1463.0	
		3	183923.0	77.9	20	2	1749.0	1460.0	-	
		4	328777.0	76.5	20	2	1518.0	1485.0	-	
		5	474728.0	60.9	20	1	1540.0	-	-	
		6	21394.0	83.0	20	2	1080.0	1010.0	_	
		7	165992.0	80.4	20	2	1824.0	1752.0	-	
		8	310973.0	67.5	20	2	1764.0	1181.0	-	
_		9	456884.0	62.1	20	1	1495.0	-	_	
		10	3515.0	86.4	20	3	1773.0	1966.0	1263.0	
		11	147928.0	84.3	20	3	1593.0	1188.0	1788.0	
		12	293225.0	76.9	20	2	1226.0	1537.0	-	
		13	436922.0	95.8	20	3	1192.0	1298.0	1844.0	
		14	584015.0	55.2	20	1	1644.0	_	-	
		15	130832.0	59.0	20	1	1402.0	-	-	
		16	274684.0	94.5	20	3	1296.0	1700.0	1283.0	
		17	418579.0	91.9	20	3	1970.0	1978.0	1165.0	
		18	563464.0	85.2	20	3	1732.0	1551.0	1189.0	
		19	112787.0	69.5	20	2	1038.0	1224.0	-	
Download	17	Type 5	12	1.0000000	12.0000000	5.501500000				
Download	18	Type 5	14	0.8571429	12.0000000	5.502300000				
Download	19	Туре 5	12	1.0000000	12.0000000	5.501500000				
Download	20	Туре 5	16	0. 7500000	12.0000000	5. 496500000				
Download	21	Туре 5	12	1.0000000	12.0000000	5. 498900000				
E Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsg t (86–512) 62992980 sgs.china



Report No.: SUCR240400012707

Rev.: 01

Page: 75 of 117

### Radar Type 5 - Trial 17

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Dow	vnload	17	Туре 5	12	1.0000000	12.0000000	5,501500000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	429224.0	86.4	10	3	1259.0	1918.0	1455.0
			1	670241.0	92.2	10	3	1598.0	1719.0	1895.0
			2	912880.0	80.4	10	2	1816.0	1899.0	-
			3	158603.0	54.3	10	1	1335.0	-	-
			4	400824.0	53. 1	10	1	1303.0	-	-
			5	641915.0	69.4	10	2	1503.0	1546.0	-
			6	883823.0	69.1	10	2	1279.0	1639.0	-
			7	128373.0	100.0	10	3	1375.0	1438.0	1595.0
			8	370379.0	79.6	10	2	1239.0	1705.0	-
			9	611194.0	88.4	10	3	1374.0	1579.0	1623.0
			10	855665.0	53.3	10	1	1016.0	-	-
			11	98897.0	65.3	10	1	1709.0	-	-
Dow	vnload	18	Type 5	14	0.8571429	12.0000000	5.502300000			
Dow	vnload	19	Type 5	12	1.0000000	12.0000000	5.501500000			
E Dow	vnload	20	Type 5	16	0. 7500000	12.0000000	5. 496500000			
E Dow	vnload	21	Type 5	12	1.0000000	12.0000000	5. 498900000			
E Dow	vnload	22	Type 5	20	0.6000000	12.0000000	5. 494500000			
E Dow	vnload	23	Type 5	14	0.8571429	12.0000000	5. 497700000			
E Dow	vnload	24	Type 5	13	0.9230769	12.0000000	5. 498100000			
E Dow	vnload	25	Type 5	8	1.5000000	12.0000000	5.500500000			
Dow	vnload	26	Type 5	17	0. 7058824	12.0000000	5. 496100000			
E Dow	vnload	27	Type 5	19	0.6315789	12.0000000	5. 494900000			
E Dow	vnload	28	Type 5	12	1.0000000	12.0000000	5. 498500000			
E Dow	vnload	29	Type 5	18	0.6666667	12.0000000	5. 495700000			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 76 of 117

#### Radar Type 5 - Trial 18

	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Download	18	Туре 5	14	0.8571429	12.0000000	5.502300000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	292143.0	55.3	12	1	1920.0	_	-
		1	499633.0	58.3	12	1	1797.0	-	-
		2	706377.0	72.3	12	2	1610.0	1039.0	-
		3	58989.0	84.8	12	3	1131.0	1761.0	1721.0
		4	266161.0	82.5	12	2	1875.0	1431.0	-
		5	474469.0	63.3	12	1	1095.0	-	-
		6	680544.0	80.0	12	2	1119.0	1913.0	-
		7	33519.0	90.3	12	3	1660.0	1853.0	1123.0
		8	240319.0	91.1	12	3	1539.0	1783.0	1172.0
		9	447400.0	96.6	12	3	1525.0	1036.0	1385.0
		10	654516.0	82. 7	12	2	1710.0	1990.0	-
		11	8083.0	50. 7	12	1	1234.0	-	-
		12	215435.0	78. 4	12	2	1047.0	1109.0	-
		13	421325.0	99.5	12	3	1299.0	1965.0	1869.0
Download	19	Type 5	12	1.0000000	12.0000000	5.501500000			
Download	20	Type 5	16	0.7500000	12.0000000	5. 496500000			
Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000			
Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000			
Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000			
Download	24	Type 5	13	0.9230769	12.0000000	5. 498100000			
Download	25	Type 5	8	1.5000000	12.0000000	5.500500000			
Download	26	Type 5	17	0. 7058824	12.0000000	5. 496100000			
Download	27	Type 5	19	0.6315789	12.0000000	5. 494900000			
Download	28	Type 5	12	1.0000000	12.0000000	5. 498500000			
Download	29	Туре 5	18	0.6666667	12.0000000	5. 495700000			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 77 of 117

### Radar Type 5 - Trial 19

	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
Download	19	Type 5	12	1.0000000	12.0000000	5.501500000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	733725.0	88.6	10	3	1501.0	1067.0	1927.0
		1	977882.0	57.4	10	1	1723.0	-	-
		2	221197.0	96.6	10	3	1086.0	1658.0	1324.0
		3	462915.0	69. 7	10	2	1751.0	1945.0	-
		4	705071.0	77.9	10	2	1642.0	1317.0	-
		5	947923.0	62.0	10	1	1866.0	-	-
		6	191373.0	88.4	10	3	1997.0	1077.0	1366.0
		7	432561.0	97.3	10	3	1790.0	1896.0	1367.0
		8	674004.0	96.2	10	3	1391.0	1787.0	1672.0
		9	915842.0	95.4	10	3	1020.0	1892.0	1414.0
		10	162176.0	54.8	10	1	1084.0	-	-
		11	403553.0	80.4	10	2	1850.0	1436.0	-
Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	483470.0	74. 7	15	2	1619.0	1611.0	-
		1	666072.0	57.1	15	1	1560.0	-	-
		2	98810.0	91.9	15	3	1392.0	1475.0	1276.0
		3	279914.0	83.1	15	2	1809.0	1772.0	-
		4	462536.0	50. 7	15	1	1003.0	_	-
		5	642324.0	79.2	15	2	1574.0	1600.0	-
		6	76831.0	58. 7	15	1	1186.0	-	-
		7	257785.0	71.0	15	2	1521.0	1567. 0	-
		8	438554.0	79.0	15	2	1777.0	1960.0	-
		9	620397.0	68.5	15	2	1284.0	1428.0	-
		10	54310.0	73.5	15	2	1904.0	1352.0	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 78 of 117

#### Radar Type 5 - Trial 20

ľr	ial List —										
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
	Download	20	Type 5	16	0. 7500000	12.0000000	5. 496500000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	483470.0	74. 7	15	2	1619.0	1611.0	-	
			1	666072.0	57. 1	15	1	1560.0	-	_	
			2	98810.0	91.9	15	3	1392.0	1475.0	1276.0	
			3	279914.0	83. 1	15	2	1809.0	1772.0	-	
			4	462536.0	50. 7	15	1	1003.0	-	-	
			5	642324.0	79.2	15	2	1574.0	1600.0	-	
			6	76831.0	58. 7	15	1	1186.0	-	-	
			7	257785.0	71.0	15	2	1521.0	1567.0	-	
			8	438554.0	79.0	15	2	1777.0	1960.0	-	
			9	620397.0	68.5	15	2	1284.0	1428.0	-	
			10	54310.0	73. 5	15	2	1904.0	1352.0	-	
			11	235506.0	70.5	15	2	1864.0	1115.0	-	
			12	417036.0	76.6	15	2	1045.0	1300.0	-	
			13	597974.0	81.2	15	2	1160.0	1675.0	-	
			14	32086.0	61.8	15	1	1277.0	-	-	
			15	212751.0	94.9	15	3	1450.0	1206.0	1860.0	
⊟	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	526149.0	78. 5	9	2	1653.0	1698.0	-	
			1	767135.0	89.8	9	3	1174.0	1962.0	1167.0	
			2	12955.0	59. 4	9	1	1982.0	-	-	
			3	254612.0	79. 6	9	2	1633.0	1890.0	-	
			4	496588.0	76.0	9	2	1112.0	1811.0	-	
			5	739728.0	53.6	9	1	1144.0	_	-	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 79 of 117

### Radar Type 5 - Trial 21

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
	Download	21	Type 5	12	1.0000000	12.0000000	5. 498900000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	526149.0	78. 5	9	2	1653.0	1698.0	-
			1	767135.0	89.8	9	3	1174.0	1962.0	1167.0
			2	12955.0	59.4	9	1	1982.0	-	-
			3	254612.0	79.6	9	2	1633.0	1890.0	-
			4	496588.0	76.0	9	2	1112.0	1811.0	-
			5	739728.0	53.6	9	1	1144.0	-	-
			6	980872.0	80.9	9	2	1220.0	1053.0	-
			7	225249.0	61.6	9	1	1724.0	-	-
			8	467279.0	53.4	9	1	1901.0	-	-
			9	709720.0	59.9	9	1	1379.0	-	-
			10	951847.0	60.4	9	1	1453.0	-	-
			11	194839.0	91.4	9	3	1768.0	1726.0	1227.0
Θ	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	261858.0	77. 0	20	2	1191.0	1363.0	-
			1	407646.0	58. 1	20	1	1248.0	-	-
			2	552319.0	62.1	20	1	1836.0	_	_
			3	99107.0	76.9	20	2	1334.0	1236.0	_
			4	243514.0	80.0	20	2	1914.0	1852.0	-
			5	389464.0	52.0	20	1	1701.0	-	-
			6	531093.0	88.6	20	3	1693.0	1995.0	1905.0
			7	81159.0	72.9	20	2	1922.0	1387. 0	-
			8	225245.0	98.5	20	3	1839.0	1746.0	1389.0
			9	371906.0	57.9	20	1	1193.0	_	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg



Report No.: SUCR240400012707

Rev.: 01

Page: 80 of 117

#### Radar Type 5 - Trial 22

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
Ξ	Download	22	Type 5	20	0.6000000	12.0000000	5. 494500000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	261858.0	77.0	20	2	1191.0	1363.0	-	
			1	407646.0	58. 1	20	1	1248.0	_	-	
			2	552319.0	62.1	20	1	1836.0	_	-	
			3	99107.0	76.9	20	2	1334.0	1236.0	-	
			4	243514.0	80.0	20	2	1914.0	1852.0	-	
			5	389464.0	52.0	20	1	1701.0	-	-	
			6	531093.0	88.6	20	3	1693.0	1995.0	1905.0	
			7	81159.0	72.9	20	2	1922.0	1387. 0	-	
			8	225245.0	98.5	20	3	1839.0	1746.0	1389.0	
			9	371906.0	57.9	20	1	1193.0	-	-	
			10	514197.0	95.9	20	3	1659.0	1870.0	1066.0	
			11	63561.0	53.5	20	1	1162.0	-	-	
			12	207510.0	92.0	20	3	1745.0	1654.0	1458.0	
			13	353638.0	57.3	20	1	1834.0	-	-	
			14	497515.0	70.5	20	2	1684.0	1586.0	-	
			15	45553.0	70.0	20	2	1042.0	1664.0	-	
			16	189821.0	84.0	20	3	1765.0	1630.0	1176.0	
			17	335330.0	76.1	20	2	1557.0	1057.0	-	
			18	478825.0	93.2	20	3	1985.0	1018.0	1340.0	
			19	27594.0	96.8	20	3	1760.0	1614.0	1817.0	
	Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	247117.0	50.1	12	1	1841.0	-	-	
			1	453362.0	93.5	12	3	1590.0	1081.0	1413.0	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions/Fer

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsg t (86–512) 62992980 sgs.china



Report No.: SUCR240400012707

Rev.: 01

Page: 81 of 117

### Radar Type 5 - Trial 23

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
	Download	23	Type 5	14	0.8571429	12.0000000	5. 497700000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	247117.0	50.1	12	1	1841.0	-	-
			1	453362.0	93.5	12	3	1590.0	1081.0	1413.0
			2	660875.0	68.8	12	2	1707.0	1577.0	-
			3	14140.0	56.3	12	1	1056.0	-	-
			4	220734.0	86.0	12	3	1953.0	1108.0	1987.0
			5	428367.0	75. 2	12	2	1572.0	1536.0	-
			6	636681.0	54.4	12	1	1517.0	-	-
			7	843157.0	71.1	12	2	1329.0	1243.0	-
			8	195585.0	76.2	12	2	1940.0	1770.0	-
_			9	403231.0	80.2	12	2	1098.0	1209.0	-
_			10	610202.0	79. 7	12	2	1588.0	1214.0	-
_			11	815229.0	90.9	12	3	1615.0	1862.0	1601.0
			12	170267.0	68. 7	12	2	1377.0	1441.0	-
			13	377306.0	67.4	12	2	1872.0	1313.0	-
⊟	Download	24	Туре 5	13	0.9230769	12.0000000	5. 498100000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	628071.0	94.0	11	3	1643.0	1748.0	1941.0
			1	853391.0	70.8	11	2	1177.0	1201.0	-
			2	156223.0	56.3	11	1	1006.0	-	-
			3	378734.0	96. 7	11	3	1230.0	1163.0	1332.0
			4	601331.0	90.6	11	3	1217.0	1582.0	1498.0
			5	825462.0	74.5	11	2	1569.0	1281.0	-
			6	128265.0	92.6	11	3	1065.0	1669.0	1222.0
			7	351161.0	89.0	11	3	1493.0	1135.0	1380.0
			8	573425.0	96.5	11	3	1607.0	1822.0	1602.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 82 of 117

#### Radar Type 5 - Trial 24

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
	Download	24	Type 5	13	0.9230769	12.0000000	5. 498100000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	628071.0	94.0	11	3	1643.0	1748.0	1941.0
			1	853391.0	70.8	11	2	1177.0	1201.0	-
			2	156223.0	56.3	11	1	1006.0	-	-
			3	378734.0	96. 7	11	3	1230.0	1163.0	1332.0
			4	601331.0	90.6	11	3	1217.0	1582.0	1498.0
			5	825462.0	74.5	11	2	1569.0	1281.0	_
			6	128265.0	92.6	11	3	1065.0	1669.0	1222.0
			7	351161.0	89.0	11	3	1493.0	1135.0	1380.0
			8	573425.0	96.5	11	3	1607.0	1822.0	1602.0
			9	798431.0	70.5	11	2	1141.0	1178.0	-
			10	100737.0	94.0	11	3	1009.0	1629.0	1956.0
			11	324661.0	55.8	11	1	1290.0	-	-
			12	546278.0	87. 7	11	3	1435.0	1963.0	1164.0
	Download	25	Type 5	8	1.5000000	12.0000000	5.500500000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	1253842.0	68.6	5	2	1306.0	1161.0	-
			1	119486.0	83.1	5	2	1420.0	1315.0	-
			2	482958.0	60.9	5	1	1687.0	-	-
			3	845641.0	77. 7	5	2	1776.0	1158.0	-
			4	1208428.0	77. 4	5	2	1793.0	1510.0	_
			5	74748.0	66.8	5	2	1576.0	1323.0	-
			6	438300.0	63. 7	5	1	1333.0	-	-
			7	800152.0	91.2	5	3	1409.0	1681.0	1275.0
⊟	Download	26	Type 5	17	0. 7058824	12.0000000	5. 496100000			
				Burst	Pulse	Chirp	Number of			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forger or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 83 of 117

### Radar Type 5 - Trial 25

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)				
	Download	25	Type 5	8	1.5000000	12.0000000	5.500500000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	1253842.0	68.6	5	2	1306.0	1161.0	-	
			1	119486.0	83.1	5	2	1420.0	1315.0	-	
			2	482958.0	60.9	5	1	1687.0	-	-	
			3	845641.0	77. 7	5	2	1776.0	1158.0	-	
			4	1208428.0	77. 4	5	2	1793.0	1510.0	-	
			5	74748.0	66.8	5	2	1576.0	1323.0	-	
			6	438300.0	63. 7	5	1	1333.0	-	-	
			7	800152.0	91.2	5	3	1409.0	1681.0	1275.0	
	Download	26	Type 5	17	0. 7058824	12.0000000	5.496100000				
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)	
			0	545865.0	83.6	16	3	1632.0	1195.0	1000.0	
			1	14067.0	89.4	16	3	1173.0	1627.0	1656.0	
			2	184953.0	55.8	16	1	1532.0	-	-	
			3	353759.0	90.9	16	3	1981.0	1554.0	1998.0	
			4	526388.0	54. 7	16	1	1825.0	_	-	
			5	694806.0	97. 7	16	3	1734.0	1202.0	1250.0	
			6	163568.0	67.5	16	2	1571.0	1434.0	-	
			7	333410.0	96. 7	16	3	1589.0	1469.0	1268.0	
			8	504006.0	68.3	16	2	1750.0	1954.0	-	
			9	675297.0	78.3	16	2	1591.0	1082.0	-	
Т			10	142890.0	55.0	16	1	1427.0	-	-	
			11	312479.0	84.9	16	3	1129.0	1936.0	1199.0	
			12	482953.0	74.6	16	2	1959.0	1856. 0	-	
			13	655022.0	63.3	16	1	1885.0	-	-	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

84 of 117 Page:

#### Radar Type 5 - Trial 26

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
	Download	26	Type 5	17	0. 7058824	12.0000000	5. 496100000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	545865.0	83.6	16	3	1632.0	1195.0	1000.0
			1	14067.0	89.4	16	3	1173.0	1627.0	1656.0
			2	184953.0	55.8	16	1	1532.0	-	_
			3	353759.0	90.9	16	3	1981.0	1554.0	1998.0
			4	526388.0	54. 7	16	1	1825.0	-	-
			5	694806.0	97. 7	16	3	1734.0	1202.0	1250.0
			6	163568.0	67.5	16	2	1571.0	1434.0	-
			7	333410.0	96. 7	16	3	1589.0	1469.0	1268.0
			8	504006.0	68.3	16	2	1750.0	1954.0	-
			9	675297.0	78. 3	16	2	1591.0	1082.0	-
			10	142890.0	55.0	16	1	1427.0	-	-
			11	312479.0	84.9	16	3	1129.0	1936.0	1199.0
_			12	482953.0	74.6	16	2	1959.0	1856.0	-
_			13	655022.0	63.3	16	1	1885.0	-	-
			14	121457.0	99.8	16	3	1035.0	1515.0	1120.0
			15	292606.0	63.6	16	1	1647.0	-	-
T			16	461322.0	87.3	16	3	1931.0	1051.0	1831.0
	Download	27	Type 5	19	0.6315789	12.0000000	5. 494900000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	565136.0	85.6	19	3	1946.0	1078.0	1015.0
			1	89970.0	68.6	19	2	1029.0	1780.0	_
			2	243121.0	54.2	19	1	1111.0	_	-
			3	396034.0	61.2	19	1	1104.0	-	-
			4	546225.0	97.1	19	3	1157.0	1969.0	1100.0



South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 85 of 117

#### Radar Type 5 - Trial 27

		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
	Download	27	Type 5	19	0.6315789	12.0000000	5. 494900000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	565136.0	85.6	19	3	1946.0	1078.0	1015.0
			1	89970.0	68.6	19	2	1029.0	1780.0	-
			2	243121.0	54.2	19	1	1111.0	-	-
			3	396034.0	61.2	19	1	1104.0	-	-
			4	546225.0	97.1	19	3	1157.0	1969.0	1100.0
			5	70998.0	98.3	19	3	1142.0	1699.0	1622.0
			6	224093.0	62.4	19	1	1655.0	-	-
			7	376127.0	80.2	19	2	1126.0	1769.0	-
			8	527806.0	87.5	19	3	1216.0	1448.0	1179.0
			9	52247.0	85.8	19	3	1847.0	1348.0	1472.0
			10	204582.0	88.1	19	3	1023.0	1124.0	1631.0
			11	357941.0	65.3	19	1	1848.0	-	-
			12	510977.0	52.5	19	1	1470.0	-	-
			13	33698.0	52.3	19	1	1312.0	-	-
			14	186023.0	74. 1	19	2	1915.0	1200.0	-
			15	339327.0	54.9	19	1	1479.0	-	-
			16	491053.0	76.2	19	2	1376.0	1502.0	-
			17	14858.0	60.4	19	1	1758.0	_	-
			18	167387.0	81.5	19	2	1491.0	1103.0	-
Θ	Download	28	Type 5	12	1.0000000	12.0000000	5. 498500000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	507709.0	50.5	10	1	1857.0	-	-
			1	750249.0	55. 7	10	1	1246.0	-	-
			2	989003.0	85.8	10	3	1774.0	1002.0	1967.0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 ww t (86–512) 62992980 sgs



Report No.: SUCR240400012707

Rev.: 01

Page: 86 of 117

#### Radar Type 5 - Trial 28

Tr	ial List —									
		Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
	Download	28	Type 5	12	1.0000000	12.0000000	5. 498500000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	507709.0	50.5	10	1	1857.0	-	-
			1	750249.0	55. 7	10	1	1246.0	-	-
			2	989003.0	85.8	10	3	1774.0	1002.0	1967.0
			3	235634.0	76.9	10	2	1125.0	1474.0	-
			4	477675.0	75. 1	10	2	1254.0	1052.0	-
			5	718312.0	92.3	10	3	1180.0	1486.0	1492.0
			6	960895.0	78. 1	10	2	1301.0	1757.0	-
			7	205370.0	92.2	10	3	1898.0	1252.0	1713.0
			8	446940.0	89.0	10	3	1260.0	1706.0	1411.0
			9	689225.0	70.9	10	2	1578.0	1620.0	-
			10	932305.0	63.1	10	1	1782.0	-	-
			11	176231.0	55.3	10	1	1522.0	_	-
	Download	29	Type 5	18	0.6666667	12.0000000	5. 495700000			
			Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
			0	277485.0	83. 4	17	3	1454.0	1205.0	1801.0
			1	437880.0	97.3	17	3	1319.0	1826.0	1635.0
			2	598445.0	90.4	17	3	1079.0	1986.0	1674.0
			3	97088.0	91.8	17	3	1563.0	1151.0	1802.0
			4	257251.0	98.2	17	3	1876.0	1977. 0	1766.0
			5	419893.0	59.5	17	1	1952.0	_	-
			6	580724.0	80.0	17	2	1253.0	1137.0	_
			7	77366.0	86.5	17	3	1054.0	1128.0	1828.0
			8	238032.0	91.1	17	3	1105.0	1599.0	1442.0
			a	308605 0	93 E	17	3	1867 N	1373 N	1087 0



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsg t (86–512) 62992980 sgs.chinar



Report No.: SUCR240400012707

Rev.: 01

Page: 87 of 117

### Radar Type 5 - Trial 29

	Trial Id	Radar Type	Number of Bursts	Burst Period (s)	Waveform Length (s)	Center Frequency (GHz)			
		6	960895.0	78. 1	10	2	1301.0	1757.0	-
		7	205370.0	92.2	10	3	1898.0	1252.0	1713.0
		8	446940.0	89.0	10	3	1260.0	1706.0	1411.0
		9	689225.0	70.9	10	2	1578.0	1620.0	-
		10	932305.0	63.1	10	1	1782.0	_	-
		11	176231.0	55.3	10	1	1522.0	-	-
Download	29	Type 5	18	0.6666667	12.0000000	5. 495700000			
		Burst ID	Burst Offset (us)	Pulse Width (us)	Chirp Width (MHz)	Number of Pulses per Burst	PRI-1 (us)	PRI-2 (us)	PRI-3 (us)
		0	277485.0	83. 4	17	3	1454.0	1205.0	1801.0
		1	437880.0	97.3	17	3	1319.0	1826.0	1635.0
		2	598445.0	90.4	17	3	1079.0	1986.0	1674.0
		3	97088.0	91.8	17	3	1563.0	1151.0	1802.0
		4	257251.0	98.2	17	3	1876.0	1977.0	1766.0
		5	419893.0	59.5	17	1	1952.0	-	-
		6	580724.0	80.0	17	2	1253.0	1137.0	-
		7	77366.0	86.5	17	3	1054.0	1128.0	1828.0
		8	238032.0	91.1	17	3	1105.0	1599.0	1442.0
		9	398605.0	93.5	17	3	1867.0	1373.0	1087.0
		10	562025.0	60. 7	17	1	1033.0	_	-
		11	57684.0	67.2	17	2	1288.0	1405.0	-
		12	219083.0	61.8	17	1	1585.0	-	-
		13	379234.0	79.4	17	2	1933.0	1667.0	-
		14	540896.0	81.4	17	2	1096.0	1464.0	-
		15	37916.0	65. 7	17	1	1496.0	-	-
		16	198794.0	76.0	17	2	1733.0	1255.0	-
		17	359754.0	81.0	17	2	1326.0	1668.0	-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SUCR240400012707

Rev.: 01

Page: 88 of 117

#### Radar Type 6 - Trial 0

Tr	ial List —								
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
	Download	0	Туре 6	1.0	333.3	9	0.3333	300.0000000	21
			Frequency List (MHz)	0	1	2	3	4	
			0	5364	5717	5334	5705	5549	
			5	5312	5260	5635	5503	5570	
			10	5347	5508	5292	5447	5588	
			15	5621	5638	5296	5482	5455	
			20	5636	5593	5434	5306	5411	
			25	5556	5378	5478	5432	5341	
			30	5438	5294	5496	5285	5327	
			35	5293	5502	5277	5403	5330	
			40	5612	5720	5544	5615	5561	
			45	5676	5704	5366	5290	5387	
			50	5278	5723	5383	5368	5263	
			55	5630	5375	5718	5281	5604	
			60	5453	5509	5479	5400	5262	
			65	5354	5467	5545	5466	5611	
			70	5715	5402	5568	5641	5396	
			75	5567	5557	5674	5359	5392	
			80	5313	5537	5258	5475	5272	
			85	5388	5474	5555	5410	5355	
			90	5517	5382	5386	5664	5697	
			95	5721	5268	5489	5706	5525	
	Download	1	Туре 6	1.0	333.3	9	0.3333	300.0000000	16
			Frequency List (MHz)	0	1	2	3	4	
			0	5619	5578	5270	5294	5354	
			5	5660	5710	5666	5399	5656	
			10	5297	5333	5642	5609	5709	
			15	5668	5527	5647	5547	5284	
			20	5375	5395	5384	5444	5705	
			25	5584	5536	5480	5658	5453	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sg t (86–512) 62992980 sgs.chir



Report No.: SUCR240400012707

Rev.: 01

Page: 89 of 117

#### Radar Type 6 - Trial 1

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
	Download	1	Type 6	1.0	333.3	9	0.3333	300.0000000	16
			Frequency List (MHz)	0	1	2	3	4	
			0	5619	5578	5270	5294	5354	
			5	5660	5710	5666	5399	5656	
			10	5297	5333	5642	5609	5709	
			15	5668	5527	5647	5547	5284	
			20	5375	5395	5384	5444	5705	
			25	5584	5536	5480	5658	5453	
			30	5403	5576	5588	5641	5465	
			35	5674	5580	5623	5559	5627	
			40	5553	5704	5673	5633	5724	
			45	5373	5348	5331	5513	5637	
			50	5544	5314	5585	5697	5257	
			55	5672	5471	5423	5424	5638	
			60	5644	5345	5569	5655	5413	
			65	5271	5415	5550	5371	5335	
			70	5382	5416	5533	5706	5558	
			75	5535	5692	5256	5436	5716	
			80	5385	5669	5458	5349	5456	
			85	5336	5634	5703	5352	5280	
			90	5506	5313	5690	5326	5631	
			95	5628	5546	5289	5490	5590	
Θ.	Download	2	Туре 6	1.0	333.3	9	0.3333	300.0000000	18
			Frequency List (MHz)	0	1	2	3	4	
			0	5302	5342	5681	5455	5611	
			5	5493	5682	5310	5257	5606	
			10	5587	5561	5374	5362	5630	
			15	5322	5320	5502	5475	5364	
			20	5555	5353	5316	5387	5357	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SUCR240400012707

Rev.: 01

Page: 90 of 117

#### Radar Type 6 - Trial 2

Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Θ	Download	2	Type 6	1.0	333.3	9	0.3333	300.0000000	18	
			Frequency List (MHz)	0	1	2	3	4		
			0	5302	5342	5681	5455	5611		
			5	5493	5682	5310	5257	5606		
			10	5587	5561	5374	5362	5630		
			15	5322	5320	5502	5475	5364		
			20	5555	5353	5316	5387	5357		
			25	5332	5654	5312	5262	5409		
			30	5522	5547	5410	5618	5253		
			35	5311	5683	5556	5470	5258		
			40	5537	5398	5710	5491	5469		
			45	5670	5465	5704	5456	5406		
			50	5384	5400	5513	5720	5365		
			55	5296	5276	5641	5445	5626		
			60	5564	5620	5395	5334	5290		
			65	5401	5578	5359	5569	5586		
			70	5282	5649	5407	5368	5647		
			75	5643	5509	5592	5675	5678		
			80	5581	5275	5381	5512	5600		
			85	5304	5382	5389	5458	5666		
			90	5419	5642	5350	5526	5519		
			95	5709	5692	5418	5653	5354		
+	Download	3	Type 6	1.0	333.3	9	0.3333	300.0000000	22	
+	Download	4	Type 6	1.0	333.3	9	0.3333	300.0000000	21	
+	Download	5	Type 6	1.0	333.3	9	0.3333	300.0000000	19	
+	Download	6	Type 6	1.0	333.3	9	0.3333	300.0000000	17	
+	Download	7	Type 6	1.0	333.3	9	0.3333	300.0000000	17	
( <del>+</del> )	Download	8	Timo 6	1.0	333 3	a	U 3333	300_000000	27	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86–512) 62992980 w t (86–512) 62992980 sq



Report No.: SUCR240400012707

Rev.: 01

91 of 117 Page:

### Radar Type 6 - Trial 3

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
Ξ	Download	3	Type 6	1.0	333.3	9	0.3333	300.0000000	22
			Frequency List (MHz)	0	1	2	3	4	
			0	5557	5581	5617	5616	5356	
			5	5535	5704	5385	5420	5338	
			10	5518	5350	5415	5651	5313	
			15	5447	5605	5520	5653	5563	
			20	5519	5257	5476	5330	5598	
			25	5506	5515	5366	5443	5661	
			30	5533	5367	5358	5502	5606	
			35	5347	5647	5266	5411	5451	
			40	5334	5332	5709	5667	5394	
			45	5684	5539	5464	5437	5665	
			50	5389	5421	5416	5574	5488	
			55	5536	5580	5279	5439	5324	
			60	5499	5710	5708	5404	5305	
			65	5295	5525	5589	5359	5452	
			70	5576	5272	5492	5388	5551	
			75	5547	5323	5724	5256	5721	
			80	5293	5379	5584	5361	5508	
			85	5479	5693	5341	5655	5715	
			90	5629	5494	5401	5637	5423	
			95	5280	5316	5662	5281	5649	
	Download	4	Туре 6	1.0	333.3	9	0. 3333	300.0000000	21
			Frequency List (MHz)	0	1	2	3	4	
			0	5337	5345	5553	5302	5673	
			5	5577	5629	5460	5583	5642	
			10	5352	5614	5456	5655	5672	
			15	5401	5574	5611	5565	5370	
			20	5571	5588	5295	5468	5303	
			25	E400	ESES	E710	E 470	Epon	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国・苏州・中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的0号厂房南部 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn t (86-512) 62992980

sgs.china@sgs.com



Report No.: SUCR240400012707

Rev.: 01

Page: 92 of 117

### Radar Type 6 - Trial 4

		1		1		1		w	1
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
Ξ	Download	4	Type 6	1.0	333.3	9	0. 3333	300.0000000	21
			Frequency List (MHz)	0	1	2	3	4	
			0	5337	5345	5553	5302	5673	
			5	5577	5629	5460	5583	5642	
			10	5352	5614	5456	5655	5672	
			15	5401	5574	5611	5565	5370	
			20	5571	5588	5295	5468	5303	
_			25	5486	5358	5718	5470	5380	
			30	5703	5422	5324	5573	5654	
_			35	5426	5263	5634	5661	5462	
			40	5648	5498	5270	5474	5664	
_			45	5701	5622	5425	5490	5552	
			50	5265	5597	5467	5300	5432	
			55	5724	5437	5469	5258	5715	
			60	5453	5277	5637	5705	5348	
			65	5593	5262	5561	5251	5255	
			70	5275	5341	5364	5510	5516	
			75	5346	5712	5504	5549	5356	
			80	5527	5376	5264	5447	5442	
			85	5454	5658	5428	5544	5374	
			90	5343	5663	5478	5689	5384	
			95	5372	5707	5274	5292	5466	
	Download	5	Type 6	1.0	333.3	9	0. 3333	300,0000000	19
			Frequency List (MHz)	0	1	2	3	4	
			0	5592	5584	5489	5463	5418	
			5	5619	5651	5535	5271	5374	
			10	5283	5500	5594	5375	5693	
			15	5604	5714	5610	5562	5482	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 93 of 117

#### Radar Type 6 - Trial 5

Tr	ial List —									_
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
3	Download	5	Type 6	1.0	333.3	9	0. 3333	300.0000000	19	
			Frequency List (MHz)	0	1	2	3	4		
			0	5592	5584	5489	5463	5418		
			5	5619	5651	5535	5271	5374		
			10	5283	5500	5594	5375	5693		
			15	5604	5714	5610	5562	5482		
			20	5279	5711	5557	5276	5277		
			25	5307	5446	5574	5414	5270		
			30	5408	5281	5691	5428	5624		
			35	5625	5354	5430	5339	5376		
			40	5487	5581	5683	5617	5630		
			45	5644	5705	5483	5342	5519		
			50	5298	5518	5563	5598	5437		
			55	5391	5659	5455	5686	5582		
			60	5697	5469	5628	5294	5319		
			65	5597	5631	5521	5436	5423		
			70	5278	5665	5340	5485	5466		
			75	5438	5315	5275	5614	5330		
			80	5520	5590	5596	5264	5289		
			85	5405	5646	5526	5346	5676		
			90	5267	5539	5349	5600	5258		
			95	5671	5533	5345	5587	5523		
3	Download	6	Туре 6	1.0	333.3	9	0.3333	300.0000000	17	
			Frequency List (MHz)	0	1	2	3	4		
			0	5372	5348	5425	5624	5260		
			5	5283	5576	5610	5434	5581		
			10	5689	5289	5635	5570	5714		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 94 of 117

### Radar Type 6 - Trial 6

_	ial List	1	1	1	1	1	1	m	
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
Θ	Download	6	Type 6	1.0	333.3	9	0.3333	300.0000000	17
			Frequency List (MHz)	0	1	2	3	4	
			0	5372	5348	5425	5624	5260	
			5	5283	5576	5610	5434	5581	
			10	5689	5289	5635	5570	5714	
			15	5577	5256	5342	5558	5279	
			20	5490	5652	5549	5724	5640	
			25	5634	5552	5300	5448	5409	
			30	5297	5713	5431	5580	5444	
			35	5667	5445	5701	5492	5290	
			40	5326	5286	5621	5382	5280	
			45	5559	5313	5541	5499	5704	
			50	5395	5474	5569	5274	5421	
			55	5698	5625	5345	5374	5657	
			60	5711	5519	5642	5301	5454	
			65	5715	5520	5536	5366	5413	
			70	5414	5378	5417	5316	5428	
			75	5357	5586	5484	5296	5430	
			80	5627	5684	5653	5273	5606	
			85	5465	5363	5491	5352	5355	
			90	5518	5631	5688	5588	5329	
			95	5485	5502	5590	5390	5531	
	Download	7	Type 6	1.0	333.3	9	0.3333	300.0000000	17
			Frequency List (MHz)	0	1	2	3	4	
			0	5530	5587	5361	5310	5480	
			5	5325	5598	5685	5500	5410	
			10	5523	5553	5676	5290	5260	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg



Report No.: SUCR240400012707

Rev.: 01

95 of 117 Page:

### Radar Type 6 - Trial 7

			1	1			1	w!		
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Ξ	Download	7	Type 6	1.0	333.3	9	0.3333	300.0000000	17	
			Frequency List (MHz)	0	1	2	3	4		
			0	5530	5587	5361	5310	5480		
			5	5325	5598	5685	5500	5410		
			10	5523	5553	5676	5290	5260		
			15	5568	5383	5445	5603	5471		
_			20	5498	5514	5690	5638	5697	$\perp$	
			25	5431	5583	5280	5404	5482	ļ	
			30	5451	5661	5670	5646	5354		
			35	5642	5331	5633	5594	5267		
			40	5301	5640	5369	5559	5622		
			45	5277	5391	5507	5396	5502		
			50	5552	5494	5271	5650	5620		
			55	5363	5719	5545	5338	5299		
			60	5564	5628	5268	5684	5608		
			65	5283	5343	5584	5572	5673		
			70	5683	5517	5492	5381	5266		
			75	5292	5387	5326	5706	5627		
			80	5682	5262	5367	5276	5716		
			85	5270	5511	5428	5458	5359		
			90	5351	5600	5285	5394	5571		
			95	5400	5265	5327	5643	5313		
Ξ	Download	8	Type 6	1.0	333.3	9	0. 3333	300.0000000	27	
			Frequency List (MHz)	0	1	2	3	4		
			0	5310	5351	5297	5374	5322		
Ī			5	5367	5523	5285	5663	5617		
			10	5454	5342	5717	5485	5281		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编:215000

t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 96 of 117

#### Radar Type 6 - Trial 8

Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	_
⊟	Download	8	Туре 6	1.0	333.3	9	0.3333	300.0000000	27	
			Frequency List (MHz)	0	1	2	3	4		
			0	5310	5351	5297	5374	5322		
			5	5367	5523	5285	5663	5617		
			10	5454	5342	5717	5485	5281		
			15	5656	5510	5548	5648	5409		
			20	5680	5631	5630	5670	5319		
			25	5435	5483	5508	5516	5493		
			30	5647	5627	5386	5506	5462		
			35	5470	5724	5390	5420	5690		
_			40	5576	5452	5497	5387	5274		
			45	5320	5487	5479	5560	5605		
			50	5381	5622	5671	5445	5489		
			55	5526	5253	5279	5502	5397		
_			60	5629	5440	5678	5704	5544		
			65	5533	5608	5408	5478	5655		
			70	5481	5590	5268	5346	5673		
			75	5254	5295	5258	5459	5372		
			80	5623	5401	5267	5706	5545	1 1	
			85	5488	5650	5324	5305	5373		
			90	5559	5464	5660	5344	5698		
			95	5394	5378	5363	5321	5311		_
	Download	9	Type 6	1.0	333.3	9	0.3333	300.0000000	20	
			Frequency List (MHz)	0	1	2	3	4		
			0	5565	5590	5708	5535	5542		
			5	5409	5545	5360	5351	5349		
Т			10	5288	5606	5283	5583	5302		
Ī			15	5269	5637	5554	5693	5380		
			<i>2</i> N	5417	5274	5572	5719	5643		_



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号约6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 97 of 117

#### Radar Type 6 - Trial 9

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Ξ	Download	9	Type 6	1.0	333.3	9	0.3333	300.0000000	20	
			Frequency List (MHz)	0	1	2	3	4		
			0	5565	5590	5708	5535	5542		
			5	5409	5545	5360	5351	5349		
			10	5288	5606	5283	5583	5302		
			15	5269	5637	5554	5693	5380		
			20	5417	5274	5572	5719	5643		
			25	5682	5287	5686	5612	5550		
			30	5632	5536	5584	5504	5280		
			35	5660	5512	5340	5661	5573		
			40	5604	5415	5435	5530	5271		
			45	5627	5467	5562	5618	5658		
			50	5646	5401	5527	5722	5541		
			55	5268	5336	5714	5372	5473		
			60	5526	5539	5574	5369	5650		
			65	5367	5482	5547	5715	5370		
			70	5598	5252	5464	5484	5439		
			75	5622	5305	5642	5374	5341		
			80	5711	5385	5404	5264	5523		
			85	5448	5326	5451	5270	5667		
			90	5356	5621	5303	5724	5470		
			95	5639	5386	5361	5278	5378		
	Download	10	Type 6	1.0	333.3	9	0.3333	300.0000000	20	
			Frequency List (MHz)	0	1	2	3	4		
			0	5345	5354	5644	5696	5384		
			5	5548	5470	5435	5514	5653		
			10	5694	5492	5324	5303	5323		
			15	5357	5667	5657	5641	5572		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg



Report No.: SUCR240400012707

Rev.: 01

Page: 98 of 117

### Radar Type 6 - Trial 10

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
Θ	Download	10	Type 6	1.0	333.3	9	0.3333	300.0000000	20
			Frequency List (MHz)	0	1	2	3	4	
			0	5345	5354	5644	5696	5384	
			5	5548	5470	5435	5514	5653	
			10	5694	5492	5324	5303	5323	
			15	5357	5667	5657	5641	5572	
			20	5425	5440	5610	5711	5616	
			25	5473	5414	5338	5584	5674	
			30	5541	5719	5432	5480	5651	
			35	5431	5457	5348	5615	5254	
			40	5715	5373	5295	5365	5556	
			45	5447	5645	5579	5533	5277	
			50	5703	5298	5252	5566	5280	
			55	5330	5636	5562	5403	5444	
			60	5655	5704	5519	5676	5427	
			65	5596	5568	5583	5450	5640	
			70	5304	5421	5547	5288	5598	
			75	5264	5494	5484	5695	5488	
			80	5495	5660	5293	5527	5639	
			85	5718	5351	5643	5511	5462	
			90	5632	5310	5394	5501	5476	
			95	5576	5327	5378	5333	5362	
	Download	11	Type 6	1.0	333.3	9	0.3333	300.0000000	26
			Frequency List (MHz)	0	1	2	3	4	
			0	5503	5593	5580	5382	5604	
			5	5590	5492	5510	5385	5625	
			10	5281	5365	5498	5344	5348	
			15	5319	5285	5686	5386	5336	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Terms-and-Conditions.aspx.and">https://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents subject to Terms and Conditions for Electronic Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document comment cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suchou Industrial Park, Suchou Area, China (Jiangsu) Plot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SUCR240400012707

Rev.: 01

Page: 99 of 117

### Radar Type 6 - Trial 11

Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Ξ	Download	11	Type 6	1.0	333.3	9	0.3333	300.0000000	26	
			Frequency List (MHz)	0	1	2	3	4		
			0	5503	5593	5580	5382	5604		
			5	5590	5492	5510	5385	5625		
			10	5281	5365	5498	5344	5348		
			15	5319	5285	5686	5386	5336		
			20	5509	5551	5325	5589	5361		
			25	5563	5520	5442	5618	5716		
			30	5411	5459	5681	5300	5315		
			35	5522	5350	5501	5529	5568		
			40	5323	5689	5535	5362	5485		
		45	5427	5253	5637	5667	5628			
			50	5404	5349	5341	5389	5602		
			55	5518	5277	5697	5415	5309		
			60	5394	5464	5508	5639	5391		
			65	5380	5282	5532	5582	5493		
			70	5533	5587	5515	5574	5698		
			75	5483	5614	5530	5676	5265		
			80	5605	5441	5360	5636	5438		
			85	5351	5474	5654	5500	5642		
			90	5321	5579	5482	5610	5684		
			95	5388	5443	5547	5581	5527		
Ξ	Download	12	Type 6	1.0	333.3	9	0.3333	300.0000000	21	
			Frequency List (MHz)	0	1	2	3	4		
			0	5283	5357	5516	5543	5446		
			5	5632	5417	5585	5268	5592		
			10	5459	5545	5406	5693	5365		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 100 of 117

### Radar Type 6 - Trial 12

Т				Pulse			·	Hopping	Visible
		Trial Id	Radar Type	Yulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Sequence Length (ms)	Frequency Number
	Download	12	Type 6	1.0	333.3	9	0.3333	300.0000000	21
			Frequency List (MHz)	0	1	2	3	4	
			0	5283	5357	5516	5543	5446	
			5	5632	5417	5585	5268	5592	
			10	5459	5545	5406	5693	5365	
			15	5436	5388	5256	5578	5344	
			20	5675	5492	5317	5562	5627	
			25	5512	5723	5546	5652	5380	
			30	5300	5455	5674	5358	5498	
			35	5454	5710	5621	5654	5443	
			40	5504	5678	5359	5407	5336	
			45	5695	5720	5685	5580	5400	
			50	5430	5687	5706	5544	5467	
			55	5419	5289	5438	5559	5506	
			60	5340	5554	5329	5558	5327	
			65	5385	5662	5519	5590	5364	
			70	5550	5657	5355	5259	5673	
			75	5420	5618	5697	5524	5275	
			80	5633	5254	5424	5534	5274	
			85	5465	5315	5415	5269	5488	
			90	5547	5566	5616	5509	5427	
			95	5445	5560	5636	5347	5432	
	Download	13	Туре 6	1.0	333.3	9	0.3333	300.0000000	25
			Frequency List (MHz)	0	1	2	3	4	
			0	5538	5596	5452	5704	5666	
			5	5674	5439	5660	5431	5324	
			10	5390	5334	5544	5413	5386	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www t (86–512) 62992980 sgs.



Report No.: SUCR240400012707

Rev.: 01

Page: 101 of 117

### Radar Type 6 - Trial 13

-Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	<b>A</b>
	Download	13	Type 6	1.0	333.3	9	0.3333	300.0000000	25	
			Frequency List (MHz)	0	1	2	3	4		
			0	5538	5596	5452	5704	5666		
			5	5674	5439	5660	5431	5324		
			10	5390	5334	5544	5413	5386		
_			15	5524	5573	5491	5301	5295		
_			20	5352	5269	5530	5406	5535		
_			25	5515	5364	5451	5650	5686		
_			30	5422	5664	5412	5317	5607		
_			35	5318	5496	5326	5417	5429		
_			40	5454	5343	5489	5565	5443		
_			45	5356	5721	5387	5419	5656		
_			50	5298	5475	5283	5281	5519		
_			55	5393	5498	5657	5713	5260		
_			60	5470	5724	5647	5477	5531		
			65	5278	5594	5597	5663	5259		
			70	5505	5690	5688	5526	5282		
_			75	5719	5638	5672	5253	5478		
_			80	5338	5630	5450	5632	5266		
			85	5497	5466	5333	5366	5339		
-			90	5434	5591	5581	5351	5250		
			95	5411	5442	5264	5545	5527		
⊟	Download	14	Type 6	1.0	333.3	9	0. 3333	300.0000000	20	
			Frequency List (MHz)	0	1	2	3	4		
			0	5318	5360	5388	5390	5508		
			5	5338	5364	5260	5594	5628		
			10	5321	5598	5585	5511	5407		
			15	5612	5700	5497	5724	5487		-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 102 of 117

### Radar Type 6 - Trial 14

-Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	_
□	Download	14	Type 6	1.0	333.3	9	0.3333	300.0000000	20	
			Frequency List (MHz)	0	1	2	3	4		
			0	5318	5360	5388	5390	5508		
			5	5338	5364	5260	5594	5628		
_			10	5321	5598	5585	5511	5407		
_			15	5612	5700	5497	5724	5487		
_			20	5263	5435	5471	5398	5306		
			25	5691	5654	5279	5720	5464		
			30	5650	5369	5532	5284	5516		
			35	5635	5417	5310	5582	5368		
			40	5657	5669	5503	5683	5353		
			45	5553	5270	5502	5714	5351		
			50	5362	5634	5457	5608	5711		
			55	5337	5607	5452	5372	5706		
			60	5599	5414	5396	5576	5303		
			65	5574	5616	5702	5533	5534		
			70	5489	5466	5428	5588	5693		
			75	5537	5478	5293	5402	5387		
			80	5716	5449	5266	5259	5377		
			85	5401	5627	5645	5632	5583		
			90	5557	5561	5298	5320	5339		
			95	5597	5518	5708	5262	5543		
⊟	Download	15	Type 6	1.0	333.3	9	0. 3333	300.0000000	20	
			Frequency List (MHz)	0	1	2	3	4		
			0	5573	5599	5324	5551	5253		
			5	5380	5386	5335	5660	5360		
			10	5630	5484	5626	5706	5428		▼



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 103 of 117

### Radar Type 6 - Trial 15

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
3	Download	15	Type 6	1.0	333.3	9	0.3333	300.0000000	20	
			Frequency List (MHz)	0	1	2	3	4		
			0	5573	5599	5324	5551	5253		
			5	5380	5386	5335	5660	5360		
			10	5630	5484	5626	5706	5428		
			15	5603	5255	5600	5294	5679		
			20	5271	5504	5412	5487	5481		
			25	5669	5640	5382	5480	5279		
			30	5506	5539	5326	5272	5533		
			35	5336	5299	5508	5581	5260		
			40	5282	5496	5277	5441	5448		
			45	5447	5482	5250	5585	5297		
			50	5404	5627	5510	5633	5553		
			55	5319	5534	5659	5320	5406		
			60	5562	5351	5677	5579	5438		
			65	5408	5604	5520	5342	5651		
			70	5569	5366	5284	5647	5500		
			75	5574	5318	5289	5381	5437		
Т			80	5522	5530	5697	5701	5376		
Т			85	5515	5444	5561	5624	5365		
			90	5535	5278	5641	5371	5587		
			95	5357	5552	5493	5560	5608		
	Download	16	Type 6	1.0	333.3	9	0.3333	300.0000000	20	
			Frequency List (MHz)	0	1	2	3	4		
			0	5256	5460	5260	5615	5570		
			5	5422	5311	5410	5348	5567		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SUCR240400012707

Rev.: 01

Page: 104 of 117

### Radar Type 6 - Trial 16

Tr	ial List									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	-
Ξ	Download	16	Type 6	1.0	333.3	9	0.3333	300.0000000	20	
			Frequency List (MHz)	0	1	2	3	4		
			0	5256	5460	5260	5615	5570		
			5	5422	5311	5410	5348	5567		
			10	5561	5273	5667	5426	5449		
			15	5691	5382	5703	5339	5396		
			20	5279	5670	5353	5479	5454		
			25	5557	5492	5488	5584	5313		
			30	5645	5525	5283	5487	5685		
			35	5534	5341	5599	5377	5413		
			40	5671	5335	5360	5379	5591		
			45	5444	5411	5705	5668	5258		
			50	5457	5514	5289	5334	5604		
			55	5408	5357	5603	5263	5655		
			60	5548	5551	5269	5383	5715		
			65	5527	5466	5640	5600	5508		
			70	5576	5651	5450	5669	5560		
			75	5321	5613	5609	5642	5678		
			80	5478	5486	5296	5608	5624		
			85	5524	5438	5364	5580	5470		
			90	5606	5325	5555	5489	5375		
			95	5480	5674	5663	5282	5573		
3	Download	17	Type 6	1.0	333.3	9	0.3333	300.0000000	26	
			Frequency List (MHz)	0	1	2	3	4		
			0	5511	5699	5671	5301	5315		
			5	5464	5333	5485	5396	5492		
			10	5537	5708	5621	5470	5304		
			15	EEOG	E331	E287	EE88	EGGE		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SUCR240400012707

Rev.: 01

Page: 105 of 117

### Radar Type 6 - Trial 17

 ial List —	1	1		1	1	1	nr	1
	Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
Download	17	Type 6	1.0	333.3	9	0.3333	300.0000000	26
		Frequency List (MHz)	0	1	2	3	4	
		0	5511	5699	5671	5301	5315	
		5	5464	5333	5485	5396	5492	
		10	5537	5708	5621	5470	5304	
		15	5509	5331	5287	5588	5665	
		20	5264	5391	5568	5427	5348	
		25	5441	5691	5688	5347	5687	
		30	5414	5715	5605	5459	5354	
		35	5480	5312	5648	5663	5682	
		40	5271	5540	5317	5356	5718	
		45	5685	5276	5316	5413	5640	
		50	5510	5655	5497	5558	5450	
		55	5599	5692	5370	5367	5522	
		60	5434	5328	5547	5353	5412	
		65	5366	5549	5544	5408	5446	
		70	5253	5266	5546	5421	5462	
		75	5355	5481	5719	5659	5633	
		80	5499	5552	5297	5521	5280	
		85	5438	5681	5543	5565	5474	
		90	5279	5608	5375	5619	5712	
		95	5523	5257	5541	5507	5261	
Download	18	Туре 6	1.0	333.3	9	0.3333	300.0000000	17
		Frequency List (MHz)	0	1	2	3	4	
		0	5291	5463	5607	5462	5632	
		5	5603	5258	5560	5674	5326	
		10	5274	5341	5491	5392	5636	
		15	5434	5332	5305	5673	5430	
		20	E400	F711	E000	E410	E017	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SUCR240400012707

Rev.: 01

Page: 106 of 117

### Radar Type 6 - Trial 18

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
3	Download	18	Type 6	1.0	333.3	9	0.3333	300.0000000	17
			Frequency List (MHz)	0	1	2	3	4	
			0	5291	5463	5607	5462	5632	
			5	5603	5258	5560	5674	5326	
			10	5274	5341	5491	5392	5636	
			15	5434	5332	5305	5673	5430	
			20	5400	5711	5293	5419	5317	
			25	5381	5254	5303	5672	5345	
			30	5611	5649	5619	5403	5541	
			35	5596	5585	5623	5633	5438	
_			40	5647	5665	5359	5374	5466	
			45	5666	5516	5589	5706	5586	
_			50	5394	5312	5646	5661	5493	
			55	5543	5599	5273	5476	5276	
			60	5455	5664	5498	5580	5618	
			65	5338	5531	5435	5629	5424	
			70	5311	5309	5314	5450	5310	
			75	5290	5640	5410	5609	5333	
			80	5461	5275	5518	5572	5620	
			85	5506	5282	5342	5330	5573	
			90	5718	5557	5517	5601	5708	
			95	5298	5525	5405	5304	5682	
⊟	Download	19	Туре 6	1.0	333.3	9	0. 3333	300.0000000	19
			Frequency List (MHz)	0	1	2	3	4	
			0	5546	5702	5543	5623	5377	
			5	5645	5280	5635	5265	5335	
			10	5257	5590	5315	5439	5512	
			15	5383	5288	5440	5594	5681	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printer overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions [Ferms-anDocument.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to it transaction from exercising all their rights and obligations under the transaction document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000 t (86–512) 62992980 w t (86–512) 62992980 sg



Report No.: SUCR240400012707

Rev.: 01

Page: 107 of 117

### Radar Type 6 - Trial 19

Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	_
	Download	19	Type 6	1.0	333.3	9	0.3333	300.0000000	19	
			Frequency List (MHz)	0	1	2	3	4		
			0	5546	5702	5543	5623	5377		
			5	5645	5280	5635	5265	5335		
			10	5257	5590	5315	5439	5512		
			15	5383	5288	5440	5594	5681		
			20	5596	5273	5649	5373	5502		
		1	25	5620	5622	5518	5415	5393		
			30	5289	5629	5560	5385	5372		
			35	5283	5494	5337	5510	5424		
			40	5706	5571	5361	5435	5479		
			45	5442	5519	5456	5392	5290		
			50	5282	5297	5679	5716	5500		
			55	5600	5275	5464	5672	5308		
			60	5577	5401	5390	5447	5450		
			65	5608	5334	5507	5615	5524		
			70	5285	5322	5430	5433	5621		
			75	5662	5719	5589	5528	5515		_
			80	5292	5462	5566	5307	5284		
_			85	5296	5474	5724	5399	5710		
			90	5250	5353	5509	5303	5597		
			95	5407	5428	5562	5678	5300		
⊟	Download	20	Туре 6	1.0	333.3	9	0.3333	300.0000000	22	
			Frequency List (MHz)	0	1	2	3	4		
			0	5704	5466	5479	5309	5597		
			5	5687	5680	5710	5428	5639		
			10	5566	5379	5356	5634	5533		
			15	E471	E318	EE/13	E499	E311		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

108 of 117 Page:

### Radar Type 6 - Trial 20

Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	_
	Download	20	Type 6	1.0	333.3	9	0.3333	300.0000000	22	
			Frequency List (MHz)	0	1	2	3	4		
			0	5704	5466	5479	5309	5597		
			5	5687	5680	5710	5428	5639		
			10	5566	5379	5356	5634	5533		
			15	5471	5318	5543	5422	5311		
_			20	5592	5665	5641	5443	5390		
			25	5569	5350	5622	5449	5435		
_			30	5653	5586	5300	5537	5667		
_			35	5325	5585	5608	5269	5521		
			40	5263	5314	5509	5504	5529		
			45	5408	5528	5525	5393	5572		
			50	5343	5646	5333	5386	5502		
			55	5660	5688	5554	5465	5677		
			60	5338	5326	5454	5260	5615		
			65	5403	5347	5591	5396	5555		
			70	5515	5579	5601	5527	5387		
			75	5261	5707	5291	5550	5602		
			80	5439	5257	5370	5692	5498		
			85	5512	5487	5719	5401	5650		
			90	5335	5402	5255	5659	5722		
			95	5364	5493	5676	5510	5700		
⊟	Download	21	Type 6	1.0	333.3	9	0. 3333	300.0000000	26	
			Frequency List (MHz)	0	1	2	3	4		
			0	5484	5705	5415	5470	5439		
			5	5351	5702	5310	5591	5371		
			10	5497	5265	5494	5354	5554		
			1-	leeeo.		E010	F030	FF00		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编:215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 109 of 117

#### Radar Type 6 - Trial 21

Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	•
	Download	21	Туре 6	1.0	333.3	9	0.3333	300.0000000	26	
			Frequency List (MHz)	0	1	2	3	4		
			0	5484	5705	5415	5470	5439		
			5	5351	5702	5310	5591	5371		
			10	5497	5265	5494	5354	5554		
			15	5559	5445	5646	5370	5503		
			20	5600	5356	5252	5255	5416		
			25	5656	5421	5456	5251	5483		
			30	5477	5542	5543	5418	5311		
			35	5390	5464	5676	5501	5422		
			40	5435	5674	5447	5269	5526		
			45	5337	5508	5608	5451	5625		
			50	5522	5642	5384	5475	5703		
			55	5507	5401	5655	5496	5309		
			60	5455	5619	5680	5326	5414		
			65	5345	5492	5295	5318	5273		
			70	5587	5530	5711	5615	5666		
			75	5638	5670	5622	5583	5691		
			80	5367	5626	5381	5561	5412		
			85	5682	5718	5589	5286	5289		
			90	5553	5314	5329	5261	5465		
			95	5541	5463	5574	5671	5458		
⊟	Download	22	Type 6	1.0	333.3	9	0. 3333	300.0000000	27	
			Frequency List (MHz)	0	1	2	3	4		
			0	5264	5469	5351	5631	5659		
			5	5393	5627	5385	5279	5578		
			10	5428	5529	5535	5549	5575		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 ww t (86–512) 62992980 sg



Report No.: SUCR240400012707

Rev.: 01

Page: 110 of 117

#### Radar Type 6 - Trial 22

Tr	ial List —									_
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Ξ	Download	22	Type 6	1.0	333.3	9	0.3333	300.0000000	27	
			Frequency List (MHz)	0	1	2	3	4		
			0	5264	5469	5351	5631	5659		
			5	5393	5627	5385	5279	5578		
			10	5428	5529	5535	5549	5575		
			15	5647	5572	5274	5415	5695		
			20	5608	5425	5668	5722	5389		
			25	5544	5370	5355	5517	5616		
			30	5528	5500	5633	5463	5685		
			35	5603	5292	5297	5349	5513		
			40	5577	5509	5523	5644	5488		
			45	5691	5412	5678	5495	5398		
			50	5343	5435	5564	5526	5451		
			55	5589	5462	5315	5280	5584		
			60	5309	5625	5336	5615	5294		
			65	5530	5702	5565	5596	5345		
			70	5670	5630	5560	5591	5607		
			75	5693	5468	5477	5407	5545		
			80	5721	5409	5402	5525	5552		
			85	5381	5483	5340	5326	5609		
			90	5494	5364	5499	5423	5465		
			95	5518	5558	5569	5716	5718		
Ξ	Download	23	Type 6	1.0	333.3	9	0.3333	300.0000000	23	
			Frequency List (MHz)	0	1	2	3	4		
			0	5519	5708	5287	5695	5501		
			5	5435	5649	5460	5442	5407		
			10	5262	5318	5576	5269	5596		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 111 of 117

#### Radar Type 6 - Trial 23

-Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	_
⊟	Download	23	Type 6	1.0	333.3	9	0. 3333	300.0000000	23	
			Frequency List (MHz)	0	1	2	3	4		
			0	5519	5708	5287	5695	5501		
			5	5435	5649	5460	5442	5407		
_			10	5262	5318	5576	5269	5596		
			15	5638	5699	5377	5412	5591		
			20	5706	5336	5362	5432	5697		
			25	5387	5556	5454	5658	5417		
			30	5457	5373	5712	5408	5645		
			35	5480	5568	5350	5360	5352		
			40	5660	5323	5652	5520	5573		
			45	5468	5299	5470	5634	5285		
			50	5274	5486	5275	5349	5298		
			55	5680	5416	5463	5512	5251		
			60	5713	5474	5667	5683	5453		
_			65	5282	5438	5718	5566	5534		
			70	5399	5514	5656	5633	5409		
			75	5567	5584	5338	5545	5623		
			80	5490	5663	5612	5309	5406		
-			85	5694	5525	5499	5448	5294		
			90	5574	5332	5659	5370	5436		
			95	5477	5415	5542	5467	5319		
▤	Download	24	Туре 6	1.0	333.3	9	0.3333	300.0000000	19	
			Frequency List (MHz)	0	1	2	3	4		
			0	5299	5472	5698	5381	5721		
			5	5477	5574	5535	5508	5614		
			10	5668	5582	5617	5367	5251		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 112 of 117

### Radar Type 6 - Trial 24

Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	•
	Download	24	Type 6	1.0	333.3	9	0.3333	300.0000000	19	
			Frequency List (MHz)	0	1	2	3	4		
-			0	5299	5472	5698	5381	5721		
			5	5477	5574	5535	5508	5614		
			10	5668	5582	5617	5367	5251		
_			15	5351	5383	5505	5604	5527		
_			20	5660	5647	5328	5335	5549		
			25	5590	5488	5700	5403	5414		
			30	5588	5389	5703	5309	5571		
			35	5364	5503	5274	5666	5365		
			40	5261	5417	5517	5405	5448		
			45	5382	5528	5687	5695	5537		
			50	5717	5393	5370	5653	5331		
			55	5600	5270	5639	5612	5515		
			60	5376	5667	5269	5252	5677		
			65	5586	5642	5258	5636	5543		
_			70	5458	5479	5623	5400	5444		
			75	5301	5372	5428	5341	5575		
			80	5290	5316	5345	5347	5627		
			85	5349	5470	5565	5432	5628		
			90	5676	5447	5672	5552	5468		
			95	5469	5359	5321	5325	5678		
	Download	25	Type 6	1.0	333.3	9	0.3333	300.0000000	19	
			Frequency List (MHz)	0	1	2	3	4		
			0	5457	5711	5634	5542	5563		
			5	5616	5596	5610	5671	5346		
			10	5599	5371	5658	5562	5638		•



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document i advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content of appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (inspection report & certificate, please econtact us at telephone; (86-755) 8307 1443

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编 215000



Report No.: SUCR240400012707

Rev.: 01

Page: 113 of 117

#### Radar Type 6 - Trial 25

_		1	1	I -		1		Hopping	1	
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Sequence Length (ms)	Visible Frequency Number	
3	Download	25	Type 6	1.0	333.3	9	0.3333	300.0000000	19	
			Frequency List (MHz)	0	1	2	3	4		
			0	5457	5711	5634	5542	5563		
			5	5616	5596	5610	5671	5346		
			10	5599	5371	5658	5562	5638		
			15	5339	5381	5486	5453	5321		
			20	5535	5351	5588	5417	5308		
			25	5586	5498	5318	5289	5522		
			30	5364	5292	5706	5426	5448		
			35	5662	5257	5656	5663	5505		
			40	5674	5657	5514	5334	5428		
			45	5465	5489	5265	5437	5404		
			50	5396	5373	5564	5581	5324		
			55	5368	5625	5571	5399	5329		
			60	5557	5347	5677	5271	5462		
			65	5541	5576	5383	5280	5250		
			70	5261	5485	5519	5502	5578		
			75	5525	5604	5652	5613	5700		
			80	5435	5400	5609	5331	5635		
			85	5385	5281	5299	5595	5350		
			90	5382	5407	5695	5546	5683		
			95	5607	5263	5655	5550	5459		
3	Download	26	Type 6	1.0	333.3	9	0.3333	300.0000000	16	
			Frequency List (MHz)	o	1	2	3	4		
			0	5712	5475	5570	5703	5308		
			5	5658	5521	5685	5359	5650		
			10	5433	5257	5699	5282	5659		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 wv t (86–512) 62992980 sg



Report No.: SUCR240400012707

Rev.: 01

Page: 114 of 117

### Radar Type 6 - Trial 26

-Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	<b>A</b>
	Download	26	Type 6	1.0	333.3	9	0.3333	300.0000000	16	
			Frequency List (MHz)	0	1	2	3	4		
			0	5712	5475	5570	5703	5308		
			5	5658	5521	5685	5359	5650		
_			10	5433	5257	5699	5282	5659		
_			15	5427	5508	5589	5498	5610		
			20	5446	5420	5626	5409	5281		
			25	5377	5350	5424	5393	5556		
			30	5406	5656	5328	5315	5721		
			35	5587	5278	5528	5431	5674		
-			40	5441	5531	5515	5422	5608		
			45	5263	5408	5548	5547	5318		
_			50	5324	5280	5572	5639	5542		
			55	5671	5294	5558	5347	5494		
			60	5502	5654	5600	5692	5663		
			65	5662	5577	5311	5414	5661		
			70	5352	5711	5361	5334	5398		
			75	5461	5289	5698	5668	5585		
			80	5429	5723	5481	5629	5595		
			85	5300	5329	5331	5597	5598		
			90	5624	5368	5645	5679	5485		
			95	5707	5563	5591	5636	5537		
▤	Download	27	Type 6	1.0	333.3	9	0.3333	300.0000000	23	
			Frequency List (MHz)	o	1	2	3	4		
			0	5492	5714	5506	5389	5625		
			5	5700	5543	5285	5522	5382		
			10	5364	5521	5265	5477	5680		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Ferms-and-Conditions.aspx.and">http://www.sgs.com/en/Ferms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditions-and-Ferms-and-Con

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 v t (86–512) 62992980 s



Report No.: SUCR240400012707

Rev.: 01

Page: 115 of 117

### Radar Type 6 - Trial 27

Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	_
⊟	Download	27	Type 6	1.0	333.3	9	0. 3333	300.0000000	23	
			Frequency List (MHz)	0	1	2	3	4		
			0	5492	5714	5506	5389	5625		
			5	5700	5543	5285	5522	5382		
			10	5364	5521	5265	5477	5680		
			15	5418	5635	5692	5327	5454		
			20	5586	5567	5498	5254	5299		
			25	5627	5594	5590	5448	5642		
			30	5661	5564	5541	5629	5369		
			35	5324	5584	5588	5280	5614		
			40	5453	5565	5605	5570	5291		
			45	5631	5371	5589	5534	5273		
			50	5690	5494	5355	5482	5707		
			55	5641	5513	5657	5659	5544		
			60	5486	5426	5638	5611	5516		
			65	5618	5684	5464	5697	5658		
			70	5374	5420	5258	5721	5566		
			75	5681	5358	5262	5696	5297		
			80	5621	5709	5439	5672	5304		
			85	5616	5368	5491	5475	5341		
			90	5580	5318	5281	5380	5519		
			95	5537	5362	5645	5524	5325		
▣	Download	28	Type 6	1.0	333.3	9	0. 3333	300.0000000	22	
			Frequency List (MHz)	0	1	2	3	4		
			0	5272	5478	5539	5550	5370		
			5	5267	5565	5360	5588	5589		
			10	FOOF	F210	F200	E070	E701		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-And-Terms-and-Conditions/Terms-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditions-and-Conditions-And-Terms-and-Conditions-and-Conditio

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (Jiangsu) Pilot Fee Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000



Report No.: SUCR240400012707

Rev.: 01

116 of 117 Page:

### Radar Type 6 - Trial 28

Tr	ial List —									
		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number	
Ξ	Download	28	Type 6	1.0	333.3	9	0.3333	300.0000000	22	
			Frequency List (MHz)	0	1	2	3	4		
			0	5272	5478	5539	5550	5370		
			5	5267	5565	5360	5588	5589		
			10	5295	5310	5306	5672	5701		
			15	5506	5287	5320	5491	5519		
			20	5462	5655	5508	5490	5702		
			25	5531	5626	5355	5698	5624		
			30	5717	5401	5716	5264	5293		
			35	5557	5692	5262	5502	5594		
			40	5319	5391	5330	5602	5499		
			45	5271	5336	5663	5424	5476		
			50	5410	5449	5266	5342	5317		
			55	5299	5670	5564	5463	5460		
			60	5387	5311	5349	5489	5415		
			65	5252	5681	5687	5560	5552		
			70	5353	5576	5593	5683	5464		
			75	5507	5350	5379	5605	5366		
			80	5382	5547	5361	5371	5518		
			85	5385	5721	5294	5341	5612		
			90	5378	5621	5389	5457	5292		
			95	5534	5497	5412	5374	5597		
Ξ	Download	29	Туре 6	1.0	333.3	9	0.3333	300.0000000	24	
			Frequency List (MHz)	0	1	2	3	4		
			0	5430	5717	5475	5711	5687		
			5	5406	5490	5435	5276	5321		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and juryisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: The content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content of the content

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国•苏州•中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编:215000 t (86-512) 62992980 t (86-512) 62992980



Report No.: SUCR240400012707

Rev.: 01

Page: 117 of 117

### Radar Type 6 - Trial 29

		Trial Id	Radar Type	Pulse Width (us)	PRI (us)	Pulses per Hop	Hopping Rate (kHz)	Hopping Sequence Length (ms)	Visible Frequency Number
			80	5382	5547	5361	5371	5518	
			85	5385	5721	5294	5341	5612	
			90	5378	5621	5389	5457	5292	
			95	5534	5497	5412	5374	5597	
∃ Do•	wnload	29	Type 6	1.0	333.3	9	0.3333	300.0000000	24
			Frequency List (MHz)	0	1	2	3	4	
			0	5430	5717	5475	5711	5687	
			5	5406	5490	5435	5276	5321	
			10	5604	5574	5444	5295	5722	
			15	5594	5414	5326	5536	5373	
			20	5346	5546	5579	5675	5419	
			25	5478	5558	5327	5658	5629	
			30	5420	5674	5519	5559	5432	
			35	5648	5488	5512	5513	5433	
			40	5402	5329	5570	5599	5331	
			45	5251	5624	5477	5266	5286	
			50	5625	5317	5431	5518	5621	
			55	5653	5279	5358	5343	5514	
			60	5434	5650	5627	5413	5509	
			65	5491	5660	5371	5545	5665	
			70	5291	5467	5259	5338	5486	
			75	5428	5528	5613	5481	5299	
			80	5549	5309	5612	5695	5681	
			85	5581	5422	5540	5386	5699	
			90	5503	5446	5256	5462	5640	
			95	5427	5377	5487	5398	5307	

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/en/Ferms-and-Conditions.aspx">https://www.sgs.com/en/Ferms-and-Conditions/Fer

South of No. 6 Pfart, No. 1, Runsheng Read, Suchou Industrial Park, Suchou Area, China (liangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sg t (86–512) 62992980 sgs.chir