

Applicant: DMR Technologies

Product: Remote Control

Model No.: D-Series H16, D-Series

Trademark: N/A

Test Standards: FCC Part 15.247

Test Result: It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.10, FCC Part 15.247 for

the evaluation of electromagnetic compatibility

Approved By

Terry Tong

Terry Tang

Manager

Dated: February 09, 2025


Results appearing herein relate only to the sample tested

The technical reports is issued errors and omissions exempt and is subject to withdrawal at

SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com



Report No.: TW2501163-01E Page 2 of 75

Date: 2025-02-09



Special Statement:

FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

A2LA (Certification Number: 5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

CAB identifier: CN0033

Page 3 of 75

Report No.: TW2501163-01E

Date: 2025-02-09



Test Report Conclusion

Content

| 1.0 | General Details | 4 |
|------|-------------------------------------|----|
| 1.1 | Test Lab Details. | 4 |
| 1.2 | Applicant Details | 4 |
| 1.3 | Description of EUT | 4 |
| 1.4 | Submitted Sample | 4 |
| 1.5 | Test Duration. | 4 |
| 1.6 | Test Uncertainty. | 4 |
| 1.7 | Test By | 5 |
| 2.0 | List of Measurement Equipment. | 6 |
| 3.0 | Technical Details | 7 |
| 3.1 | Summary of Test Results | 7 |
| 3.2 | Test Standards. | 7 |
| 4.0 | EUT Modification. | 7 |
| 5.0 | Duty Cycle | 8 |
| 6.0 | Power Line Conducted Emission Test. | 12 |
| 6.1 | Schematics of the Test. | 12 |
| 6.2 | Test Method and Test Procedure. | 12 |
| 6.3 | Configuration of the EUT | 12 |
| 6.4 | EUT Operating Condition. | 13 |
| 6.5 | Conducted Emission Limit. | 13 |
| 6.6 | Test Result. | 13 |
| 7.0 | Radiated Emission test. | 16 |
| 7.1 | Test Method and Test Procedure. | 16 |
| 7.2 | Configuration of the EUT. | 17 |
| 7.3 | EUT Operation Condition. | 17 |
| 7.4 | Radiated Emission Limit | 17 |
| 8.0 | 6dB Bandwidth Measurement Bandwidth | 25 |
| 9.0 | Maximum Peak Output Power | 32 |
| 10.0 | Power Spectral Density Measurement. | 34 |
| 11.0 | Out of Band Measurement. | 41 |
| 12.0 | Antenna Requirement. | 58 |
| 13.0 | FCC ID Label. | 59 |
| 14.0 | Photo of Test Setup and EUT View. | 60 |

Date: 2025-02-09



1.0 General Details

1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

1.2 Applicant Details

Applicant: DMR Technologies

Address: 2050 15th St., Detroit, MI 48216

1.3 Description of EUT

Product: Remote Control

Manufacturer: DMR Technologies

Address: 2050 15th St., Detroit, MI 48216

Trademark: N/A
Additional Trademark: N/A

Model Number: D-Series H16
Additional Model Number: D-Series
Hardware Version: V1.0
Software Version: V1.0
Type of Modulation OFDM

Frequency range 2412-2462MHz

Channel Separation: 1MHz
Channel Number 51

Rating: DC9V, 2A

Battery: DC3.7V, 20000mAh Li-ion battery

Antenna Designation Dipole antenna with revers antenna connector, the gain is 2.68dBi maximum

for each one (Get from the antenna specification)

1.4 Submitted Sample: 2 Samples

1.5 Test Duration

2025-01-21 to 2025-02-08

1.6 Test Uncertainty

Conducted Emissions Uncertainty =3.6dB

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2025-02-09



Page 5 of 75

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty = 6.0dB

Occupied Channel Bandwidth Uncertainty =5%

Conducted Emissions Uncertainty =3.6dB

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing

Andy -xing

Date: 2025-02-09



| 2.0 Test Equipment | | | | | |
|--------------------|--------------|------------------|--------------|--------------|------------|
| Instrument Type | Manufacturer | Model | Serial No. | Date of Cal. | Due Date |
| ESPI Test Receiver | R&S | ESPI 3 | 100379 | 2024-07-12 | 2025-07-11 |
| LISN | R&S | EZH3-Z5 | 100294 | 2024-07-12 | 2025-07-11 |
| LISN | R&S | EZH3-Z5 | 100253 | 2024-07-12 | 2025-07-11 |
| Impuls-Begrenzer | R&S | ESH3-Z2 | 100281 | 2024-07-12 | 2025-07-11 |
| Loop Antenna | EMCO | 6507 | 00078608 | 2022-07-18 | 2025-07-17 |
| Spectrum | R&S | FSIQ26 | 100292 | 2024-07-12 | 2025-07-11 |
| Horn Antenna | A-INFO | LB-180400-KF | J211060660 | 2022-07-18 | 2025-07-17 |
| Horn Antenna | R&S | BBHA 9120D | 9120D-631 | 2022-07-18 | 2025-07-17 |
| Power meter | Anritsu | ML2487A | 6K00003613 | 2024-07-12 | 2025-07-11 |
| Power sensor | Anritsu | MA2491A | 32263 | 2024-07-12 | 2025-07-11 |
| Bilog Antenna | Schwarebeck | VULB9163 | 9163/340 | 2022-07-18 | 2025-07-17 |
| 9*6*6 Anechoic | | | N/A | 2022-07-26 | 2025-07-25 |
| EMI Test Receiver | RS | ESVB | 826156/011 | 2024-07-12 | 2025-07-11 |
| EMI Test Receiver | RS | ESCS 30 | 834115/006 | 2024-07-12 | 2025-07-11 |
| Spectrum | HP/Agilent | E4407B | MY50441392 | 2024-07-12 | 2025-07-11 |
| Spectrum | RS | FSP | 1164.4391.38 | 2024-07-12 | 2025-07-11 |
| RF Cable | Zhengdi | ZT26-NJ-NJ-8M/FA | | 2024-07-12 | 2025-07-11 |
| RF Cable | Zhengdi | 7m | | 2024-07-12 | 2025-07-11 |
| Pre-Amplifier | Schwarebeck | BBV9743 | #218 | 2024-07-12 | 2025-07-11 |
| Pre-Amplifier | HP/Agilent | 8449B | 3008A00160 | 2024-07-12 | 2025-07-11 |
| LISN | SCHAFFNER | NNB42 | 00012 | 2024-07-12 | 2025-07-11 |
| ESPI Test Receiver | R&S | ESPI 3 | 100379 | 2024-07-12 | 2025-07-11 |
| LISN | R&S | EZH3-Z5 | 100294 | 2024-07-12 | 2025-07-11 |

2.2 Automation Test Software

For Conducted Emission Test

| Name | Version | | |
|--------|-------------------|--|--|
| EZ-EMC | Ver.EMC-CON 3A1.1 | | |

For Radiated Emissions

| Name | Version |
|---|---------|
| EMI Test Software BL410-EV18.91 | V18.905 |
| EMI Test Software BL410-EV18.806 High Frequency | V18.06 |

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2025-02-09



3.0 **Technical Details**

3.1 **Summary of test results**

| Standard | Test Type | Result | Notes |
|-------------------------------|----------------------------------|--------|----------|
| FCC Part 15, Paragraph 15.203 | Antenna Requirement | Pass | Complies |
| FCC Part 15, Paragraph 15.207 | Conducted Emission Test | Pass | Complies |
| | Spectrum bandwidth of a | Pass | Complies |
| ECC. 115.0 1 4.0 | Orthogonal Frequency | | |
| FCC Part 15 Subpart C | Division Multiplex System | | |
| Paragraph 15.247(a)(2) Limit | Limit: 6dB | | |
| | bandwidth>500kHz | | |
| ECC Part 15 Para area | Maximum peak output | Pass | |
| FCC Part 15, Paragraph | power | | Complies |
| 15.247(b) | Limit: max. 30dBm | | |
| FCC Part 15, Paragraph 15.205 | Transmitter Radiated | Pass | Complies |
| & 15.209 | Emission | | |
| | Limit: Table 15.209 | | |
| FCC Part 15, Paragraph | Power Spectral Density | Pass | Complies |
| 15.247(e) | Limit: max. 8dBm/3kHz | | |
| FCC Part 15, Paragraph | Out of Band Emission and | Pass | Complies |
| 15.247(d) | Restricted Band | | |
| | Radiation | | |
| | Limit: 20dB less than | | |
| | peak value of fundamental | | |
| | frequency | | |
| | Restricted band limit: | | |
| | Table 15.209 | | |

3.2 **Test Standards**

FCC Part 15 Subpart & Subpart C, Paragraph 15.247

4.0 **EUT Modification**

No modification by SHENZHEN TIMEWAY TESTING LABORATORIES.


Date: 2025-02-09



5.0 Duty Cycle


10M Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|------|-----------------|---------|----------------|------------------------|-----------|
| | | 2412 | | 80.06 | 0.97 | 0.12 |
| NVNT | - | 2437 | Ant1 | 80.04 | 0.97 | 0.12 |
| | | 2462 | | 80.04 | 0.97 | 0.12 |



Date: 2025-02-09





Center Freq e fallen blige fallen fallen fallen fallen fallen flygte fallen blige fallen blige fallen blige fallen fallen 2.462000000 GH Start Freq 30.1 2.462000000 GHz 40. Stop Freq 60 i 2.462000000 GHz Center 2.462000000 GHz Res BW 1.0 MHz Span 0 Hz CF Step Sweep 20.00 ms (10001 pts) #VBW 3.0 MHz 1.000000 MHz Auto Mar 10.63 dBm -22.07 dBm 10.89 dBm N N N 2.242 ms 4.238 ms 12.24 ms 2 3 4 5 6 7 8 9 10 Freq Offset 0 H STATUS

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 10 of 75


Report No.: TW2501163-01E

Date: 2025-02-09




20M Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|------|-----------------|---------|----------------|------------------------|-----------|
| | | 2412 | | 80.02 | 0.97 | 0.12 |
| NVNT | - | 2437 | Ant1 | 80.02 | 0.97 | 0.12 |
| | | 2462 | | 80.02 | 0.97 | 0.12 |




Date: 2025-02-09





Duty Cycle NVN1 b 2462WH2 AIIT



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 12 of 75


Report No.: TW2501163-01E

Date: 2025-02-09



6.0 Power Line Conducted Emission Test

6.1 Schematics of the test




EUT: Equipment Under Test

6.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum from 0.15MHz to 30MHz was investigated. The LISN used was 50ohm/50uH as specified by section 5.1 of ANSI C63.10 –2013.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



6.3 Configuration of the EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

A. EUT

| Device | Manufacturer Model | | FCC ID | |
|------------|--------------------|------------------|------------------------|-----------|
| Remote Con | rol | DMR Technologies | D-Series H16, D-Series | 2BM3J-H16 |

The report refers only to the sample tested and does not apply to the bulk.

Report No.: TW2501163-01E Page 13 of 75

Date: 2025-02-09



B. Internal Device

| Device | Manufacturer | Model | Rating |
|--------|--------------|-------|--------|
| | | | |

C. Peripherals

| Device | Manufacturer | Model | Rating |
|--------------|--------------|---------|-------------------------------------|
| Power Supply | Xiaomi | CDQ02ZM | Input: 100-240V~, 50/60Hz, 1.2A; |
| | | | Output: DC5V/3A; DC9V/3A; DC12V/3A; |
| | | | DC15V/3A; DC20V/2.25A |

6.4 EUT Operating Condition

Operating condition is according to ANSI C63.10-2013.

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

6.5 Power line conducted Emission Limit according to Paragraph 15.207

| Frequency | Limits (dB µ V) | | | |
|-------------------|------------------|---------------|--|--|
| (MHz) | Quasi-peak Level | Average Level | | |
| $0.15 \sim 0.50$ | 66.0~56.0* | 56.0~46.0* | | |
| $0.50 \sim 5.00$ | 56 | 46.0 | | |
| $5.00 \sim 30.00$ | 60.0 | 50.0 | | |

Notes:

- 1. *Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

6.6 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Date: 2025-02-09



A: Conducted Emission on Live Terminal (150kHz to 30MHz)


EUT Operating Environment

Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 kPa

EUT set Condition: Keep Transmitting

Results: Pass

Please refer to following diagram for individual



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Detector | P/F |
|-----|--------------------|-------------------|----------------|-----------------|-----------------|----------------|----------|-----|
| 1 | 0.1655 | 33.87 | 9.77 | 43.64 | 65.18 | -21.54 | QP | Р |
| 2 | 0.1655 | 17.72 | 9.77 | 27.49 | 55.18 | -27.69 | AVG | Р |
| 3 | 0.4347 | 26.44 | 9.77 | 36.21 | 57.16 | -20.95 | QP | Р |
| 4 | 0.4347 | 24.62 | 9.77 | 34.39 | 47.16 | -12.77 | AVG | Р |
| 5 | 7.7853 | 9.92 | 10.05 | 19.97 | 60.00 | -40.03 | QP | Р |
| 6 | 7.7853 | 2.14 | 10.05 | 12.19 | 50.00 | -37.81 | AVG | Р |
| 7 | 17.5392 | 9.67 | 10.53 | 20.20 | 60.00 | -39.80 | QP | Р |
| 8 | 17.5392 | 2.15 | 10.53 | 12.68 | 50.00 | -37.32 | AVG | Р |

Date: 2025-02-09



B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)


EUT Operating Environment

Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 KPa

EUT set Condition: Keep Transmitting

Results: Pass

Please refer to following diagram for individual



| No. | Frequency (MHz) | Reading (dBuV) | Factor (dB) | Level (dBuV) | Limit (dBuV) | Margin (dB) | Detector | P/F |
|-----|--------------------|-------------------|----------------|-----------------|-----------------|----------------|----------|-----|
| 1 | 0.1734 | 31.19 | 9.77 | 40.96 | 64.80 | -23.84 | QP | Р |
| 2 | 0.1734 | 13.40 | 9.77 | 23.17 | 54.80 | -31.63 | AVG | Р |
| 3 | 0.4347 | 19.60 | 9.77 | 29.37 | 57.16 | -27.79 | QP | Р |
| 4 | 0.4347 | 16.87 | 9.77 | 26.64 | 47.16 | -20.52 | AVG | Р |
| 5 | 3.6630 | 10.05 | 9.87 | 19.92 | 56.00 | -36.08 | QP | Р |
| 6 | 3.6630 | 1.33 | 9.87 | 11.20 | 46.00 | -34.80 | AVG | Р |
| 7 | 25.4055 | 13.71 | 11.02 | 24.73 | 60.00 | -35.27 | QP | Р |
| 8 | 25.4055 | 5.35 | 11.02 | 16.37 | 50.00 | -33.63 | AVG | Р |

Report No.: TW2501163-01E Page 16 of 75

Date: 2025-02-09




7.0 Radiated Emission Test

- 7.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No.744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are Quasi-peak values with a resolution bandwidth of 120 kHz. For measurement above 1GHz, peak values with RBW=1MHz VBW=3MHz and PK detector. AV value with RBW=1MHz, VBW=3MHz and RMS detector. Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) Maximizing procedure was performed on the six (6) highest emissions to ensure EUT compliance is with all installation combinations. All data was recorded in the peak detection mode. Quasi-peak readings was performed only when an emission was found to be marginal (within -4 dB of specification limit), and are distinguished with a "**QP**" in the data table.
- (6) The antenna polarization: Vertical polarization and Horizontal polarization.

Block diagram of Test setup

For radiated emissions from 9kHz to 30MHz




Page 17 of 75

Report No.: TW2501163-01E


Date: 2025-02-09



For radiated emissions from 30MHz to1GHz



For radiated emissions above 1GHz



7.2 Configuration of The EUT Same as section 5.3 of this report

7.3 EUT Operating Condition Same as section 5.4 of this report.

7.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

Report No.: TW2501163-01E Page 18 of 75

Date: 2025-02-09



Frequencies in restricted band are complied to limit on Paragraph 15.209

| Frequency Range (MHz) | Distance (m) | Field strength (dB µ V/m) |
|-----------------------|--------------|-----------------------------------|
| 0.009-0.490 | 3 | 20log(2400/F(kHz)) +40log (300/3) |
| 0.490-1.705 | 3 | 20log(24000/F(kHz)) +40log (30/3) |
| 1.705-30 | 3 | 69.5 |
| 30-88 | 3 | 40.0 |
| 88-216 | 3 | 43.5 |
| 216-960 | 3 | 46.0 |
| Above 960 | 3 | 54.0 |

Note:

- 1. RF Voltage (dBuV) = 20 log RF Voltage (uV)
- 2. In the Above Table, the higher limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. Battery was fully charged during test

Date: 2025-02-09



Test result


General Radiated Emission Data and Harmonics Radiated Emission Data

Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: Keep Transmitting

Results: Pass

Test Figure:



| No. | Frequency | Results | Factor | Limit | Margin | Detector | Table | Height | Antenna | Verdict |
|-----|-----------|----------|--------|----------|--------|----------|----------|--------|------------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (Degree) | (cm) | | |
| 1 | 61.517 | 27.92 | -5.54 | 40.0 | 12.08 | Peak | 183.00 | 100 | Horizontal | Pass |
| 2 | 107.338 | 26.15 | -6.07 | 43.5 | 17.35 | Peak | 333.00 | 100 | Horizontal | Pass |
| 3 | 272.197 | 38.85 | -5.43 | 46.0 | 7.15 | Peak | 261.00 | 100 | Horizontal | Pass |
| 4 | 383.962 | 38.24 | -2.04 | 46.0 | 7.76 | Peak | 177.00 | 100 | Horizontal | Pass |
| 5 | 816.231 | 40.29 | 3.57 | 46.0 | 5.71 | Peak | 10.00 | 100 | Horizontal | Pass |
| 6 | 897.448 | 40.15 | 4.86 | 46.0 | 5.85 | Peak | 243.00 | 100 | Horizontal | Pass |

Date: 2025-02-09




Test result General Radiated Emission Data and Harmonics Radiated Emission Data

Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: **Keep Transmitting**

Results: Pass

Test Figure:



| No. | Frequency | Results | Factor | Limit | Margin | Detector | Table | Height | Antenna | Verdict |
|-----|-----------|----------|--------|----------|--------|----------|----------|--------|----------|---------|
| | (MHz) | (dBuV/m) | (dB) | (dBuV/m) | (dB) | | (Degree) | (cm) | | |
| 1 | 52.547 | 27.72 | -4.94 | 40.0 | 12.28 | Peak | 283.00 | 100 | Vertical | Pass |
| 2 | 115.824 | 26.78 | -6.96 | 43.5 | 16.72 | Peak | 269.00 | 100 | Vertical | Pass |
| 3 | 250.135 | 35.95 | -5.03 | 46.0 | 10.05 | Peak | 315.00 | 100 | Vertical | Pass |
| 4 | 270.985 | 33.62 | -5.51 | 46.0 | 12.38 | Peak | 353.00 | 100 | Vertical | Pass |
| 5 | 575.974 | 38.34 | 1.27 | 46.0 | 7.66 | Peak | 171.00 | 100 | Vertical | Pass |
| 6 | 959.998 | 39.56 | 5.26 | 46.0 | 6.44 | Peak | 300.00 | 100 | Vertical | Pass |

Page 21 of 75

Report No.: TW2501163-01E

Date: 2025-02-09



10M Bandwidth

Operation Mode: Transmitting under Low Channel (2412MHz)

| Frequency (MHz) | Level@3m (dBμV/m) | Antenna Polarity | Limit@3m (dB \(\mu \text{V/m} \) |
|-----------------|-----------------------|------------------|-----------------------------------|
| 4824.00 | 61.9(PK) / 45.8 (AV) | Н | 74(Peak)/ 54(AV) |
| 4824.00 | 56.8 (PK) / 41.7 (AV) | V | 74(Peak)/ 54(AV) |
| 7236.00 | | H/V | 74(Peak)/ 54(AV) |
| 9648.00 | | H/V | 74(Peak)/ 54(AV) |
| 12060 | 1 | H/V | 74(Peak)/ 54(AV) |
| 14472 | - | H/V | 74(Peak)/ 54(AV) |
| 16884 | ı | H/V | 74(Peak)/ 54(AV) |
| 19296 | 1 | H/V | 74(Peak)/ 54(AV) |
| 21708 | - | H/V | 74(Peak)/ 54(AV) |
| 24120 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

Operation Mode: Transmitting g under Middle Channel (2437MHz)

| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB \(\mu \)V/m) |
|-----------------|--------------------------|------------------|----------------------------|
| 4874.00 | 59.6 (PK)/ 43.6 (AV) | Н | 74(Peak)/ 54(AV) |
| 4874.00 | 55.3 (PK)/ 39.9 (AV) | V | 74(Peak)/ 54(AV) |
| 7311.00 | | H/V | 74(Peak)/ 54(AV) |
| 9748.00 | | H/V | 74(Peak)/ 54(AV) |
| 12185 | | H/V | 74(Peak)/ 54(AV) |
| 14622 | | H/V | 74(Peak)/ 54(AV) |
| 17059 | | H/V | 74(Peak)/ 54(AV) |
| 19496 | | H/V | 74(Peak)/ 54(AV) |
| 21933 | | H/V | 74(Peak)/ 54(AV) |
| 24370 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

Report No.: TW2501163-01E Page 22 of 75

Date: 2025-02-09



Operation Mode: Transmitting under High Channel (2462MHz)

| | 8 | , , | |
|-----------------|--------------------------|------------------|----------------------------|
| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB \(\mu \)V/m) |
| 4924 | 61.2(PK) / 45.1 (AV) | Н | 74(Peak)/ 54(AV) |
| 4924 | 56.6 (PK) / 41.3(AV) | V | 74(Peak)/ 54(AV) |
| 7368 | | H/V | 74(Peak)/ 54(AV) |
| 9848 | | H/V | 74(Peak)/ 54(AV) |
| 12310 | | H/V | 74(Peak)/ 54(AV) |
| 14772 | | H/V | 74(Peak)/ 54(AV) |
| 17234 | | H/V | 74(Peak)/ 54(AV) |
| 19696 | | H/V | 74(Peak)/ 54(AV) |
| 22158 | | H/V | 74(Peak)/ 54(AV) |
| 24620 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Result Level = Reading + Factor

- 2. Factor= AF + Cable Loss- Preamp
- 3. Margin = Result– Limit
- 4. For radiated Emissions from 18-25GHz and below 30MHz, it is only the floor noise and less than the limit for more than 20dB. No necessary to take down.
- 5. Note: the final peak measurement results less than the AV limit. No necessary to take down the final AV measurement result

Page 23 of 75

Report No.: TW2501163-01E

Date: 2025-02-09



20M Bandwidth

Operation Mode: Transmitting under Low Channel (2412MHz)

| | 8 | | |
|-----------------|-----------------------|------------------|--------------------------|
| Frequency (MHz) | Level@3m (dBμV/m) | Antenna Polarity | Limit@3m (dB \u03b4 V/m) |
| 4824.00 | 58.8(PK) / 43.1 (AV) | Н | 74(Peak)/ 54(AV) |
| 4824.00 | 54.1 (PK) / 38.6 (AV) | V | 74(Peak)/ 54(AV) |
| 7236.00 | | H/V | 74(Peak)/ 54(AV) |
| 9648.00 | | H/V | 74(Peak)/ 54(AV) |
| 12060 | | H/V | 74(Peak)/ 54(AV) |
| 14472 | | H/V | 74(Peak)/ 54(AV) |
| 16884 | | H/V | 74(Peak)/ 54(AV) |
| 19296 | | H/V | 74(Peak)/ 54(AV) |
| 21708 | | H/V | 74(Peak)/ 54(AV) |
| 24120 | | H/V | 74(Peak)/ 54(AV) |
| | | | |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

Operation Mode: Transmitting g under Middle Channel (2437MHz)

| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
|-----------------|--------------------------|------------------|---------------------|
| 4874.00 | 56.3(PK)/ 40.9 (AV) | Н | 74(Peak)/ 54(AV) |
| 4874.00 | 52.6 (PK)/ 36.5(AV) | V | 74(Peak)/ 54(AV) |
| 7311.00 | | H/V | 74(Peak)/ 54(AV) |
| 9748.00 | | H/V | 74(Peak)/ 54(AV) |
| 12185 | | H/V | 74(Peak)/ 54(AV) |
| 14622 | - | H/V | 74(Peak)/ 54(AV) |
| 17059 | | H/V | 74(Peak)/ 54(AV) |
| 19496 | | H/V | 74(Peak)/ 54(AV) |
| 21933 | | H/V | 74(Peak)/ 54(AV) |
| 24370 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

2. Remark "---" means that the emissions level is too low to be measured

Report No.: TW2501163-01E Page 24 of 75

Date: 2025-02-09



Operation Mode: Transmitting under High Channel (2462MHz)

| Frequency (MHz) | Level@3m (dB \u03b4 V/m) | Antenna Polarity | Limit@3m (dB µ V/m) |
|-----------------|--------------------------|------------------|---------------------|
| 4924 | 58.2(PK) / 41.9 (AV) | Н | 74(Peak)/ 54(AV) |
| 4924 | 54.1 (PK) /38.8(AV) | V | 74(Peak)/ 54(AV) |
| 7368 | | H/V | 74(Peak)/ 54(AV) |
| 9848 | | H/V | 74(Peak)/ 54(AV) |
| 12310 | | H/V | 74(Peak)/ 54(AV) |
| 14772 | | H/V | 74(Peak)/ 54(AV) |
| 17234 | | H/V | 74(Peak)/ 54(AV) |
| 19696 | | H/V | 74(Peak)/ 54(AV) |
| 22158 | | H/V | 74(Peak)/ 54(AV) |
| 24620 | | H/V | 74(Peak)/ 54(AV) |

Note: 1. Result Level = Reading + Factor

- 2. Factor= AF + Cable Loss- Preamp
- 3. Margin = Result– Limit
- 4. For radiated Emissions from 18-25GHz and below 30MHz, it is only the floor noise and less than the limit for more than 20dB. No necessary to take down.
- 5. Note: the final peak measurement results less than the AV limit. No necessary to take down the final AV measurement result

Page 25 of 75


Report No.: TW2501163-01E

Date: 2025-02-09



8.0 6dB Bandwidth Measurement

8.1 Test Setup



8.2 Limits of 6dB Bandwidth Measurement

The minimum of 6dB Bandwidth Measurement is >500 kHz

8.3 Test Procedure

- 1. Set resolution bandwidth (RBW) = 100 kHz
- 2. Set the video bandwidth (VBW) \geq 3 x RBW.
- 3. Detector = Peak.
- 4. Trace mode = \max hold.
- 5. Sweep = auto couple.
- 6. Allow the trace to stabilize.
- 7. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

8.4 Test Result

Date: 2025-02-09



Page 26 of 75

6dB BW


10M Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|-----------------------|-----------------------------|---------|
| | | 2412 | | 9 | 0.5 | Pass |
| NVNT | - | 2437 | Ant1 | 9.012 | 0.5 | Pass |
| | | 2462 | | 9.01 | 0.5 | Pass |

Note: Two antennas (Ant 1 and Ant 2) were tested and only the worst cased was recorded in the test report. Ant 1 was the worst case.

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2501163-01E Page 28 of 75

Date: 2025-02-09





Page 29 of 75 Report No.: TW2501163-01E

Date: 2025-02-09




20M Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|------|-----------------|---------|-----------------------|-----------------------------|---------|
| | | 2412 | | 17.996 | 0.5 | Pass |
| NVNT | - | 2437 | Ant1 | 17.948 | 0.5 | Pass |
| | | 2462 | | 18.007 | 0.5 | Pass |

Note: Two antennas (Ant 1 and Ant 2) were tested and only the worst cased was recorded in the test report. Ant 1 was the worst case.

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2501163-01E Page 31 of 75

Date: 2025-02-09






Report No.: TW2501163-01E Page 32 of 75

Date: 2025-02-09



9. Maximum Output Power

9.1 Test Setup



9.2 Limits of Maximum Output Power

The Maximum Output Power Measurement is 30dBm.

9.3 Test Procedure

The RF power output was measured with a Power meter connected to the RF Antenna connector (conducted measurement) while EUT was operating in transmit mode at the appropriate centre frequency.

Note: the Peak power were measured.

Date: 2025-02-09



8.4Test Results

10M Bandwidth

| EUT | | Remote Control | | | | Model | | | D-Series H16 | | |
|----------|-----------------|----------------|------------|----------------------|-------|--------------|-------------------------|--|----------------|------------|--|
| Mode | | | 802.11 | lb 11Mbp | S | Test Voltage | | | DC3.7V | | |
| Temperat | ure | | 24 deg. C, | | | Hu | midity | | 56% RH | | |
| Channel | Frequency (MHz) | | Ant 1 I | Ant 1 Power Ant 2 Po | | wer | Total Max. Power Output | | Power Limit | Pass/ Fail | |
| | (17111 | <i>L)</i> | dBm | mW | dBm | mW | -MIMO (dBm) | | (dBm) | | |
| 1 | 2412 | | 19.62 | 91.62 | 19.53 | 89.74 | 22.59 | | 30 | Pass | |
| 6 | 2437 | | 16.29 | 42.56 | 16.12 | 40.93 | 19.22 | | 30 | Pass | |
| 11 | 2462 | | 17.98 | 62.81 | 17.86 | 61.09 | 20.93 | | 30 | Pass | |

Note: 1. At finial test to get the worst-case emission at mcs0 of 11n HT20 for CH01, CH06 and CH11

The result basic equation calculation as follow:
 Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded

20M Bandwidth

| EUT | | Remote Control | | | | | Model | | D-Series H16 | | |
|----------|--------------|----------------|---------|----------|----------|-----------|---------------------------------|--|-------------------------|------------|--|
| Mode | | | 802.1 | 1b 11Mb | ps | Tes | Test Voltage | | DC3.7V | | |
| Temperat | ure | 24 deg. C, | | | | Н | umidity | | 56% RH | | |
| Channel | Frequ (MH | uency z) | Ant 1 I | Power mW | Ant 2 Po | wer mW | Total Ma Power Output-MII (dBm) | | Power Limit (dBm) | Pass/ Fail | |
| 1 | 24 | 412 | 18.72 | 74.47 | 18.65 | 73.28 | 21.70 | | 30 | Pass | |
| 6 | 24 | 437 | 16.57 | 45.39 | 16.49 | 44.57 | 19.54 | | 30 | Pass | |
| 11 | 24 | 162 | 18.03 | 63.53 | 17.97 | 62.66 | 21.01 | | 30 | Pass | |

Note: 1. At finial test to get the worst-case emission at mcs0 of 11n HT20 for CH01, CH06 and CH11

- The result basic equation calculation as follow:
 Power Output = Power Reading + Cable loss + Attenuator
- 3. The worse case was recorded

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Report No.: TW2501163-01E Page 34 of 75

Date: 2025-02-09



10. Power Spectral Density Measurement

10.1 Test Setup



10.2 Limits of Power Spectral Density Measurement

The Maximum Power Spectral Density Measurement is 8dBm/3kHz.

10.3 Test Procedure

- 1. Use this procedure when the maximum peak conducted output power in the fundamental emission is used to demonstrate compliance.
- 2. Set the RBW = 3 kHz.
- 3. Set the VBW \geq 10 kHz.
- 4. Set the span to 1.5 times the DTS channel bandwidth.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.
- 11. The resulting peak PSD level must be $\leq 8 \text{ dBm/3kHz}$.

Report No.: TW2501163-01E Page 35 of 75

Date: 2025-02-09



9.4Test Result

| EUT | | Remote Control | | Model | | D-Series H16 | | |
|----------|------|----------------|---------------------------------|--------------|-------------|---|--------|------------|
| Mode | ; | | 802.11b 11Mbps | Test Voltage | DC3.7V | | | |
| Temperat | ture | | 24 deg. C, | | Humidity | | 56% RH | |
| Channel | - | uency Hz) | Ant 1 Power Spectral Density | Factor | Density-MIM | Total Power Spectral Density-MIMO (dBm/10kHz) | | Pass/ Fail |
| 1 | 24 | 12 | -12.90 | 3.01 | -9.89 | -9.89 | | Pass |
| 6 | 24 | 37 | -12.64 | 3.01 | -9.63 | | 8 | Pass |
| 11 | 24 | 62 | -12.99 | 3.01 | -9.98 | -9.98 | | Pass |


Note: 1. Total Power Spectral Density = Ant1 Power Spectral Density + Factor

^{2.} Factor=10log2=3.01

^{3.} Ant 1 and Ant 2 were tested and Ant 1 was the worst case

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2501163-01E Page 37 of 75

Date: 2025-02-09





Report No.: TW2501163-01E Page 38 of 75

Date: 2025-02-09



20M Bandwidth

| EUT | EUT | | Remote Control | | Model | Model | | 16 | | | | |
|----------|--------------|--------------|---------------------------------|--------|--------------|---|--|------------|--|------------|--|------|
| Mode | | | 802.11b 11Mbps | | Test Voltage | Test Voltage | | | | | | |
| Temperat | ture | | 24 deg. C, | | Humidity | Humidity 56% RH | | | | | | |
| Channel | Frequ (M) | uency Hz) | Ant 1 Power Spectral Density | Factor | Density-MIM | Total Power Spectral Density-MIMO (dBm/10kHz) | | (dBm/3kHz) | | Pass/ Fail | | |
| 1 | 24 | 12 | -16.13 | 3.01 | -13.12 | -13.12 | | -13.12 8 | | Pass | | |
| 6 | 24 | 37 | -16.02 | 3.01 | -13.01 | -13.01 | | -13.01 | | -13.01 | | Pass |
| 11 | 24 | 62 | -16.26 | 3.01 | -13.25 | -13.25 | | -13.25 | | -13.25 | | Pass |


Note: 1. Total Power Spectral Density = Ant1 Power Spectral Density + Factor

^{2.} Factor=10log2=3.01

^{3.} Ant 1 and Ant 2 were tested and Ant 1 was the worst case

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 40 of 75

Report No.: TW2501163-01E

Date: 2025-02-09





Page 41 of 75


Report No.: TW2501163-01E

Date: 2025-02-09



11 Out of Band Measurement

11.1 Test Setup for band edge



The restricted band requirement based on radiated emission test; please see the clause 6 for the test setup

11.2 Limits of Out of Band Emissions Measurement

- 1. Below –20dB of the highest emission level of operating band (in 100kHz Resolution Bandwidth).
- 2. Fall in the restricted bands listed in section 15.205. The maximum permitted average field strength is listed in section 15.209.

11.3 Test Procedure

For signals in the restricted bands above and below the 2.4-2.483GHz allocated band a measurement was made of Radiated emission test. (Peak values with RBW=1MHz, VBW=3MHz and PK detector. AV value with RBW=1MHz, VBW=3MHz and RMS detector)

For bandage test, the spectrum set as follows: RBW=100 kHz, VBW=300 kHz. A conducted measurement used

11.4 Test Result

Please see next pages

Note: For band-edge measurement, the frequency from 30MHz-25GHz was tested. And It met the FCC rule.

- 2.Ant 1 and Ant 2 transmitting Simultaneously
- 3. Ant 1 and Ant 2 were tested and Ant 1 was the worst case

Date: 2025-02-09



Page 42 of 75


Conducted RF Spurious Emission

10M Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict | | |
|-----------|------|-----------------|---------|-----------------|-------------|---------|--|--|
| | | 2412 | | -42.25 | -20 | Pass | | |
| NVNT | b | 2437 | Ant1 | -39.42 | -20 | Pass | | |
| | | 2462 | | -40.35 | -20 | Pass | | |

Date: 2025-02-09






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2025-02-09






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2025-02-09




Page 46 of 75

20M Bandwidth

| Condition | Mode | Mode Frequency (MHz) Antenna Max Value (dBc) | | Max Value (dBc) | Limit (dBc) | Verdict | | |
|-----------|------|--|------|-----------------|-------------|---------|--|--|
| | | 2412 | | -39.63 | -20 | Pass | | |
| NVNT | b | 2437 | Ant1 | -37.49 | -20 | Pass | | |
| | | 2462 | | -37.83 | -20 | Pass | | |

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2025-02-09



Page 50 of 75


Band Edge

10M Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|------|-----------------|---------|-----------------|-------------|---------|
| NI\/NIT | b | 2412 | Ant1 | -45.19 | -20 | Pass |
| NVNT | | 2462 | Anti | -58.4 | -20 | Pass |

Date: 2025-02-09






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2025-02-09



Page 53 of 75

20M Bandwidth

| Condition | Mode | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|------|-----------------|---------|-----------------|-------------|---------|
| NVNT | р | 2412 | A met 1 | -41.32 | -20 | Pass |
| | | 2462 | Ant1 | -45.84 | -20 | Pass |

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Report No.: TW2501163-01E Page 56 of 75

Date: 2025-02-09



10M Bandwidth

10.5 Restricted band Measurement

| EUT | Remote Control | | | | del | D-Series H16 | |
|-------------------------|--------------------|--------------------|-------|--------------|-----------------|------------------|--|
| Mode | Kee | eping Transmitting | | Test Voltage | | DC3.7V | |
| Temperature | 24 deg. C, | | | | nidity | 56% RH | |
| Test Result: | Pass | | | | ector | PK | |
| Low Channel, Horizontal | | | | | | | |
| 2390 | PK (dBμV/m) | 45.23 | т:. | :4 | | $74 (dB\mu V/m)$ | |
| | AV ($dB\mu V/m$) | | Lli | nit | 54(dBµV/m) | | |
| Low Channel, Vertical | | | | | | | |
| 2390 | PK (dBμV/m) | 49.63 | Limit | | | 74(dBμV/m) | |
| | AV (dBμV/m) | | Lli | IIII | $54(dB\mu V/m)$ | | |

10.5 Restricted band Measurement

| Total Restricted band Fredstrement | | | | | | | |
|------------------------------------|------------------------|-------|-----------|------------|------------|-----------------|--|
| EUT | Remote Control | | | | odel | D-Series H16 | |
| Mode | Keeping Transmitting | | | | Voltage | DC3.7V | |
| Temperature | 24 deg. C, | | | | nidity | 56% RH | |
| Test Result: | Pass | | | | tector | PK | |
| High Channel, Horizontal | | | | | | | |
| 2483.5 | PK (dBμV/m) | 45.67 | т :: | Limit | | $74(dB\mu V/m)$ | |
| | AV (dBμV/m) | | Lim | | | $54(dB\mu V/m)$ | |
| High Channel, Vertical | | | | | | | |
| 2483.5 | PK (dBμV/m) | 50.81 | T. in the | | 74(dBμV/m) | | |
| | $AV (dB\mu V/m)$ Limit | | It | 54(dBµV/m) | | | |

Report No.: TW2501163-01E Page 57 of 75

Date: 2025-02-09



20M Bandwidth

10.5 Restricted band Measurement

| EUT | Remote Control | | | | odel | D-Series H16 | |
|-------------------------|----------------|--------------------|-------|--------------|------------|-----------------|--|
| Mode | Kee | eping Transmitting | | Test Voltage | | DC3.7V | |
| Temperature | | 24 deg. C, | | | nidity | 56% RH | |
| Test Result: | | Pass | | | tector | PK | |
| Low Channel, Horizontal | | | | | | | |
| 2390 | PK (dBµV/m) | 44.93 | т:. | Limit | | $74(dB\mu V/m)$ | |
| | AV (dBμV/m) | | Lii | nit | 54(dBµV/m) | | |
| Low Channel Vertical | | | | | | | |
| 2390 | PK (dBμV/m) | 48.73 | Limit | | | $74(dB\mu V/m)$ | |
| | AV (dBμV/m) | | | | | $54(dB\mu V/m)$ | |

10.5 Restricted band Measurement

| EUT | Remote Control | | | | 1odel | D-Series H16 | |
|--------------------------|----------------|---------------------|-------|--------------|------------|-----------------|--|
| Mode | Ke | eeping Transmitting | | Test Voltage | | DC3.7V | |
| Temperature | | 24 deg. C, | | Hu | midity | 56% RH | |
| Test Result: | Pass | | | | etector | PK | |
| High Channel, Horizontal | | | | | | | |
| 2483.5 | PK (dBµV/m) | 45.16 | Limit | | 74(dBμV/m) | | |
| | AV (dBμV/m) | | | | 54(dBμV/m) | | |
| High Channel, Vertical | | | | | | | |
| 2483.5 | PK (dBμV/m) | 50.34 | T, | | | 74(dBμV/m) | |
| | AV (dBμV/m) | | Limi | I | | $54(dB\mu V/m)$ | |

Date: 2025-02-09



Page 58 of 75

12.0 Antenna Requirement

12.1 Standard Applicable

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

And according to FCC 47 CFR Section 15.247 (b), if transmitter antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the mount in dB that the directional gain of the antenna exceeds 6 dBi.

12.2 Antenna Connected construction

Dipole antenna with revers antenna connector, the gain is 2.68dBi maximum for each one (Get from the antenna test report)

Report No.: TW2501163-01E Page 59 of 75

Date: 2025-02-09




13.0 FCC ID Label

FCC ID: 2BM3J-H16

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

Mark Location:



Page 60 of 75

Report No.: TW2501163-01E

Date: 2025-02-09



14.0 Photo of testing

Conducted Emission Test Setup:




Page 61 of 75

Report No.: TW2501163-01E

Date: 2025-02-09



Radiated Emission Test Setup:



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Date: 2025-02-09



Photographs – EUT

Outside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any

Page 63 of 75

Report No.: TW2501163-01E

Date: 2025-02-09



Outside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any

Report No.: TW2501163-01E Page 64 of 75

Date: 2025-02-09



Outside View




Page 65 of 75

Report No.: TW2501163-01E

Date: 2025-02-09



Inside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any

Date: 2025-02-09



Inside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any


Page 67 of 75

Report No.: TW2501163-01E

Date: 2025-02-09



Inside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 68 of 75

Report No.: TW2501163-01E

Date: 2025-02-09



Inside View





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 69 of 75

Report No.: TW2501163-01E

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 70 of 75

Report No.: TW2501163-01E

Date: 2025-02-09



Inside View



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

adopt any other remedies which may be appropriate.

Page 71 of 75

Report No.: TW2501163-01E

Date: 2025-02-09



Inside View





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

Page 72 of 75

Report No.: TW2501163-01E

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


Page 73 of 75

Report No.: TW2501163-01E

Date: 2025-02-09







The report refers only to the sample tested and does not apply to the bulk.


This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any

Page 74 of 75

Report No.: TW2501163-01E

Date: 2025-02-09





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any

Page 75 of 75 Report No.: TW2501163-01E

Date: 2025-02-09



Inside View



End of the report