


Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth n40 5190MHz



-26dB Bandwidth n40 5230MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth n40 5270MHz



-26dB Bandwidth n40 5310MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth n40 5510MHz




-26dB Bandwidth n40 5670MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ac20 5180MHz




-26dB Bandwidth ac20 5240MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ac20 5260MHz




-26dB Bandwidth ac20 5320MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ac20 5500MHz



-26dB Bandwidth ac20 5700MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ac40 5190MHz



-26dB Bandwidth ac40 5230MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ac40 5270MHz



-26dB Bandwidth ac40 5310MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ac40 5510MHz




-26dB Bandwidth ac40 5670MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ac80 5210MHz



-26dB Bandwidth ac80 5290MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ac80 5530MHz




-26dB Bandwidth ac80 5610MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ax20 5180MHz




-26dB Bandwidth ax20 5240MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ax20 5260MHz



-26dB Bandwidth ax20 5320MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ax20 5500MHz




-26dB Bandwidth ax20 5700MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ax40 5190MHz




-26dB Bandwidth ax40 5230MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ax40 5270MHz




-26dB Bandwidth ax40 5310MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ax40 5510MHz




-26dB Bandwidth ax40 5670MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ax80 5210MHz



-26dB Bandwidth ax80 5290MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ax80 5530MHz




-26dB Bandwidth ax80 5610MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-26dB Bandwidth ax160 5250MHz



-26dB Bandwidth ax160 5570MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-6dB Bandwidth

Test Graphs

-6dB Bandwidth a 5745MHz




-6dB Bandwidth a 5825MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-6dB Bandwidth n20 5745MHz



-6dB Bandwidth n20 5825MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-6dB Bandwidth n40 5755MHz




-6dB Bandwidth n40 5795MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-6dB Bandwidth ac20 5745MHz




-6dB Bandwidth ac20 5825MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-6dB Bandwidth ac40 5755MHz




-6dB Bandwidth ac40 5795MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-6dB Bandwidth ac80 5775MHz




-6dB Bandwidth ax20 5745MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-6dB Bandwidth ax20 5825MHz




-6dB Bandwidth ax40 5755MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

-6dB Bandwidth ax40 5795MHz



-6dB Bandwidth ax80 5775MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

7.5 AVERAGE POWER

Product	: EUT-Sample	Test Mode	: See Section 3.4
Test Item	: Average Power	Temperature	: 25 °C
Test Voltage	: DC 11.55V	Humidity	: 56%RH
Test Result	: PASS		

MAIN Ant1

Mode	Frequency (MHz)	Total Power (dBm)	Limit (dBm)	Verdict
a	5180	13.93	24	Pass
a	5240	13.3	24	Pass
a	5260	13.66	24	Pass
a	5320	14.28	24	Pass
a	5500	12.13	24	Pass
a	5700	12.7	24	Pass
a	5745	14.84	30	Pass
a	5825	13.82	30	Pass
n20	5180	14.41	24	Pass
n20	5240	13.62	24	Pass
n20	5260	13.72	24	Pass
n20	5320	14.43	24	Pass
n20	5500	12.22	24	Pass
n20	5700	12.91	24	Pass
n20	5745	12.97	30	Pass
n20	5825	14.11	30	Pass
n40	5190	11.74	24	Pass
n40	5230	11.07	24	Pass
n40	5270	11.18	24	Pass
n40	5310	11.11	24	Pass
n40	5510	12	24	Pass
n40	5670	12.34	24	Pass
n40	5755	11.72	30	Pass
n40	5795	12.57	30	Pass
ac20	5180	12.42	24	Pass
ac20	5240	12.1	24	Pass
ac20	5260	12.82	24	Pass
ac20	5320	13.23	24	Pass
ac20	5500	11.24	24	Pass
ac20	5700	11.05	24	Pass
ac20	5745	12.76	30	Pass
ac20	5825	12.46	30	Pass
ac40	5190	11.05	24	Pass
ac40	5230	9.69	24	Pass
ac40	5270	10.78	24	Pass
ac40	5310	11.03	24	Pass
ac40	5510	10.05	24	Pass
ac40	5670	10.02	24	Pass
ac40	5755	10.43	30	Pass
ac40	5795	11.14	30	Pass
ac80	5210	9.38	24	Pass
ac80	5290	9.47	24	Pass
ac80	5530	8.89	24	Pass
ac80	5610	9.06	24	Pass
ac80	5775	8.9	30	Pass
ax20	5180	12.91	24	Pass
ax20	5240	12.3	24	Pass
ax20	5260	12.63	24	Pass
ax20	5320	13.26	24	Pass
ax20	5500	11.88	24	Pass
ax20	5700	11.81	24	Pass
ax20	5745	12.43	30	Pass
ax20	5825	12.91	30	Pass
ax40	5190	13.06	24	Pass
ax40	5230	12.63	24	Pass
ax40	5270	12.97	24	Pass
ax40	5310	13.51	24	Pass
ax40	5510	12.41	24	Pass

Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

ax40	5670	12.9	24	Pass
ax40	5755	12.36	30	Pass
ax40	5795	13.6	30	Pass
ax80	5210	12.37	24	Pass
ax80	5290	12.41	24	Pass
ax80	5530	12.94	24	Pass
ax80	5610	12.15	24	Pass
ax80	5775	12.43	30	Pass
ax160	5250	9.08	24	Pass
ax160	5570	10.29	24	Pass

AUX Ant2

Mode	Frequency (MHz)	Total Power (dBm)	Limit (dBm)	Verdict
a	5180	10.87	24	Pass
a	5240	11.22	24	Pass
a	5260	11.29	24	Pass
a	5320	10.81	24	Pass
a	5500	9.61	24	Pass
a	5700	10.07	24	Pass
a	5745	9.98	30	Pass
a	5825	10.18	30	Pass
n20	5180	10.22	24	Pass
n20	5240	9.95	24	Pass
n20	5260	10.3	24	Pass
n20	5320	9.7	24	Pass
n20	5500	8.52	24	Pass
n20	5700	8.81	24	Pass
n20	5745	8.55	30	Pass
n20	5825	9.39	30	Pass
n40	5190	9.07	24	Pass
n40	5230	8.28	24	Pass
n40	5270	8.91	24	Pass
n40	5310	8.99	24	Pass
n40	5510	9.08	24	Pass
n40	5670	9.98	24	Pass
n40	5755	9.36	30	Pass
n40	5795	9.67	30	Pass
ac20	5180	10.3	24	Pass
ac20	5240	10.8	24	Pass
ac20	5260	10.89	24	Pass
ac20	5320	10.64	24	Pass
ac20	5500	8.92	24	Pass
ac20	5700	8.88	24	Pass
ac20	5745	9.48	30	Pass
ac20	5825	9.43	30	Pass
ac40	5190	9.18	24	Pass
ac40	5230	9.18	24	Pass
ac40	5270	10.3	24	Pass
ac40	5310	9.33	24	Pass
ac40	5510	8.87	24	Pass
ac40	5670	9.99	24	Pass
ac40	5755	8.84	30	Pass
ac40	5795	9.25	30	Pass
ac80	5210	14.74	24	Pass
ac80	5290	16.59	24	Pass
ac80	5530	12.28	24	Pass
ac80	5610	15.9	24	Pass
ac80	5775	11.26	30	Pass
ax20	5180	9.86	24	Pass
ax20	5240	9.88	24	Pass
ax20	5260	10.18	24	Pass
ax20	5320	9.7	24	Pass
ax20	5500	8.45	24	Pass
ax20	5700	8.96	24	Pass
ax20	5745	8.65	30	Pass
ax20	5825	9.12	30	Pass
ax40	5190	9.97	24	Pass
ax40	5230	10.43	24	Pass
ax40	5270	10.84	24	Pass
ax40	5310	9.78	24	Pass

Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

ax40	5510	8.42	24	Pass
ax40	5670	9.26	24	Pass
ax40	5755	9.06	30	Pass
ax40	5795	9.24	30	Pass
ax80	5210	9.19	24	Pass
ax80	5290	9.44	24	Pass
ax80	5530	8.43	24	Pass
ax80	5610	9.25	24	Pass
ax80	5775	8.27	30	Pass
ax160	5250	13.8	24	Pass
ax160	5570	7.12	24	Pass

MiMO Mode


Mode	Frequency (MHz)	Total Power (dBm)	Limit (dBm)	Verdict
n20	5180	15.81	24	Pass
n20	5240	15.17	24	Pass
n20	5260	15.35	24	Pass
n20	5320	15.69	24	Pass
n20	5500	13.76	24	Pass
n20	5700	14.34	24	Pass
n20	5745	14.31	30	Pass
n20	5825	15.37	30	Pass
n40	5190	13.62	24	Pass
n40	5230	12.91	24	Pass
n40	5270	13.20	24	Pass
n40	5310	13.19	24	Pass
n40	5510	13.79	24	Pass
n40	5670	14.33	24	Pass
n40	5755	13.71	30	Pass
n40	5795	14.37	30	Pass
ac20	5180	14.50	24	Pass
ac20	5240	14.51	24	Pass
ac20	5260	14.97	24	Pass
ac20	5320	15.14	24	Pass
ac20	5500	13.24	24	Pass
ac20	5700	13.11	24	Pass
ac20	5745	14.43	30	Pass
ac20	5825	14.21	30	Pass
ac40	5190	13.23	24	Pass
ac40	5230	12.45	24	Pass
ac40	5270	13.56	24	Pass
ac40	5310	13.27	24	Pass
ac40	5510	12.51	24	Pass
ac40	5670	13.02	24	Pass
ac40	5755	12.72	30	Pass
ac40	5795	13.31	30	Pass
ac80	5210	15.85	24	Pass
ac80	5290	17.36	24	Pass
ac80	5530	13.92	24	Pass
ac80	5610	16.72	24	Pass
ac80	5775	13.25	30	Pass
ax20	5180	14.66	24	Pass
ax20	5240	14.27	24	Pass
ax20	5260	14.59	24	Pass
ax20	5320	14.85	24	Pass
ax20	5500	13.51	24	Pass
ax20	5700	13.63	24	Pass
ax20	5745	13.95	30	Pass
ax20	5825	14.43	30	Pass
ax40	5190	14.79	24	Pass
ax40	5230	14.68	24	Pass
ax40	5270	15.04	24	Pass
ax40	5310	15.04	24	Pass
ax40	5510	13.87	24	Pass
ax40	5670	14.46	24	Pass
ax40	5755	14.03	30	Pass
ax40	5795	14.96	30	Pass
ax80	5210	14.08	24	Pass
ax80	5290	14.18	24	Pass
ax80	5530	14.26	24	Pass

Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

ax80	5610	13.95	24	Pass
ax80	5775	13.84	30	Pass
ax160	5250	15.06	24	Pass
ax160	5570	12.00	24	Pass

MAIN Ant1

Test Graphs Power a 5180MHz




Power a 5240MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power a 5260MHz



Power a 5320MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power a 5500MHz




Power a 5700MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power a 5745MHz




Power a 5825MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power n20 5180MHz




Power n20 5240MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power n20 5260MHz




Power n20 5320MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power n20 5500MHz




Power n20 5700MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power n20 5745MHz




Power n20 5825MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power n40 5190MHz




Power n40 5230MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power n40 5270MHz




Power n40 5310MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power n40 5510MHz




Power n40 5670MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power n40 5755MHz




Power n40 5795MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power ac20 5180MHz




Power ac20 5240MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power ac20 5260MHz




Power ac20 5320MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power ac20 5500MHz




Power ac20 5700MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power ac20 5745MHz




Power ac20 5825MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power ac40 5190MHz




Power ac40 5230MHz




Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power ac40 5270MHz




Power ac40 5310MHz



Report No.: WSCT-ANAB-R&E240700030A-Wi-Fi2

Power ac40 5510MHz



Power ac40 5670MHz

