



东莞市一佳电子通讯科技有限公司

Dongguan YiJia Electronics Communication Technology Co.,Ltd.

规格承认书

SPECIFICATION FOR APPROVAL

日期 Date	2022/12/30
编号 File No	22123008
版本 Revision	1.0

客 户
CUSTOMER:

Autel Robotics Co.,Ltd.

客户料号
CUSTOMER NO:

501006482

品 名
PART NAME:

WIFI_R Antenna

供方料号
SUPPLIER NO:

YJI01.005.070.308A

送样日期Date:

送样数量Q “TY:

客户确认CUSTOMER APPROVED BY		
APPROVAL	CHIEF	SUPERVISOR

供方确认 SUPPLIER SIGNATURE		
APPROVAL	CHECK	DESIGN
 ChenGuoqiang	XieLi	 ChenXingyi

YJ-RD-F04-A

RoHS
Compatible

CUSTOMER
PART NO

REV.

DESCRIPTION

DATE

A

2022-10-21

B

2022-11-25

C

2022-12-30

15.1

MDX_WIFI_R

24.9

PI Reinforced release paper 0.40



Wiring area



Copper exposed area



Reinforcement area



东莞市一佳电子通讯科技有限公司

Dongguan YiJia Electronics Communication Technology Co.,Ltd. Tel.:0769-82586086 Fax:0769-82586086

PART NAME: WIFI Antenna

PART NO.: YJI01.005.070.308A

DATE: 2022-10-21

APPROVED BY

CHECKED BY

DESIGNED BY



Tolerance
X.X ±0.50
X.XX±0.15
X° ±3°

UNITS: mm

SCALE: 1/1

REVISION: C



天线规格


Antenna Specification

Electrical Properties	
Frequency	2.4-2.5GHz 5.15-5.85GHz
Impedance	50 Ohm Nominal
V.S.W.R	2.0 Max@2.4-2.5GHz 3.0 Max@5.15-5.85GHz
Gain	2.2 dBi@2.4-2.5GHz 3.1 dBi@5.15-5.85GHz
Radiation	Omni-directional
Polarization	Linear
Physical Properties	
Connector	None
Cable Type	None
Cable Length	None
Cable Color	None
Operating Temp.	-40 ~ +85 °C
Storage Temp / Humidity	25±5°C / <70%




Antenna Performance Test

**Agilent
E5071B**



**S
Parameter
Test //**
**WIFI_R
Antenna**





Passive Test For WIFI Antenna

Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)
2400	48.7	-3.1	2.1
2410	49.1	-3.1	2.1
2420	46.6	-3.3	2.2
2430	46.6	-3.3	1.9
2440	46.9	-3.3	1.8
2450	47.4	-3.2	1.7
2460	47.6	-3.2	1.3
2470	47.6	-3.2	0.7
2480	45.7	-3.4	0.1
2490	44.8	-3.5	-0.7
2500	45.8	-3.4	-1.2




Passive Test For WiFi Antenna

Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)
5150	27.9	-5.5	-0.4
5200	27.7	-5.6	-0.5
5250	29.4	-5.3	-0.4
5300	33.8	-4.7	0.2
5350	34.5	-4.6	0.5
5400	32.6	-4.9	0.2
5450	31.4	-5.0	-0.4
5500	35.5	-4.5	-0.3
5550	39.4	-4.0	0.5
5600	46.2	-3.4	1.4
5650	66.2	-1.8	3.1
5700	63.0	-2.0	3.1
5750	60.3	-2.2	2.9
5800	52.1	-2.8	2.0
5850	49.1	-3.1	1.9



Radiation Patten For 2450MHz


2450.000MHz





Radiation Patten For 5750MHz

5750.000MHz





WIFI_R *Antenna*

