



### **Test Data**


# **Maximum Conducted Output Power**

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant12	-2.059	30	Pass
NVNT	BLE	2442	Ant12	-1.59	30	Pass
NVNT	BLE	2480	Ant12	-1.849	30	Pass


Tel: +86-755-23118282, Fax: +86-755-23116366

Project No.: JYTSZR2503040









Tel: +86-755-23118282, Fax: +86-755-23116366






### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant12	0.626	0.5	Pass
NVNT	BLE	2442	Ant12	0.626	0.5	Pass
NVNT	BLE	2480	Ant12	0.62	0.5	Pass













# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant12	1.033	
NVNT	BLE	2442	Ant12	1.033	
NVNT	BLE	2480	Ant12	1.032	













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant12	-8.593	8	Pass
NVNT	BLE	2442	Ant12	-8.138	8	Pass
NVNT	BLE	2480	Ant12	-8.4	8	Pass









Tel: +86-755-23118282, Fax: +86-755-23116366






# **Band Edge**


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant12	-54.54	-20	Pass
NVNT	BLE	2480	Ant12	-54.1	-20	Pass

Project No.: JYTSZR2503040













# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant12	-47.4	-20	Pass
NVNT	BLE	2442	Ant12	-48.12	-20	Pass
NVNT	BLE	2480	Ant12	-46.73	-20	Pass











