

Test Information:

Sample No.:	2UGH-1	Test Date:	2024/12/16
Test Site:	RF	Test Mode:	Transmitting
Tester:	Kungfumaster Liang	Test Result:	Pass

Environmental Conditions:

Temperature: (°C):	25.7	Relative Humidity: (%)	53	ATM Pressure: (kPa)	100.9
-----------------------	------	---------------------------	----	------------------------	-------

RF Output Power FCC Part 27

n12

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	26.30	17.15	0.052	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	26.13	16.98	0.050	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	25.75	16.60	0.046	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	25.74	16.59	0.046	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB12@6	26.34	17.19	0.052	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@1	26.07	16.92	0.049	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@23	25.61	16.46	0.044	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB25@0	25.24	16.09	0.041	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 16 QAM_RB25@0	24.20	15.05	0.032	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 64 QAM_RB25@0	23.77	14.62	0.029	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 256 QAM_RB25@0	21.63	12.48	0.018	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB13@6	24.75	15.60	0.036	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@1	24.54	15.39	0.035	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@23	24.57	15.42	0.035	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB25@0	23.23	14.08	0.026	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 16 QAM_RB25@0	23.22	14.07	0.026	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 64 QAM_RB25@0	22.74	13.59	0.023	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 256 QAM_RB25@0	19.69	10.54	0.011	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	26.01	16.86	0.049	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	26.11	16.96	0.050	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	25.74	16.59	0.046	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	25.89	16.74	0.047	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB12@6	25.89	16.74	0.047	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	26.08	16.93	0.049	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@23	25.58	16.43	0.044	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@0	25.37	16.22	0.042	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB25@0	24.25	15.10	0.032	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB25@0	23.85	14.70	0.030	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB25@0	21.76	12.61	0.018	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB13@6	24.77	15.62	0.036	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	24.59	15.44	0.035	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@23	24.68	15.53	0.036	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB25@0	23.34	14.19	0.026	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB25@0	23.34	14.19	0.026	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB25@0	22.91	13.76	0.024	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB25@0	19.90	10.75	0.012	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	25.92	16.77	0.048	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	26.14	16.99	0.050	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	24.87	15.72	0.037	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	25.79	16.64	0.046	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB12@6	25.83	16.68	0.047	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@1	26.14	16.99	0.050	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@23	24.77	15.62	0.036	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0	25.36	16.21	0.042	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 16 QAM_RB25@0	24.32	15.17	0.033	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 64 QAM_RB25@0	23.92	14.77	0.030	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 256 QAM_RB25@0	21.77	12.62	0.018	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB13@6	24.81	15.66	0.037	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@1	24.54	15.39	0.035	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@23	24.41	15.26	0.034	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB25@0	23.32	14.17	0.026	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 16 QAM_RB25@0	23.30	14.15	0.026	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 64 QAM_RB25@0	22.91	13.76	0.024	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 256 QAM_RB25@0	19.82	10.67	0.012	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	26.02	16.87	0.049	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	24.95	15.80	0.038	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	25.97	16.82	0.048	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	25.77	16.62	0.046	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@1	25.75	16.60	0.046	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@50	24.85	15.70	0.037	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB25@12	25.84	16.69	0.047	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0	25.25	16.10	0.041	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 16 QAM_RB50@0	24.26	15.11	0.032	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 64 QAM_RB50@0	23.68	14.53	0.028	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 256 QAM_RB50@0	21.68	12.53	0.018	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@1	24.68	15.53	0.036	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@50	24.55	15.40	0.035	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB26@13	24.67	15.52	0.036	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB52@0	23.21	14.06	0.025	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 16 QAM_RB52@0	23.31	14.16	0.026	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 64 QAM_RB52@0	22.71	13.56	0.023	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 256 QAM_RB52@0	19.74	10.59	0.011	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	25.99	16.84	0.048	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	25.01	15.86	0.039	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	25.85	16.70	0.047	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	25.59	16.44	0.044	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	25.66	16.51	0.045	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@50	24.94	15.79	0.038	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@12	25.62	16.47	0.044	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB50@0	25.28	16.13	0.041	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB50@0	24.33	15.18	0.033	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB50@0	23.79	14.64	0.029	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB50@0	21.74	12.59	0.018	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	24.59	15.44	0.035	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@50	24.74	15.59	0.036	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB26@13	24.85	15.70	0.037	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB52@0	23.33	14.18	0.026	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB52@0	23.44	14.29	0.027	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB52@0	22.84	13.69	0.023	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB52@0	19.83	10.68	0.012	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	25.79	16.64	0.046	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	24.19	15.04	0.032	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	25.78	16.63	0.046	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	25.56	16.41	0.044	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@1	25.95	16.80	0.048	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@50	24.68	15.53	0.036	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB25@12	26	16.85	0.048	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB50@0	25.19	16.04	0.040	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 16 QAM_RB50@0	24.19	15.04	0.032	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 64 QAM_RB50@0	23.67	14.52	0.028	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 256 QAM_RB50@0	21.56	12.41	0.017	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@1	24.55	15.40	0.035	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@50	24.30	15.15	0.033	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB26@13	24.61	15.46	0.035	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB52@0	23.15	14.00	0.025	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 16 QAM_RB52@0	23.20	14.05	0.025	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 64 QAM_RB52@0	22.65	13.50	0.022	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 256 QAM_RB52@0	19.64	10.49	0.011	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	8.77	-0.38	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	8.46	-0.69	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	8.01	-1.14	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	8.49	-0.66	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@1	8.53	-0.62	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@77	8.32	-0.83	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB36@18	7.77	-1.38	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0	8.31	-0.84	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 16 QAM_RB75@0	7.91	-1.24	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 64 QAM_RB75@0	7.41	-1.74	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 256 QAM_RB75@0	21.74	12.59	0.018	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@1	24.59	15.44	0.035	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@77	24.55	15.40	0.035	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB39@19	24.83	15.68	0.037	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB79@0	7.02	-2.13	0.001	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_15MHz_15kHz_706.5MHz_CP-OFDM 16 QAM_RB79@0	7.05	-2.10	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 64 QAM_RB79@0	6.52	-2.63	0.001	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 256 QAM_RB79@0	3.46	-5.69	0.000	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	26.10	16.95	0.050	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	25.55	16.40	0.044	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	26.22	17.07	0.051	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	25.79	16.64	0.046	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	10.72	1.57	0.001	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@77	9.78	0.63	0.001	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB36@18	10.16	1.01	0.001	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB75@0	10.45	1.30	0.001	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	8.82	-0.33	0.001	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	8.47	-0.68	0.001	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	6.28	-2.87	0.001	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	24.46	15.31	0.034	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@77	24.65	15.50	0.035	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB39@19	24.73	15.58	0.036	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB79@0	23.26	14.11	0.026	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB79@0	23.24	14.09	0.026	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB79@0	22.77	13.62	0.023	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB79@0	19.62	10.47	0.011	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	26.13	16.98	0.050	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	25.22	16.07	0.040	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	26.23	17.08	0.051	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	25.80	16.65	0.046	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@1	26.15	17.00	0.050	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@77	25.17	16.02	0.040	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB36@18	26.15	17.00	0.050	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB75@0	25.34	16.19	0.042	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 16 QAM_RB75@0	24.32	15.17	0.033	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 64 QAM_RB75@0	23.86	14.71	0.030	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 256 QAM_RB75@0	21.75	12.60	0.018	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@1	24.82	15.67	0.037	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@77	24.72	15.57	0.036	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB39@19	24.83	15.68	0.037	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB79@0	23.23	14.08	0.026	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 16 QAM_RB79@0	23.34	14.19	0.026	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 64 QAM_RB79@0	22.89	13.74	0.024	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 256 QAM_RB79@0	19.80	10.65	0.012	3	Pass

Note:

ERP = Conducted Power(dBm) - L_c (dB) + G_T (dBd)

G_T (dBd) = G_T (dBi) - 2.15

n12:

1.Ant Gain = -6.5dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB

n38

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.13	12.13	0.016	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16	12.00	0.016	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.08	12.08	0.016	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.61	11.61	0.014	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB12@6	16.23	12.23	0.017	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@1	15.96	11.96	0.016	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@23	16.04	12.04	0.016	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB25@0	15.15	11.15	0.013	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 16 QAM_RB25@0	14.19	10.19	0.010	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 64 QAM_RB25@0	13.76	9.76	0.009	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 256 QAM_RB25@0	11.66	7.66	0.006	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB13@6	14.66	10.66	0.012	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@1	14.58	10.58	0.011	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@23	14.68	10.68	0.012	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB25@0	13.17	9.17	0.008	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 16 QAM_RB25@0	13.10	9.10	0.008	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 64 QAM_RB25@0	12.78	8.78	0.008	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 256 QAM_RB25@0	9.64	5.64	0.004	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.26	12.26	0.017	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.15	12.15	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.21	12.21	0.017	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.71	11.71	0.015	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	16.31	12.31	0.017	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	16.11	12.11	0.016	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@23	16.18	12.18	0.017	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB25@0	15.24	11.24	0.013	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 16 QAM_RB25@0	14.30	10.30	0.011	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 64 QAM_RB25@0	13.81	9.81	0.010	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 256 QAM_RB25@0	11.76	7.76	0.006	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB13@6	14.77	10.77	0.012	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@1	14.68	10.68	0.012	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@23	15.05	11.05	0.013	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB25@0	13.65	9.65	0.009	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 16 QAM_RB25@0	13.53	9.53	0.009	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 64 QAM_RB25@0	13.20	9.20	0.008	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 256 QAM_RB25@0	10.06	6.06	0.004	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.45	12.45	0.018	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.45	12.45	0.018	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.40	12.40	0.017	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	15.93	11.93	0.016	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB12@6	16.48	12.48	0.018	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@1	16.36	12.36	0.017	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@23	16.37	12.37	0.017	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB25@0	15.46	11.46	0.014	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 16 QAM_RB25@0	14.60	10.60	0.011	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 64 QAM_RB25@0	14.01	10.01	0.010	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 256 QAM_RB25@0	11.96	7.96	0.006	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB13@6	14.93	10.93	0.012	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@1	14.99	10.99	0.013	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@23	14.94	10.94	0.012	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB25@0	13.52	9.52	0.009	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 16 QAM_RB25@0	13.44	9.44	0.009	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 64 QAM_RB25@0	13.18	9.18	0.008	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 256 QAM_RB25@0	9.99	5.99	0.004	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	18.52	14.52	0.028	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.42	14.42	0.028	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	18.44	14.44	0.028	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	18.03	14.03	0.025	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB12@6	18.63	14.63	0.029	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@1	18.50	14.50	0.028	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@22	18.46	14.46	0.028	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB24@0	17.60	13.60	0.023	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 16 QAM_RB24@0	16.58	12.58	0.018	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 64 QAM_RB24@0	16.10	12.10	0.016	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 256 QAM_RB24@0	13.94	9.94	0.010	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB12@6	16.83	12.83	0.019	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@1	16.77	12.77	0.019	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@22	16.73	12.73	0.019	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB24@0	15.38	11.38	0.014	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 16 QAM_RB24@0	15.48	11.48	0.014	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 64 QAM_RB24@0	15.08	11.08	0.013	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 256 QAM_RB24@0	11.96	7.96	0.006	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	18.59	14.59	0.029	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.50	14.50	0.028	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	18.62	14.62	0.029	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	18.04	14.04	0.025	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	18.66	14.66	0.029	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	18.56	14.56	0.029	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@22	18.70	14.70	0.030	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB24@0	17.61	13.61	0.023	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB24@0	16.60	12.60	0.018	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB24@0	16.19	12.19	0.017	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB24@0	14.06	10.06	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB12@6	16.93	12.93	0.020	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	16.94	12.94	0.020	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@22	17	13.00	0.020	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB24@0	15.61	11.61	0.014	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB24@0	15.45	11.45	0.014	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB24@0	15.23	11.23	0.013	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB24@0	12.05	8.05	0.006	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	18.59	14.59	0.029	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.44	14.44	0.028	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	18.47	14.47	0.028	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	17.96	13.96	0.025	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB12@6	18.74	14.74	0.030	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@1	18.51	14.51	0.028	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@22	18.48	14.48	0.028	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB24@0	17.56	13.56	0.023	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 16 QAM_RB24@0	16.54	12.54	0.018	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 64 QAM_RB24@0	16.23	12.23	0.017	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 256 QAM_RB24@0	14.03	10.03	0.010	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB12@6	16.92	12.92	0.020	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@1	16.90	12.90	0.019	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@22	16.86	12.86	0.019	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB24@0	15.53	11.53	0.014	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 16 QAM_RB24@0	15.45	11.45	0.014	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 64 QAM_RB24@0	15.08	11.08	0.013	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 256 QAM_RB24@0	11.91	7.91	0.006	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	18.52	14.52	0.028	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.34	14.34	0.027	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	18.53	14.53	0.028	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	17.94	13.94	0.025	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB18@9	18.59	14.59	0.029	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@1	18.44	14.44	0.028	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@36	18.53	14.53	0.028	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB36@0	17.46	13.46	0.022	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 16 QAM_RB36@0	16.56	12.56	0.018	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 64 QAM_RB36@0	15.94	11.94	0.016	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 256 QAM_RB36@0	13.93	9.93	0.010	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB19@9	16.94	12.94	0.020	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@1	16.79	12.79	0.019	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@36	16.86	12.86	0.019	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB38@0	15.41	11.41	0.014	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 16 QAM_RB38@0	15.50	11.50	0.014	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 64 QAM_RB38@0	15.05	11.05	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 256 QAM_RB38@0	12.06	8.06	0.006	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	18.59	14.59	0.029	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.48	14.48	0.028	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	18.55	14.55	0.029	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	18.10	14.10	0.026	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB18@9	18.62	14.62	0.029	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	18.60	14.60	0.029	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@36	18.62	14.62	0.029	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@0	17.57	13.57	0.023	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB36@0	16.60	12.60	0.018	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB36@0	16.08	12.08	0.016	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB36@0	14.05	10.05	0.010	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB19@9	17.08	13.08	0.020	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	16.84	12.84	0.019	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@36	16.99	12.99	0.020	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB38@0	15.49	11.49	0.014	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB38@0	15.57	11.57	0.014	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB38@0	15.13	11.13	0.013	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB38@0	12.21	8.21	0.007	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	18.57	14.57	0.029	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.40	14.40	0.028	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	18.50	14.50	0.028	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	18.04	14.04	0.025	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB18@9	18.59	14.59	0.029	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@1	18.46	14.46	0.028	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@36	18.54	14.54	0.028	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB36@0	17.55	13.55	0.023	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 16 QAM_RB36@0	16.60	12.60	0.018	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 64 QAM_RB36@0	16.04	12.04	0.016	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 256 QAM_RB36@0	13.97	9.97	0.010	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB19@9	17.15	13.15	0.021	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@1	16.88	12.88	0.019	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@36	16.87	12.87	0.019	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB38@0	15.55	11.55	0.014	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 16 QAM_RB38@0	15.61	11.61	0.014	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 64 QAM_RB38@0	15.08	11.08	0.013	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 256 QAM_RB38@0	12.12	8.12	0.006	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.50	14.50	0.028	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	18.66	14.66	0.029	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	18.61	14.61	0.029	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.08	14.08	0.026	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@1	18.48	14.48	0.028	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@49	18.64	14.64	0.029	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB25@12	18.47	14.47	0.028	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB50@0	17.53	13.53	0.023	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 16 QAM_RB50@0	16.58	12.58	0.018	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 64 QAM_RB50@0	16.08	12.08	0.016	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 256 QAM_RB50@0	14	10.00	0.010	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@1	16.87	12.87	0.019	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@49	16.89	12.89	0.019	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB25@12	17.04	13.04	0.020	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB51@0	15.44	11.44	0.014	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 16 QAM_RB51@0	15.51	11.51	0.014	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 64 QAM_RB51@0	15.05	11.05	0.013	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 256 QAM_RB51@0	12.12	8.12	0.006	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.54	14.54	0.028	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	18.67	14.67	0.029	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	18.66	14.66	0.029	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.15	14.15	0.026	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	18.64	14.64	0.029	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@49	18.70	14.70	0.030	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB25@12	18.71	14.71	0.030	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@0	17.67	13.67	0.023	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB50@0	16.68	12.68	0.019	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB50@0	16.15	12.15	0.016	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB50@0	14.17	10.17	0.010	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	16.99	12.99	0.020	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@49	17.07	13.07	0.020	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB25@12	17.11	13.11	0.020	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB51@0	15.58	11.58	0.014	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB51@0	15.57	11.57	0.014	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB51@0	15.16	11.16	0.013	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB51@0	12.15	8.15	0.007	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.57	14.57	0.029	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	18.67	14.67	0.029	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	18.65	14.65	0.029	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.14	14.14	0.026	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@1	18.52	14.52	0.028	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@49	18.67	14.67	0.029	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB25@12	18.72	14.72	0.030	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB50@0	17.61	13.61	0.023	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 16 QAM_RB50@0	16.62	12.62	0.018	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 64 QAM_RB50@0	16.05	12.05	0.016	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 256 QAM_RB50@0	14.08	10.08	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@1	17	13.00	0.020	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@49	17.13	13.13	0.021	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB25@12	17.18	13.18	0.021	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB51@0	15.54	11.54	0.014	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 16 QAM_RB51@0	15.68	11.68	0.015	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 64 QAM_RB51@0	15.11	11.11	0.013	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 256 QAM_RB51@0	12.13	8.13	0.007	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.43	14.43	0.028	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	18.69	14.69	0.029	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	18.54	14.54	0.028	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	18.02	14.02	0.025	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@1	18.38	14.38	0.027	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@63	18.61	14.61	0.029	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB32@16	18.51	14.51	0.028	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB64@0	17.61	13.61	0.023	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 16 QAM_RB64@0	16.50	12.50	0.018	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 64 QAM_RB64@0	16.11	12.11	0.016	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 256 QAM_RB64@0	14.02	10.02	0.010	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@1	16.87	12.87	0.019	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@63	17.10	13.10	0.020	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB33@16	16.99	12.99	0.020	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB65@0	15.56	11.56	0.014	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 16 QAM_RB65@0	15.57	11.57	0.014	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 64 QAM_RB65@0	14.95	10.95	0.012	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 256 QAM_RB65@0	12.02	8.02	0.006	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.40	14.40	0.028	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	18.58	14.58	0.029	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	18.61	14.61	0.029	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	18.11	14.11	0.026	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	18.41	14.41	0.028	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@63	18.63	14.63	0.029	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB32@16	18.66	14.66	0.029	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB64@0	17.63	13.63	0.023	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB64@0	16.51	12.51	0.018	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB64@0	16.13	12.13	0.016	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB64@0	14.06	10.06	0.010	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	16.85	12.85	0.019	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@63	17.04	13.04	0.020	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB33@16	17.03	13.03	0.020	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB65@0	15.60	11.60	0.014	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB65@0	15.58	11.58	0.014	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB65@0	15.03	11.03	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_25MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB65@0	12.04	8.04	0.006	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.46	14.46	0.028	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	18.53	14.53	0.028	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	18.60	14.60	0.029	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	18.09	14.09	0.026	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@1	18.61	14.61	0.029	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@63	18.54	14.54	0.028	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB32@16	18.61	14.61	0.029	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB64@0	17.61	13.61	0.023	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 16 QAM_RB64@0	16.51	12.51	0.018	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 64 QAM_RB64@0	16.16	12.16	0.016	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 256 QAM_RB64@0	14.12	10.12	0.010	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@1	16.94	12.94	0.020	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@63	16.99	12.99	0.020	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB33@16	17.09	13.09	0.020	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB65@0	15.67	11.67	0.015	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 16 QAM_RB65@0	15.54	11.54	0.014	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 64 QAM_RB65@0	15.06	11.06	0.013	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 256 QAM_RB65@0	12.10	8.10	0.006	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.92	11.92	0.016	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	18.66	14.66	0.029	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.55	14.55	0.029	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.06	14.06	0.025	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@1	18.43	14.43	0.028	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@76	18.67	14.67	0.029	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB36@18	18.52	14.52	0.028	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB75@0	17.56	13.56	0.023	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 16 QAM_RB75@0	16.52	12.52	0.018	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 64 QAM_RB75@0	16.08	12.08	0.016	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 256 QAM_RB75@0	14.03	10.03	0.010	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@1	16.69	12.69	0.019	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@76	16.94	12.94	0.020	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB39@19	17.07	13.07	0.020	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB78@0	15.58	11.58	0.014	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 16 QAM_RB78@0	15.67	11.67	0.015	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 64 QAM_RB78@0	15.08	11.08	0.013	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 256 QAM_RB78@0	12.07	8.07	0.006	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.45	14.45	0.028	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	18.65	14.65	0.029	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.64	14.64	0.029	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.19	14.19	0.026	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	18.48	14.48	0.028	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@76	18.71	14.71	0.030	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@18	18.60	14.60	0.029	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB75@0	17.63	13.63	0.023	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB75@0	16.60	12.60	0.018	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB75@0	16.14	12.14	0.016	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB75@0	14.06	10.06	0.010	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	16.89	12.89	0.019	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@76	17.05	13.05	0.020	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB39@19	17.23	13.23	0.021	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB78@0	15.60	11.60	0.014	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB78@0	15.61	11.61	0.014	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB78@0	15.12	11.12	0.013	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB78@0	12.09	8.09	0.006	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.47	14.47	0.028	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	18.64	14.64	0.029	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	18.62	14.62	0.029	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.17	14.17	0.026	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@1	18.52	14.52	0.028	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@76	18.66	14.66	0.029	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB36@18	18.62	14.62	0.029	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB75@0	17.60	13.60	0.023	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 16 QAM_RB75@0	16.63	12.63	0.018	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 64 QAM_RB75@0	16.15	12.15	0.016	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 256 QAM_RB75@0	14.11	10.11	0.010	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@1	16.93	12.93	0.020	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@76	17.10	13.10	0.020	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB39@19	17.18	13.18	0.021	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB78@0	15.63	11.63	0.015	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 16 QAM_RB78@0	15.66	11.66	0.015	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 64 QAM_RB78@0	15.16	11.16	0.013	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 256 QAM_RB78@0	12.14	8.14	0.007	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.13	14.13	0.026	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.35	14.35	0.027	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	18.72	14.72	0.030	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.60	14.60	0.029	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB100@0	17.60	13.60	0.023	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@1	18.42	14.42	0.028	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@104	18.66	14.66	0.029	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB50@25	18.59	14.59	0.029	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 16 QAM_RB100@0	16.63	12.63	0.018	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 64 QAM_RB100@0	16.01	12.01	0.016	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 256 QAM_RB100@0	14.05	10.05	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB106@0	15.58	11.58	0.014	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@1	16.66	12.66	0.018	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@104	17.09	13.09	0.020	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB53@26	17.13	13.13	0.021	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 16 QAM_RB106@0	15.60	11.60	0.014	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 64 QAM_RB106@0	15.09	11.09	0.013	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 256 QAM_RB106@0	12.12	8.12	0.006	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.17	14.17	0.026	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.40	14.40	0.028	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	18.72	14.72	0.030	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.61	14.61	0.029	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB100@0	17.69	13.69	0.023	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	18.45	14.45	0.028	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@104	18.70	14.70	0.030	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@25	18.60	14.60	0.029	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB100@0	16.61	12.61	0.018	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB100@0	16.14	12.14	0.016	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB100@0	14.08	10.08	0.010	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB106@0	15.60	11.60	0.014	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	16.81	12.81	0.019	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@104	17.08	13.08	0.020	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB53@26	17.18	13.18	0.021	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB106@0	15.59	11.59	0.014	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB106@0	15.10	11.10	0.013	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB106@0	12.04	8.04	0.006	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.10	14.10	0.026	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.45	14.45	0.028	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	18.63	14.63	0.029	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	18.59	14.59	0.029	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB100@0	17.63	13.63	0.023	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@1	18.52	14.52	0.028	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@104	18.72	14.72	0.030	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB50@25	18.58	14.58	0.029	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 16 QAM_RB100@0	16.63	12.63	0.018	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 64 QAM_RB100@0	16.10	12.10	0.016	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 256 QAM_RB100@0	14.09	10.09	0.010	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB106@0	15.60	11.60	0.014	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@1	17	13.00	0.020	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@104	17.16	13.16	0.021	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB53@26	17.15	13.15	0.021	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 16 QAM_RB106@0	15.62	11.62	0.015	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 64 QAM_RB106@0	15.07	11.07	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_40MHz_30kHz_2600MHz_CP-OFDM 256 QAM_RB106@0	12.08	8.08	0.006	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n38:

1.Ant Gain = -3.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.8dB

n41

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM π/2 BPSK_RB12@6	17.35	13.35	0.022	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM π/2 BPSK_RB1@1	17.23	13.23	0.021	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM π/2 BPSK_RB1@22	17.31	13.31	0.021	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM π/2 BPSK_RB24@0	16.78	12.78	0.019	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	17.33	13.33	0.022	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	17.29	13.29	0.021	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	17.36	13.36	0.022	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	16.26	12.26	0.017	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	15.25	11.25	0.013	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	14.80	10.80	0.012	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	12.79	8.79	0.008	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB12@6	15.65	11.65	0.015	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	15.72	11.72	0.015	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@22	15.80	11.80	0.015	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	14.21	10.21	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 16 QAM_RB24@0	14.18	10.18	0.010	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 64 QAM_RB24@0	13.76	9.76	0.009	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 256 QAM_RB24@0	10.74	6.74	0.005	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.03	13.03	0.020	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.06	13.06	0.020	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.09	13.09	0.020	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.57	12.57	0.018	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	17.13	13.13	0.021	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	17.05	13.05	0.020	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	17.10	13.10	0.020	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	16.03	12.03	0.016	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	15.02	11.02	0.013	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	14.50	10.50	0.011	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	12.46	8.46	0.007	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	15.41	11.41	0.014	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	15.52	11.52	0.014	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	15.59	11.59	0.014	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	13.94	9.94	0.010	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	13.87	9.87	0.010	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	13.53	9.53	0.009	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	10.53	6.53	0.004	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.07	13.07	0.020	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.07	13.07	0.020	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.04	13.04	0.020	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.63	12.63	0.018	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	17.23	13.23	0.021	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	17.07	13.07	0.020	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	17.11	13.11	0.020	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	16.02	12.02	0.016	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	15.04	11.04	0.013	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	14.81	10.81	0.012	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	12.49	8.49	0.007	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	15.61	11.61	0.014	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	15.46	11.46	0.014	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	15.51	11.51	0.014	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	14.02	10.02	0.010	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	13.97	9.97	0.010	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	13.72	9.72	0.009	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	10.54	6.54	0.005	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.35	13.35	0.022	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.76	11.76	0.015	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.37	13.37	0.022	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.81	12.81	0.019	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	17.38	13.38	0.022	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	17.27	13.27	0.021	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	17.38	13.38	0.022	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	16.39	12.39	0.017	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.32	11.32	0.014	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.83	10.83	0.012	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.76	8.76	0.008	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	15.85	11.85	0.015	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	15.72	11.72	0.015	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	15.66	11.66	0.015	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	14.30	10.30	0.011	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	14.32	10.32	0.011	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	13.83	9.83	0.010	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	10.90	6.90	0.005	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.17	13.17	0.021	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.56	9.56	0.009	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.13	13.13	0.021	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.58	12.58	0.018	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	17.15	13.15	0.021	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	17.03	13.03	0.020	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	17.11	13.11	0.020	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	16.07	12.07	0.016	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	15.02	11.02	0.013	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	14.52	10.52	0.011	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	12.52	8.52	0.007	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	15.53	11.53	0.014	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	15.37	11.37	0.014	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	15.51	11.51	0.014	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	14.03	10.03	0.010	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	14.03	10.03	0.010	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	13.56	9.56	0.009	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	10.63	6.63	0.005	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.08	13.08	0.020	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.02	13.02	0.020	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.06	13.06	0.020	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.55	12.55	0.018	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	17.07	13.07	0.020	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	17	13.00	0.020	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	17.09	13.09	0.020	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	16.09	12.09	0.016	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	15.06	11.06	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	14.55	10.55	0.011	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	12.52	8.52	0.007	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	15.49	11.49	0.014	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	15.38	11.38	0.014	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	15.48	11.48	0.014	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	14.01	10.01	0.010	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	14.10	10.10	0.010	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	13.53	9.53	0.009	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	10.51	6.51	0.004	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.33	13.33	0.022	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.31	13.31	0.021	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.27	13.27	0.021	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.82	12.82	0.019	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	17.35	13.35	0.022	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	17.38	13.38	0.022	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	17.31	13.31	0.021	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	16.31	12.31	0.017	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	15.25	11.25	0.013	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	14.77	10.77	0.012	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	12.76	8.76	0.008	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	15.67	11.67	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	15.78	11.78	0.015	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	15.88	11.88	0.015	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	14.25	10.25	0.011	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	14.29	10.29	0.011	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	13.75	9.75	0.009	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	10.83	6.83	0.005	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.98	12.98	0.020	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.14	13.14	0.021	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.07	13.07	0.020	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.62	12.62	0.018	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.98	12.98	0.020	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	17.19	13.19	0.021	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	17.11	13.11	0.020	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	16.13	12.13	0.016	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	14.99	10.99	0.013	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	14.51	10.51	0.011	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	12.54	8.54	0.007	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	15.42	11.42	0.014	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	15.45	11.45	0.014	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	15.67	11.67	0.015	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	14.02	10.02	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	14.06	10.06	0.010	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	13.50	9.50	0.009	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	10.56	6.56	0.005	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.93	12.93	0.020	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.08	13.08	0.020	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.97	12.97	0.020	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.49	12.49	0.018	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	16.90	12.90	0.019	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	17.14	13.14	0.021	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	17.09	13.09	0.020	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	15.98	11.98	0.016	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	15	11.00	0.013	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	14.52	10.52	0.011	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	12.45	8.45	0.007	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	15.27	11.27	0.013	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	15.57	11.57	0.014	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	15.46	11.46	0.014	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	13.91	9.91	0.010	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	13.93	9.93	0.010	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	13.49	9.49	0.009	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	10.54	6.54	0.005	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.64	13.64	0.023	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.48	13.48	0.022	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.45	13.45	0.022	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.06	13.06	0.020	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@1	17.51	13.51	0.022	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@76	17.64	13.64	0.023	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB36@18	17.70	13.70	0.023	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB75@0	16.64	12.64	0.018	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 16 QAM_RB75@0	15.19	11.19	0.013	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 64 QAM_RB75@0	14.74	10.74	0.012	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 256 QAM_RB75@0	12.68	8.68	0.007	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@1	15.74	11.74	0.015	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@76	15.88	11.88	0.015	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB39@19	16.35	12.35	0.017	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB78@0	14.19	10.19	0.010	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 16 QAM_RB78@0	14.27	10.27	0.011	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 64 QAM_RB78@0	13.71	9.71	0.009	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 256 QAM_RB78@0	10.74	6.74	0.005	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.20	13.20	0.021	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.49	13.49	0.022	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.18	13.18	0.021	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.77	12.77	0.019	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	17.39	13.39	0.022	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@76	17.54	13.54	0.023	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@18	17.42	13.42	0.022	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB75@0	16.46	12.46	0.018	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB75@0	15.01	11.01	0.013	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB75@0	14.52	10.52	0.011	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB75@0	12.53	8.53	0.007	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	15.70	11.70	0.015	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@76	15.82	11.82	0.015	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB39@19	15.96	11.96	0.016	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB78@0	14.03	10.03	0.010	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB78@0	14.08	10.08	0.010	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB78@0	13.54	9.54	0.009	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB78@0	10.51	6.51	0.004	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.19	13.19	0.021	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.22	13.22	0.021	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.37	13.37	0.022	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.01	13.01	0.020	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@1	17.32	13.32	0.021	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@76	17.37	13.37	0.022	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB36@18	17.44	13.44	0.022	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB75@0	16.47	12.47	0.018	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 16 QAM_RB75@0	14.93	10.93	0.012	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 64 QAM_RB75@0	14.35	10.35	0.011	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 256 QAM_RB75@0	12.41	8.41	0.007	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@1	15.72	11.72	0.015	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@76	16.11	12.11	0.016	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB39@19	15.96	11.96	0.016	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB78@0	13.91	9.91	0.010	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 16 QAM_RB78@0	13.95	9.95	0.010	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 64 QAM_RB78@0	13.45	9.45	0.009	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 256 QAM_RB78@0	10.41	6.41	0.004	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	17.34	13.34	0.022	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.87	13.87	0.024	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.77	13.77	0.024	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.69	13.69	0.023	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	16.90	12.90	0.019	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	17.80	13.80	0.024	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	17.70	13.70	0.023	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	17.81	13.81	0.024	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	15.22	11.22	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	14.75	10.75	0.012	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	12.75	8.75	0.007	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	14.29	10.29	0.011	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	16.11	12.11	0.016	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	16.05	12.05	0.016	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	16.48	12.48	0.018	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	14.28	10.28	0.011	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	13.76	9.76	0.009	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	10.73	6.73	0.005	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.94	12.94	0.020	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.21	13.21	0.021	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.30	13.30	0.021	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.48	13.48	0.022	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	16.63	12.63	0.018	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	17.20	13.20	0.021	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	17.32	13.32	0.021	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	17.39	13.39	0.022	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	15.03	11.03	0.013	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	14.55	10.55	0.011	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	12.52	8.52	0.007	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	14.07	10.07	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	15.57	11.57	0.014	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	16.37	12.37	0.017	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB53@26	16.01	12.01	0.016	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	14.10	10.10	0.010	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	13.54	9.54	0.009	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	10.55	6.55	0.005	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.91	12.91	0.020	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.95	12.95	0.020	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.61	13.61	0.023	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.17	13.17	0.021	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	16.55	12.55	0.018	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	17.34	13.34	0.022	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	17.49	13.49	0.022	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	17.33	13.33	0.022	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	14.86	10.86	0.012	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	14.36	10.36	0.011	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	12.38	8.38	0.007	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	13.88	9.88	0.010	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	15.66	11.66	0.015	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	16.06	12.06	0.016	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	15.74	11.74	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	13.87	9.87	0.010	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	13.40	9.40	0.009	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	10.38	6.38	0.004	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	17.10	13.10	0.020	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.45	13.45	0.022	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.47	13.47	0.022	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.69	13.69	0.023	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	16.96	12.96	0.020	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	18.11	14.11	0.026	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	18.17	14.17	0.026	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	17.68	13.68	0.023	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	15.27	11.27	0.013	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	14.78	10.78	0.012	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	12.77	8.77	0.008	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	14.26	10.26	0.011	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	16.24	12.24	0.017	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	16.41	12.41	0.017	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	16.26	12.26	0.017	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	14.29	10.29	0.011	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	13.77	9.77	0.009	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	10.78	6.78	0.005	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.89	12.89	0.019	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.46	13.46	0.022	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.91	13.91	0.025	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.10	13.10	0.020	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	16.89	12.89	0.019	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	17.55	13.55	0.023	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	17.72	13.72	0.024	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	17.63	13.63	0.023	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	15.05	11.05	0.013	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	14.58	10.58	0.011	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	12.58	8.58	0.007	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	14.04	10.04	0.010	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	15.63	11.63	0.015	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	16.18	12.18	0.017	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	15.85	11.85	0.015	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	14.05	10.05	0.010	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	13.57	9.57	0.009	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	10.60	6.60	0.005	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.79	12.79	0.019	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.22	13.22	0.021	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.50	13.50	0.022	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.54	13.54	0.023	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	16.77	12.77	0.019	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	17.50	13.50	0.022	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	18.36	14.36	0.027	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	17.20	13.20	0.021	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	14.92	10.92	0.012	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	14.42	10.42	0.011	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	12.42	8.42	0.007	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	13.87	9.87	0.010	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	15.43	11.43	0.014	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	16.60	12.60	0.018	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	15.94	11.94	0.016	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	13.93	9.93	0.010	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	13.37	9.37	0.009	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	10.41	6.41	0.004	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	17.25	13.25	0.021	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.46	13.46	0.022	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.73	13.73	0.024	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.90	13.90	0.025	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	16.88	12.88	0.019	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	17.66	13.66	0.023	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	17.54	13.54	0.023	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	18.10	14.10	0.026	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	15.21	11.21	0.013	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	14.73	10.73	0.012	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	12.73	8.73	0.007	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	14.19	10.19	0.010	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	15.99	11.99	0.016	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	16.02	12.02	0.016	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	16.80	12.80	0.019	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	14.21	10.21	0.010	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	13.73	9.73	0.009	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	10.73	6.73	0.005	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	17.12	13.12	0.021	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.20	13.20	0.021	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.49	13.49	0.022	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.68	13.68	0.023	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	16.75	12.75	0.019	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	17.33	13.33	0.022	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	17.49	13.49	0.022	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	17.44	13.44	0.022	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	15.04	11.04	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	14.57	10.57	0.011	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	12.54	8.54	0.007	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	14.08	10.08	0.010	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	15.78	11.78	0.015	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	16.27	12.27	0.017	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	16.10	12.10	0.016	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	14.08	10.08	0.010	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	13.55	9.55	0.009	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	10.60	6.60	0.005	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	17.19	13.19	0.021	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.94	12.94	0.020	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.50	13.50	0.022	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.34	13.34	0.022	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	16.48	12.48	0.018	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	17.09	13.09	0.020	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	17.54	13.54	0.023	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	17.34	13.34	0.022	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	14.94	10.94	0.012	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	14.41	10.41	0.011	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	12.42	8.42	0.007	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	13.93	9.93	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	15.43	11.43	0.014	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	15.91	11.91	0.016	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	16.14	12.14	0.016	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	13.91	9.91	0.010	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	13.37	9.37	0.009	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	10.42	6.42	0.004	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.35	13.35	0.022	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.25	13.25	0.021	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.97	12.97	0.020	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.68	12.68	0.019	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	17.27	13.27	0.021	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	17.24	13.24	0.021	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	17.13	13.13	0.021	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	16.19	12.19	0.017	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	15.20	11.20	0.013	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	14.72	10.72	0.012	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	12.74	8.74	0.007	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	15.85	11.85	0.015	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	15.78	11.78	0.015	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	15.35	11.35	0.014	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	14.17	10.17	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	14.19	10.19	0.010	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	13.68	9.68	0.009	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	10.68	6.68	0.005	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.14	13.14	0.021	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.94	12.94	0.020	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.11	13.11	0.020	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.66	12.66	0.018	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	17.17	13.17	0.021	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.98	12.98	0.020	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	17.20	13.20	0.021	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	16.17	12.17	0.016	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	15.21	11.21	0.013	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	14.73	10.73	0.012	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	12.72	8.72	0.007	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	15.74	11.74	0.015	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	15.31	11.31	0.014	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	15.53	11.53	0.014	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	14.17	10.17	0.010	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	14.17	10.17	0.010	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	13.68	9.68	0.009	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	10.70	6.70	0.005	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.90	12.90	0.019	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.81	12.81	0.019	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.29	13.29	0.021	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.52	12.52	0.018	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	17	13.00	0.020	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	16.88	12.88	0.019	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	17.32	13.32	0.021	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	16.01	12.01	0.016	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM_RB216@0	15.14	11.14	0.013	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM_RB216@0	14.67	10.67	0.012	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM_RB216@0	12.60	8.60	0.007	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	15.48	11.48	0.014	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	15.25	11.25	0.013	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	15.68	11.68	0.015	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB217@0	14.14	10.14	0.010	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	14.12	10.12	0.010	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	13.58	9.58	0.009	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	10.61	6.61	0.005	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	17.35	13.35	0.022	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.64	12.64	0.018	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	17.11	13.11	0.020	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.63	12.63	0.018	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	17.30	13.30	0.021	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	17.30	13.30	0.021	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	17.29	13.29	0.021	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	16.15	12.15	0.016	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	15.24	11.24	0.013	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	14.72	10.72	0.012	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	12.69	8.69	0.007	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	15.76	11.76	0.015	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	15.74	11.74	0.015	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	15.67	11.67	0.015	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	14.17	10.17	0.010	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	14.17	10.17	0.010	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	13.70	9.70	0.009	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	10.71	6.71	0.005	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	17.16	13.16	0.021	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.01	13.01	0.020	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	17.09	13.09	0.020	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.76	12.76	0.019	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	17.22	13.22	0.021	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	17.04	13.04	0.020	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	17.19	13.19	0.021	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	16.24	12.24	0.017	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	15.30	11.30	0.013	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	14.82	10.82	0.012	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	12.80	8.80	0.008	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	15.59	11.59	0.014	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	15.44	11.44	0.014	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	15.62	11.62	0.015	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	14.26	10.26	0.011	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	14.28	10.28	0.011	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	13.77	9.77	0.009	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	10.76	6.76	0.005	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.93	12.93	0.020	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.81	12.81	0.019	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	17.34	13.34	0.022	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.49	12.49	0.018	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	16.97	12.97	0.020	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	16.93	12.93	0.020	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	17.42	13.42	0.022	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	16.07	12.07	0.016	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	15.18	11.18	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	14.65	10.65	0.012	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	12.62	8.62	0.007	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	15.48	11.48	0.014	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	15.25	11.25	0.013	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	15.88	11.88	0.015	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	14.14	10.14	0.010	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	14.12	10.12	0.010	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	13.59	9.59	0.009	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	10.58	6.58	0.005	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	17.25	13.25	0.021	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.93	11.93	0.016	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	17.23	13.23	0.021	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.56	12.56	0.018	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	17.23	13.23	0.021	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	17.37	13.37	0.022	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	17.25	13.25	0.021	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	16.18	12.18	0.017	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	15.22	11.22	0.013	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	14.63	10.63	0.012	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	12.70	8.70	0.007	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	15.70	11.70	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	15.70	11.70	0.015	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	15.64	11.64	0.015	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	14.14	10.14	0.010	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	14.13	10.13	0.010	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	13.67	9.67	0.009	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	10.71	6.71	0.005	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	17.11	13.11	0.020	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.99	12.99	0.020	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	17.12	13.12	0.021	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.70	12.70	0.019	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	17.17	13.17	0.021	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	17.05	13.05	0.020	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	17.21	13.21	0.021	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	16.25	12.25	0.017	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	15.28	11.28	0.013	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	14.83	10.83	0.012	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	12.76	8.76	0.008	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	15.64	11.64	0.015	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	15.53	11.53	0.014	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	15.63	11.63	0.015	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	14.27	10.27	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	14.26	10.26	0.011	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	13.78	9.78	0.010	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	10.80	6.80	0.005	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.91	12.91	0.020	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.78	12.78	0.019	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	17.26	13.26	0.021	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.52	12.52	0.018	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	16.95	12.95	0.020	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	16.90	12.90	0.019	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	17.36	13.36	0.022	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	16.03	12.03	0.016	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	15.10	11.10	0.013	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	14.57	10.57	0.011	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	12.57	8.57	0.007	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	15.43	11.43	0.014	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	15.21	11.21	0.013	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	15.92	11.92	0.016	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	14.09	10.09	0.010	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	14.08	10.08	0.010	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	13.54	9.54	0.009	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	10.60	6.60	0.005	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n41:

1.Ant Gain = -3.2dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.8dB

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM π/2 BPSK_RB12@6	20.45	22.15	0.164	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM π/2 BPSK_RB1@1	20.40	22.10	0.162	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM π/2 BPSK_RB1@23	20.39	22.09	0.162	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM π/2 BPSK_RB25@0	19.96	21.66	0.147	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	20.46	22.16	0.164	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	20.43	22.13	0.163	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	20.34	22.04	0.160	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	19.49	21.19	0.132	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	18.44	20.14	0.103	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	17.96	19.66	0.092	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	15.93	17.63	0.058	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	18.92	20.62	0.115	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	18.85	20.55	0.114	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	18.77	20.47	0.111	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	17.46	19.16	0.082	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	17.46	19.16	0.082	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	16.99	18.69	0.074	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	13.93	15.63	0.037	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.55	22.25	0.168	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.41	22.11	0.163	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.43	22.13	0.163	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.01	21.71	0.148	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	20.53	22.23	0.167	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.41	22.11	0.163	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	20.39	22.09	0.162	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	19.50	21.20	0.132	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	18.46	20.16	0.104	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	18.01	19.71	0.094	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	15.93	17.63	0.058	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	18.98	20.68	0.117	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	18.85	20.55	0.114	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	18.81	20.51	0.112	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	17.45	19.15	0.082	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	17.47	19.17	0.083	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	17	18.70	0.074	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	13.92	15.62	0.036	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.56	22.26	0.168	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.44	22.14	0.164	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.63	22.33	0.171	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.09	21.79	0.151	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	20.62	22.32	0.171	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	20.47	22.17	0.165	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	20.60	22.30	0.170	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	19.57	21.27	0.134	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	18.58	20.28	0.107	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	18.13	19.83	0.096	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.03	17.73	0.059	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	19.06	20.76	0.119	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	18.86	20.56	0.114	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	19.03	20.73	0.118	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	17.58	19.28	0.085	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	17.58	19.28	0.085	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	17.08	18.78	0.076	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	13.99	15.69	0.037	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.41	22.11	0.163	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.53	22.23	0.167	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.42	22.12	0.163	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	19.94	21.64	0.146	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	21.16	22.86	0.193	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	20.53	22.23	0.167	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	20.14	21.84	0.153	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	19.48	21.18	0.131	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	18.47	20.17	0.104	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	17.96	19.66	0.092	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	15.95	17.65	0.058	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	18.87	20.57	0.114	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	19.01	20.71	0.118	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	18.94	20.64	0.116	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	17.43	19.13	0.082	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	17.52	19.22	0.084	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	16.91	18.61	0.073	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	13.93	15.63	0.037	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.44	22.14	0.164	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.41	22.11	0.163	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.49	22.19	0.166	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20	21.70	0.148	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.41	22.11	0.163	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	20.92	22.62	0.183	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	20.49	22.19	0.166	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	19.49	21.19	0.132	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	18.44	20.14	0.103	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	17.99	19.69	0.093	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	15.89	17.59	0.057	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	18.84	20.54	0.113	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	18.86	20.56	0.114	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	18.90	20.60	0.115	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	17.41	19.11	0.081	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	17.46	19.16	0.082	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	16.92	18.62	0.073	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	13.86	15.56	0.036	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.44	22.14	0.164	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.59	22.29	0.169	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.50	22.20	0.166	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20	21.70	0.148	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	20.46	22.16	0.164	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	20.59	22.29	0.169	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	20.48	22.18	0.165	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	19.52	21.22	0.132	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	18.49	20.19	0.104	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	17.97	19.67	0.093	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	16	17.70	0.059	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	18.88	20.58	0.114	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	19.03	20.73	0.118	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	18.91	20.61	0.115	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	17.51	19.21	0.083	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	17.55	19.25	0.084	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	16.99	18.69	0.074	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	13.97	15.67	0.037	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.36	22.06	0.161	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.51	22.21	0.166	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.46	22.16	0.164	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	19.96	21.66	0.147	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	20.37	22.07	0.161	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	20.77	22.47	0.177	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	20.45	22.15	0.164	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	19.47	21.17	0.131	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	18.46	20.16	0.104	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	17.99	19.69	0.093	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	15.94	17.64	0.058	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	18.82	20.52	0.113	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	18.89	20.59	0.115	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	19	20.70	0.117	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	17.49	19.19	0.083	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	17.48	19.18	0.083	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	16.96	18.66	0.073	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	13.95	15.65	0.037	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.42	22.12	0.163	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.40	22.10	0.162	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.49	22.19	0.166	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	19.92	21.62	0.145	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.40	22.10	0.162	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	19.87	21.57	0.144	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	20.48	22.18	0.165	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	19.46	21.16	0.131	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	18.46	20.16	0.104	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	17.98	19.68	0.093	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	15.92	17.62	0.058	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	18.82	20.52	0.113	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	18.85	20.55	0.114	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	19.04	20.74	0.119	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	17.45	19.15	0.082	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	17.49	19.19	0.083	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	16.98	18.68	0.074	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	13.90	15.60	0.036	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.38	22.08	0.161	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.66	22.36	0.172	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.53	22.23	0.167	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.07	21.77	0.150	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	20.39	22.09	0.162	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	20.56	22.26	0.168	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	20.53	22.23	0.167	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	19.49	21.19	0.132	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	18.48	20.18	0.104	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	18.02	19.72	0.094	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	15.95	17.65	0.058	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	18.73	20.43	0.110	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	19.04	20.74	0.119	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	19.02	20.72	0.118	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	17.55	19.25	0.084	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	17.54	19.24	0.084	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	17.01	18.71	0.074	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	13.96	15.66	0.037	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	19.90	21.60	0.145	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.30	22.00	0.158	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.47	22.17	0.165	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.40	22.10	0.162	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	19.42	21.12	0.129	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	20.36	22.06	0.161	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	20.46	22.16	0.164	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	20.43	22.13	0.163	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	18.42	20.12	0.103	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	17.91	19.61	0.091	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	15.93	17.63	0.058	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	17.47	19.17	0.083	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	17.73	19.43	0.088	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	18.88	20.58	0.114	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	18.92	20.62	0.115	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	17.43	19.13	0.082	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	16.94	18.64	0.073	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	13.89	15.59	0.036	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	19.91	21.61	0.145	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.39	22.09	0.162	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.35	22.05	0.160	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.41	22.11	0.163	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	19.42	21.12	0.129	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.37	22.07	0.161	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	20.40	22.10	0.162	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	20.45	22.15	0.164	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	18.40	20.10	0.102	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	17.92	19.62	0.092	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	15.90	17.60	0.058	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	17.46	19.16	0.082	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	18.81	20.51	0.112	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	18.85	20.55	0.114	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	18.96	20.66	0.116	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	17.42	19.12	0.082	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	16.90	18.60	0.072	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	13.90	15.60	0.036	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	20	21.70	0.148	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.31	22.01	0.159	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.63	22.33	0.171	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.52	22.22	0.167	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	19.53	21.23	0.133	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	20.35	22.05	0.160	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	20.62	22.32	0.171	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	20.50	22.20	0.166	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	17.99	19.69	0.093	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	17.37	19.07	0.081	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	14.48	16.18	0.041	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	17.28	18.98	0.079	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	18.36	20.06	0.101	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	18.77	20.47	0.111	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	18.55	20.25	0.106	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	16.83	18.53	0.071	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	15.75	17.45	0.056	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	13.81	15.51	0.036	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	19.66	21.36	0.137	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.08	21.78	0.151	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	20.17	21.87	0.154	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	19.58	21.28	0.134	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	19.22	20.92	0.124	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	20.05	21.75	0.150	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	19.59	21.29	0.135	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	20.23	21.93	0.156	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	18.31	20.01	0.100	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	17.81	19.51	0.089	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	15.81	17.51	0.056	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	17.29	18.99	0.079	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	18.54	20.24	0.106	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	18.79	20.49	0.112	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	18.81	20.51	0.112	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	17.28	18.98	0.079	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	16.77	18.47	0.070	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	13.80	15.50	0.035	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	19.79	21.49	0.141	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.18	21.88	0.154	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	20.24	21.94	0.156	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	20.31	22.01	0.159	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	19.33	21.03	0.127	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.20	21.90	0.155	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	20.21	21.91	0.155	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	20.30	22.00	0.158	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	18.32	20.02	0.100	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	17.83	19.53	0.090	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	15.81	17.51	0.056	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	17.29	18.99	0.079	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	18.59	20.29	0.107	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	18.64	20.34	0.108	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	18.81	20.51	0.112	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	17.27	18.97	0.079	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	16.73	18.43	0.070	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	13.78	15.48	0.035	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	19.89	21.59	0.144	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.18	21.88	0.154	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	20.48	22.18	0.165	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	20.37	22.07	0.161	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	19.42	21.12	0.129	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	20.21	21.91	0.155	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	20.47	22.17	0.165	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	20.37	22.07	0.161	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	18.43	20.13	0.103	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	17.95	19.65	0.092	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	15.92	17.62	0.058	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	17.83	19.53	0.090	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	18.64	20.34	0.108	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	18.86	20.56	0.114	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	18.87	20.57	0.114	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	18.06	19.76	0.095	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	16.90	18.60	0.072	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	13.90	15.60	0.036	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	19.87	21.57	0.144	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.21	21.91	0.155	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	20.39	22.09	0.162	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	20.38	22.08	0.161	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	19.37	21.07	0.128	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	20.20	21.90	0.155	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	20.43	22.13	0.163	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	20.40	22.10	0.162	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	18.36	20.06	0.101	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	17.86	19.56	0.090	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	15.87	17.57	0.057	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	17.35	19.05	0.080	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	18.64	20.34	0.108	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	18.85	20.55	0.114	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	18.85	20.55	0.114	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	17.34	19.04	0.080	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	16.86	18.56	0.072	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	13.89	15.59	0.036	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	19.76	21.46	0.140	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.19	21.89	0.155	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	20.26	21.96	0.157	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	20.32	22.02	0.159	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	19.29	20.99	0.126	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.20	21.90	0.155	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	19.67	21.37	0.137	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	20.28	21.98	0.158	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	18.28	19.98	0.100	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	17.80	19.50	0.089	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	15.77	17.47	0.056	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	17.12	18.82	0.076	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	18.56	20.26	0.106	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	18.54	20.24	0.106	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	18.73	20.43	0.110	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	17.13	18.83	0.076	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	16.63	18.33	0.068	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	13.65	15.35	0.034	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	19.69	21.39	0.138	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.14	21.84	0.153	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	20.37	22.07	0.161	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	20.21	21.91	0.155	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	19.24	20.94	0.124	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	20.19	21.89	0.155	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	20.42	22.12	0.163	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	20.27	21.97	0.157	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	18.27	19.97	0.099	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	17.85	19.55	0.090	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	15.78	17.48	0.056	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	17.30	19.00	0.079	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	18.58	20.28	0.107	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	18.86	20.56	0.114	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	18.76	20.46	0.111	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	17.24	18.94	0.078	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	16.80	18.50	0.071	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	13.76	15.46	0.035	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	20.42	22.12	0.163	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.69	19.39	0.087	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	20.43	22.13	0.163	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	19.88	21.58	0.144	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	20.44	22.14	0.164	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	20.22	21.92	0.156	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	20.44	22.14	0.164	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	19.44	21.14	0.130	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	18.41	20.11	0.103	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	17.94	19.64	0.092	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	15.95	17.65	0.058	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	18.95	20.65	0.116	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	19.22	20.92	0.124	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	18.88	20.58	0.114	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	17.44	19.14	0.082	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	17.43	19.13	0.082	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	16.94	18.64	0.073	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	14.01	15.71	0.037	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	20.38	22.08	0.161	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.23	21.93	0.156	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	20.31	22.01	0.159	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	19.77	21.47	0.140	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	20.38	22.08	0.161	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	20.18	21.88	0.154	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	20.34	22.04	0.160	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	19.34	21.04	0.127	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	18.32	20.02	0.100	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	17.83	19.53	0.090	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	15.82	17.52	0.056	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	18.87	20.57	0.114	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	18.62	20.32	0.108	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	18.79	20.49	0.112	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	17.34	19.04	0.080	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	17.34	19.04	0.080	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	16.81	18.51	0.071	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	13.86	15.56	0.036	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	20.32	22.02	0.159	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.21	21.91	0.155	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	20.53	22.23	0.167	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	19.83	21.53	0.142	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	19.78	21.48	0.141	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	20.17	21.87	0.154	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	20.54	22.24	0.167	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	19.38	21.08	0.128	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	18.35	20.05	0.101	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	17.84	19.54	0.090	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	15.85	17.55	0.057	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	18.87	20.57	0.114	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	17.85	19.55	0.090	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	18.97	20.67	0.117	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	17.41	19.11	0.081	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	17.36	19.06	0.081	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	16.85	18.55	0.072	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	13.85	15.55	0.036	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n66:

1.Ant Gain = 1.7dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n7

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	13.82	9.82	0.010	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.63	9.63	0.009	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	13.80	9.80	0.010	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	13.36	9.36	0.009	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB12@6	13.80	9.80	0.010	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@1	13.67	9.67	0.009	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@23	13.79	9.79	0.010	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB25@0	12.84	8.84	0.008	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 16 QAM_RB25@0	11.82	7.82	0.006	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 64 QAM_RB25@0	11.40	7.40	0.005	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 256 QAM_RB25@0	9.30	5.30	0.003	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB13@6	12.32	8.32	0.007	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@1	12.09	8.09	0.006	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@23	12.22	8.22	0.007	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB25@0	10.83	6.83	0.005	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 16 QAM_RB25@0	11.35	7.35	0.005	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 64 QAM_RB25@0	10.88	6.88	0.005	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 256 QAM_RB25@0	8.85	4.85	0.003	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	14.43	10.43	0.011	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.36	10.36	0.011	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	14.34	10.34	0.011	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	13.87	9.87	0.010	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB12@6	14.45	10.45	0.011	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	14.37	10.37	0.011	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@23	14.32	10.32	0.011	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@0	13.41	9.41	0.009	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB25@0	12.40	8.40	0.007	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB25@0	11.92	7.92	0.006	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB25@0	9.82	5.82	0.004	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB13@6	12.90	8.90	0.008	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	12.79	8.79	0.008	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@23	12.73	8.73	0.007	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB25@0	11.41	7.41	0.006	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB25@0	11.41	7.41	0.006	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB25@0	10.96	6.96	0.005	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB25@0	8.88	4.88	0.003	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	14.15	10.15	0.010	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.95	9.95	0.010	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	14.05	10.05	0.010	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	13.63	9.63	0.009	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB12@6	14.10	10.10	0.010	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@1	13.99	9.99	0.010	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@23	14.04	10.04	0.010	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB25@0	13.14	9.14	0.008	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 16 QAM_RB25@0	12.06	8.06	0.006	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 64 QAM_RB25@0	11.68	7.68	0.006	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 256 QAM_RB25@0	9.58	5.58	0.004	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB13@6	12.57	8.57	0.007	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@1	12.40	8.40	0.007	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@23	12.50	8.50	0.007	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB25@0	11.14	7.14	0.005	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 16 QAM_RB25@0	11.08	7.08	0.005	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 64 QAM_RB25@0	10.64	6.64	0.005	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 256 QAM_RB25@0	8.57	4.57	0.003	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.31	10.31	0.011	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	14.37	10.37	0.011	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	14.38	10.38	0.011	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	13.88	9.88	0.010	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@1	14.20	10.20	0.010	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@50	14.36	10.36	0.011	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB25@12	14.38	10.38	0.011	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB50@0	13.37	9.37	0.009	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 16 QAM_RB50@0	12.36	8.36	0.007	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 64 QAM_RB50@0	11.86	7.86	0.006	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 256 QAM_RB50@0	9.86	5.86	0.004	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@1	12.61	8.61	0.007	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@50	12.84	8.84	0.008	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB26@13	12.90	8.90	0.008	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB52@0	11.37	7.37	0.005	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 16 QAM_RB52@0	11.41	7.41	0.006	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 64 QAM_RB52@0	10.84	6.84	0.005	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 256 QAM_RB52@0	8.85	4.85	0.003	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.41	10.41	0.011	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	14.29	10.29	0.011	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	14.42	10.42	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	13.90	9.90	0.010	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	14.39	10.39	0.011	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@50	14.26	10.26	0.011	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@12	14.46	10.46	0.011	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@0	13.41	9.41	0.009	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB50@0	12.40	8.40	0.007	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB50@0	11.93	7.93	0.006	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB50@0	9.90	5.90	0.004	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	12.79	8.79	0.008	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@50	12.77	8.77	0.008	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB26@13	12.87	8.87	0.008	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB52@0	11.38	7.38	0.005	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB52@0	11.42	7.42	0.006	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB52@0	10.88	6.88	0.005	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB52@0	8.87	4.87	0.003	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.05	10.05	0.010	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	14.07	10.07	0.010	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	14.08	10.08	0.010	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	13.58	9.58	0.009	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@1	14.05	10.05	0.010	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@50	14.07	10.07	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB25@12	14.10	10.10	0.010	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB50@0	13.10	9.10	0.008	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 16 QAM_RB50@0	12.08	8.08	0.006	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 64 QAM_RB50@0	11.63	7.63	0.006	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 256 QAM_RB50@0	9.54	5.54	0.004	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@1	12.48	8.48	0.007	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@50	12.52	8.52	0.007	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB26@13	12.57	8.57	0.007	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB52@0	11.06	7.06	0.005	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 16 QAM_RB52@0	11.11	7.11	0.005	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 64 QAM_RB52@0	10.55	6.55	0.005	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 256 QAM_RB52@0	8.57	4.57	0.003	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.17	10.17	0.010	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	14.39	10.39	0.011	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	14.41	10.41	0.011	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	13.91	9.91	0.010	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@1	14.16	10.16	0.010	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@77	14.37	10.37	0.011	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB36@18	14.43	10.43	0.011	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB75@0	13.42	9.42	0.009	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 16 QAM_RB75@0	12.36	8.36	0.007	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 64 QAM_RB75@0	11.88	7.88	0.006	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 256 QAM_RB75@0	9.84	5.84	0.004	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@1	12.66	8.66	0.007	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@77	12.72	8.72	0.007	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB39@19	12.98	8.98	0.008	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB79@0	11.41	7.41	0.006	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 16 QAM_RB79@0	11.43	7.43	0.006	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 64 QAM_RB79@0	10.89	6.89	0.005	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 256 QAM_RB79@0	8.86	4.86	0.003	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.35	10.35	0.011	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	14.22	10.22	0.011	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	14.44	10.44	0.011	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	13.89	9.89	0.010	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	14.33	10.33	0.011	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@77	14.26	10.26	0.011	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB36@18	14.41	10.41	0.011	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB75@0	13.41	9.41	0.009	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB75@0	12.36	8.36	0.007	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB75@0	11.92	7.92	0.006	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB75@0	9.88	5.88	0.004	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	12.76	8.76	0.008	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@77	12.68	8.68	0.007	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB39@19	12.97	8.97	0.008	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB79@0	11.40	7.40	0.005	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB79@0	11.37	7.37	0.005	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB79@0	10.92	6.92	0.005	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB79@0	8.91	4.91	0.003	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.08	10.08	0.010	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	14.07	10.07	0.010	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	14.06	10.06	0.010	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	13.56	9.56	0.009	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@1	14.04	10.04	0.010	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@77	14.07	10.07	0.010	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB36@18	14.07	10.07	0.010	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB75@0	13.08	9.08	0.008	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 16 QAM_RB75@0	12.08	8.08	0.006	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 64 QAM_RB75@0	11.61	7.61	0.006	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 256 QAM_RB75@0	9.57	5.57	0.004	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@1	12.45	8.45	0.007	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@77	12.52	8.52	0.007	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB39@19	12.62	8.62	0.007	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB79@0	11.09	7.09	0.005	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 16 QAM_RB79@0	11.08	7.08	0.005	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 64 QAM_RB79@0	10.61	6.61	0.005	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 256 QAM_RB79@0	8.57	4.57	0.003	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	13.90	9.90	0.010	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.21	10.21	0.010	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	14.45	10.45	0.011	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	14.41	10.41	0.011	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB100@0	13.41	9.41	0.009	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@1	14.23	10.23	0.011	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@104	14.44	10.44	0.011	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB50@25	14.42	10.42	0.011	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 16 QAM_RB100@0	12.41	8.41	0.007	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 64 QAM_RB100@0	11.90	7.90	0.006	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 256 QAM_RB100@0	9.91	5.91	0.004	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB106@0	11.46	7.46	0.006	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@1	12.68	8.68	0.007	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@104	12.86	8.86	0.008	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB53@26	12.96	8.96	0.008	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 16 QAM_RB106@0	11.45	7.45	0.006	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 64 QAM_RB106@0	10.90	6.90	0.005	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 256 QAM_RB106@0	8.91	4.91	0.003	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	13.89	9.89	0.010	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.36	10.36	0.011	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	14.27	10.27	0.011	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	14.45	10.45	0.011	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB100@0	13.42	9.42	0.009	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	14.37	10.37	0.011	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@104	14.22	10.22	0.011	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@25	14.41	10.41	0.011	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB100@0	12.44	8.44	0.007	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB100@0	11.96	7.96	0.006	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB100@0	9.94	5.94	0.004	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB106@0	11.47	7.47	0.006	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	12.79	8.79	0.008	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@104	12.73	8.73	0.007	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB53@26	12.89	8.89	0.008	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB106@0	11.43	7.43	0.006	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB106@0	10.94	6.94	0.005	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB106@0	8.91	4.91	0.003	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	13.59	9.59	0.009	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.13	10.13	0.010	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	14.12	10.12	0.010	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	14.15	10.15	0.010	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB100@0	13.14	9.14	0.008	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@1	14.12	10.12	0.010	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@104	14.10	10.10	0.010	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB50@25	14.14	10.14	0.010	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 16 QAM_RB100@0	12.13	8.13	0.007	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 64 QAM_RB100@0	11.59	7.59	0.006	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 256 QAM_RB100@0	9.61	5.61	0.004	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB106@0	11.13	7.13	0.005	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@1	12.56	8.56	0.007	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@104	12.52	8.52	0.007	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB53@26	12.65	8.65	0.007	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 16 QAM_RB106@0	11.08	7.08	0.005	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 64 QAM_RB106@0	10.57	6.57	0.005	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 256 QAM_RB106@0	8.58	4.58	0.003	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

n7:

1.Ant Gain = -3.2dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.8dB

n71

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	25.98	12.83	0.019	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	25.88	12.73	0.019	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	25.80	12.65	0.018	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	25.43	12.28	0.017	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB12@6	26.05	12.90	0.019	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB1@1	25.76	12.61	0.018	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB1@23	25.78	12.63	0.018	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM QPSK_RB25@0	24.95	11.80	0.015	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 16 QAM_RB25@0	23.95	10.80	0.012	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 64 QAM_RB25@0	23.47	10.32	0.011	3	Pass
n71_5MHz_15kHz_665.5MHz_DFT-s-OFDM 256 QAM_RB25@0	21.38	8.23	0.007	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB13@6	24.43	11.28	0.013	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB1@1	24.33	11.18	0.013	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB1@23	24.13	10.98	0.013	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM QPSK_RB25@0	22.92	9.77	0.009	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 16 QAM_RB25@0	22.91	9.76	0.009	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 64 QAM_RB25@0	22.45	9.30	0.009	3	Pass
n71_5MHz_15kHz_665.5MHz_CP-OFDM 256 QAM_RB25@0	19.53	6.38	0.004	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	26.07	12.92	0.020	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	25.96	12.81	0.019	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	26.05	12.90	0.019	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	25.53	12.38	0.017	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB12@6	26.08	12.93	0.020	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	25.92	12.77	0.019	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@23	26.05	12.90	0.019	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB25@0	25.06	11.91	0.016	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB25@0	24.03	10.88	0.012	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB25@0	23.57	10.42	0.011	3	Pass
n71_5MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB25@0	21.49	8.34	0.007	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB13@6	24.47	11.32	0.014	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	24.27	11.12	0.013	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@23	24.37	11.22	0.013	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB25@0	23.01	9.86	0.010	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB25@0	23.03	9.88	0.010	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB25@0	22.53	9.38	0.009	3	Pass
n71_5MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB25@0	19.60	6.45	0.004	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	26.21	13.06	0.020	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	25.92	12.77	0.019	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	25.95	12.80	0.019	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	25.65	12.50	0.018	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB12@6	26.28	13.13	0.021	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB1@1	25.87	12.72	0.019	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB1@23	25.92	12.77	0.019	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM QPSK_RB25@0	25.16	12.01	0.016	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 16 QAM_RB25@0	24.08	10.93	0.012	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 64 QAM_RB25@0	23.64	10.49	0.011	3	Pass
n71_5MHz_15kHz_695.5MHz_DFT-s-OFDM 256 QAM_RB25@0	21.56	8.41	0.007	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB13@6	24.63	11.48	0.014	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB1@1	24.27	11.12	0.013	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB1@23	24.32	11.17	0.013	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM QPSK_RB25@0	23.11	9.96	0.010	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 16 QAM_RB25@0	23.06	9.91	0.010	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 64 QAM_RB25@0	22.62	9.47	0.009	3	Pass
n71_5MHz_15kHz_695.5MHz_CP-OFDM 256 QAM_RB25@0	19.60	6.45	0.004	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	25.92	12.77	0.019	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	25.96	12.81	0.019	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	25.95	12.80	0.019	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	25.41	12.26	0.017	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB1@1	25.86	12.71	0.019	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB1@50	25.91	12.76	0.019	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB25@12	25.96	12.81	0.019	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM QPSK_RB50@0	24.93	11.78	0.015	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 16 QAM_RB50@0	23.90	10.75	0.012	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 64 QAM_RB50@0	23.43	10.28	0.011	3	Pass
n71_10MHz_15kHz_668MHz_DFT-s-OFDM 256 QAM_RB50@0	21.34	8.19	0.007	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB1@1	24.29	11.14	0.013	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB1@50	24.29	11.14	0.013	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB26@13	24.34	11.19	0.013	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM QPSK_RB52@0	22.87	9.72	0.009	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM 16 QAM_RB52@0	22.92	9.77	0.009	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM 64 QAM_RB52@0	22.34	9.19	0.008	3	Pass
n71_10MHz_15kHz_668MHz_CP-OFDM 256 QAM_RB52@0	19.50	6.35	0.004	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	25.86	12.71	0.019	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	25.76	12.61	0.018	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	26.07	12.92	0.020	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	25.54	12.39	0.017	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	25.84	12.69	0.019	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@50	25.71	12.56	0.018	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB25@12	26.05	12.90	0.019	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB50@0	25.02	11.87	0.015	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB50@0	24.04	10.89	0.012	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB50@0	23.57	10.42	0.011	3	Pass
n71_10MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB50@0	21.49	8.34	0.007	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	24.25	11.10	0.013	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@50	24.47	11.32	0.014	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB26@13	24.50	11.35	0.014	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB52@0	23.01	9.86	0.010	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB52@0	23.08	9.93	0.010	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB52@0	22.51	9.36	0.009	3	Pass
n71_10MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB52@0	19.61	6.46	0.004	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	25.92	12.77	0.019	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	25.16	12.01	0.016	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	26.08	12.93	0.020	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	25.53	12.38	0.017	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB1@1	25.95	12.80	0.019	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB1@50	25.13	11.98	0.016	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB25@12	26.06	12.91	0.020	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM QPSK_RB50@0	25.02	11.87	0.015	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 16 QAM_RB50@0	24.06	10.91	0.012	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 64 QAM_RB50@0	23.53	10.38	0.011	3	Pass
n71_10MHz_15kHz_693MHz_DFT-s-OFDM 256 QAM_RB50@0	21.46	8.31	0.007	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB1@1	24.48	11.33	0.014	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB1@50	24.37	11.22	0.013	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB26@13	24.51	11.36	0.014	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_10MHz_15kHz_693MHz_CP-OFDM QPSK_RB52@0	22.99	9.84	0.010	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 16 QAM_RB52@0	23.07	9.92	0.010	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 64 QAM_RB52@0	22.53	9.38	0.009	3	Pass
n71_10MHz_15kHz_693MHz_CP-OFDM 256 QAM_RB52@0	19.58	6.43	0.004	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.48	10.33	0.011	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	26.05	12.90	0.019	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	25.91	12.76	0.019	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	25.45	12.30	0.017	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB1@1	25.89	12.74	0.019	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB1@77	25.97	12.82	0.019	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB36@18	25.91	12.76	0.019	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM QPSK_RB75@0	24.98	11.83	0.015	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 16 QAM_RB75@0	23.94	10.79	0.012	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 64 QAM_RB75@0	23.51	10.36	0.011	3	Pass
n71_15MHz_15kHz_670.5MHz_DFT-s-OFDM 256 QAM_RB75@0	21.41	8.26	0.007	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB1@1	24.63	11.48	0.014	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB1@77	24.26	11.11	0.013	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB39@19	24.42	11.27	0.013	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM QPSK_RB79@0	22.98	9.83	0.010	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM 16 QAM_RB79@0	22.94	9.79	0.010	3	Pass
n71_15MHz_15kHz_670.5MHz_CP-OFDM 64 QAM_RB79@0	22.44	9.29	0.008	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_15MHz_15kHz_670.5MHz_CP-OFDM 256 QAM_RB79@0	19.55	6.40	0.004	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	25.92	12.77	0.019	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	25.94	12.79	0.019	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	26.07	12.92	0.020	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	25.52	12.37	0.017	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	25.85	12.70	0.019	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@77	25.94	12.79	0.019	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB36@18	26.05	12.90	0.019	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB75@0	25.03	11.88	0.015	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB75@0	24.02	10.87	0.012	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB75@0	23.59	10.44	0.011	3	Pass
n71_15MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB75@0	21.49	8.34	0.007	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	24.29	11.14	0.013	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@77	24.35	11.20	0.013	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB39@19	24.57	11.42	0.014	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB79@0	23.08	9.93	0.010	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB79@0	23.06	9.91	0.010	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB79@0	22.57	9.42	0.009	3	Pass
n71_15MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB79@0	19.57	6.42	0.004	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	26.03	12.88	0.019	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	25.85	12.70	0.019	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	26.02	12.87	0.019	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	25.55	12.40	0.017	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB1@1	26.01	12.86	0.019	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB1@77	25.83	12.68	0.019	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB36@18	25.97	12.82	0.019	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM QPSK_RB75@0	25.04	11.89	0.015	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 16 QAM_RB75@0	24	10.85	0.012	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 64 QAM_RB75@0	23.57	10.42	0.011	3	Pass
n71_15MHz_15kHz_690.5MHz_DFT-s-OFDM 256 QAM_RB75@0	21.55	8.40	0.007	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB1@1	24.43	11.28	0.013	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB1@77	24.44	11.29	0.013	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB39@19	24.49	11.34	0.014	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM QPSK_RB79@0	23.06	9.91	0.010	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 16 QAM_RB79@0	23.04	9.89	0.010	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 64 QAM_RB79@0	22.53	9.38	0.009	3	Pass
n71_15MHz_15kHz_690.5MHz_CP-OFDM 256 QAM_RB79@0	19.60	6.45	0.004	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	25.50	12.35	0.017	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	25.97	12.82	0.019	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	26.10	12.95	0.020	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	25.95	12.80	0.019	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB100@0	24.99	11.84	0.015	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB1@1	25.94	12.79	0.019	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB1@104	26.10	12.95	0.020	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM QPSK_RB50@25	25.96	12.81	0.019	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 16 QAM_RB100@0	24.01	10.86	0.012	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 64 QAM_RB100@0	23.49	10.34	0.011	3	Pass
n71_20MHz_15kHz_673MHz_DFT-s-OFDM 256 QAM_RB100@0	21.50	8.35	0.007	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB106@0	23.04	9.89	0.010	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB1@1	24.41	11.26	0.013	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB1@104	24.50	11.35	0.014	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM QPSK_RB53@26	24.46	11.31	0.014	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 16 QAM_RB106@0	22.96	9.81	0.010	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 64 QAM_RB106@0	22.50	9.35	0.009	3	Pass
n71_20MHz_15kHz_673MHz_CP-OFDM 256 QAM_RB106@0	19.55	6.40	0.004	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	25.54	12.39	0.017	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	25.88	12.73	0.019	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	26.02	12.87	0.019	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	26.10	12.95	0.020	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB100@0	25.07	11.92	0.016	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@1	25.87	12.72	0.019	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB1@104	25.96	12.81	0.019	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM QPSK_RB50@25	26.08	12.93	0.020	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 16 QAM_RB100@0	24.05	10.90	0.012	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 64 QAM_RB100@0	23.59	10.44	0.011	3	Pass
n71_20MHz_15kHz_680.5MHz_DFT-s-OFDM 256 QAM_RB100@0	21.53	8.38	0.007	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB106@0	23.05	9.90	0.010	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@1	24.20	11.05	0.013	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB1@104	24.40	11.25	0.013	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM QPSK_RB53@26	24.59	11.44	0.014	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 16 QAM_RB106@0	23.04	9.89	0.010	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 64 QAM_RB106@0	22.55	9.40	0.009	3	Pass
n71_20MHz_15kHz_680.5MHz_CP-OFDM 256 QAM_RB106@0	19.58	6.43	0.004	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	25.58	12.43	0.017	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	26.04	12.89	0.019	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	25.59	12.44	0.018	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	26.07	12.92	0.020	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB100@0	25.08	11.93	0.016	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB1@1	26.04	12.89	0.019	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB1@104	25.58	12.43	0.017	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM QPSK_RB50@25	26.09	12.94	0.020	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 16 QAM_RB100@0	24.09	10.94	0.012	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 64 QAM_RB100@0	23.58	10.43	0.011	3	Pass
n71_20MHz_15kHz_688MHz_DFT-s-OFDM 256 QAM_RB100@0	21.61	8.46	0.007	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB106@0	23.12	9.97	0.010	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB1@1	24.45	11.30	0.013	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB1@104	24.40	11.25	0.013	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM QPSK_RB53@26	24.56	11.41	0.014	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM 16 QAM_RB106@0	23.11	9.96	0.010	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM 64 QAM_RB106@0	22.63	9.48	0.009	3	Pass
n71_20MHz_15kHz_688MHz_CP-OFDM 256 QAM_RB106@0	19.65	6.50	0.004	3	Pass

Note:

ERP = Conducted Power(dBm) - L_c(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

n71:

1.Ant Gain = -10.5dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0.5dB

n77_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.42	21.82	0.152	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.36	21.76	0.150	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.35	21.75	0.150	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	23.01	21.41	0.138	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	23.42	21.82	0.152	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	23.39	21.79	0.151	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	23.30	21.70	0.148	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	22.37	20.77	0.119	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	21.52	19.92	0.098	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	21.04	19.44	0.088	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	18.97	17.37	0.055	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	21.90	20.30	0.107	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	21.82	20.22	0.105	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	21.78	20.18	0.104	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	20.49	18.89	0.077	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	20.58	18.98	0.079	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	20.01	18.41	0.069	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	16.94	15.34	0.034	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.57	21.97	0.157	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.61	22.01	0.159	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.52	21.92	0.156	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	23.18	21.58	0.144	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	23.82	22.22	0.167	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.54	21.94	0.156	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	23.53	21.93	0.156	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	22.68	21.08	0.128	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	21.68	20.08	0.102	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	21.24	19.64	0.092	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	19.16	17.56	0.057	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	21.90	20.30	0.107	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.99	20.39	0.109	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	22	20.40	0.110	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	20.59	18.99	0.079	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	20.60	19.00	0.079	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	20.18	18.58	0.072	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	17.20	15.60	0.036	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	23.27	21.67	0.147	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.28	21.68	0.147	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	23.27	21.67	0.147	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.73	21.13	0.130	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	23.34	21.74	0.149	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	23.27	21.67	0.147	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	23.23	21.63	0.146	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	22.31	20.71	0.118	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	21.49	19.89	0.097	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	20.92	19.32	0.086	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	18.85	17.25	0.053	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	21.66	20.06	0.101	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	21.91	20.31	0.107	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	21.71	20.11	0.103	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	20.37	18.77	0.075	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	20.32	18.72	0.074	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	19.95	18.35	0.068	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	16.84	15.24	0.033	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.42	21.82	0.152	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.41	21.81	0.152	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.34	21.74	0.149	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.92	21.32	0.136	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	23.41	21.81	0.152	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	23.28	21.68	0.147	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	23.30	21.70	0.148	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	22.49	20.89	0.123	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.43	19.83	0.096	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.96	19.36	0.086	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	19.05	17.45	0.056	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	21.90	20.30	0.107	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	21.81	20.21	0.105	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	21.67	20.07	0.102	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	20.44	18.84	0.077	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	20.50	18.90	0.078	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	20.09	18.49	0.071	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	17.05	15.45	0.035	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.55	21.95	0.157	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.54	21.94	0.156	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.53	21.93	0.156	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	23.09	21.49	0.141	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	23.60	22.00	0.158	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.51	21.91	0.155	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	23.51	21.91	0.155	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	22.63	21.03	0.127	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	21.72	20.12	0.103	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	21.13	19.53	0.090	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	19.19	17.59	0.057	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	22.09	20.49	0.112	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	22.04	20.44	0.111	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	21.85	20.25	0.106	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	20.68	19.08	0.081	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	20.65	19.05	0.080	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	20.23	18.63	0.073	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	17.27	15.67	0.037	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	23.38	21.78	0.151	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.34	21.74	0.149	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.23	21.63	0.146	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.81	21.21	0.132	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	23.30	21.70	0.148	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	23.37	21.77	0.150	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	23.24	21.64	0.146	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	22.44	20.84	0.121	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.39	19.79	0.095	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.87	19.27	0.085	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.87	17.27	0.053	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	21.80	20.20	0.105	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	21.80	20.20	0.105	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	21.61	20.01	0.100	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	20.38	18.78	0.076	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	20.43	18.83	0.076	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	19.97	18.37	0.069	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	16.97	15.37	0.034	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.39	21.79	0.151	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.38	21.78	0.151	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.43	21.83	0.152	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.98	21.38	0.137	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	23.32	21.72	0.149	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	23.38	21.78	0.151	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	23.39	21.79	0.151	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	22.46	20.86	0.122	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	21.43	19.83	0.096	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	21	19.40	0.087	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	18.97	17.37	0.055	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	21.79	20.19	0.104	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	21.85	20.25	0.106	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	21.91	20.31	0.107	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	20.44	18.84	0.077	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	20.57	18.97	0.079	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	19.98	18.38	0.069	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	17.08	15.48	0.035	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.56	21.96	0.157	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.56	21.96	0.157	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.52	21.92	0.156	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	23.13	21.53	0.142	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.49	21.89	0.155	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	23.50	21.90	0.155	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	23.62	22.02	0.159	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	22.61	21.01	0.126	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	21.60	20.00	0.100	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	21.18	19.58	0.091	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	19.18	17.58	0.057	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.94	20.34	0.108	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	21.87	20.27	0.106	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	22.08	20.48	0.112	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	20.63	19.03	0.080	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	20.75	19.15	0.082	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	20.17	18.57	0.072	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	17.28	15.68	0.037	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.38	21.78	0.151	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	23.33	21.73	0.149	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	23.40	21.80	0.151	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.91	21.31	0.135	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	23.26	21.66	0.147	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	23.24	21.64	0.146	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	23.37	21.77	0.150	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	22.39	20.79	0.120	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	21.36	19.76	0.095	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	20.89	19.29	0.085	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	18.89	17.29	0.054	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	21.73	20.13	0.103	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	21.83	20.23	0.105	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	21.85	20.25	0.106	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	20.39	18.79	0.076	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	20.39	18.79	0.076	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	19.93	18.33	0.068	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	16.89	15.29	0.034	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.33	21.73	0.149	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.35	21.75	0.150	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.50	21.90	0.155	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.88	21.28	0.134	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	23.26	21.66	0.147	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	23.32	21.72	0.149	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	23.37	21.77	0.150	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	22.43	20.83	0.121	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	21.38	19.78	0.095	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	20.94	19.34	0.086	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	18.89	17.29	0.054	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	21.77	20.17	0.104	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	21.74	20.14	0.103	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	21.94	20.34	0.108	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	20.46	18.86	0.077	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	20.42	18.82	0.076	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	19.88	18.28	0.067	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	16.96	15.36	0.034	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.46	21.86	0.153	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.45	21.85	0.153	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.63	22.03	0.160	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	23.02	21.42	0.139	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.38	21.78	0.151	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	23.40	21.80	0.151	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	23.63	22.03	0.160	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	22.64	21.04	0.127	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	21.56	19.96	0.099	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	21.17	19.57	0.091	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	19.10	17.50	0.056	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.88	20.28	0.107	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	21.83	20.23	0.105	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	22.07	20.47	0.111	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	20.61	19.01	0.080	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	20.63	19.03	0.080	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	20.12	18.52	0.071	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	17.15	15.55	0.036	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.38	21.78	0.151	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	23.22	21.62	0.145	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	23.29	21.69	0.148	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.81	21.21	0.132	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	23.31	21.71	0.148	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	23.20	21.60	0.145	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	23.32	21.72	0.149	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	22.32	20.72	0.118	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	21.26	19.66	0.092	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	20.89	19.29	0.085	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	18.89	17.29	0.054	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	21.82	20.22	0.105	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	21.75	20.15	0.104	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	21.82	20.22	0.105	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	20.46	18.86	0.077	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	20.47	18.87	0.077	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	19.89	18.29	0.067	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	16.97	15.37	0.034	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.95	21.35	0.136	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.33	21.73	0.149	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.46	21.86	0.153	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.39	21.79	0.151	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	22.46	20.86	0.122	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	23.31	21.71	0.148	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	23.47	21.87	0.154	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	23.38	21.78	0.151	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	21.45	19.85	0.097	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	20.95	19.35	0.086	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	18.95	17.35	0.054	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	20.44	18.84	0.077	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	21.83	20.23	0.105	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	22	20.40	0.110	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	21.87	20.27	0.106	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	20.44	18.84	0.077	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	19.92	18.32	0.068	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	16.91	15.31	0.034	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	23.02	21.42	0.139	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.46	21.86	0.153	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.45	21.85	0.153	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.61	22.01	0.159	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	22.56	20.96	0.125	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.48	21.88	0.154	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	23.44	21.84	0.153	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	23.60	22.00	0.158	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	21.65	20.05	0.101	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	21.11	19.51	0.089	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	19.15	17.55	0.057	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	20.62	19.02	0.080	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.94	20.34	0.108	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	21.85	20.25	0.106	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	22.07	20.47	0.111	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	20.64	19.04	0.080	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	20.14	18.54	0.071	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	17.16	15.56	0.036	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.92	21.32	0.136	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.53	21.93	0.156	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	23.22	21.62	0.145	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	23.41	21.81	0.152	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	22.48	20.88	0.122	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	23.50	21.90	0.155	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	23.31	21.71	0.148	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	23.43	21.83	0.152	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	21.45	19.85	0.097	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	20.99	19.39	0.087	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	19	17.40	0.055	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	20.49	18.89	0.077	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	22.02	20.42	0.110	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	21.80	20.20	0.105	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	21.86	20.26	0.106	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	20.52	18.92	0.078	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	20	18.40	0.069	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	17.01	15.41	0.035	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	23.02	21.42	0.139	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.34	21.74	0.149	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.55	21.95	0.157	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.46	21.86	0.153	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	22.46	20.86	0.122	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	23.31	21.71	0.148	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	23.57	21.97	0.157	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	23.57	21.97	0.157	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	21.48	19.88	0.097	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	21.02	19.42	0.087	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	19.02	17.42	0.055	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	20.48	18.88	0.077	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	21.93	20.33	0.108	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	22.22	20.62	0.115	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	21.99	20.39	0.109	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	20.51	18.91	0.078	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	19.96	18.36	0.069	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	17	15.40	0.035	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	23.03	21.43	0.139	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.36	21.76	0.150	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.38	21.78	0.151	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.68	22.08	0.161	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	22.58	20.98	0.125	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.36	21.76	0.150	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	23.29	21.69	0.148	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	23.65	22.05	0.160	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	21.55	19.95	0.099	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	21.08	19.48	0.089	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	19.15	17.55	0.057	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	20.56	18.96	0.079	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.77	20.17	0.104	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	21.79	20.19	0.104	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	22.11	20.51	0.112	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	20.60	19.00	0.079	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	20.10	18.50	0.071	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	17.10	15.50	0.035	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	23.04	21.44	0.139	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.60	22.00	0.158	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	23.18	21.58	0.144	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	23.49	21.89	0.155	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	22.45	20.85	0.122	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	23.54	21.94	0.156	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	23.20	21.60	0.145	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	23.49	21.89	0.155	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	21.52	19.92	0.098	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	21.03	19.43	0.088	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	19.10	17.50	0.056	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	20.50	18.90	0.078	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	21.96	20.36	0.109	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	21.72	20.12	0.103	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	21.87	20.27	0.106	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	20.47	18.87	0.077	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	19.99	18.39	0.069	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	17.02	15.42	0.035	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	23.01	21.41	0.138	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.40	21.80	0.151	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.47	21.87	0.154	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.54	21.94	0.156	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	22.56	20.96	0.125	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	23.35	21.75	0.150	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	23.41	21.81	0.152	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	23.58	21.98	0.158	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	21.56	19.96	0.099	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	21.09	19.49	0.089	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	19.10	17.50	0.056	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	20.53	18.93	0.078	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	21.73	20.13	0.103	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	21.89	20.29	0.107	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	22.03	20.43	0.110	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	20.48	18.88	0.077	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	20.02	18.42	0.070	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	17.06	15.46	0.035	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.95	21.35	0.136	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.28	21.68	0.147	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.30	21.70	0.148	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.58	21.98	0.158	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	22.47	20.87	0.122	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.23	21.63	0.146	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	23.24	21.64	0.146	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	23.59	21.99	0.158	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	21.61	20.01	0.100	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	21.02	19.42	0.087	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	19.04	17.44	0.055	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	20.52	18.92	0.078	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.70	20.10	0.102	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	21.79	20.19	0.104	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	22.09	20.49	0.112	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	20.55	18.95	0.079	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	20.01	18.41	0.069	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	17.07	15.47	0.035	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.99	21.39	0.138	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.53	21.93	0.156	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	23.20	21.60	0.145	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.49	21.89	0.155	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	22.46	20.86	0.122	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	23.51	21.91	0.155	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	23.17	21.57	0.144	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	23.45	21.85	0.153	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	21.54	19.94	0.099	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	21.03	19.43	0.088	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	19.04	17.44	0.055	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	20.50	18.90	0.078	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	21.94	20.34	0.108	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	21.57	19.97	0.099	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	22.02	20.42	0.110	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	20.46	18.86	0.077	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	19.98	18.38	0.069	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	17.02	15.42	0.035	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.95	21.35	0.136	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.35	21.75	0.150	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	23.17	21.57	0.144	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	23.46	21.86	0.153	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	22.47	20.87	0.122	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	23.27	21.67	0.147	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	23.30	21.70	0.148	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	23.50	21.90	0.155	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	21.50	19.90	0.098	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	21.02	19.42	0.087	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	19.07	17.47	0.056	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	20.57	18.97	0.079	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	21.72	20.12	0.103	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	21.78	20.18	0.104	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	21.97	20.37	0.109	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	20.54	18.94	0.078	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	20.07	18.47	0.070	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	17.12	15.52	0.036	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.93	21.33	0.136	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.21	21.61	0.145	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	23.08	21.48	0.141	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	23.53	21.93	0.156	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	22.46	20.86	0.122	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.25	21.65	0.146	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	23.10	21.50	0.141	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	23.54	21.94	0.156	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	21.51	19.91	0.098	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	20.97	19.37	0.086	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	19.08	17.48	0.056	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	20.59	18.99	0.079	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.71	20.11	0.103	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	21.53	19.93	0.098	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	22	20.40	0.110	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	20.51	18.91	0.078	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	20.04	18.44	0.070	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	17.05	15.45	0.035	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.88	21.28	0.134	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.32	21.72	0.149	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	23.04	21.44	0.139	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	23.44	21.84	0.153	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	22.40	20.80	0.120	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	23.38	21.78	0.151	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	23.05	21.45	0.140	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	23.47	21.87	0.154	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	21.47	19.87	0.097	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	20.96	19.36	0.086	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	19.05	17.45	0.056	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	20.55	18.95	0.079	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	21.84	20.24	0.106	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	21.45	19.85	0.097	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	21.98	20.38	0.109	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	20.45	18.85	0.077	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	20	18.40	0.069	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	17.02	15.42	0.035	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.51	21.91	0.155	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.31	21.71	0.148	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.16	21.56	0.143	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.90	21.30	0.135	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	23.58	21.98	0.158	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	23.26	21.66	0.147	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	23.11	21.51	0.142	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	22.46	20.86	0.122	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	21.47	19.87	0.097	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	21	19.40	0.087	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	19.07	17.47	0.056	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	22.10	20.50	0.112	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	21.69	20.09	0.102	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	21.53	19.93	0.098	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	20.54	18.94	0.078	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	20.51	18.91	0.078	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	20.02	18.42	0.070	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	17.05	15.45	0.035	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.49	21.89	0.155	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.18	21.58	0.144	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.11	21.51	0.142	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.82	21.22	0.132	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	23.58	21.98	0.158	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.23	21.63	0.146	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	23.10	21.50	0.141	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	22.31	20.71	0.118	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	21.43	19.83	0.096	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	20.91	19.31	0.085	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	19	17.40	0.055	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	22.09	20.49	0.112	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.65	20.05	0.101	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	21.51	19.91	0.098	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	20.47	18.87	0.077	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	20.50	18.90	0.078	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	19.94	18.34	0.068	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	16.93	15.33	0.034	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	23.43	21.83	0.152	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.32	21.72	0.149	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	23.10	21.50	0.141	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.87	21.27	0.134	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	23.47	21.87	0.154	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	23.31	21.71	0.148	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	22.98	21.38	0.137	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	22.42	20.82	0.121	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	21.43	19.83	0.096	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	20.98	19.38	0.087	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	19	17.40	0.055	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	21.90	20.30	0.107	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	21.79	20.19	0.104	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	21.53	19.93	0.098	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	20.49	18.89	0.077	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	20.51	18.91	0.078	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	20	18.40	0.069	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	17.03	15.43	0.035	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.48	21.88	0.154	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.28	21.68	0.147	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	23.03	21.43	0.139	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.86	21.26	0.134	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	23.49	21.89	0.155	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	23.21	21.61	0.145	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	23.02	21.42	0.139	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	22.41	20.81	0.121	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	21.40	19.80	0.095	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	20.94	19.34	0.086	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	19	17.40	0.055	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	21.94	20.34	0.108	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	21.76	20.16	0.104	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	21.69	20.09	0.102	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	20.46	18.86	0.077	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	20.46	18.86	0.077	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	19.95	18.35	0.068	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	17.02	15.42	0.035	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.48	21.88	0.154	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.26	21.66	0.147	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	23.07	21.47	0.140	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.89	21.29	0.135	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	23.50	21.90	0.155	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.12	21.52	0.142	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	22.97	21.37	0.137	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	22.39	20.79	0.120	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	21.50	19.90	0.098	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	20.92	19.32	0.086	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	19.05	17.45	0.056	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	21.91	20.31	0.107	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.87	20.27	0.106	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	21.51	19.91	0.098	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	20.50	18.90	0.078	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	20.51	18.91	0.078	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	19.98	18.38	0.069	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	17.02	15.42	0.035	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	23.38	21.78	0.151	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	23.17	21.57	0.144	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.95	21.35	0.136	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.77	21.17	0.131	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	23.47	21.87	0.154	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	23.10	21.50	0.141	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	22.94	21.34	0.136	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	22.28	20.68	0.117	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	21.43	19.83	0.096	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	20.91	19.31	0.085	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	18.95	17.35	0.054	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	21.82	20.22	0.105	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	21.61	20.01	0.100	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	21.52	19.92	0.098	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	20.41	18.81	0.076	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	20.37	18.77	0.075	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	19.85	18.25	0.067	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	16.92	15.32	0.034	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	23.41	21.81	0.152	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.91	20.31	0.107	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	23.03	21.43	0.139	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.84	21.24	0.133	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	23.37	21.77	0.150	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	23.18	21.58	0.144	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	23.04	21.44	0.139	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	22.37	20.77	0.119	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	21.32	19.72	0.094	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	20.89	19.29	0.085	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	18.90	17.30	0.054	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	21.82	20.22	0.105	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.64	20.04	0.101	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	21.45	19.85	0.097	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	20.42	18.82	0.076	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	20.38	18.78	0.076	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	19.91	18.31	0.068	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	16.91	15.31	0.034	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n77_1:

1.Ant Gain = -1.6dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_3

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.66	21.06	0.128	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.66	21.06	0.128	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.63	21.03	0.127	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.13	20.53	0.113	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	22.79	21.19	0.132	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	22.65	21.05	0.127	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	22.58	20.98	0.125	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	21.63	20.03	0.101	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	20.71	19.11	0.081	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	20.23	18.63	0.073	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	18.10	16.50	0.045	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	21.06	19.46	0.088	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	21.25	19.65	0.092	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	21.23	19.63	0.092	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	19.63	18.03	0.064	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	19.74	18.14	0.065	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	19.10	17.50	0.056	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	16.16	14.56	0.029	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.75	21.15	0.130	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.83	21.23	0.133	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.73	21.13	0.130	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.35	20.75	0.119	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB12@6	22.98	21.38	0.137	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.77	21.17	0.131	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@22	22.77	21.17	0.131	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB24@0	21.87	20.27	0.106	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB24@0	20.96	19.36	0.086	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB24@0	20.42	18.82	0.076	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB24@0	18.41	16.81	0.048	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB12@6	21.23	19.63	0.092	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.41	19.81	0.096	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@22	21.12	19.52	0.090	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB24@0	19.91	18.31	0.068	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB24@0	19.95	18.35	0.068	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB24@0	19.41	17.81	0.060	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB24@0	16.39	14.79	0.030	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.84	21.24	0.133	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.77	21.17	0.131	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.82	21.22	0.132	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.32	20.72	0.118	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB12@6	22.84	21.24	0.133	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	22.84	21.24	0.133	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@22	22.73	21.13	0.130	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB24@0	21.83	20.23	0.105	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 16 QAM_RB24@0	20.82	19.22	0.084	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 64 QAM_RB24@0	20.46	18.86	0.077	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 256 QAM_RB24@0	18.32	16.72	0.047	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB12@6	21.12	19.52	0.090	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@1	21.22	19.62	0.092	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@22	21.24	19.64	0.092	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB24@0	19.93	18.33	0.068	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 16 QAM_RB24@0	19.84	18.24	0.067	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 64 QAM_RB24@0	19.48	17.88	0.061	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 256 QAM_RB24@0	16.36	14.76	0.030	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.68	21.08	0.128	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.58	20.98	0.125	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.56	20.96	0.125	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.10	20.50	0.112	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	22.66	21.06	0.128	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	22.51	20.91	0.123	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	22.63	21.03	0.127	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	21.65	20.05	0.101	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.65	19.05	0.080	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.12	18.52	0.071	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.13	16.53	0.045	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	21.15	19.55	0.090	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	21.01	19.41	0.087	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	21.24	19.64	0.092	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	19.57	17.97	0.063	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	19.70	18.10	0.065	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	19.25	17.65	0.058	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	16.27	14.67	0.029	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.88	21.28	0.134	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	21.21	0.132	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.82	21.22	0.132	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.35	20.75	0.119	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB18@9	22.86	21.26	0.134	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.74	21.14	0.130	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@36	22.81	21.21	0.132	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@0	21.87	20.27	0.106	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB36@0	20.85	19.25	0.084	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB36@0	20.38	18.78	0.076	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB36@0	18.39	16.79	0.048	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB19@9	21.31	19.71	0.094	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.23	19.63	0.092	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@36	21.29	19.69	0.093	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB38@0	19.76	18.16	0.065	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB38@0	19.86	18.26	0.067	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB38@0	19.41	17.81	0.060	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB38@0	16.46	14.86	0.031	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.95	21.35	0.136	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.85	21.25	0.133	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.69	21.09	0.129	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.31	20.71	0.118	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB18@9	22.72	21.12	0.129	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	22.49	20.89	0.123	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@36	22.79	21.19	0.132	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@0	21.83	20.23	0.105	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.82	19.22	0.084	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.39	18.79	0.076	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.30	16.70	0.047	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB19@9	21.35	19.75	0.094	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	21.20	19.60	0.091	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@36	21.10	19.50	0.089	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB38@0	19.84	18.24	0.067	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 16 QAM_RB38@0	19.83	18.23	0.067	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 64 QAM_RB38@0	19.39	17.79	0.060	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 256 QAM_RB38@0	16.46	14.86	0.031	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.60	21.00	0.126	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.65	21.05	0.127	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.63	21.03	0.127	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.21	20.61	0.115	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	22.57	20.97	0.125	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	22.65	21.05	0.127	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	22.63	21.03	0.127	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	21.69	20.09	0.102	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	20.63	19.03	0.080	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	20.11	18.51	0.071	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	18.13	16.53	0.045	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	21.12	19.52	0.090	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	21.09	19.49	0.089	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	21.20	19.60	0.091	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	19.66	18.06	0.064	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	19.66	18.06	0.064	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	19.15	17.55	0.057	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	16.22	14.62	0.029	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.78	21.18	0.131	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.80	21.20	0.132	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.75	21.15	0.130	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.35	20.75	0.119	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.82	21.22	0.132	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@49	22.80	21.20	0.132	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB25@12	22.86	21.26	0.134	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@0	21.90	20.30	0.107	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB50@0	20.84	19.24	0.084	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB50@0	20.42	18.82	0.076	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB50@0	18.38	16.78	0.048	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.21	19.61	0.091	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@49	21.09	19.49	0.089	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB25@12	21.32	19.72	0.094	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB51@0	19.84	18.24	0.067	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB51@0	19.86	18.26	0.067	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB51@0	19.36	17.76	0.060	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB51@0	16.39	14.79	0.030	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.88	21.28	0.134	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.77	21.17	0.131	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.75	21.15	0.130	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.36	20.76	0.119	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	22.80	21.20	0.132	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@49	22.78	21.18	0.131	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB25@12	22.81	21.21	0.132	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB50@0	21.84	20.24	0.106	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 16 QAM_RB50@0	20.78	19.18	0.083	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 64 QAM_RB50@0	20.36	18.76	0.075	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 256 QAM_RB50@0	18.40	16.80	0.048	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@1	21.23	19.63	0.092	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@49	21.12	19.52	0.090	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB25@12	21.35	19.75	0.094	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB51@0	19.82	18.22	0.066	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 16 QAM_RB51@0	19.94	18.34	0.068	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 64 QAM_RB51@0	19.40	17.80	0.060	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 256 QAM_RB51@0	16.46	14.86	0.031	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.66	21.06	0.128	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.63	21.03	0.127	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.81	21.21	0.132	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.28	20.68	0.117	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	22.66	21.06	0.128	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	22.64	21.04	0.127	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	22.75	21.15	0.130	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	21.71	20.11	0.103	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	20.67	19.07	0.081	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	20.30	18.70	0.074	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	18.19	16.59	0.046	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	21.14	19.54	0.090	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	21.08	19.48	0.089	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	21.34	19.74	0.094	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	19.66	18.06	0.064	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	19.66	18.06	0.064	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	19.12	17.52	0.056	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	16.18	14.58	0.029	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	21.21	0.132	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.77	21.17	0.131	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.86	21.26	0.134	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.36	20.76	0.119	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.76	21.16	0.131	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@76	22.74	21.14	0.130	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@18	22.77	21.17	0.131	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB75@0	21.85	20.25	0.106	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB75@0	20.80	19.20	0.083	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB75@0	20.38	18.78	0.076	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB75@0	18.35	16.75	0.047	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.16	19.56	0.090	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@76	21.21	19.61	0.091	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB39@19	21.27	19.67	0.093	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB78@0	19.81	18.21	0.066	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB78@0	19.86	18.26	0.067	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB78@0	19.34	17.74	0.059	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB78@0	16.38	14.78	0.030	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.80	21.20	0.132	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.72	21.12	0.129	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.83	21.23	0.133	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.33	20.73	0.118	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@1	22.82	21.22	0.132	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@76	22.78	21.18	0.131	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB36@18	22.83	21.23	0.133	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB75@0	21.87	20.27	0.106	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 16 QAM_RB75@0	20.82	19.22	0.084	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 64 QAM_RB75@0	20.41	18.81	0.076	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 256 QAM_RB75@0	18.42	16.82	0.048	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@1	21.49	19.89	0.097	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@76	21.38	19.78	0.095	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB39@19	21.28	19.68	0.093	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB78@0	19.96	18.36	0.069	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 16 QAM_RB78@0	19.94	18.34	0.068	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 64 QAM_RB78@0	19.46	17.86	0.061	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 256 QAM_RB78@0	16.46	14.86	0.031	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.17	20.57	0.114	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.63	21.03	0.127	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.76	21.16	0.131	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.70	21.10	0.129	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	21.74	20.14	0.103	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	22.71	21.11	0.129	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	22.77	21.17	0.131	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	22.66	21.06	0.128	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	20.78	19.18	0.083	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	20.23	18.63	0.073	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	18.17	16.57	0.045	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	19.69	18.09	0.064	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	21.16	19.56	0.090	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	21.19	19.59	0.091	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	21.27	19.67	0.093	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	19.74	18.14	0.065	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	19.17	17.57	0.057	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	16.17	14.57	0.029	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.27	20.67	0.117	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.73	21.13	0.130	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.82	21.22	0.132	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.78	21.18	0.131	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB100@0	21.86	20.26	0.106	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.77	21.17	0.131	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@104	22.82	21.22	0.132	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@25	22.77	21.17	0.131	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB100@0	20.86	19.26	0.084	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB100@0	20.36	18.76	0.075	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB100@0	18.33	16.73	0.047	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB106@0	19.83	18.23	0.067	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.15	19.55	0.090	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@104	21.16	19.56	0.090	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB53@26	21.25	19.65	0.092	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB106@0	19.83	18.23	0.067	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB106@0	19.32	17.72	0.059	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB106@0	16.33	14.73	0.030	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.48	20.88	0.122	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.95	21.35	0.136	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.82	21.22	0.132	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.93	21.33	0.136	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB100@0	21.95	20.35	0.108	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@1	22.93	21.33	0.136	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@104	22.82	21.22	0.132	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB50@25	22.94	21.34	0.136	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 16 QAM_RB100@0	20.92	19.32	0.086	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 64 QAM_RB100@0	20.49	18.89	0.077	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 256 QAM_RB100@0	18.52	16.92	0.049	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB106@0	20.01	18.41	0.069	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@1	21.38	19.78	0.095	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@104	21.25	19.65	0.092	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB53@26	21.42	19.82	0.096	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 16 QAM_RB106@0	20.03	18.43	0.070	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 64 QAM_RB106@0	19.52	17.92	0.062	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 256 QAM_RB106@0	16.55	14.95	0.031	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.25	20.65	0.116	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.66	21.06	0.128	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.70	21.10	0.129	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.75	21.15	0.130	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	21.73	20.13	0.103	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	22.60	21.00	0.126	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	22.72	21.12	0.129	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	22.79	21.19	0.132	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	20.77	19.17	0.083	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	20.31	18.71	0.074	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	18.17	16.57	0.045	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	19.65	18.05	0.064	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	21.11	19.51	0.089	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	21.17	19.57	0.091	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	21.18	19.58	0.091	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	19.66	18.06	0.064	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	19.14	17.54	0.057	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	16.20	14.60	0.029	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.30	20.70	0.117	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.67	21.07	0.128	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.70	21.10	0.129	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.89	21.29	0.135	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB128@0	21.83	20.23	0.105	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.68	21.08	0.128	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@131	22.77	21.17	0.131	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB64@32	22.88	21.28	0.134	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB128@0	20.83	19.23	0.084	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB128@0	20.35	18.75	0.075	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB128@0	18.36	16.76	0.047	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB133@0	19.83	18.23	0.067	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.09	19.49	0.089	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@131	21.37	19.77	0.095	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB67@33	21.31	19.71	0.094	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB133@0	19.83	18.23	0.067	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB133@0	19.35	17.75	0.060	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB133@0	16.37	14.77	0.030	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.43	20.83	0.121	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.83	21.23	0.133	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.80	21.20	0.132	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.96	21.36	0.137	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB128@0	21.94	20.34	0.108	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@1	22.81	21.21	0.132	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@131	22.77	21.17	0.131	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB64@32	22.98	21.38	0.137	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 16 QAM_RB128@0	20.96	19.36	0.086	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 64 QAM_RB128@0	20.46	18.86	0.077	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 256 QAM_RB128@0	18.56	16.96	0.050	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB133@0	19.97	18.37	0.069	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@1	21.25	19.65	0.092	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@131	21.16	19.56	0.090	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB67@33	21.39	19.79	0.095	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 16 QAM_RB133@0	19.99	18.39	0.069	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 64 QAM_RB133@0	19.51	17.91	0.062	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 256 QAM_RB133@0	16.53	14.93	0.031	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.22	20.62	0.115	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.49	20.89	0.123	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.74	21.14	0.130	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.70	21.10	0.129	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	21.72	20.12	0.103	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	22.56	20.96	0.125	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	22.67	21.07	0.128	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	22.73	21.13	0.130	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	20.80	19.20	0.083	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	20.26	18.66	0.073	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	18.15	16.55	0.045	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	19.64	18.04	0.064	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	21	19.40	0.087	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	21.21	19.61	0.091	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	21.18	19.58	0.091	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	19.60	18.00	0.063	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	19.12	17.52	0.056	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	16.19	14.59	0.029	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.32	20.72	0.118	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.71	21.11	0.129	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.83	21.23	0.133	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.89	21.29	0.135	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB162@0	21.89	20.29	0.107	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.69	21.09	0.129	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@160	22.82	21.22	0.132	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB81@40	22.81	21.21	0.132	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB162@0	20.92	19.32	0.086	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB162@0	20.39	18.79	0.076	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB162@0	18.39	16.79	0.048	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB162@0	19.87	18.27	0.067	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.09	19.49	0.089	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@160	21.50	19.90	0.098	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB81@40	21.32	19.72	0.094	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB162@0	19.81	18.21	0.066	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB162@0	19.32	17.72	0.059	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB162@0	16.38	14.78	0.030	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.46	20.86	0.122	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.79	21.19	0.132	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.90	21.30	0.135	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	23.07	21.47	0.140	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB162@0	22	20.40	0.110	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@1	22.74	21.14	0.130	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@160	22.87	21.27	0.134	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB81@40	23.06	21.46	0.140	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 16 QAM_RB162@0	21.05	19.45	0.088	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 64 QAM_RB162@0	20.54	18.94	0.078	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 256 QAM_RB162@0	18.63	17.03	0.050	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB162@0	20.05	18.45	0.070	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@1	21.18	19.58	0.091	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@160	21.24	19.64	0.092	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB81@40	21.57	19.97	0.099	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 16 QAM_RB162@0	20.05	18.45	0.070	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 64 QAM_RB162@0	19.51	17.91	0.062	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 256 QAM_RB162@0	16.60	15.00	0.032	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.14	20.54	0.113	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.53	20.93	0.124	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.69	21.09	0.129	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.67	21.07	0.128	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	21.70	20.10	0.102	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	22.56	20.96	0.125	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	22.66	21.06	0.128	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	22.71	21.11	0.129	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	20.68	19.08	0.081	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	20.24	18.64	0.073	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	18.13	16.53	0.045	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	19.68	18.08	0.064	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	20.99	19.39	0.087	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	21.18	19.58	0.091	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	21.15	19.55	0.090	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	19.68	18.08	0.064	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	19.18	17.58	0.057	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	16.21	14.61	0.029	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.32	20.72	0.118	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.65	21.05	0.127	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.75	21.15	0.130	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.81	21.21	0.132	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB180@0	21.80	20.20	0.105	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.68	21.08	0.128	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@187	22.73	21.13	0.130	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB90@45	22.85	21.25	0.133	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB180@0	20.88	19.28	0.085	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB180@0	20.31	18.71	0.074	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB180@0	18.47	16.87	0.049	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB189@0	19.95	18.35	0.068	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.29	19.69	0.093	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@187	21.13	19.53	0.090	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB95@47	21.32	19.72	0.094	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB189@0	19.93	18.33	0.068	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB189@0	19.38	17.78	0.060	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB189@0	16.43	14.83	0.030	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.51	20.91	0.123	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.72	21.12	0.129	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.81	21.21	0.132	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	23.12	21.52	0.142	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB180@0	21.97	20.37	0.109	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@1	22.75	21.15	0.130	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@187	22.87	21.27	0.134	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB90@45	23.03	21.43	0.139	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 16 QAM_RB180@0	21.03	19.43	0.088	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 64 QAM_RB180@0	20.54	18.94	0.078	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 256 QAM_RB180@0	18.65	17.05	0.051	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB189@0	20.16	18.56	0.072	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@1	21.20	19.60	0.091	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@187	21.20	19.60	0.091	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB95@47	21.53	19.93	0.098	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 16 QAM_RB189@0	20.10	18.50	0.071	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 64 QAM_RB189@0	19.63	18.03	0.064	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 256 QAM_RB189@0	16.65	15.05	0.032	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.63	21.03	0.127	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.58	20.98	0.125	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.76	21.16	0.131	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.15	20.55	0.114	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	22.66	21.06	0.128	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	22.53	20.93	0.124	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	22.74	21.14	0.130	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	21.71	20.11	0.103	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	20.79	19.19	0.083	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	20.14	18.54	0.071	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	18.19	16.59	0.046	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	21.20	19.60	0.091	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	21.16	19.56	0.090	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	21.15	19.55	0.090	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	19.65	18.05	0.064	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	19.65	18.05	0.064	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	19.17	17.57	0.057	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	16.21	14.61	0.029	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.84	21.24	0.133	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.62	21.02	0.126	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.82	21.22	0.132	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.30	20.70	0.117	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB108@54	22.84	21.24	0.133	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.64	21.04	0.127	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@215	22.85	21.25	0.133	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB216@0	21.80	20.20	0.105	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB216@0	20.94	19.34	0.086	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB216@0	20.40	18.80	0.076	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB216@0	18.41	16.81	0.048	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB109@54	21.26	19.66	0.092	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.04	19.44	0.088	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@215	21.26	19.66	0.092	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB217@0	19.88	18.28	0.067	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB217@0	19.87	18.27	0.067	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB217@0	19.38	17.78	0.060	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB217@0	16.43	14.83	0.030	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.98	21.38	0.137	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.63	21.03	0.127	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.78	21.18	0.131	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.43	20.83	0.121	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB108@54	23.02	21.42	0.139	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@1	22.72	21.12	0.129	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@215	22.84	21.24	0.133	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB216@0	21.95	20.35	0.108	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 16 QAM_RB216@0	20.92	19.32	0.086	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 64 QAM_RB216@0	20.55	18.95	0.079	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 256 QAM_RB216@0	18.60	17.00	0.050	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB109@54	21.48	19.88	0.097	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@1	21.02	19.42	0.087	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@215	21.18	19.58	0.091	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB217@0	20.05	18.45	0.070	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 16 QAM_RB217@0	20.01	18.41	0.069	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 64 QAM_RB217@0	19.50	17.90	0.062	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 256 QAM_RB217@0	16.55	14.95	0.031	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.62	21.02	0.126	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.61	21.01	0.126	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.75	21.15	0.130	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.20	20.60	0.115	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	22.67	21.07	0.128	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	22.62	21.02	0.126	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	22.72	21.12	0.129	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	21.72	20.12	0.103	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	20.72	19.12	0.082	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	20.26	18.66	0.073	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	18.22	16.62	0.046	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	21.18	19.58	0.091	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	21.04	19.44	0.088	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	21.12	19.52	0.090	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	19.70	18.10	0.065	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	19.65	18.05	0.064	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	19.17	17.57	0.057	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	16.20	14.60	0.029	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.90	21.30	0.135	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.57	20.97	0.125	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.85	21.25	0.133	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.36	20.76	0.119	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB120@60	22.81	21.21	0.132	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.64	21.04	0.127	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@243	22.83	21.23	0.133	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB243@0	21.84	20.24	0.106	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB243@0	20.87	19.27	0.085	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB243@0	20.37	18.77	0.075	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB243@0	18.44	16.84	0.048	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB123@61	21.26	19.66	0.092	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	21.05	19.45	0.088	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@243	21.24	19.64	0.092	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB245@0	19.89	18.29	0.067	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB245@0	19.89	18.29	0.067	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB245@0	19.34	17.74	0.059	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB245@0	16.46	14.86	0.031	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.89	21.29	0.135	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.55	20.95	0.124	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.71	21.11	0.129	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.44	20.84	0.121	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB120@60	22.97	21.37	0.137	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@1	22.51	20.91	0.123	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@243	22.71	21.11	0.129	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB243@0	21.89	20.29	0.107	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 16 QAM_RB243@0	20.92	19.32	0.086	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 64 QAM_RB243@0	20.37	18.77	0.075	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 256 QAM_RB243@0	18.55	16.95	0.050	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB123@61	21.42	19.82	0.096	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@1	20.91	19.31	0.085	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@243	21.27	19.67	0.093	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB245@0	20.04	18.44	0.070	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 16 QAM_RB245@0	19.97	18.37	0.069	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 64 QAM_RB245@0	19.48	17.88	0.061	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 256 QAM_RB245@0	16.52	14.92	0.031	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.68	21.08	0.128	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.54	20.94	0.124	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.78	21.18	0.131	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.17	20.57	0.114	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	22.66	21.06	0.128	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.57	20.97	0.125	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	22.74	21.14	0.130	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	21.67	20.07	0.102	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	20.72	19.12	0.082	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	20.24	18.64	0.073	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	18.18	16.58	0.045	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	21.12	19.52	0.090	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	20.98	19.38	0.087	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	21.18	19.58	0.091	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	19.69	18.09	0.064	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	19.67	18.07	0.064	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	19.17	17.57	0.057	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	16.21	14.61	0.029	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.79	21.19	0.132	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.60	21.00	0.126	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.86	21.26	0.134	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.34	20.74	0.119	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB135@67	22.78	21.18	0.131	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	22.64	21.04	0.127	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@271	22.84	21.24	0.133	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB270@0	21.85	20.25	0.106	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB270@0	20.87	19.27	0.085	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB270@0	20.40	18.80	0.076	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB270@0	18.42	16.82	0.048	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB137@68	21.31	19.71	0.094	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	20.94	19.34	0.086	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@271	21.24	19.64	0.092	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB273@0	19.90	18.30	0.068	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB273@0	19.88	18.28	0.067	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB273@0	19.40	17.80	0.060	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB273@0	16.45	14.85	0.031	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.91	21.31	0.135	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.53	20.93	0.124	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.81	21.21	0.132	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	22.38	20.78	0.120	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB135@67	22.95	21.35	0.136	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@1	22.58	20.98	0.125	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@271	22.87	21.27	0.134	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB270@0	21.96	20.36	0.109	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 16 QAM_RB270@0	20.95	19.35	0.086	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 64 QAM_RB270@0	20.47	18.87	0.077	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 256 QAM_RB270@0	18.54	16.94	0.049	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB137@68	21.42	19.82	0.096	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@1	21.04	19.44	0.088	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@271	21.59	19.99	0.100	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB273@0	20.01	18.41	0.069	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 16 QAM_RB273@0	19.98	18.38	0.069	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 64 QAM_RB273@0	19.48	17.88	0.061	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 256 QAM_RB273@0	16.55	14.95	0.031	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

n77_3:

1.Ant Gain = -1.6dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.71	21.11	0.129	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.62	21.02	0.126	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.66	21.06	0.128	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.26	20.66	0.116	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	22.77	21.17	0.131	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	22.70	21.10	0.129	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	22.68	21.08	0.128	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	21.72	20.12	0.103	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	20.87	19.27	0.085	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	20.32	18.72	0.074	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	18.23	16.63	0.046	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	21.09	19.49	0.089	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	21.12	19.52	0.090	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	21.04	19.44	0.088	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	19.70	18.10	0.065	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	19.89	18.29	0.067	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	19.39	17.79	0.060	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	16.27	14.67	0.029	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.90	21.30	0.135	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.78	21.18	0.131	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.80	21.20	0.132	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.39	20.79	0.120	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	22.75	21.15	0.130	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.76	21.16	0.131	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	22.77	21.17	0.131	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	21.89	20.29	0.107	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	20.95	19.35	0.086	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	20.45	18.85	0.077	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	18.31	16.71	0.047	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	21.31	19.71	0.094	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.25	19.65	0.092	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	21.25	19.65	0.092	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	19.85	18.25	0.067	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	19.98	18.38	0.069	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	19.41	17.81	0.060	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	16.42	14.82	0.030	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	22.78	21.18	0.131	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.78	21.18	0.131	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	22.74	21.14	0.130	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	22.29	20.69	0.117	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	22.77	21.17	0.131	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	22.77	21.17	0.131	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	22.69	21.09	0.129	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	21.78	20.18	0.104	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	20.94	19.34	0.086	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	20.43	18.83	0.076	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	18.30	16.70	0.047	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	21.14	19.54	0.090	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	21.16	19.56	0.090	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	21.25	19.65	0.092	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	19.78	18.18	0.066	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	19.79	18.19	0.066	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	19.27	17.67	0.058	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	16.34	14.74	0.030	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.78	21.18	0.131	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.70	21.10	0.129	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.71	21.11	0.129	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.28	20.68	0.117	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	22.77	21.17	0.131	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	22.75	21.15	0.130	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	22.71	21.11	0.129	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	21.79	20.19	0.104	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.75	19.15	0.082	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.25	18.65	0.073	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.25	16.65	0.046	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	21.29	19.69	0.093	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	21.15	19.55	0.090	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	21.09	19.49	0.089	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	19.73	18.13	0.065	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	19.84	18.24	0.067	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	19.29	17.69	0.059	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	16.41	14.81	0.030	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.90	21.30	0.135	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.79	21.19	0.132	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.82	21.22	0.132	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.39	20.79	0.120	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	22.81	21.21	0.132	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.71	21.11	0.129	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	22.78	21.18	0.131	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	22.01	20.41	0.110	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	20.92	19.32	0.086	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	20.43	18.83	0.076	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	18.46	16.86	0.049	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	21.23	19.63	0.092	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.47	19.87	0.097	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	21.19	19.59	0.091	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	19.92	18.32	0.068	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	19.93	18.33	0.068	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	19.51	17.91	0.062	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	16.47	14.87	0.031	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.81	21.21	0.132	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.73	21.13	0.130	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.70	21.10	0.129	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.27	20.67	0.117	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	22.71	21.11	0.129	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	22.67	21.07	0.128	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	22.76	21.16	0.131	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	21.73	20.13	0.103	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.87	19.27	0.085	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.39	18.79	0.076	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.34	16.74	0.047	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	21.25	19.65	0.092	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	21.11	19.51	0.089	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	21.39	19.79	0.095	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	19.87	18.27	0.067	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	19.83	18.23	0.067	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	19.34	17.74	0.059	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	16.43	14.83	0.030	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.71	21.11	0.129	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.83	21.23	0.133	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.77	21.17	0.131	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.34	20.74	0.119	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	22.74	21.14	0.130	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	22.65	21.05	0.127	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	22.85	21.25	0.133	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	21.83	20.23	0.105	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	20.81	19.21	0.083	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	20.31	18.71	0.074	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	18.27	16.67	0.046	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	21.20	19.60	0.091	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	21.18	19.58	0.091	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	21.32	19.72	0.094	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	19.81	18.21	0.066	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	19.81	18.21	0.066	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	19.30	17.70	0.059	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	16.39	14.79	0.030	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.81	21.21	0.132	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.82	21.22	0.132	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.82	21.22	0.132	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.38	20.78	0.120	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.81	21.21	0.132	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	22.88	21.28	0.134	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	22.90	21.30	0.135	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	21.89	20.29	0.107	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	20.85	19.25	0.084	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	20.35	18.75	0.075	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	18.40	16.80	0.048	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.19	19.59	0.091	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	21.21	19.61	0.091	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	21.43	19.83	0.096	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	19.83	18.23	0.067	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	19.97	18.37	0.069	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	19.41	17.81	0.060	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	16.49	14.89	0.031	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.75	21.15	0.130	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.74	21.14	0.130	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.76	21.16	0.131	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	22.26	20.66	0.116	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	22.76	21.16	0.131	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	22.78	21.18	0.131	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	22.83	21.23	0.133	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	21.80	20.20	0.105	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	20.85	19.25	0.084	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	20.27	18.67	0.074	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	18.30	16.70	0.047	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	21.24	19.64	0.092	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	21.20	19.60	0.091	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	21.27	19.67	0.093	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	19.69	18.09	0.064	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	19.88	18.28	0.067	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	19.30	17.70	0.059	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	16.34	14.74	0.030	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.70	21.10	0.129	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.67	21.07	0.128	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.82	21.22	0.132	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.27	20.67	0.117	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	22.67	21.07	0.128	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	22.70	21.10	0.129	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	22.72	21.12	0.129	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	21.72	20.12	0.103	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	20.78	19.18	0.083	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	20.27	18.67	0.074	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	18.21	16.61	0.046	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	21.14	19.54	0.090	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	21.11	19.51	0.089	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	21.29	19.69	0.093	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	19.70	18.10	0.065	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	19.77	18.17	0.066	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	19.25	17.65	0.058	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	16.26	14.66	0.029	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.72	21.12	0.129	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.79	21.19	0.132	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.96	21.36	0.137	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.37	20.77	0.119	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.68	21.08	0.128	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	22.82	21.22	0.132	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	22.86	21.26	0.134	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	21.86	20.26	0.106	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	20.85	19.25	0.084	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	20.46	18.86	0.077	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	18.37	16.77	0.048	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.20	19.60	0.091	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	21.24	19.64	0.092	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	21.41	19.81	0.096	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	19.91	18.31	0.068	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	19.91	18.31	0.068	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	19.36	17.76	0.060	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	16.43	14.83	0.030	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.74	21.14	0.130	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	22.71	21.11	0.129	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	22.82	21.22	0.132	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	22.21	20.61	0.115	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	22.74	21.14	0.130	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	22.79	21.19	0.132	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	22.79	21.19	0.132	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	21.78	20.18	0.104	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	20.75	19.15	0.082	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	20.31	18.71	0.074	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	18.30	16.70	0.047	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	21.25	19.65	0.092	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	21.23	19.63	0.092	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	21.25	19.65	0.092	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	19.81	18.21	0.066	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	19.84	18.24	0.067	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	19.35	17.75	0.060	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	16.35	14.75	0.030	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.17	20.57	0.114	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.69	21.09	0.129	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.75	21.15	0.130	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.70	21.10	0.129	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	21.71	20.11	0.103	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	22.66	21.06	0.128	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	22.72	21.12	0.129	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	22.72	21.12	0.129	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	20.75	19.15	0.082	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	20.22	18.62	0.073	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	18.24	16.64	0.046	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	19.72	18.12	0.065	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	21.10	19.50	0.089	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	21.41	19.81	0.096	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	21.21	19.61	0.091	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	19.76	18.16	0.065	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	19.26	17.66	0.058	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	16.25	14.65	0.029	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.33	20.73	0.118	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.75	21.15	0.130	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.74	21.14	0.130	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.82	21.22	0.132	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	21.86	20.26	0.106	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.72	21.12	0.129	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	22.77	21.17	0.131	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	22.85	21.25	0.133	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	20.87	19.27	0.085	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	20.37	18.77	0.075	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	18.32	16.72	0.047	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	19.85	18.25	0.067	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.18	19.58	0.091	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	21.39	19.79	0.095	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	21.30	19.70	0.093	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	19.88	18.28	0.067	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	19.38	17.78	0.060	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	16.36	14.76	0.030	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.28	20.68	0.117	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.91	21.31	0.135	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.73	21.13	0.130	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.81	21.21	0.132	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	21.85	20.25	0.106	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	22.77	21.17	0.131	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	22.73	21.13	0.130	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	22.79	21.19	0.132	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	20.91	19.31	0.085	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	20.46	18.86	0.077	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	18.37	16.77	0.048	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	19.83	18.23	0.067	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	21.28	19.68	0.093	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	21.15	19.55	0.090	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	21.30	19.70	0.093	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	19.84	18.24	0.067	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	19.35	17.75	0.060	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	16.34	14.74	0.030	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.28	20.68	0.117	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.61	21.01	0.126	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.73	21.13	0.130	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.82	21.22	0.132	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	21.75	20.15	0.104	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	22.72	21.12	0.129	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	22.67	21.07	0.128	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	22.79	21.19	0.132	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	20.79	19.19	0.083	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	20.35	18.75	0.075	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	18.34	16.74	0.047	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	19.78	18.18	0.066	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	21.08	19.48	0.089	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	21.24	19.64	0.092	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	21.23	19.63	0.092	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	19.79	18.19	0.066	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	19.28	17.68	0.059	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	16.31	14.71	0.030	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.34	20.74	0.119	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.70	21.10	0.129	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.68	21.08	0.128	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.89	21.29	0.135	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	21.84	20.24	0.106	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.65	21.05	0.127	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	22.68	21.08	0.128	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	22.91	21.31	0.135	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	20.88	19.28	0.085	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	20.43	18.83	0.076	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	18.42	16.82	0.048	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	19.84	18.24	0.067	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.35	19.75	0.094	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	21.14	19.54	0.090	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	21.34	19.74	0.094	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	19.83	18.23	0.067	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	19.36	17.76	0.060	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	16.39	14.79	0.030	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.36	20.76	0.119	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.88	21.28	0.134	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.70	21.10	0.129	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.84	21.24	0.133	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	21.81	20.21	0.105	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	22.82	21.22	0.132	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	22.73	21.13	0.130	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	22.82	21.22	0.132	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	20.87	19.27	0.085	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	20.47	18.87	0.077	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	18.37	16.77	0.048	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	19.83	18.23	0.067	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	21.27	19.67	0.093	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	21.11	19.51	0.089	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	21.29	19.69	0.093	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	19.86	18.26	0.067	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	19.32	17.72	0.059	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	16.40	14.80	0.030	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.29	20.69	0.117	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.73	21.13	0.130	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.90	21.30	0.135	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.83	21.23	0.133	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	21.80	20.20	0.105	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	22.69	21.09	0.129	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	22.89	21.29	0.135	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	22.84	21.24	0.133	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	20.88	19.28	0.085	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	20.35	18.75	0.075	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	18.38	16.78	0.048	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	19.87	18.27	0.067	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	21.19	19.59	0.091	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	21.24	19.64	0.092	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	21.31	19.71	0.094	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	19.80	18.20	0.066	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	19.32	17.72	0.059	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	16.35	14.75	0.030	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.27	20.67	0.117	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.64	21.04	0.127	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.68	21.08	0.128	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.88	21.28	0.134	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	21.81	20.21	0.105	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.64	21.04	0.127	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	22.63	21.03	0.127	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	22.85	21.25	0.133	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	20.87	19.27	0.085	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	20.32	18.72	0.074	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	18.38	16.78	0.048	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	19.85	18.25	0.067	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.16	19.56	0.090	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	21.17	19.57	0.091	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	21.38	19.78	0.095	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	19.81	18.21	0.066	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	19.32	17.72	0.059	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	16.37	14.77	0.030	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.32	20.72	0.118	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.82	21.22	0.132	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.69	21.09	0.129	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.88	21.28	0.134	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	21.85	20.25	0.106	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	22.84	21.24	0.133	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	22.67	21.07	0.128	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	22.88	21.28	0.134	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	20.88	19.28	0.085	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	20.41	18.81	0.076	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	18.38	16.78	0.048	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	19.84	18.24	0.067	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	21.26	19.66	0.092	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	21.10	19.50	0.089	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	21.34	19.74	0.094	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	19.84	18.24	0.067	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	19.32	17.72	0.059	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	16.38	14.78	0.030	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.32	20.72	0.118	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.71	21.11	0.129	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.72	21.12	0.129	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.83	21.23	0.133	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	21.84	20.24	0.106	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	22.67	21.07	0.128	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	22.75	21.15	0.130	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	22.87	21.27	0.134	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	20.89	19.29	0.085	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	20.40	18.80	0.076	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	18.38	16.78	0.048	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	19.93	18.33	0.068	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	21.43	19.83	0.096	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	21.21	19.61	0.091	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	21.37	19.77	0.095	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	19.87	18.27	0.067	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	19.38	17.78	0.060	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	16.41	14.81	0.030	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.30	20.70	0.117	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.69	21.09	0.129	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.55	20.95	0.124	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.89	21.29	0.135	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	21.81	20.21	0.105	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.69	21.09	0.129	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	22.57	20.97	0.125	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	22.87	21.27	0.134	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	20.89	19.29	0.085	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	20.39	18.79	0.076	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	18.42	16.82	0.048	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	19.87	18.27	0.067	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.07	19.47	0.089	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	21.08	19.48	0.089	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	21.40	19.80	0.095	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	19.84	18.24	0.067	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	19.34	17.74	0.059	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	16.36	14.76	0.030	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.41	20.81	0.121	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.84	21.24	0.133	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.67	21.07	0.128	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.92	21.32	0.136	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	21.92	20.32	0.108	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	22.76	21.16	0.131	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	22.68	21.08	0.128	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	22.96	21.36	0.137	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	21.01	19.41	0.087	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	20.45	18.85	0.077	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	18.46	16.86	0.049	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	19.88	18.28	0.067	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	21.24	19.64	0.092	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	21.08	19.48	0.089	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	21.40	19.80	0.095	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	19.92	18.32	0.068	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	19.40	17.80	0.060	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	16.41	14.81	0.030	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.89	21.29	0.135	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.78	21.18	0.131	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.70	21.10	0.129	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.33	20.73	0.118	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	22.97	21.37	0.137	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	22.75	21.15	0.130	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	22.63	21.03	0.127	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	21.80	20.20	0.105	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	20.99	19.39	0.087	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	20.44	18.84	0.077	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	18.42	16.82	0.048	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	21.50	19.90	0.098	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	21.14	19.54	0.090	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	21.10	19.50	0.089	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	19.69	18.09	0.064	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	19.90	18.30	0.068	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	19.35	17.75	0.060	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	16.41	14.81	0.030	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.88	21.28	0.134	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.67	21.07	0.128	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.66	21.06	0.128	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.27	20.67	0.117	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	22.96	21.36	0.137	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.72	21.12	0.129	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	22.58	20.98	0.125	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	21.81	20.21	0.105	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	20.85	19.25	0.084	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	20.35	18.75	0.075	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	18.36	16.76	0.047	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	21.39	19.79	0.095	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.21	19.61	0.091	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	21.10	19.50	0.089	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	19.83	18.23	0.067	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	19.83	18.23	0.067	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	19.34	17.74	0.059	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	16.35	14.75	0.030	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.89	21.29	0.135	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.79	21.19	0.132	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.66	21.06	0.128	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	22.29	20.69	0.117	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	22.98	21.38	0.137	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	22.78	21.18	0.131	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	22.69	21.09	0.129	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	21.81	20.21	0.105	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	20.99	19.39	0.087	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	20.35	18.75	0.075	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	18.43	16.83	0.048	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	21.44	19.84	0.096	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	21.21	19.61	0.091	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	21.18	19.58	0.091	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	19.84	18.24	0.067	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	19.85	18.25	0.067	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	19.33	17.73	0.059	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	16.38	14.78	0.030	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.86	21.26	0.134	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.66	21.06	0.128	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.59	20.99	0.126	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.30	20.70	0.117	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	22.86	21.26	0.134	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	22.64	21.04	0.127	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	22.61	21.01	0.126	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	21.83	20.23	0.105	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	20.84	19.24	0.084	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	20.38	18.78	0.076	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	18.42	16.82	0.048	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	21.31	19.71	0.094	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	21.16	19.56	0.090	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	21.02	19.42	0.087	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	19.85	18.25	0.067	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	19.82	18.22	0.066	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	19.31	17.71	0.059	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	16.34	14.74	0.030	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.90	21.30	0.135	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.69	21.09	0.129	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.50	20.90	0.123	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	22.31	20.71	0.118	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	22.98	21.38	0.137	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	22.67	21.07	0.128	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	22.54	20.94	0.124	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	21.85	20.25	0.106	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	20.95	19.35	0.086	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	20.41	18.81	0.076	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	18.41	16.81	0.048	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	21.36	19.76	0.095	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	21.41	19.81	0.096	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	21.08	19.48	0.089	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	19.85	18.25	0.067	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	19.83	18.23	0.067	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	19.33	17.73	0.059	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	16.44	14.84	0.030	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	21.77	20.17	0.104	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.08	18.48	0.070	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	21.43	19.83	0.096	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	21.10	19.50	0.089	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	21.85	20.25	0.106	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	21.05	19.45	0.088	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	21.39	19.79	0.095	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	20.65	19.05	0.080	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	19.68	18.08	0.064	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	19.18	17.58	0.057	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	17.20	15.60	0.036	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	20.24	18.64	0.073	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	19.55	17.95	0.062	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	19.98	18.38	0.069	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	18.65	17.05	0.051	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	18.60	17.00	0.050	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	18.14	16.54	0.045	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	15.23	13.63	0.023	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	21.70	20.10	0.102	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.82	19.22	0.084	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	21.37	19.77	0.095	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	21.06	19.46	0.088	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	21.71	20.11	0.103	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	20.72	19.12	0.082	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	21.39	19.79	0.095	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	20.49	18.89	0.077	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	19.59	17.99	0.063	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	19.11	17.51	0.056	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	17.10	15.50	0.035	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	20.18	18.58	0.072	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	19.29	17.69	0.059	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	19.78	18.18	0.066	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	18.59	16.99	0.050	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	18.57	16.97	0.050	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	18.10	16.50	0.045	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	15.10	13.50	0.022	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n78_1:

1.Ant Gain = -1.6dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_3

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.77	19.17	0.083	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.67	19.07	0.081	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	20.64	19.04	0.080	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	20.23	18.63	0.073	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	20.70	19.10	0.081	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	20.60	19.00	0.079	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	20.57	18.97	0.079	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	19.73	18.13	0.065	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	18.78	17.18	0.052	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	18.28	16.68	0.047	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	16.14	14.54	0.028	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	19.06	17.46	0.056	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	19.07	17.47	0.056	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	19.07	17.47	0.056	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	17.58	15.98	0.040	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	17.58	15.98	0.040	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	17.15	15.55	0.036	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	14.15	12.55	0.018	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	21.14	19.54	0.090	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.93	19.33	0.086	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	20.96	19.36	0.086	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	20.51	18.91	0.078	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB12@6	21.08	19.48	0.089	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	20.90	19.30	0.085	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@22	20.93	19.33	0.086	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB24@0	19.91	18.31	0.068	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB24@0	19.04	17.44	0.055	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB24@0	18.58	16.98	0.050	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB24@0	16.46	14.86	0.031	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB12@6	19.40	17.80	0.060	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	19.32	17.72	0.059	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@22	19.52	17.92	0.062	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB24@0	17.94	16.34	0.043	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB24@0	17.85	16.25	0.042	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB24@0	17.56	15.96	0.039	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB24@0	14.52	12.92	0.020	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	21.44	19.84	0.096	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.27	19.67	0.093	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	21.50	19.90	0.098	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	20.93	19.33	0.086	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB12@6	21.40	19.80	0.095	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@1	21.28	19.68	0.093	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@22	21.47	19.87	0.097	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB24@0	20.41	18.81	0.076	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 16 QAM_RB24@0	19.58	17.98	0.063	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 64 QAM_RB24@0	19.06	17.46	0.056	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 256 QAM_RB24@0	16.92	15.32	0.034	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB12@6	19.70	18.10	0.065	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@1	19.70	18.10	0.065	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@22	19.77	18.17	0.066	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB24@0	18.42	16.82	0.048	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 16 QAM_RB24@0	18.38	16.78	0.048	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 64 QAM_RB24@0	17.96	16.36	0.043	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 256 QAM_RB24@0	14.96	13.36	0.022	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.26	20.66	0.116	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.29	17.69	0.059	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	22.08	20.48	0.112	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	21.77	20.17	0.104	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	22.11	20.51	0.112	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	22.12	20.52	0.113	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	22.14	20.54	0.113	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	21.24	19.64	0.092	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	20.27	18.67	0.074	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	19.61	18.01	0.063	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	17.68	16.08	0.041	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	20.48	18.88	0.077	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	20.56	18.96	0.079	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	20.52	18.92	0.078	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	19.18	17.58	0.057	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	19.20	17.60	0.058	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	18.69	17.09	0.051	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	15.73	14.13	0.026	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	21.08	19.48	0.089	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.56	17.96	0.063	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	21.06	19.46	0.088	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	20.63	19.03	0.080	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB18@9	22.58	20.98	0.125	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.36	20.76	0.119	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@36	22.54	20.94	0.124	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@0	21.57	19.97	0.099	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB36@0	20.68	19.08	0.081	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB36@0	20.03	18.43	0.070	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB36@0	18.07	16.47	0.044	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB19@9	21.07	19.47	0.089	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	20.77	19.17	0.083	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@36	20.98	19.38	0.087	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB38@0	19.53	17.93	0.062	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB38@0	19.56	17.96	0.063	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB38@0	19.09	17.49	0.056	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB38@0	16.14	14.54	0.028	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	22.90	21.30	0.135	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.95	16.35	0.043	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	23.04	21.44	0.139	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	22.41	20.81	0.121	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB18@9	22.92	21.32	0.136	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@1	22.72	21.12	0.129	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@36	22.98	21.38	0.137	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB36@0	21.89	20.29	0.107	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 16 QAM_RB36@0	21.01	19.41	0.087	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 64 QAM_RB36@0	20.52	18.92	0.078	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 256 QAM_RB36@0	18.41	16.81	0.048	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB19@9	21.32	19.72	0.094	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@1	21.10	19.50	0.089	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@36	21.39	19.79	0.095	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB38@0	19.82	18.22	0.066	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 16 QAM_RB38@0	19.91	18.31	0.068	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 64 QAM_RB38@0	19.47	17.87	0.061	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 256 QAM_RB38@0	16.50	14.90	0.031	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.14	20.54	0.113	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	22.17	20.57	0.114	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	22.18	20.58	0.114	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	21.70	20.10	0.102	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	22.16	20.56	0.114	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	22.21	20.61	0.115	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	22.26	20.66	0.116	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	21.19	19.59	0.091	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	20.20	18.60	0.072	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	19.63	18.03	0.064	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	17.59	15.99	0.040	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	20.63	19.03	0.080	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	20.68	19.08	0.081	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	20.80	19.20	0.083	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	19.04	17.44	0.055	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	19.16	17.56	0.057	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	18.61	17.01	0.050	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	15.69	14.09	0.026	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.94	19.34	0.086	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	21.10	19.50	0.089	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	21.07	19.47	0.089	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.59	18.99	0.079	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	20.97	19.37	0.086	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@49	21.02	19.42	0.087	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB25@12	21.09	19.49	0.089	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@0	20.07	18.47	0.070	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB50@0	19.13	17.53	0.057	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB50@0	18.51	16.91	0.049	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB50@0	16.56	14.96	0.031	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	19.33	17.73	0.059	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@49	19.73	18.13	0.065	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB25@12	19.47	17.87	0.061	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB51@0	17.95	16.35	0.043	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB51@0	18.09	16.49	0.045	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB51@0	17.55	15.95	0.039	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB51@0	14.62	13.02	0.020	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.18	19.58	0.091	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	21.58	19.98	0.100	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	21.28	19.68	0.093	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.86	19.26	0.084	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@1	21.14	19.54	0.090	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@49	21.53	19.93	0.098	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB25@12	21.32	19.72	0.094	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB50@0	20.43	18.83	0.076	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 16 QAM_RB50@0	19.47	17.87	0.061	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 64 QAM_RB50@0	18.86	17.26	0.053	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 256 QAM_RB50@0	16.88	15.28	0.034	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@1	19.61	18.01	0.063	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@49	19.96	18.36	0.069	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB25@12	19.84	18.24	0.067	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB51@0	18.32	16.72	0.047	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 16 QAM_RB51@0	18.42	16.82	0.048	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 64 QAM_RB51@0	17.91	16.31	0.043	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 256 QAM_RB51@0	14.99	13.39	0.022	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.19	18.59	0.072	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	20.76	19.16	0.082	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.61	19.01	0.080	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.21	18.61	0.073	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	20.57	18.97	0.079	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	20.68	19.08	0.081	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	20.69	19.09	0.081	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	19.72	18.12	0.065	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	18.70	17.10	0.051	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	18.24	16.64	0.046	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	16.14	14.54	0.028	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	19.09	17.49	0.056	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	19.17	17.57	0.057	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	19.25	17.65	0.058	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	17.63	16.03	0.040	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	17.64	16.04	0.040	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	17.14	15.54	0.036	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	14.16	12.56	0.018	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.81	19.21	0.083	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	21.11	19.51	0.089	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	21.04	19.44	0.088	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.53	18.93	0.078	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	20.80	19.20	0.083	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@76	21.08	19.48	0.089	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@18	21.08	19.48	0.089	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB75@0	20.04	18.44	0.070	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB75@0	19.05	17.45	0.056	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB75@0	18.59	16.99	0.050	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB75@0	16.52	14.92	0.031	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	19.28	17.68	0.059	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@76	19.61	18.01	0.063	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB39@19	19.50	17.90	0.062	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB78@0	18.03	16.43	0.044	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB78@0	18.04	16.44	0.044	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB78@0	17.49	15.89	0.039	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB78@0	14.52	12.92	0.020	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.14	19.54	0.090	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	21.43	19.83	0.096	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	21.16	19.56	0.090	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.78	19.18	0.083	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@1	21.09	19.49	0.089	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@76	21.47	19.87	0.097	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB36@18	21.22	19.62	0.092	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB75@0	20.25	18.65	0.073	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 16 QAM_RB75@0	19.25	17.65	0.058	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 64 QAM_RB75@0	18.81	17.21	0.053	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 256 QAM_RB75@0	16.76	15.16	0.033	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@1	19.48	17.88	0.061	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@76	19.89	18.29	0.067	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB39@19	19.74	18.14	0.065	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB78@0	18.24	16.64	0.046	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 16 QAM_RB78@0	18.28	16.68	0.047	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 64 QAM_RB78@0	17.74	16.14	0.041	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 256 QAM_RB78@0	14.78	13.18	0.021	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	20.21	18.61	0.073	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.24	17.64	0.058	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	20.98	19.38	0.087	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	20.72	19.12	0.082	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	21.29	19.69	0.093	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	22.13	20.53	0.113	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	22.42	20.82	0.121	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	22.26	20.66	0.116	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	20.29	18.69	0.074	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	19.79	18.19	0.066	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	17.65	16.05	0.040	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	19.18	17.58	0.057	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	20.65	19.05	0.080	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	20.87	19.27	0.085	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	20.62	19.02	0.080	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	19.19	17.59	0.057	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	18.64	17.04	0.051	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	15.69	14.09	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	21.98	20.38	0.109	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.49	17.89	0.062	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.63	21.03	0.127	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.57	20.97	0.125	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB100@0	21.55	19.95	0.099	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.17	20.57	0.114	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@104	22.65	21.05	0.127	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@25	22.53	20.93	0.124	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB100@0	20.59	18.99	0.079	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB100@0	20.12	18.52	0.071	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB100@0	17.97	16.37	0.043	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB106@0	19.44	17.84	0.061	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	20.65	19.05	0.080	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@104	21.25	19.65	0.092	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB53@26	20.99	19.39	0.087	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB106@0	19.47	17.87	0.061	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB106@0	18.97	17.37	0.055	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB106@0	15.99	14.39	0.027	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	22.23	20.63	0.116	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.61	21.01	0.126	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	22.95	21.35	0.136	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	22.69	21.09	0.129	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB100@0	21.74	20.14	0.103	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@1	22.62	21.02	0.126	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@104	22.99	21.39	0.138	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB50@25	22.63	21.03	0.127	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 16 QAM_RB100@0	20.74	19.14	0.082	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 64 QAM_RB100@0	20.25	18.65	0.073	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 256 QAM_RB100@0	18.24	16.64	0.046	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB106@0	19.74	18.14	0.065	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@1	21	19.40	0.087	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@104	21.30	19.70	0.093	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB53@26	21.12	19.52	0.090	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 16 QAM_RB106@0	19.74	18.14	0.065	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 64 QAM_RB106@0	19.20	17.60	0.058	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 256 QAM_RB106@0	16.16	14.56	0.029	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	21.75	20.15	0.104	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.72	18.12	0.065	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.57	20.97	0.125	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.26	20.66	0.116	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	21.37	19.77	0.095	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	22.15	20.55	0.114	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	22.54	20.94	0.124	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	22.26	20.66	0.116	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	20.36	18.76	0.075	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	19.87	18.27	0.067	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	17.74	16.14	0.041	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	19.18	17.58	0.057	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	20.53	18.93	0.078	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	21.23	19.63	0.092	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	20.70	19.10	0.081	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	19.23	17.63	0.058	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	18.69	17.09	0.051	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	15.71	14.11	0.026	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.10	20.50	0.112	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.16	20.56	0.114	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.56	20.96	0.125	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.60	21.00	0.126	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB128@0	21.56	19.96	0.099	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	22.09	20.49	0.112	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@131	22.57	20.97	0.125	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB64@32	22.65	21.05	0.127	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB128@0	20.53	18.93	0.078	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB128@0	20.06	18.46	0.070	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB128@0	17.99	16.39	0.044	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB133@0	19.47	17.87	0.061	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	20.64	19.04	0.080	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@131	21.22	19.62	0.092	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB67@33	21	19.40	0.087	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB133@0	19.48	17.88	0.061	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB133@0	18.92	17.32	0.054	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB133@0	16	14.40	0.028	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	22.21	20.61	0.115	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.51	20.91	0.123	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	22.92	21.32	0.136	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.76	21.16	0.131	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB128@0	21.77	20.17	0.104	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@1	22.49	20.89	0.123	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@131	22.91	21.31	0.135	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB64@32	22.75	21.15	0.130	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 16 QAM_RB128@0	20.70	19.10	0.081	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 64 QAM_RB128@0	20.26	18.66	0.073	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 256 QAM_RB128@0	18.26	16.66	0.046	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB133@0	19.70	18.10	0.065	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@1	21.23	19.63	0.092	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@131	21.27	19.67	0.093	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB67@33	21.16	19.56	0.090	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 16 QAM_RB133@0	19.71	18.11	0.065	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 64 QAM_RB133@0	19.23	17.63	0.058	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 256 QAM_RB133@0	16.21	14.61	0.029	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	21.78	20.18	0.104	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.96	20.36	0.109	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.49	20.89	0.123	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.25	20.65	0.116	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	21.29	19.69	0.093	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	21.94	20.34	0.108	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	22.52	20.92	0.124	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	22.28	20.68	0.117	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	20.33	18.73	0.075	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	19.84	18.24	0.067	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	17.69	16.09	0.041	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	19.07	17.47	0.056	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	20.45	18.85	0.077	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	21.11	19.51	0.089	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	20.73	19.13	0.082	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	19.14	17.54	0.057	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	18.63	17.03	0.050	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	15.68	14.08	0.026	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	21.87	20.27	0.106	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.98	20.38	0.109	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.47	20.87	0.122	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.44	20.84	0.121	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB162@0	21.43	19.83	0.096	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	21.98	20.38	0.109	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@160	22.49	20.89	0.123	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB81@40	22.45	20.85	0.122	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB162@0	20.53	18.93	0.078	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB162@0	20	18.40	0.069	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB162@0	17.91	16.31	0.043	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB162@0	19.32	17.72	0.059	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	20.39	18.79	0.076	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@160	20.97	19.37	0.086	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB81@40	20.94	19.34	0.086	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB162@0	19.35	17.75	0.060	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB162@0	18.85	17.25	0.053	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB162@0	15.85	14.25	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	22.05	20.45	0.111	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.31	20.71	0.118	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	22.83	21.23	0.133	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	22.59	20.99	0.126	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB162@0	21.60	20.00	0.100	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@1	22.24	20.64	0.116	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@160	22.88	21.28	0.134	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB81@40	22.59	20.99	0.126	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 16 QAM_RB162@0	20.66	19.06	0.081	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 64 QAM_RB162@0	20.16	18.56	0.072	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 256 QAM_RB162@0	18.12	16.52	0.045	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB162@0	19.58	17.98	0.063	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@1	20.70	19.10	0.081	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@160	21.27	19.67	0.093	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB81@40	21.09	19.49	0.089	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 16 QAM_RB162@0	19.55	17.95	0.062	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 64 QAM_RB162@0	19.07	17.47	0.056	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 256 QAM_RB162@0	16.10	14.50	0.028	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	21.80	20.20	0.105	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22	20.40	0.110	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.54	20.94	0.124	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.27	20.67	0.117	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	21.34	19.74	0.094	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	21.96	20.36	0.109	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	22.52	20.92	0.124	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	22.39	20.79	0.120	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	20.36	18.76	0.075	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	19.83	18.23	0.067	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	17.75	16.15	0.041	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	19.26	17.66	0.058	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	20.47	18.87	0.077	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	21.04	19.44	0.088	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	20.80	19.20	0.083	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	19.21	17.61	0.058	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	18.72	17.12	0.052	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	15.74	14.14	0.026	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	21.88	20.28	0.107	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.96	20.36	0.109	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.51	20.91	0.123	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.44	20.84	0.121	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB180@0	21.39	19.79	0.095	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	21.95	20.35	0.108	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@187	22.46	20.86	0.122	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB90@45	22.51	20.91	0.123	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB180@0	20.38	18.78	0.076	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB180@0	19.95	18.35	0.068	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB180@0	17.83	16.23	0.042	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB189@0	19.34	17.74	0.059	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	20.63	19.03	0.080	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@187	21.14	19.54	0.090	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB95@47	20.97	19.37	0.086	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB189@0	19.31	17.71	0.059	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB189@0	18.82	17.22	0.053	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB189@0	15.87	14.27	0.027	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	22.07	20.47	0.111	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.13	20.53	0.113	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	22.79	21.19	0.132	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	22.58	20.98	0.125	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB180@0	21.63	20.03	0.101	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@1	22.11	20.51	0.112	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@187	22.82	21.22	0.132	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB90@45	22.57	20.97	0.125	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 16 QAM_RB180@0	20.66	19.06	0.081	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 64 QAM_RB180@0	20.18	18.58	0.072	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 256 QAM_RB180@0	18.02	16.42	0.044	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB189@0	19.54	17.94	0.062	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@1	20.67	19.07	0.081	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@187	21.29	19.69	0.093	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB95@47	21.10	19.50	0.089	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 16 QAM_RB189@0	19.50	17.90	0.062	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 64 QAM_RB189@0	19	17.40	0.055	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 256 QAM_RB189@0	16.05	14.45	0.028	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.36	20.76	0.119	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.76	19.16	0.082	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.55	20.95	0.124	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	21.84	20.24	0.106	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	22.48	20.88	0.122	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	22.05	20.45	0.111	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	22.56	20.96	0.125	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	21.32	19.72	0.094	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	20.47	18.87	0.077	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	19.90	18.30	0.068	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	17.73	16.13	0.041	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	20.90	19.30	0.085	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	20.53	18.93	0.078	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	20.91	19.31	0.085	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	19.18	17.58	0.057	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	19.16	17.56	0.057	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	18.65	17.05	0.051	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	15.69	14.09	0.026	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.41	20.81	0.121	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.94	20.34	0.108	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.51	20.91	0.123	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	21.81	20.21	0.105	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB108@54	22.49	20.89	0.123	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	21.91	20.31	0.107	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@215	22.55	20.95	0.124	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB216@0	21.34	19.74	0.094	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB216@0	20.47	18.87	0.077	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB216@0	19.90	18.30	0.068	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB216@0	17.82	16.22	0.042	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB109@54	20.90	19.30	0.085	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	20.38	18.78	0.076	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@215	21.01	19.41	0.087	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB217@0	19.23	17.63	0.058	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB217@0	19.23	17.63	0.058	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB217@0	18.75	17.15	0.052	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB217@0	15.81	14.21	0.026	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	22.49	20.89	0.123	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.99	20.39	0.109	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	22.82	21.22	0.132	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	21.94	20.34	0.108	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB108@54	22.49	20.89	0.123	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@1	21.99	20.39	0.109	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@215	22.82	21.22	0.132	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB216@0	21.49	19.89	0.097	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 16 QAM_RB216@0	20.59	18.99	0.079	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 64 QAM_RB216@0	20.12	18.52	0.071	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 256 QAM_RB216@0	17.96	16.36	0.043	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB109@54	21.02	19.42	0.087	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@1	20.44	18.84	0.077	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@215	21.23	19.63	0.092	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB217@0	19.42	17.82	0.061	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 16 QAM_RB217@0	19.38	17.78	0.060	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 64 QAM_RB217@0	18.89	17.29	0.054	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 256 QAM_RB217@0	15.88	14.28	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.40	20.80	0.120	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.93	20.33	0.108	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.57	20.97	0.125	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	21.81	20.21	0.105	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	22.38	20.78	0.120	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	21.95	20.35	0.108	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	22.55	20.95	0.124	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	21.32	19.72	0.094	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	20.34	18.74	0.075	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	19.85	18.25	0.067	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	17.75	16.15	0.041	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	20.88	19.28	0.085	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	20.41	18.81	0.076	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	20.97	19.37	0.086	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	19.22	17.62	0.058	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	19.21	17.61	0.058	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	18.74	17.14	0.052	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	15.82	14.22	0.026	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.40	20.80	0.120	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.87	20.27	0.106	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.62	21.02	0.126	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	21.85	20.25	0.106	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB120@60	22.40	20.80	0.120	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	21.85	20.25	0.106	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@243	22.64	21.04	0.127	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB243@0	21.36	19.76	0.095	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB243@0	20.46	18.86	0.077	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB243@0	19.93	18.33	0.068	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB243@0	17.80	16.20	0.042	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB123@61	20.95	19.35	0.086	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	20.35	18.75	0.075	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@243	21.07	19.47	0.089	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB245@0	19.26	17.66	0.058	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB245@0	19.24	17.64	0.058	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB245@0	18.75	17.15	0.052	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB245@0	15.76	14.16	0.026	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	22.50	20.90	0.123	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.91	20.31	0.107	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	22.75	21.15	0.130	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	21.87	20.27	0.106	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB120@60	22.44	20.84	0.121	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@1	21.88	20.28	0.107	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@243	22.77	21.17	0.131	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB243@0	21.42	19.82	0.096	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 16 QAM_RB243@0	20.50	18.90	0.078	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 64 QAM_RB243@0	19.92	18.32	0.068	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 256 QAM_RB243@0	17.88	16.28	0.042	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB123@61	20.95	19.35	0.086	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@1	20.32	18.72	0.074	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@243	21.31	19.71	0.094	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB245@0	19.35	17.75	0.060	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 16 QAM_RB245@0	19.29	17.69	0.059	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 64 QAM_RB245@0	18.79	17.19	0.052	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 256 QAM_RB245@0	15.85	14.25	0.027	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	22.39	20.79	0.120	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.89	20.29	0.107	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	22.80	21.20	0.132	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	21.86	20.26	0.106	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	22.39	20.79	0.120	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	21.84	20.24	0.106	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	22.85	21.25	0.133	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	21.35	19.75	0.094	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	20.38	18.78	0.076	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	19.90	18.30	0.068	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	17.76	16.16	0.041	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	20.94	19.34	0.086	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	20.39	18.79	0.076	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	21.16	19.56	0.090	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	19.30	17.70	0.059	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	19.30	17.70	0.059	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	18.79	17.19	0.052	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	15.79	14.19	0.026	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

n78_3:

1.Ant Gain = -1.6dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB