







11N40MIMO Ant1 2437 30~1000





11N40MIMO Ant1 2437 1000~26500




11N40MIMO Ant1 2452 0~Reference









11AX20MIMO_Ant1_2412_1000-26500




11AX20MIMO_Ant1_2437_0-Reference



11AX20MIMO_Ant1_2437_30-1000




11AX20MIMO_Ant1_2437_1000~26500




Date: 26.OCT.2023 08:10:46

11AX20MIMO_Ant1_2462_0~Reference




Date: 26.OCT.2023 08:10:53

11AX20MIMO_Ant1_2462_30~1000




Date: 26.OCT.2023 08:11:15


11AX20MIMO_Ant1_2462_1000~26500




11AX40MIMO_Ant1_2422_0-Reference




11AX40MIMO_Ant1_2422_30-1000




11AX40MIMO_Ant1_2422_1000-26500




11AX40MIMO_Ant1_2437_0~Reference




11AX40MIMO_Ant1_2437_30~1000



11AX40MIMO_Ant1_2437_1000~26500




11AX40MIMO_Ant1_2452_0~Reference




11.7. APPENDIX G: DUTY CYCLE**11.7.1. Test Result**


Test Mode	On Time (msec)	Period (msec)	Duty Cycle x (Linear)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	1/T Minimum VBW (kHz)	Final setting For VBW (kHz)
11B	8.36	8.61	0.9710	97.10	0.13	0.12	0.5
11G	1.39	1.61	0.8634	86.34	0.64	0.72	1
11N20MIMO	1.29	1.52	0.8487	84.87	0.71	0.78	1
11N40MIMO	0.65	0.88	0.7386	73.86	1.32	1.54	2
11AX20MIMO	1.02	1.25	0.8160	81.60	0.88	0.98	1
11AX40MIMO	0.31	0.52	0.5962	59.62	2.25	3.23	5

11.7.2. Test Graphs






11N40MIMO_Ant0_2422



11AX20MIMO_Ant0_2412



11AX40MIMO_Ant0_2422

END OF REPORT