


**802.11ac (80MHz)**

|                        |               |                              |              |
|------------------------|---------------|------------------------------|--------------|
| <b>CHANNEL</b>         | TX Channel 42 | <b>DETECTOR<br/>FUNCTION</b> | Peak (PK)    |
| <b>FREQUENCY RANGE</b> | 1GHz ~ 40GHz  |                              | Average (AV) |

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,148.250       | 63.14              | 74.00              | 10.86           | 11.76           | H            | 7             | 1.00               |
| 1  | 5,150.000       | 62.41              | 74.00              | 11.59           | 11.76           | H            | 7             | 1.00               |
| 1  | 5,212.850       | 99.46              |                    |                 | 11.92           | H            | 7             | 1.00               |





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,147.825       | 47.81              | 54.00              | 6.19            | 11.76           | H            | 4.9           | 1.00               |
| 1  | 5,149.950       | 47.72              | 54.00              | 6.28            | 11.76           | H            | 4.9           | 1.00               |
| 1  | 5,201.375       | 84.23              |                    |                 | 11.92           | H            | 51.1          | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,147.825       | 57.98              | 74.00              | 16.02           | 11.76           | V            | 7.8           | 2.00               |
| 1  | 5,150.000       | 58.25              | 74.00              | 15.75           | 11.76           | V            | 1             | 2.00               |
| 1  | 5,212.850       | 95.58              |                    |                 | 11.92           | V            | 48.7          | 2.00               |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 1  | 5,147.825       | 43.00              | 54.00              | 11.00           | 11.76           | V            | 8.9           | 2.00               |
| 1  | 5,149.950       | 42.83              | 54.00              | 11.17           | 11.76           | V            | 8.9           | 2.00               |
| 1  | 5,243.025       | 80.46              |                    |                 | 11.93           | V            | 51.1          | 2.00               |



## REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5210MHz: Fundamental frequency.




Band 2

802.11a

|                 |               |          |              |
|-----------------|---------------|----------|--------------|
| CHANNEL         | TX Channel 52 | DETECTOR | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  | FUNCTION | Average (AV) |

ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,259.000       | 92.07              |                    |                 | 11.96           | H            | 297.3         | 2.00               |
| 4  | 5,350.000       | 50.97              | 74.00              | 23.03           | 12.17           | H            | 1             | 1.00               |
| 4  | 5,377.000       | 51.35              | 74.00              | 22.65           | 12.17           | H            | 1             | 1.00               |





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,261.000       | 80.48              |                    |                 | 11.96           | H            | 297.3         | 2.00               |
| 4  | 5,350.000       | 36.36              | 54.00              | 17.64           | 12.17           | H            | 355           | 2.00               |
| 4  | 5,365.500       | 36.59              | 54.00              | 17.41           | 12.17           | H            | 355           | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,257.500       | 88.29                    |                          |                 | 11.96           | V            | 1.6           | 2.00               |
| 4  | 5,350.000       | 51.09                    | 74.00                    | 22.91           | 12.17           | V            | 1             | 1.00               |
| 4  | 5,391.500       | 51.33                    | 74.00                    | 22.67           | 12.17           | V            | 62.6          | 1.00               |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,258.500       | 76.39              |                    |                 | 11.96           | V            | 1.6           | 2.00               |
| 4  | 5,350.000       | 36.45              | 54.00              | 17.55           | 12.17           | V            | 359.1         | 1.00               |
| 4  | 5,365.500       | 36.55              | 54.00              | 17.45           | 12.17           | V            | 355.8         | 2.00               |



## REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.








ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 6  | 5,299.000       | 80.41              |                    |                 | 12.06           | H            | 295           | 2.00               |
| 6  | 5,350.000       | 36.41              | 54.00              | 17.59           | 12.17           | H            | 359           | 2.00               |
| 6  | 5,355.500       | 36.48              | 54.00              | 17.52           | 12.17           | H            | 355.1         | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 6  | 5,301.000       | 90.14              |                    |                 | 12.06           | V            | 20.5          | 2.00               |
| 6  | 5,350.000       | 50.01              | 74.00              | 23.99           | 12.17           | V            | 204.9         | 1.00               |
| 6  | 5,363.000       | 51.34              | 74.00              | 22.66           | 12.17           | V            | 359           | 2.00               |






## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 6  | 5,301.000       | 78.14              |                    |                 | 12.06           | V            | 19.6          | 2.00               |
| 6  | 5,350.000       | 36.41              | 54.00              | 17.59           | 12.17           | V            | 340.5         | 1.00               |
| 6  | 5,367.500       | 36.53              | 54.00              | 17.47           | 12.17           | V            | 359           | 1.00               |



## REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 7  | 5,321.000       | 79.80              |                    |                 | 12.10           | H            | 295           | 2.00               |
| 7  | 5,350.000       | 36.93              | 54.00              | 17.07           | 12.17           | H            | 355.1         | 2.00               |
| 7  | 5,352.000       | 36.81              | 54.00              | 17.19           | 12.17           | H            | 355.1         | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 7  | 5,318.500       | 89.92              |                    |                 | 12.10           | V            | 15            | 2.00               |
| 7  | 5,350.000       | 50.29              | 74.00              | 23.71           | 12.17           | V            | 359           | 1.00               |
| 7  | 5,361.000       | 51.63              | 74.00              | 22.37           | 12.17           | V            | 326           | 2.00               |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 7  | 5,321.000       | 78.27              |                    |                 | 12.10           | V            | 15            | 2.00               |
| 7  | 5,350.000       | 36.63              | 54.00              | 17.37           | 12.17           | V            | 15            | 2.00               |
| 7  | 5,366.000       | 36.57              | 54.00              | 17.43           | 12.17           | V            | 0.9           | 2.00               |



## REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.








ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,261.000       | 78.43              |                    |                 | 11.96           | H            | 349.5         | 2.00               |
| 4  | 5,350.000       | 36.42              | 54.00              | 17.58           | 12.17           | H            | 359.1         | 1.00               |
| 4  | 5,379.500       | 36.55              | 54.00              | 17.45           | 12.17           | H            | 349.5         | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,261.500       | 87.33                    |                          |                 | 11.97           | V            | 322           | 1.00               |
| 4  | 5,350.000       | 50.59                    | 74.00                    | 23.41           | 12.17           | V            | 1             | 2.00               |
| 4  | 5,382.000       | 51.10                    | 74.00                    | 22.90           | 12.17           | V            | 35.5          | 2.00               |






## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,258.500       | 74.72              |                    |                 | 11.96           | V            | 0.9           | 2.00               |
| 4  | 5,350.000       | 36.37              | 54.00              | 17.63           | 12.17           | V            | 335.1         | 1.00               |
| 4  | 5,368.000       | 36.54              | 54.00              | 17.46           | 12.17           | V            | 359           | 1.00               |



## REMARKS:


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5260MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 6  | 5,307.500       | 77.75              |                    |                 | 12.08           | H            | 355           | 2.00               |
| 6  | 5,350.000       | 36.47              | 54.00              | 17.53           | 12.17           | H            | 244.3         | 1.00               |
| 6  | 5,368.000       | 36.59              | 54.00              | 17.41           | 12.17           | H            | 110.8         | 2.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 6  | 5,301.500       | 86.90              |                    |                 | 12.06           | V            | 28.4          | 2.00               |
| 6  | 5,350.000       | 50.34              | 74.00              | 23.66           | 12.17           | V            | 246.8         | 1.00               |
| 6  | 5,364.000       | 51.46              | 74.00              | 22.54           | 12.17           | V            | 148           | 2.00               |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 6  | 5,299.000       | 75.19              |                    |                 | 12.06           | V            | 326.8         | 1.00               |
| 6  | 5,350.000       | 36.41              | 54.00              | 17.59           | 12.17           | V            | 1             | 2.00               |
| 6  | 5,368.000       | 36.58              | 54.00              | 17.42           | 12.17           | V            | 32            | 2.00               |



## REMARKS:

1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5300MHz: Fundamental frequency.








ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M


| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 7  | 5,318.500       | 79.99              |                    |                 | 12.10           | H            | 261           | 1.00               |
| 7  | 5,350.000       | 36.62              | 54.00              | 17.38           | 12.17           | H            | 355           | 2.00               |
| 7  | 5,367.000       | 36.66              | 54.00              | 17.34           | 12.17           | H            | 355           | 2.00               |






ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 7  | 5,321.000       | 87.73              |                    |                 | 12.10           | V            | 9.3           | 2.00               |
| 7  | 5,350.000       | 50.25              | 74.00              | 23.75           | 12.17           | V            | 359           | 1.00               |
| 7  | 5,390.500       | 51.49              | 74.00              | 22.51           | 12.17           | V            | 0.9           | 2.00               |




**ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M**

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 7  | 5,321.000       | 75.19              |                    |                 | 12.10           | V            | 26            | 2.00               |
| 7  | 5,350.000       | 36.48              | 54.00              | 17.52           | 12.17           | V            | 26            | 2.00               |
| 7  | 5,370.000       | 36.58              | 54.00              | 17.42           | 12.17           | V            | 26            | 2.00               |

**REMARKS:**


1. Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor
2. Margin value = Limit value- Emission level.
3. 5320MHz: Fundamental frequency.





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 3  | 5,258.500       | 72.52              |                    |                 | 11.96           | H            | 355.8         | 2.00               |
| 3  | 5,350.000       | 36.41              | 54.00              | 17.59           | 12.17           | H            | 286.2         | 1.00               |
| 3  | 5,380.000       | 36.65              | 54.00              | 17.35           | 12.17           | H            | 286.2         | 1.00               |





ANTENNA POLARITY & TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | PK+ Level [dBμV/m] | PK+ Limit [dBμV/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 3  | 5,258.500       | 86.29              |                    |                 | 11.96           | V            | 5.1           | 2.00               |
| 3  | 5,350.000       | 50.45              | 74.00              | 23.55           | 12.17           | V            | 354.6         | 1.00               |
| 3  | 5,447.000       | 51.60              | 74.00              | 22.40           | 12.14           | V            | 355.1         | 2.00               |





## ANTENNA POLARITY &amp; TEST DISTANCE: VERTICAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 3  | 5,258.500       | 74.08              |                    |                 | 11.96           | V            | 24.8          | 2.00               |
| 3  | 5,350.000       | 36.42              | 54.00              | 17.58           | 12.17           | V            | 1             | 1.00               |
| 3  | 5,453.500       | 36.66              | 54.00              | 17.34           | 12.14           | V            | 187           | 1.00               |



## REMARKS:

- Emission Level = Read Level+ Antenna Factor + Cable Loss- Preamp Factor  
Margin value = Limit value- Emission level.
- 5270MHz: Fundamental frequency.






|                 |               |                      |              |
|-----------------|---------------|----------------------|--------------|
| CHANNEL         | TX Channel 62 | DETECTOR<br>FUNCTION | Peak (PK)    |
| FREQUENCY RANGE | 1GHz ~ 40GHz  |                      | Average (AV) |

**ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M**

| Rg | Frequency [MHz] | PK+ Level [dB $\mu$ V/m] | PK+ Limit [dB $\mu$ V/m] | PK+ Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------------|--------------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,307.500       | 87.07                    |                          |                 | 12.08           | H            | 355.1         | 2.00               |
| 4  | 5,350.000       | 50.91                    | 74.00                    | 23.09           | 12.17           | H            | 359           | 2.00               |
| 4  | 5,356.000       | 51.78                    | 74.00                    | 22.22           | 12.17           | H            | 233.6         | 1.00               |





ANTENNA POLARITY & TEST DISTANCE: HORIZONTAL AT 3 M

| Rg | Frequency [MHz] | AVG Level [dBμV/m] | AVG Limit [dBμV/m] | AVG Margin [dB] | Correction [dB] | Polarization | Azimuth [deg] | Antenna Height [m] |
|----|-----------------|--------------------|--------------------|-----------------|-----------------|--------------|---------------|--------------------|
| 4  | 5,306.500       | 79.04              |                    |                 | 12.07           | H            | 238.3         | 1.00               |
| 4  | 5,350.000       | 37.81              | 54.00              | 16.19           | 12.17           | H            | 1             | 1.00               |
| 4  | 5,376.000       | 38.11              | 54.00              | 15.89           | 12.17           | H            | 238.3         | 1.00               |

