




CC200

Wireless Mono Headset

Please visit EDIFIER website for the full version user manual: www.edifier.com

For user safety and compliances, also for the optimum performance, please carefully read safety instructions and use the product in accordance with them.

■ Product description and accessories



Note: Images are for illustrative purposes only and may differ from the actual product.

■ Operating instructions

• Power on/off


- Power on: When the headset is off, press and hold the power button for 3s (green light lit for 1s);
- Power off: When the headset is on, press and hold the power button for 3s (red light lit for 1s).

Charge

- Connect the headset to power source with the included charging cable for charging.
- Red light steady lit = charging red light off = fully charged
- Input: 5V 500mA

Warning: The rechargeable batteries that provide power for this product must be disposed properly for recycling. Do not dispose of batteries in fire to prevent an explosion.

Bluetooth connection



• For initial use, press and hold the power button for 3s to power on until the red and green lights flash rapidly and alternately, then you can directly set mobile phone to search for and connect to "EDIFIER CC200". For subsequent use, the headset will directly connect to the device connected last time.

Connect to new devices:


- When the headset is off, press and hold the power button for 5s to enter Bluetooth pairing (red and green lights flashing rapidly and alternately).
- Set mobile phone to search for and connect to "EDIFIER CC200", after pairing is successful, the green light will flash twice rapidly and then turn off.

Clear pairing



• When the headset is on and not connected with any devices, simultaneously press and hold the "+" / "-" buttons for 5s to clear pairing and enter Bluetooth pairing, and the green light will flash 6 times rapidly when successful.

Functional operations



FCC statement:

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

IC statement: CAN ICES-3(B)/NMB-3(B).

FCC ID: Z9G-EDF149 IC: 10004A-EDF149

Declaration for EU

Frequency Band: 2.402GHz ~ 2.480GHz RF Power Output: ≤20 dBm (EIRP) There is no restriction of use.

Model: EDF200042

Edifier International Limited P.O. Box 6264 General Post Office Hong Kong

www.edifier.com

© 2021 Edifier International Limited. All rights reserved.

Printed in China

NOTICE:

For the need of technical improvement and system upgrade, information contained herein may be subject to change from time to time without prior notice.

Products of EDIFIER will be customized for different applications. Pictures and illustrations shown on this manual may be slightly different from actual product. If any difference is found, the actual product prevails.

EDIFIER®

FCC Regulatory Compliance

Warning: changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

RF Exposure Compliance

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment.

ISED Regulatory compliance

This device contains licence-exempt transmitters that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s).

Operation is subject to the following two conditions:

This device may not cause interference.

This device must accept any interference, including interference that may cause undesired operation of the device.

L'émetteur exempt de licence contenu dans le présent appareil est conforme aux CNR d'Innovation, Sciences et Développement économique Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

L'appareil ne doit pas produire de brouillage;

L'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

This equipment complies with IC RSS-102 radiation exposure limits set forth for an uncontrolled environment.

Cet équipement est conforme aux limites d'exposition aux radiations IC CNR-102 établies pour un environnement non contrôlé.

IB-200-000000-14

l	名 ;	称:	说明书FCC ISED认证说明-便携式音箱及耳机			东莞市漫步者科技有限公司
	材	质:	80g书纸	版面设计:		
	尺	寸:	125×120 (MM)	校	对:	
	版本号及科	号:	V1. 2/IB-200-000000-14	批	准:	