1. Effective (Isotropic) Radiated Power Output Data

1.1 Band5_ERP

1.1.1 Test Result

Band: 5								
ENV	Mode		Frequency (MHz)	Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
	Network	Subset				Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	23.17	-4.69	16.33	<=38.45	Pass
			836.6	23.15	-4.69	16.31	<=38.45	Pass
			846.6	23.16	-4.69	16.32	<=38.45	Pass
	HSDPA	Subtest 1	826.4	21.90	-4.69	15.06	<=38.45	Pass
		Subtest 2	826.4	21.88	-4.69	15.04	<=38.45	Pass
		Subtest 3	826.4	21.87	-4.69	15.03	<=38.45	Pass
		Subtest 4	826.4	21.92	-4.69	15.08	<=38.45	Pass
		Subtest 1	836.6	21.84	-4.69	15.00	<=38.45	Pass
		Subtest 2	836.6	21.86	-4.69	15.02	<=38.45	Pass
		Subtest 3	836.6	21.84	-4.69	15.00	<=38.45	Pass
		Subtest 4	836.6	21.89	-4.69	15.05	<=38.45	Pass
		Subtest 1	846.6	21.78	-4.69	14.94	<=38.45	Pass
		Subtest 2	846.6	21.80	-4.69	14.96	<=38.45	Pass
		Subtest 3	846.6	21.80	-4.69	14.96	<=38.45	Pass
		Subtest 4	846.6	21.85	-4.69	15.01	<=38.45	Pass
	HSUPA	Subtest 1	826.4	19.72	-4.69	12.88	<=38.45	Pass
		Subtest 2	826.4	19.94	-4.69	13.10	<=38.45	Pass
		Subtest 3	826.4	19.71	-4.69	12.87	<=38.45	Pass
		Subtest 4	826.4	19.94	-4.69	13.10	<=38.45	Pass
		Subtest 5	826.4	19.92	-4.69	13.08	<=38.45	Pass
		Subtest 1	836.6	19.48	-4.69	12.64	<=38.45	Pass
		Subtest 2	836.6	19.93	-4.69	13.09	<=38.45	Pass
		Subtest 3	836.6	19.85	-4.69	13.01	<=38.45	Pass
		Subtest 4	836.6	19.97	-4.69	13.13	<=38.45	Pass
		Subtest 5	836.6	19.66	-4.69	12.82	<=38.45	Pass
		Subtest 1	846.6	19.49	-4.69	12.65	<=38.45	Pass
		Subtest 2	846.6	19.70	-4.69	12.86	<=38.45	Pass
		Subtest 3	846.6	19.92	-4.69	13.08	<=38.45	Pass
		Subtest 4	846.6	19.76	-4.69	12.92	<=38.45	Pass
		Subtest 5	846.6	19.93	-4.69	13.09	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

2. Frequency Stability

2.1 Band5

2.1.1 Test Result

Band: 5							
Network	Frequency (MHz)	Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
					Result	Limit	
RMC	826.4	20	3.60	0.591	0.0007	-2.5 to 2.5	Pass
			3.80	0.930	0.0011	-2.5 to 2.5	Pass

			4.35	1.402	0.0017	-2.5 to 2.5	Pass
		-30	3.80	1.050	0.0013	-2.5 to 2.5	Pass
		-20	3.80	0.700	0.0008	-2.5 to 2.5	Pass
		-10	3.80	0.752	0.0009	-2.5 to 2.5	Pass
		0	3.80	1.172	0.0014	-2.5 to 2.5	Pass
		10	3.80	1.019	0.0012	-2.5 to 2.5	Pass
		30	3.80	1.650	0.0020	-2.5 to 2.5	Pass
		40	3.80	1.181	0.0014	-2.5 to 2.5	Pass
		50	3.80	2.014	0.0024	-2.5 to 2.5	Pass
			3.60	0.129	0.0002	-2.5 to 2.5	Pass
		20	3.80	0.009	0.0000	-2.5 to 2.5	Pass
			4.35	-0.317	-0.0004	-2.5 to 2.5	Pass
		-30	3.80	-0.094	-0.0001	-2.5 to 2.5	Pass
		-20	3.80	0.439	0.0005	-2.5 to 2.5	Pass
	836.6	-10	3.80	-0.703	-0.0008	-2.5 to 2.5	Pass
		0	3.80	-0.131	-0.0002	-2.5 to 2.5	Pass
		10	3.80	0.120	0.0001	-2.5 to 2.5	Pass
		30	3.80	0.706	0.0008	-2.5 to 2.5	Pass
		40	3.80	-0.203	-0.0002	-2.5 to 2.5	Pass
		50	3.80	-0.220	-0.0003	-2.5 to 2.5	Pass
			3.60	-1.945	-0.0023	-2.5 to 2.5	Pass
		20	3.80	-2.095	-0.0025	-2.5 to 2.5	Pass
			4.35	-1.786	-0.0021	-2.5 to 2.5	Pass
		-30	3.80	-2.079	-0.0025	-2.5 to 2.5	Pass
		-20	3.80	-1.816	-0.0021	-2.5 to 2.5	Pass
	846.6	-10	3.80	-1.932	-0.0023	-2.5 to 2.5	Pass
		0	3.80	-2.206	-0.0026	-2.5 to 2.5	Pass
		10	3.80	-1.932	-0.0023	-2.5 to 2.5	Pass
		30	3.80	-1.855	-0.0022	-2.5 to 2.5	Pass
		40	3.80	-2.098	-0.0025	-2.5 to 2.5	Pass
		50	3.80	-2.349	-0.0028	-2.5 to 2.5	Pass
			3.60	2.198	0.0027	-2.5 to 2.5	Pass
		20	3.80	2.323	0.0028	-2.5 to 2.5	Pass
			4.35	2.127	0.0026	-2.5 to 2.5	Pass
		-30	3.80	1.937	0.0023	-2.5 to 2.5	Pass
		-20	3.80	1.970	0.0024	-2.5 to 2.5	Pass
	826.4	-10	3.80	1.751	0.0021	-2.5 to 2.5	Pass
		0	3.80	1.996	0.0024	-2.5 to 2.5	Pass
		10	3.80	1.945	0.0024	-2.5 to 2.5	Pass
		30	3.80	1.769	0.0021	-2.5 to 2.5	Pass
		40	3.80	2.280	0.0028	-2.5 to 2.5	Pass
		50	3.80	2.064	0.0025	-2.5 to 2.5	Pass
			3.60	0.352	0.0004	-2.5 to 2.5	Pass
HSDPA		20	3.80	0.475	0.0006	-2.5 to 2.5	Pass
			4.35	0.492	0.0006	-2.5 to 2.5	Pass
		-30	3.80	0.639	0.0008	-2.5 to 2.5	Pass
		-20	3.80	0.678	0.0008	-2.5 to 2.5	Pass
	836.6	-10	3.80	0.415	0.0005	-2.5 to 2.5	Pass
		0	3.80	0.701	0.0008	-2.5 to 2.5	Pass
		10	3.80	0.512	0.0006	-2.5 to 2.5	Pass
		30	3.80	0.209	0.0002	-2.5 to 2.5	Pass
		40	3.80	0.549	0.0007	-2.5 to 2.5	Pass
		50	3.80	0.465	0.0006	-2.5 to 2.5	Pass
			3.60	-1.238	-0.0015	-2.5 to 2.5	Pass
	846.6	20	3.80	-1.988	-0.0023	-2.5 to 2.5	Pass
			4.35	-1.592	-0.0019	-2.5 to 2.5	Pass
		-30	3.80	-2.246	-0.0027	-2.5 to 2.5	Pass

		-20	3.80	-1.912	-0.0023	-2.5 to 2.5	Pass
		-10	3.80	-2.090	-0.0025	-2.5 to 2.5	Pass
		0	3.80	-1.742	-0.0021	-2.5 to 2.5	Pass
		10	3.80	-1.875	-0.0022	-2.5 to 2.5	Pass
		30	3.80	-2.674	-0.0032	-2.5 to 2.5	Pass
		40	3.80	-2.084	-0.0025	-2.5 to 2.5	Pass
		50	3.80	-2.432	-0.0029	-2.5 to 2.5	Pass
HSUPA	826.4	20	3.60	0.512	0.0006	-2.5 to 2.5	Pass
			3.80	1.268	0.0015	-2.5 to 2.5	Pass
			4.35	1.073	0.0013	-2.5 to 2.5	Pass
		-30	3.80	2.447	0.0030	-2.5 to 2.5	Pass
		-20	3.80	2.650	0.0032	-2.5 to 2.5	Pass
		-10	3.80	2.490	0.0030	-2.5 to 2.5	Pass
		0	3.80	2.377	0.0029	-2.5 to 2.5	Pass
		10	3.80	2.032	0.0025	-2.5 to 2.5	Pass
		30	3.80	2.616	0.0032	-2.5 to 2.5	Pass
		40	3.80	2.578	0.0031	-2.5 to 2.5	Pass
		50	3.80	3.419	0.0041	-2.5 to 2.5	Pass
	836.6	20	3.60	0.787	0.0009	-2.5 to 2.5	Pass
			3.80	-0.257	-0.0003	-2.5 to 2.5	Pass
			4.35	0.197	0.0002	-2.5 to 2.5	Pass
		-30	3.80	0.046	0.0001	-2.5 to 2.5	Pass
		-20	3.80	-1.145	-0.0014	-2.5 to 2.5	Pass
		-10	3.80	0.048	0.0001	-2.5 to 2.5	Pass
		0	3.80	0.466	0.0006	-2.5 to 2.5	Pass
		10	3.80	-0.081	-0.0001	-2.5 to 2.5	Pass
		30	3.80	0.327	0.0004	-2.5 to 2.5	Pass
		40	3.80	0.490	0.0006	-2.5 to 2.5	Pass
		50	3.80	0.173	0.0002	-2.5 to 2.5	Pass
	846.6	20	3.60	-0.299	-0.0004	-2.5 to 2.5	Pass
			3.80	0.032	0.0000	-2.5 to 2.5	Pass
			4.35	-0.258	-0.0003	-2.5 to 2.5	Pass
		-30	3.80	-0.987	-0.0012	-2.5 to 2.5	Pass
		-20	3.80	-0.594	-0.0007	-2.5 to 2.5	Pass
		-10	3.80	-0.416	-0.0005	-2.5 to 2.5	Pass
		0	3.80	-0.710	-0.0008	-2.5 to 2.5	Pass
		10	3.80	-1.865	-0.0022	-2.5 to 2.5	Pass
		30	3.80	-1.066	-0.0013	-2.5 to 2.5	Pass
		40	3.80	-0.828	-0.0010	-2.5 to 2.5	Pass
		50	3.80	-1.422	-0.0017	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Band5_OBW

3.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	99% Occupied Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.149	/	Pass
			836.6	4.119	/	Pass
			846.6	4.131	/	Pass
	HSDPA	Subtest 1	826.4	4.183	/	Pass

			836.6	4.152	/	Pass
			846.6	4.167	/	Pass
	HSUPA	Subtest 1	826.4	4.162	/	Pass
			836.6	4.175	/	Pass
			846.6	4.164	/	Pass

3.1.2 Test Graph

Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV



Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



3.2 Band5_XDB

3.2.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	26dB Bandwidth (MHz)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	4.768	/	Pass
			836.6	4.745	/	Pass
			846.6	4.749	/	Pass
	HSDPA	Subtest 1	826.4	5.686	/	Pass
			836.6	5.342	/	Pass
			846.6	5.448	/	Pass
	HSUPA	Subtest 1	826.4	5.368	/	Pass
			836.6	5.755	/	Pass
			846.6	5.817	/	Pass

3.2.2 Test Graph

Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV



Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



4. Peak-Average Ratio

4.1 Band5

4.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Peak-Average Ratio (dB)		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	2.97	<=13	Pass
			836.6	3.04	<=13	Pass
			846.6	2.89	<=13	Pass
	HSDPA	Subtest 1	826.4	5.63	<=13	Pass
			836.6	5.66	<=13	Pass
			846.6	5.74	<=13	Pass
	HSUPA	Subtest 1	826.4	5.65	<=13	Pass
			836.6	5.62	<=13	Pass
			846.6	5.60	<=13	Pass

4.1.2 Test Graph

Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV



Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



5. Spurious Emission

5.1 Band5

5.1.1 Test Result

Band: 5						
ENV	Mode		Frequency (MHz)	Spurious Emission		Verdict
	Network	Subset		Result	Limit	
NTNV	RMC	12.2kbps RMC	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSDPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass
	HSUPA	Subtest 1	826.4	Refer To Test Graph		Pass
			836.6	Refer To Test Graph		Pass
			846.6	Refer To Test Graph		Pass

5.1.2 Test Graph

Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV



Band5_RMC_LCH_826.4MHz_12.2kbps RMC_NTNV



Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV



Band5_RMC_MCH_836.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



Band5_RMC_HCH_846.6MHz_12.2kbps RMC_NTNV



Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSDPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSDPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSDPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_LCH_826.4MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_MCH_836.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



Band5_HSUPA_HCH_846.6MHz_Subtest 1_NTNV



6. Form731

6.1 Form731_Power

6.1.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.2075	0.0041	ppm	4M18F9W	22H	23.17

6.2 Form731_ERP

6.2.1 Test Result

Band	BW	Lower Freq	High Freq	MAX Power (W)	Value	Hz/ppm	Emission Designator	Rule Parts	MAX Power (dBm)
5	3.84	826.4	846.6	0.0430	0.0041	ppm	4M18F9W	22H	16.33