



RSE TX above 1GHz_5150-5850(MHz)_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	5.7474G	113.57	Inf	-Inf	3	Vertical	324	1.50
5745MHz	Pass	PK	5.991G	58.21	68.20	-9.99	3	Vertical	324	1.50
5745MHz	Pass	AV	5.4522G	44.09	54.00	-9.91	3	Horizontal	311	1.45
5745MHz	Pass	AV	5.7426G	107.32	Inf	-Inf	3	Horizontal	311	1.45
5745MHz	Pass	PK	5.649G	57.70	68.20	-10.50	3	Horizontal	311	1.45
5745MHz	Pass	PK	5.7414G	119.75	Inf	-Inf	3	Horizontal	311	1.45
5745MHz	Pass	PK	5.9994G	57.95	68.20	-10.25	3	Horizontal	311	1.45
5745MHz	Pass	AV	11.48298G	43.36	54.00	-10.64	3	Vertical	351	1.50
5745MHz	Pass	AV	22.98G	45.43	54.00	-8.57	3	Vertical	202	1.66
5745MHz	Pass	PK	11.48424G	57.36	74.00	-16.64	3	Vertical	351	1.50
5745MHz	Pass	PK	17.23314G	63.50	68.20	-4.70	3	Vertical	277	1.42
5745MHz	Pass	PK	22.98G	50.71	74.00	-23.29	3	Vertical	202	1.66
5745MHz	Pass	PK	28.722G	45.28	68.20	-22.92	3	Vertical	346	1.50
5745MHz	Pass	AV	11.49312G	45.07	54.00	-8.93	3	Horizontal	306	1.49
5745MHz	Pass	AV	22.98G	46.28	54.00	-7.72	3	Horizontal	241	1.66
5745MHz	Pass	PK	11.49336G	59.33	74.00	-14.67	3	Horizontal	306	1.49
5745MHz	Pass	PK	17.23612G	66.92	68.20	-1.28	3	Horizontal	309	1.93
5745MHz	Pass	PK	22.9884G	56.25	74.00	-17.75	3	Horizontal	241	1.66
5745MHz	Pass	PK	28.71408G	47.45	68.20	-20.75	3	Horizontal	291	1.59
5785MHz	Pass	AV	5.7874G	101.29	Inf	-Inf	3	Vertical	324	1.40
5785MHz	Pass	PK	5.5366G	56.66	68.20	-11.54	3	Vertical	324	1.40
5785MHz	Pass	PK	5.7874G	113.58	Inf	-Inf	3	Vertical	324	1.40
5785MHz	Pass	PK	5.9866G	58.11	68.20	-10.09	3	Vertical	324	1.40
5785MHz	Pass	AV	5.7814G	107.70	Inf	-Inf	3	Horizontal	309	1.26
5785MHz	Pass	PK	5.6134G	57.68	68.20	-10.52	3	Horizontal	309	1.26
5785MHz	Pass	PK	5.7826G	119.35	Inf	-Inf	3	Horizontal	309	1.26
5785MHz	Pass	PK	5.9734G	58.33	68.20	-9.87	3	Horizontal	309	1.26
5785MHz	Pass	AV	11.57684G	43.56	54.00	-10.44	3	Vertical	17	1.00
5785MHz	Pass	PK	11.57726G	57.87	74.00	-16.13	3	Vertical	17	1.00
5785MHz	Pass	PK	17.35404G	65.21	68.20	-2.99	3	Vertical	298	1.50
5785MHz	Pass	PK	23.16532G	47.92	68.20	-20.28	3	Vertical	203	1.50
5785MHz	Pass	PK	28.9094G	46.19	68.20	-22.01	3	Vertical	282	1.59
5785MHz	Pass	AV	11.56676G	44.61	54.00	-9.39	3	Horizontal	76	1.50
5785MHz	Pass	PK	11.56568G	58.87	74.00	-15.13	3	Horizontal	76	1.50
5785MHz	Pass	PK	17.35252G	68.16	68.20	-0.04	3	Horizontal	326	1.35
5785MHz	Pass	PK	23.16544G	48.21	68.20	-19.99	3	Horizontal	322	1.50
5785MHz	Pass	PK	28.93184G	46.00	68.20	-22.20	3	Horizontal	250	1.50
5825MHz	Pass	AV	5.8202G	100.34	Inf	-Inf	3	Vertical	307	1.68
5825MHz	Pass	PK	5.615G	56.54	68.20	-11.66	3	Vertical	307	1.68
5825MHz	Pass	PK	5.8202G	113.29	Inf	-Inf	3	Vertical	307	1.68
5825MHz	Pass	PK	5.963G	59.82	68.20	-8.38	3	Vertical	307	1.68
5825MHz	Pass	AV	5.8226G	106.63	Inf	-Inf	3	Horizontal	310	1.26
5825MHz	Pass	PK	5.5394G	57.10	68.20	-11.10	3	Horizontal	310	1.26
5825MHz	Pass	PK	5.8226G	118.77	Inf	-Inf	3	Horizontal	310	1.26
5825MHz	Pass	PK	6.0758G	58.22	68.20	-9.98	3	Horizontal	310	1.26
5825MHz	Pass	AV	11.65234G	45.54	54.00	-8.46	3	Vertical	329	1.65
5825MHz	Pass	PK	11.65246G	59.52	74.00	-14.48	3	Vertical	329	1.65
5825MHz	Pass	PK	17.4741G	60.90	68.20	-7.30	3	Vertical	278	1.74
5825MHz	Pass	PK	23.3G	50.68	68.20	-17.52	3	Vertical	167	1.52
5825MHz	Pass	PK	29.11816G	47.49	68.20	-20.71	3	Vertical	263	1.50
5825MHz	Pass	AV	11.647G	44.69	54.00	-9.31	3	Horizontal	82	1.50
5825MHz	Pass	PK	11.64736G	58.93	74.00	-15.07	3	Horizontal	82	1.50
5825MHz	Pass	PK	17.47444G	67.69	68.20	-0.51	3	Horizontal	312	1.80
5825MHz	Pass	PK	23.2946G	62.89	68.20	-5.31	3	Horizontal	307	1.48
5825MHz	Pass	PK	29.13088G	49.75	68.20	-18.45	3	Horizontal	299	1.63
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	53.10	54.00	-0.90	3	Vertical	323	3.00
5190MHz	Pass	AV	5.188G	99.18	Inf	-Inf	3	Vertical	323	3.00
5190MHz	Pass	PK	5.1488G	68.17	74.00	-5.83	3	Vertical	323	3.00
5190MHz	Pass	PK	5.1884G	111.95	Inf	-Inf	3	Vertical	323	3.00
5190MHz	Pass	AV	5.15G	53.17	54.00	-0.83	3	Horizontal	319	1.59
5190MHz	Pass	AV	5.1936G	105.92	Inf	-Inf	3	Horizontal	319	1.59



RSE TX above 1GHz_5150-5850(MHz)_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5190MHz	Pass	PK	5.15G	67.46	74.00	-6.54	3	Horizontal	319	1.59
5190MHz	Pass	PK	5.1936G	117.89	Inf	-Inf	3	Horizontal	319	1.59
5190MHz	Pass	AV	15.56976G	42.33	54.00	-11.67	3	Vertical	166	1.76
5190MHz	Pass	AV	20.76G	34.36	54.00	-19.64	3	Vertical	141	1.43
5190MHz	Pass	PK	10.36782G	58.85	68.20	-9.35	3	Vertical	26	1.50
5190MHz	Pass	PK	15.58224G	56.61	74.00	-17.39	3	Vertical	166	1.76
5190MHz	Pass	PK	20.74512G	45.70	74.00	-28.30	3	Vertical	141	1.43
5190MHz	Pass	PK	25.9374G	43.38	68.20	-24.82	3	Vertical	158	1.09
5190MHz	Pass	AV	15.57G	43.25	54.00	-10.75	3	Horizontal	243	1.50
5190MHz	Pass	AV	20.74464G	33.70	54.00	-20.30	3	Horizontal	176	1.93
5190MHz	Pass	PK	10.38228G	59.02	68.20	-9.18	3	Horizontal	331	2.01
5190MHz	Pass	PK	15.57012G	56.36	74.00	-17.64	3	Horizontal	243	1.50
5190MHz	Pass	PK	20.75556G	46.01	74.00	-27.99	3	Horizontal	176	1.93
5190MHz	Pass	PK	25.96044G	43.55	68.20	-24.65	3	Horizontal	190	1.43
5230MHz	Pass	AV	5.1492G	51.49	54.00	-2.51	3	Vertical	331	2.96
5230MHz	Pass	AV	5.2292G	104.42	Inf	-Inf	3	Vertical	331	2.96
5230MHz	Pass	PK	5.148G	66.43	74.00	-7.57	3	Vertical	331	2.96
5230MHz	Pass	PK	5.2288G	116.21	Inf	-Inf	3	Vertical	331	2.96
5230MHz	Pass	AV	5.15G	53.21	54.00	-0.79	3	Horizontal	322	1.54
5230MHz	Pass	AV	5.2336G	111.27	Inf	-Inf	3	Horizontal	322	1.54
5230MHz	Pass	PK	5.1344G	68.84	74.00	-5.16	3	Horizontal	322	1.54
5230MHz	Pass	PK	5.2328G	123.56	Inf	-Inf	3	Horizontal	322	1.54
5230MHz	Pass	AV	15.67256G	42.49	54.00	-11.51	3	Vertical	294	1.80
5230MHz	Pass	AV	20.91808G	38.80	54.00	-15.20	3	Vertical	315	1.54
5230MHz	Pass	PK	10.46968G	62.54	68.20	-5.66	3	Vertical	28	1.58
5230MHz	Pass	PK	15.6864G	56.70	74.00	-17.30	3	Vertical	294	1.80
5230MHz	Pass	PK	20.89672G	50.12	74.00	-23.88	3	Vertical	315	1.54
5230MHz	Pass	PK	26.16584G	45.32	68.20	-22.88	3	Vertical	83	1.52
5230MHz	Pass	AV	15.68992G	43.05	54.00	-10.95	3	Horizontal	245	2.70
5230MHz	Pass	AV	20.91784G	43.51	54.00	-10.49	3	Horizontal	307	1.49
5230MHz	Pass	PK	10.45296G	63.55	68.20	-4.65	3	Horizontal	313	1.64
5230MHz	Pass	PK	15.6868G	56.44	74.00	-17.56	3	Horizontal	245	2.70
5230MHz	Pass	PK	20.89672G	55.42	74.00	-18.58	3	Horizontal	307	1.49
5230MHz	Pass	PK	26.14016G	45.64	68.20	-22.56	3	Horizontal	262	1.69
5270MHz	Pass	AV	5.2684G	101.93	Inf	-Inf	3	Vertical	331	2.91
5270MHz	Pass	AV	5.3572G	46.00	54.00	-8.00	3	Vertical	331	2.91
5270MHz	Pass	PK	5.268G	114.82	Inf	-Inf	3	Vertical	331	2.91
5270MHz	Pass	PK	5.356G	59.94	74.00	-14.06	3	Vertical	331	2.91
5270MHz	Pass	AV	5.2736G	110.56	Inf	-Inf	3	Horizontal	318	1.57
5270MHz	Pass	AV	5.3528G	52.45	54.00	-1.55	3	Horizontal	318	1.57
5270MHz	Pass	PK	5.2732G	123.86	Inf	-Inf	3	Horizontal	318	1.57
5270MHz	Pass	PK	5.3508G	68.31	74.00	-5.69	3	Horizontal	318	1.57
5270MHz	Pass	AV	15.82064G	42.39	54.00	-11.61	3	Vertical	193	2.31
5270MHz	Pass	AV	21.08G	42.60	54.00	-11.40	3	Vertical	180	1.56
5270MHz	Pass	PK	10.54568G	60.48	68.20	-7.72	3	Vertical	10	1.20
5270MHz	Pass	PK	15.82224G	56.60	74.00	-17.40	3	Vertical	193	2.31
5270MHz	Pass	PK	21.07976G	48.65	74.00	-25.35	3	Vertical	180	1.56
5270MHz	Pass	PK	26.3656G	46.83	68.20	-21.37	3	Vertical	278	1.50
5270MHz	Pass	AV	15.81G	42.87	54.00	-11.13	3	Horizontal	240	2.00
5270MHz	Pass	AV	21.08G	46.50	54.00	-7.50	3	Horizontal	222	1.68
5270MHz	Pass	PK	10.53848G	61.78	68.20	-6.42	3	Horizontal	306	1.70
5270MHz	Pass	PK	15.80344G	56.38	74.00	-17.62	3	Horizontal	240	2.00
5270MHz	Pass	PK	21.08G	51.05	74.00	-22.95	3	Horizontal	222	1.68
5270MHz	Pass	PK	26.35552G	49.83	68.20	-18.37	3	Horizontal	294	1.61
5310MHz	Pass	AV	5.3148G	94.25	Inf	-Inf	3	Vertical	316	2.95
5310MHz	Pass	AV	5.3544G	45.46	54.00	-8.54	3	Vertical	316	2.95
5310MHz	Pass	PK	5.3152G	107.37	Inf	-Inf	3	Vertical	316	2.95
5310MHz	Pass	PK	5.3552G	58.75	74.00	-15.25	3	Vertical	316	2.95
5310MHz	Pass	AV	5.3132G	103.49	Inf	-Inf	3	Horizontal	321	1.47
5310MHz	Pass	AV	5.352G	53.50	54.00	-0.50	3	Horizontal	321	1.47
5310MHz	Pass	PK	5.3136G	116.84	Inf	-Inf	3	Horizontal	321	1.47
5310MHz	Pass	PK	5.3516G	68.37	74.00	-5.63	3	Horizontal	321	1.47



RSE TX above 1GHz_5150-5850(MHz)_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5310MHz	Pass	AV	10.61992G	41.24	54.00	-12.76	3	Vertical	163	1.45
5310MHz	Pass	AV	15.93128G	42.46	54.00	-11.54	3	Vertical	126	1.50
5310MHz	Pass	AV	21.26376G	35.03	54.00	-18.97	3	Vertical	225	1.76
5310MHz	Pass	PK	10.60832G	53.94	74.00	-20.06	3	Vertical	163	1.45
5310MHz	Pass	PK	15.92232G	56.13	74.00	-17.87	3	Vertical	126	1.50
5310MHz	Pass	PK	21.2334G	46.65	74.00	-27.35	3	Vertical	225	1.76
5310MHz	Pass	PK	26.53176G	47.62	68.20	-20.58	3	Vertical	317	1.37
5310MHz	Pass	AV	10.62024G	42.03	54.00	-11.97	3	Horizontal	314	1.71
5310MHz	Pass	AV	15.92216G	42.42	54.00	-11.58	3	Horizontal	157	1.00
5310MHz	Pass	AV	21.25608G	35.04	54.00	-18.96	3	Horizontal	131	1.87
5310MHz	Pass	PK	10.61816G	55.96	74.00	-18.04	3	Horizontal	314	1.71
5310MHz	Pass	PK	15.93312G	56.88	74.00	-17.12	3	Horizontal	157	1.00
5310MHz	Pass	PK	21.23748G	46.88	74.00	-27.12	3	Horizontal	131	1.87
5310MHz	Pass	PK	26.54016G	47.31	68.20	-20.89	3	Horizontal	74	2.70
5510MHz	Pass	AV	5.458G	44.43	54.00	-9.57	3	Vertical	334	3.00
5510MHz	Pass	AV	5.518G	97.47	Inf	-Inf	3	Vertical	334	3.00
5510MHz	Pass	PK	5.458G	58.74	74.00	-15.26	3	Vertical	334	3.00
5510MHz	Pass	PK	5.4664G	61.03	68.20	-7.17	3	Vertical	334	3.00
5510MHz	Pass	PK	5.5164G	109.92	Inf	-Inf	3	Vertical	334	3.00
5510MHz	Pass	AV	5.46G	45.47	54.00	-8.53	3	Horizontal	324	1.55
5510MHz	Pass	AV	5.514G	104.24	Inf	-Inf	3	Horizontal	324	1.55
5510MHz	Pass	PK	5.4544G	58.40	74.00	-15.60	3	Horizontal	324	1.55
5510MHz	Pass	PK	5.47G	67.55	68.20	-0.65	3	Horizontal	324	1.55
5510MHz	Pass	PK	5.5136G	116.35	Inf	-Inf	3	Horizontal	324	1.55
5510MHz	Pass	AV	11.02496G	41.10	54.00	-12.90	3	Vertical	347	1.01
5510MHz	Pass	AV	22.06844G	35.32	54.00	-18.68	3	Vertical	315	2.33
5510MHz	Pass	PK	11.0308G	54.78	74.00	-19.22	3	Vertical	347	1.01
5510MHz	Pass	PK	16.512G	56.87	68.20	-11.33	3	Vertical	259	2.61
5510MHz	Pass	PK	22.0352G	47.23	74.00	-26.77	3	Vertical	315	2.33
5510MHz	Pass	PK	27.57604G	48.25	68.20	-19.95	3	Vertical	325	2.66
5510MHz	Pass	AV	11.02928G	40.80	54.00	-13.20	3	Horizontal	65	1.50
5510MHz	Pass	AV	22.06796G	35.26	54.00	-18.74	3	Horizontal	300	2.34
5510MHz	Pass	PK	11.02272G	55.50	74.00	-18.50	3	Horizontal	65	1.50
5510MHz	Pass	PK	16.53816G	57.33	68.20	-10.87	3	Horizontal	284	2.88
5510MHz	Pass	PK	22.01336G	47.43	74.00	-26.57	3	Horizontal	300	2.34
5510MHz	Pass	PK	27.57568G	48.15	68.20	-20.05	3	Horizontal	312	2.20
5550MHz	Pass	AV	5.4588G	45.47	54.00	-8.53	3	Vertical	332	2.98
5550MHz	Pass	AV	5.5576G	101.77	Inf	-Inf	3	Vertical	332	2.98
5550MHz	Pass	PK	5.4584G	59.37	74.00	-14.63	3	Vertical	332	2.98
5550MHz	Pass	PK	5.4668G	61.28	68.20	-6.92	3	Vertical	332	2.98
5550MHz	Pass	PK	5.5576G	113.95	Inf	-Inf	3	Vertical	332	2.98
5550MHz	Pass	AV	5.4528G	48.47	54.00	-5.53	3	Horizontal	327	1.50
5550MHz	Pass	AV	5.554G	108.79	Inf	-Inf	3	Horizontal	327	1.50
5550MHz	Pass	PK	5.4528G	65.00	74.00	-9.00	3	Horizontal	327	1.50
5550MHz	Pass	PK	5.47G	67.59	68.20	-0.61	3	Horizontal	327	1.50
5550MHz	Pass	PK	5.5536G	122.12	Inf	-Inf	3	Horizontal	327	1.50
5550MHz	Pass	AV	11.10832G	44.66	54.00	-9.34	3	Vertical	333	1.00
5550MHz	Pass	AV	22.2G	43.13	54.00	-10.87	3	Vertical	178	1.52
5550MHz	Pass	PK	11.1092G	57.80	74.00	-16.20	3	Vertical	333	1.00
5550MHz	Pass	PK	16.63616G	57.29	68.20	-10.91	3	Vertical	263	1.50
5550MHz	Pass	PK	22.19976G	50.06	74.00	-23.94	3	Vertical	178	1.52
5550MHz	Pass	PK	27.69384G	48.66	68.20	-19.54	3	Vertical	286	1.50
5550MHz	Pass	AV	11.09744G	44.72	54.00	-9.28	3	Horizontal	320	1.48
5550MHz	Pass	AV	22.2G	47.77	54.00	-6.23	3	Horizontal	81	1.51
5550MHz	Pass	PK	11.09728G	58.38	74.00	-15.62	3	Horizontal	320	1.48
5550MHz	Pass	PK	16.64536G	59.52	68.20	-8.68	3	Horizontal	299	1.72
5550MHz	Pass	PK	22.2G	51.83	74.00	-22.17	3	Horizontal	81	1.51
5550MHz	Pass	PK	27.70944G	52.29	68.20	-15.91	3	Horizontal	300	1.50
5670MHz	Pass	AV	5.6652G	96.32	Inf	-Inf	3	Vertical	313	1.50
5670MHz	Pass	PK	5.6652G	108.16	Inf	-Inf	3	Vertical	313	1.50
5670MHz	Pass	PK	5.7258G	64.45	68.20	-3.75	3	Vertical	313	1.50
5670MHz	Pass	AV	5.6748G	104.38	Inf	-Inf	3	Horizontal	331	1.52



RSE TX above 1GHz_5150-5850(MHz)_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5670MHz	Pass	PK	5.6748G	116.73	Inf	-Inf	3	Horizontal	331	1.52
5670MHz	Pass	PK	5.7342G	68.15	68.20	-0.05	3	Horizontal	331	1.52
5670MHz	Pass	AV	11.34091G	43.94	54.00	-10.06	3	Vertical	259	2.03
5670MHz	Pass	AV	22.68G	45.47	54.00	-8.53	3	Vertical	192	1.64
5670MHz	Pass	PK	11.34G	56.92	74.00	-17.08	3	Vertical	259	2.03
5670MHz	Pass	PK	17.00968G	56.79	68.20	-11.41	3	Vertical	128	1.67
5670MHz	Pass	PK	22.68G	51.07	74.00	-22.93	3	Vertical	192	1.64
5670MHz	Pass	PK	28.32816G	47.46	68.20	-20.74	3	Vertical	212	1.50
5670MHz	Pass	AV	11.34016G	44.05	54.00	-9.95	3	Horizontal	339	2.30
5670MHz	Pass	AV	22.68G	45.13	54.00	-8.87	3	Horizontal	184	1.52
5670MHz	Pass	PK	11.3404G	57.25	74.00	-16.75	3	Horizontal	339	2.30
5670MHz	Pass	PK	17.00608G	60.48	68.20	-7.72	3	Horizontal	301	1.48
5670MHz	Pass	PK	22.68G	51.49	74.00	-22.51	3	Horizontal	184	1.52
5670MHz	Pass	PK	28.31064G	47.35	68.20	-20.85	3	Horizontal	44	1.18
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4184G	43.77	54.00	-10.23	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	100.05	Inf	-Inf	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4292G	56.29	74.00	-17.71	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	55.42	68.20	-12.78	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	112.46	Inf	-Inf	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	58.00	68.20	-10.20	3	Vertical	316	1.55
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4256G	44.16	54.00	-9.84	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	106.79	Inf	-Inf	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4304G	57.56	74.00	-16.44	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	56.50	68.20	-11.70	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	118.11	Inf	-Inf	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	60.09	68.20	-8.11	3	Horizontal	331	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42928G	44.63	54.00	-9.37	3	Vertical	350	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.84096G	44.76	54.00	-9.24	3	Vertical	319	1.56
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42976G	58.24	74.00	-15.76	3	Vertical	350	1.21
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12712G	62.50	68.20	-5.70	3	Vertical	282	1.66
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.84216G	57.36	74.00	-16.64	3	Vertical	319	1.56
5710MHz Straddle 5.47-5.725GHz	Pass	PK	28.50368G	46.47	68.20	-21.73	3	Vertical	3	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42288G	45.19	54.00	-8.81	3	Horizontal	302	1.62
5710MHz Straddle 5.47-5.725GHz	Pass	AV	22.83736G	49.81	54.00	-4.19	3	Horizontal	303	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42288G	58.11	74.00	-15.89	3	Horizontal	302	1.62
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13008G	67.15	68.20	-1.05	3	Horizontal	304	1.49
5710MHz Straddle 5.47-5.725GHz	Pass	PK	22.83784G	64.06	74.00	-9.94	3	Horizontal	303	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	PK	28.53752G	52.11	68.20	-16.09	3	Horizontal	299	1.50
5755MHz	Pass	AV	5.455G	43.57	54.00	-10.43	3	Vertical	315	1.60
5755MHz	Pass	AV	5.7502G	98.79	Inf	-Inf	3	Vertical	315	1.60
5755MHz	Pass	PK	5.5138G	57.31	68.20	-10.89	3	Vertical	315	1.60
5755MHz	Pass	PK	5.7502G	110.50	Inf	-Inf	3	Vertical	315	1.60
5755MHz	Pass	PK	6.0046G	58.07	68.20	-10.13	3	Vertical	315	1.60
5755MHz	Pass	AV	5.455G	43.85	54.00	-10.15	3	Horizontal	304	1.33
5755MHz	Pass	AV	5.749G	104.34	Inf	-Inf	3	Horizontal	304	1.33
5755MHz	Pass	PK	5.6494G	58.99	68.20	-9.21	3	Horizontal	304	1.33
5755MHz	Pass	PK	5.7502G	116.41	Inf	-Inf	3	Horizontal	304	1.33
5755MHz	Pass	PK	6.037G	57.95	68.20	-10.25	3	Horizontal	304	1.33
5755MHz	Pass	AV	11.5G	43.16	54.00	-10.84	3	Vertical	24	1.00
5755MHz	Pass	AV	23.02G	44.40	54.00	-9.60	3	Vertical	208	1.69
5755MHz	Pass	AV	23.02G	43.89	54.00	-10.11	3	Vertical	193	1.69
5755MHz	Pass	PK	11.49832G	56.46	74.00	-17.54	3	Vertical	24	1.00
5755MHz	Pass	PK	17.26388G	61.49	68.20	-6.71	3	Vertical	282	1.68
5755MHz	Pass	PK	23.02G	49.79	74.00	-24.21	3	Vertical	193	1.69
5755MHz	Pass	PK	28.79468G	45.37	68.20	-22.83	3	Vertical	314	1.50
5755MHz	Pass	AV	11.51176G	44.12	54.00	-9.88	3	Horizontal	299	1.57
5755MHz	Pass	AV	23.02G	46.04	54.00	-7.96	3	Horizontal	239	1.67
5755MHz	Pass	AV	23.02G	45.42	54.00	-8.58	3	Horizontal	225	1.65
5755MHz	Pass	PK	11.51176G	57.34	74.00	-16.66	3	Horizontal	299	1.57
5755MHz	Pass	PK	17.26516G	65.76	68.20	-2.44	3	Horizontal	335	1.78
5755MHz	Pass	PK	23.01976G	51.03	74.00	-22.97	3	Horizontal	225	1.65
5755MHz	Pass	PK	28.76132G	47.01	68.20	-21.19	3	Horizontal	296	1.65



RSE TX above 1GHz_5150-5850(MHz)_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	AV	5.7938G	100.51	Inf	-Inf	3	Vertical	314	2.06
5795MHz	Pass	PK	5.6498G	60.61	68.20	-7.59	3	Vertical	314	2.06
5795MHz	Pass	PK	5.7938G	112.06	Inf	-Inf	3	Vertical	314	2.06
5795MHz	Pass	PK	5.9306G	58.49	68.20	-9.71	3	Vertical	314	2.06
5795MHz	Pass	AV	5.7926G	107.28	Inf	-Inf	3	Horizontal	318	1.42
5795MHz	Pass	PK	5.6474G	66.88	68.20	-1.32	3	Horizontal	318	1.42
5795MHz	Pass	PK	5.7938G	119.04	Inf	-Inf	3	Horizontal	318	1.42
5795MHz	Pass	PK	5.9282G	66.81	68.20	-1.39	3	Horizontal	318	1.42
5795MHz	Pass	AV	11.58556G	43.08	54.00	-10.92	3	Vertical	338	1.87
5795MHz	Pass	PK	11.58544G	56.00	74.00	-18.00	3	Vertical	338	1.87
5795MHz	Pass	PK	17.38428G	62.05	68.20	-6.15	3	Vertical	308	1.50
5795MHz	Pass	PK	23.16056G	63.54	68.20	-4.66	3	Vertical	316	1.62
5795MHz	Pass	PK	28.98292G	48.73	68.20	-19.47	3	Vertical	347	1.52
5795MHz	Pass	AV	11.5864G	44.51	54.00	-9.49	3	Horizontal	83	1.47
5795MHz	Pass	PK	11.58628G	57.25	74.00	-16.75	3	Horizontal	83	1.47
5795MHz	Pass	PK	17.37636G	65.46	68.20	-2.74	3	Horizontal	318	2.90
5795MHz	Pass	PK	23.19296G	67.98	68.20	-0.22	3	Horizontal	306	1.48
5795MHz	Pass	PK	28.98172G	57.18	68.20	-11.02	3	Horizontal	294	1.59
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	50.43	54.00	-3.57	3	Vertical	329	2.93
5210MHz	Pass	AV	5.208G	95.66	Inf	-Inf	3	Vertical	329	2.93
5210MHz	Pass	AV	5.399G	43.85	54.00	-10.15	3	Vertical	329	2.93
5210MHz	Pass	PK	5.15G	62.60	74.00	-11.40	3	Vertical	329	2.93
5210MHz	Pass	PK	5.209G	107.67	Inf	-Inf	3	Vertical	329	2.93
5210MHz	Pass	PK	5.412G	56.99	74.00	-17.01	3	Vertical	329	2.93
5210MHz	Pass	AV	5.135G	53.37	54.00	-0.63	3	Horizontal	318	1.70
5210MHz	Pass	AV	5.214G	102.67	Inf	-Inf	3	Horizontal	318	1.70
5210MHz	Pass	AV	5.376G	44.55	54.00	-9.45	3	Horizontal	318	1.70
5210MHz	Pass	PK	5.135G	67.16	74.00	-6.84	3	Horizontal	318	1.70
5210MHz	Pass	PK	5.234G	114.37	Inf	-Inf	3	Horizontal	318	1.70
5210MHz	Pass	PK	5.416G	57.81	74.00	-16.19	3	Horizontal	318	1.70
5210MHz	Pass	AV	15.65448G	42.46	54.00	-11.54	3	Vertical	139	2.99
5210MHz	Pass	AV	20.85296G	33.38	54.00	-20.62	3	Vertical	106	2.99
5210MHz	Pass	PK	10.4408G	53.63	68.20	-14.57	3	Vertical	212	1.21
5210MHz	Pass	PK	15.61704G	56.43	74.00	-17.57	3	Vertical	139	2.99
5210MHz	Pass	PK	20.84336G	45.15	74.00	-28.85	3	Vertical	106	2.99
5210MHz	Pass	PK	26.0446G	43.59	68.20	-24.61	3	Vertical	77	1.61
5210MHz	Pass	AV	15.63G	43.71	54.00	-10.29	3	Horizontal	242	1.56
5210MHz	Pass	AV	20.85152G	33.46	54.00	-20.54	3	Horizontal	118	2.03
5210MHz	Pass	PK	10.41264G	55.17	68.20	-13.03	3	Horizontal	312	1.57
5210MHz	Pass	PK	15.66312G	56.12	74.00	-17.88	3	Horizontal	242	1.56
5210MHz	Pass	PK	20.82356G	44.64	74.00	-29.36	3	Horizontal	118	2.03
5210MHz	Pass	PK	26.05408G	43.63	68.20	-24.57	3	Horizontal	308	1.67
5290MHz	Pass	AV	5.149G	43.93	54.00	-10.07	3	Vertical	324	3.00
5290MHz	Pass	AV	5.296G	90.00	Inf	-Inf	3	Vertical	324	3.00
5290MHz	Pass	AV	5.356G	47.08	54.00	-6.92	3	Vertical	324	3.00
5290MHz	Pass	PK	5.094G	57.17	74.00	-16.83	3	Vertical	324	3.00
5290MHz	Pass	PK	5.269G	101.98	Inf	-Inf	3	Vertical	324	3.00
5290MHz	Pass	PK	5.354G	59.93	74.00	-14.07	3	Vertical	324	3.00
5290MHz	Pass	PK	5.48G	56.20	68.20	-12.00	3	Vertical	324	3.00
5290MHz	Pass	AV	5.148G	44.16	54.00	-9.84	3	Horizontal	321	1.49
5290MHz	Pass	AV	5.293G	99.43	Inf	-Inf	3	Horizontal	321	1.49
5290MHz	Pass	AV	5.353G	53.57	54.00	-0.43	3	Horizontal	321	1.49
5290MHz	Pass	PK	5.096G	56.59	74.00	-17.41	3	Horizontal	321	1.49
5290MHz	Pass	PK	5.294G	110.81	Inf	-Inf	3	Horizontal	321	1.49
5290MHz	Pass	PK	5.353G	65.71	74.00	-8.29	3	Horizontal	321	1.49
5290MHz	Pass	PK	5.474G	56.89	68.20	-11.31	3	Horizontal	321	1.49
5290MHz	Pass	AV	15.86184G	42.52	54.00	-11.48	3	Vertical	284	1.50
5290MHz	Pass	AV	21.17176G	34.45	54.00	-19.55	3	Vertical	324	2.70
5290MHz	Pass	PK	10.60528G	54.56	74.00	-19.44	3	Vertical	206	1.00
5290MHz	Pass	PK	15.88552G	55.98	74.00	-18.02	3	Vertical	284	1.50
5290MHz	Pass	PK	21.17248G	46.92	74.00	-27.08	3	Vertical	324	2.70



RSE TX above 1GHz_5150-5850(MHz)_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5290MHz	Pass	PK	26.44268G	46.44	68.20	-21.76	3	Vertical	83	2.02
5290MHz	Pass	AV	15.87G	42.80	54.00	-11.20	3	Horizontal	238	2.37
5290MHz	Pass	AV	21.13936G	34.50	54.00	-19.50	3	Horizontal	271	2.51
5290MHz	Pass	PK	10.58304G	53.57	68.20	-14.63	3	Horizontal	339	1.50
5290MHz	Pass	PK	15.84296G	56.68	74.00	-17.32	3	Horizontal	238	2.37
5290MHz	Pass	PK	21.1726G	46.01	74.00	-27.99	3	Horizontal	271	2.51
5290MHz	Pass	PK	26.447G	46.52	68.20	-21.68	3	Horizontal	330	1.12
5530MHz	Pass	AV	5.35G	43.73	54.00	-10.27	3	Vertical	329	2.95
5530MHz	Pass	AV	5.456G	48.57	54.00	-5.43	3	Vertical	329	2.95
5530MHz	Pass	AV	5.537G	94.66	Inf	-Inf	3	Vertical	329	2.95
5530MHz	Pass	PK	5.309G	56.31	68.20	-11.89	3	Vertical	329	2.95
5530MHz	Pass	PK	5.456G	60.32	74.00	-13.68	3	Vertical	329	2.95
5530MHz	Pass	PK	5.466G	62.51	68.20	-5.69	3	Vertical	329	2.95
5530MHz	Pass	PK	5.516G	107.39	Inf	-Inf	3	Vertical	329	2.95
5530MHz	Pass	PK	5.756G	57.24	68.20	-10.96	3	Vertical	329	2.95
5530MHz	Pass	AV	5.35G	44.28	54.00	-9.72	3	Horizontal	328	1.59
5530MHz	Pass	AV	5.453G	53.81	54.00	-0.19	3	Horizontal	328	1.59
5530MHz	Pass	AV	5.514G	102.19	Inf	-Inf	3	Horizontal	328	1.59
5530MHz	Pass	PK	5.311G	57.09	68.20	-11.11	3	Horizontal	328	1.59
5530MHz	Pass	PK	5.454G	66.36	74.00	-7.64	3	Horizontal	328	1.59
5530MHz	Pass	PK	5.47G	67.44	68.20	-0.76	3	Horizontal	328	1.59
5530MHz	Pass	PK	5.534G	113.76	Inf	-Inf	3	Horizontal	328	1.59
5530MHz	Pass	PK	5.732G	58.22	68.20	-9.98	3	Horizontal	328	1.59
5530MHz	Pass	AV	11.06G	41.56	54.00	-12.44	3	Vertical	193	1.50
5530MHz	Pass	AV	22.12G	44.05	54.00	-9.95	3	Vertical	180	1.79
5530MHz	Pass	PK	11.07952G	53.85	74.00	-20.15	3	Vertical	193	1.50
5530MHz	Pass	PK	16.58136G	56.59	68.20	-11.61	3	Vertical	171	1.50
5530MHz	Pass	PK	22.12G	49.16	74.00	-24.84	3	Vertical	180	1.79
5530MHz	Pass	PK	27.61832G	47.95	68.20	-20.25	3	Vertical	158	1.45
5530MHz	Pass	AV	11.06G	41.77	54.00	-12.23	3	Horizontal	221	1.15
5530MHz	Pass	AV	22.12G	49.71	54.00	-4.29	3	Horizontal	244	1.67
5530MHz	Pass	PK	11.11984G	54.05	74.00	-19.95	3	Horizontal	221	1.15
5530MHz	Pass	PK	16.55512G	57.29	68.20	-10.91	3	Horizontal	205	1.50
5530MHz	Pass	PK	22.12G	52.26	74.00	-21.74	3	Horizontal	244	1.67
5530MHz	Pass	PK	27.59816G	47.85	68.20	-20.35	3	Horizontal	187	1.50
5610MHz	Pass	AV	5.457G	44.42	54.00	-9.58	3	Vertical	344	2.92
5610MHz	Pass	AV	5.609G	98.66	Inf	-Inf	3	Vertical	344	2.92
5610MHz	Pass	PK	5.368G	56.44	74.00	-17.56	3	Vertical	344	2.92
5610MHz	Pass	PK	5.466G	57.67	68.20	-10.53	3	Vertical	344	2.92
5610MHz	Pass	PK	5.609G	110.53	Inf	-Inf	3	Vertical	344	2.92
5610MHz	Pass	PK	5.729G	65.71	68.20	-2.49	3	Vertical	344	2.92
5610MHz	Pass	AV	5.453G	47.39	54.00	-6.61	3	Horizontal	329	1.68
5610MHz	Pass	AV	5.595G	103.97	Inf	-Inf	3	Horizontal	329	1.68
5610MHz	Pass	PK	5.453G	60.09	74.00	-13.91	3	Horizontal	329	1.68
5610MHz	Pass	PK	5.47G	62.04	68.20	-6.16	3	Horizontal	329	1.68
5610MHz	Pass	PK	5.614G	116.16	Inf	-Inf	3	Horizontal	329	1.68
5610MHz	Pass	PK	5.734G	67.36	68.20	-0.84	3	Horizontal	329	1.68
5610MHz	Pass	AV	11.22192G	41.93	54.00	-12.07	3	Vertical	333	1.58
5610MHz	Pass	AV	22.44G	43.43	54.00	-10.57	3	Vertical	175	1.70
5610MHz	Pass	PK	11.22128G	54.42	74.00	-19.58	3	Vertical	333	1.58
5610MHz	Pass	PK	16.886G	56.81	68.20	-11.39	3	Vertical	360	2.33
5610MHz	Pass	PK	22.44G	48.33	74.00	-25.67	3	Vertical	175	1.70
5610MHz	Pass	PK	28.04776G	48.44	68.20	-19.76	3	Vertical	350	1.50
5610MHz	Pass	AV	11.2168G	42.50	54.00	-11.50	3	Horizontal	331	2.18
5610MHz	Pass	AV	22.44G	47.64	54.00	-6.36	3	Horizontal	83	1.68
5610MHz	Pass	PK	11.19824G	56.01	74.00	-17.99	3	Horizontal	331	2.18
5610MHz	Pass	PK	16.87672G	56.59	68.20	-11.61	3	Horizontal	289	1.88
5610MHz	Pass	PK	22.44G	51.46	74.00	-22.54	3	Horizontal	83	1.68
5610MHz	Pass	PK	28.1188G	47.32	68.20	-20.88	3	Horizontal	300	1.64
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	43.92	54.00	-10.08	3	Vertical	311	1.65
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7056G	97.24	Inf	-Inf	3	Vertical	311	1.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	56.28	74.00	-17.72	3	Vertical	311	1.65



RSE TX above 1GHz_5150-5850(MHz)_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	55.77	68.20	-12.43	3	Vertical	311	1.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7056G	109.40	Inf	-Inf	3	Vertical	311	1.65
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8628G	59.42	68.20	-8.78	3	Vertical	311	1.65
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	45.40	54.00	-8.60	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6936G	104.17	Inf	-Inf	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4332G	57.36	74.00	-16.64	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	56.88	68.20	-11.32	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	116.64	Inf	-Inf	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	66.99	68.20	-1.21	3	Horizontal	331	1.34
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3688G	42.59	54.00	-11.41	3	Vertical	346	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.76G	45.71	54.00	-8.29	3	Vertical	202	1.75
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3688G	55.37	74.00	-18.63	3	Vertical	346	1.24
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.04888G	60.29	68.20	-7.91	3	Vertical	277	1.49
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.75988G	50.54	74.00	-23.46	3	Vertical	202	1.75
5690MHz Straddle 5.47-5.725GHz	Pass	PK	28.41512G	46.94	68.20	-21.26	3	Vertical	59	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.4024G	42.54	54.00	-11.46	3	Horizontal	298	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	AV	22.76G	45.46	54.00	-8.54	3	Horizontal	183	1.51
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.42192G	54.93	74.00	-19.07	3	Horizontal	298	1.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.04952G	61.67	68.20	-6.53	3	Horizontal	302	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	PK	22.76G	50.48	74.00	-23.52	3	Horizontal	183	1.51
5690MHz Straddle 5.47-5.725GHz	Pass	PK	28.39784G	48.90	68.20	-19.30	3	Horizontal	299	1.50
5775MHz	Pass	AV	5.7702G	95.69	Inf	-Inf	3	Vertical	314	1.68
5775MHz	Pass	PK	5.6502G	60.54	68.35	-7.81	3	Vertical	314	1.68
5775MHz	Pass	PK	5.7702G	107.13	Inf	-Inf	3	Vertical	314	1.68
5775MHz	Pass	PK	5.925G	58.00	68.20	-10.20	3	Vertical	314	1.68
5775MHz	Pass	AV	5.7726G	101.76	Inf	-Inf	3	Horizontal	316	1.40
5775MHz	Pass	PK	5.655G	70.21	71.90	-1.69	3	Horizontal	316	1.40
5775MHz	Pass	PK	5.7522G	113.37	Inf	-Inf	3	Horizontal	316	1.40
5775MHz	Pass	PK	5.9298G	59.75	68.20	-8.45	3	Horizontal	316	1.40
5775MHz	Pass	AV	11.5468G	40.96	54.00	-13.04	3	Vertical	340	1.96
5775MHz	Pass	AV	23.1G	45.48	54.00	-8.52	3	Vertical	206	1.69
5775MHz	Pass	PK	11.52984G	54.29	74.00	-19.71	3	Vertical	340	1.96
5775MHz	Pass	PK	17.34196G	58.81	68.20	-9.39	3	Vertical	280	1.83
5775MHz	Pass	PK	23.1G	49.80	74.00	-24.20	3	Vertical	206	1.69
5775MHz	Pass	PK	28.86732G	46.34	68.20	-21.86	3	Vertical	23	1.16
5775MHz	Pass	AV	11.55G	42.17	54.00	-11.83	3	Horizontal	54	1.46
5775MHz	Pass	AV	23.1G	46.01	54.00	-7.99	3	Horizontal	240	1.50
5775MHz	Pass	PK	11.51064G	54.54	74.00	-19.46	3	Horizontal	54	1.46
5775MHz	Pass	PK	17.35348G	60.53	68.20	-7.67	3	Horizontal	338	2.00
5775MHz	Pass	PK	23.10032G	50.90	74.00	-23.10	3	Horizontal	240	1.50
5775MHz	Pass	PK	28.83244G	45.63	68.20	-22.57	3	Horizontal	290	1.50
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.148G	45.06	54.00	-8.94	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2092G	89.17	Inf	-Inf	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3556G	46.85	54.00	-7.15	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	57.15	74.00	-16.85	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2476G	99.64	Inf	-Inf	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4192G	58.36	74.00	-15.64	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5224G	56.50	68.20	-11.70	3	Vertical	330	2.94
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	47.95	54.00	-6.05	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2536G	97.22	Inf	-Inf	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3532G	53.70	54.00	-0.30	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1324G	60.05	74.00	-13.95	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.292G	108.57	Inf	-Inf	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3532G	64.60	74.00	-9.40	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5488G	56.63	68.20	-11.57	3	Horizontal	319	1.56
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.7418G	42.09	54.00	-11.91	3	Vertical	169	2.59
5250MHz Straddle 5.25-5.35GHz	Pass	AV	21.01104G	33.69	54.00	-20.31	3	Vertical	328	1.28
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.49596G	55.14	68.20	-13.06	3	Vertical	181	1.50
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74452G	55.19	74.00	-18.81	3	Vertical	169	2.59
5250MHz Straddle 5.25-5.35GHz	Pass	PK	21.02244G	45.16	74.00	-28.84	3	Vertical	328	1.28
5250MHz Straddle 5.25-5.35GHz	Pass	PK	26.27616G	44.47	68.20	-23.73	3	Vertical	162	1.87




RSE TX above 1GHz_5150-5850(MHz)_Non-Beamforming

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74936G	42.20	54.00	-11.80	3	Horizontal	197	2.25
5250MHz Straddle 5.25-5.35GHz	Pass	AV	21.015G	33.68	54.00	-20.32	3	Horizontal	140	1.03
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5046G	53.89	68.20	-14.31	3	Horizontal	193	1.57
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7406G	55.60	74.00	-18.40	3	Horizontal	197	2.25
5250MHz Straddle 5.25-5.35GHz	Pass	PK	21.00444G	45.21	74.00	-28.79	3	Horizontal	140	1.03
5250MHz Straddle 5.25-5.35GHz	Pass	PK	26.27928G	44.52	68.20	-23.68	3	Horizontal	119	1.81
5570MHz	Pass	AV	5.4488G	47.07	54.00	-6.93	3	Vertical	347	3.00
5570MHz	Pass	AV	5.6096G	90.82	Inf	-Inf	3	Vertical	347	3.00
5570MHz	Pass	PK	5.3288G	56.77	68.20	-11.43	3	Vertical	347	3.00
5570MHz	Pass	PK	5.4284G	58.93	74.00	-15.07	3	Vertical	347	3.00
5570MHz	Pass	PK	5.468G	60.50	68.20	-7.70	3	Vertical	347	3.00
5570MHz	Pass	PK	5.612G	103.72	Inf	-Inf	3	Vertical	347	3.00
5570MHz	Pass	PK	5.7296G	62.08	68.20	-6.12	3	Vertical	347	3.00
5570MHz	Pass	AV	5.4536G	53.58	54.00	-0.42	3	Horizontal	328	1.67
5570MHz	Pass	AV	5.5544G	97.82	Inf	-Inf	3	Horizontal	328	1.67
5570MHz	Pass	PK	5.3336G	57.65	68.20	-10.55	3	Horizontal	328	1.67
5570MHz	Pass	PK	5.4548G	65.85	74.00	-8.15	3	Horizontal	328	1.67
5570MHz	Pass	PK	5.4656G	64.40	68.20	-3.80	3	Horizontal	328	1.67
5570MHz	Pass	PK	5.5544G	109.22	Inf	-Inf	3	Horizontal	328	1.67
5570MHz	Pass	PK	5.7344G	63.96	68.20	-4.24	3	Horizontal	328	1.67
5570MHz	Pass	AV	11.13992G	41.68	54.00	-12.32	3	Vertical	194	1.58
5570MHz	Pass	AV	22.29872G	34.82	54.00	-19.18	3	Vertical	20	1.04
5570MHz	Pass	PK	11.14416G	54.03	74.00	-19.97	3	Vertical	194	1.58
5570MHz	Pass	PK	16.71056G	57.59	68.20	-10.61	3	Vertical	164	1.47
5570MHz	Pass	PK	22.2596G	46.78	74.00	-27.22	3	Vertical	20	1.04
5570MHz	Pass	PK	27.86488G	46.07	68.20	-22.13	3	Vertical	72	2.48
5570MHz	Pass	AV	11.14G	41.21	54.00	-12.79	3	Horizontal	222	1.49
5570MHz	Pass	AV	22.253G	34.78	54.00	-19.22	3	Horizontal	144	1.98
5570MHz	Pass	PK	11.07376G	54.21	74.00	-19.79	3	Horizontal	222	1.49
5570MHz	Pass	PK	16.66296G	57.59	68.20	-10.61	3	Horizontal	25	1.50
5570MHz	Pass	PK	22.29512G	46.32	74.00	-27.68	3	Horizontal	144	1.98
5570MHz	Pass	PK	27.84256G	46.12	68.20	-22.08	3	Horizontal	208	1.63


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5180MHz_TX



5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA				
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)				
AV	5.148G	46.19	54.00	-7.81	6.15	3	Vertical	9	1.59	40.04	33.20	7.21	34.26				
AV	5.2032G	101.57	Inf	-Inf	6.24	3	Vertical	9	1.59	95.33	33.19	7.31	34.26				
PK	5.1476G	63.26	74.00	-10.74	6.15	3	Vertical	9	1.59	57.11	33.20	7.21	34.26				
PK	5.2024G	112.51	Inf	-Inf	6.25	3	Vertical	9	1.59	106.26	33.20	7.31	34.26				

5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)			
AV	5.146G	53.32	54.00	-0.68	6.13	3	Horizontal	302	1.82	47.19	33.19	7.20	34.26			
AV	5.2032G	113.86	Inf	-Inf	6.24	3	Horizontal	302	1.82	107.62	33.19	7.31	34.26			
PK	5.1476G	73.25	74.00	-0.75	6.15	3	Horizontal	302	1.82	67.10	33.20	7.21	34.26			
PK	5.2032G	125.53	Inf	-Inf	6.24	3	Horizontal	302	1.82	119.29	33.19	7.31	34.26			


5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5200MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




5.15-5.25GHz_802.11a_Nss1,(6Mbps)_4TX

5240MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5260MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5300MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX




5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX

5320MHz_TX



5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63766G	48.16	54.00	-5.84	14.81	3	Vertical	9	1.71	33.35	39.11	10.44	34.74
AV	15.96234G	42.49	54.00	-11.51	16.63	3	Vertical	231	3.00	25.86	38.14	12.72	34.23
AV	21.27664G	42.99	54.00	-11.01	-8.71	3	Vertical	313	1.53	51.70	39.24	15.11	53.52
PK	10.63754G	61.86	74.00	-12.14	14.81	3	Vertical	9	1.71	47.05	39.11	10.44	34.74
PK	15.95688G	56.26	74.00	-17.74	16.63	3	Vertical	231	3.00	39.63	38.14	12.72	34.23
PK	21.27688G	55.99	74.00	-18.01	-8.71	3	Vertical	313	1.53	64.70	39.24	15.11	53.52
PK	26.60636G	51.22	68.20	-16.98	-7.69	3	Vertical	279	1.50	58.91	39.80	18.51	56.46

5.25-5.35GHz_802.11a_Nss1,(6Mbps)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64264G	49.66	54.00	-4.34	14.84	3	Horizontal	322	1.37	34.82	39.13	10.45	34.74
AV	15.9597G	44.35	54.00	-9.65	16.63	3	Horizontal	310	2.74	27.72	38.14	12.72	34.23
AV	21.27592G	47.87	54.00	-6.13	-8.71	3	Horizontal	308	1.54	56.58	39.24	15.11	53.52
PK	10.64288G	63.38	74.00	-10.62	14.84	3	Horizontal	322	1.37	48.54	39.13	10.45	34.74
PK	15.95814G	58.68	74.00	-15.32	16.63	3	Horizontal	310	2.74	42.05	38.14	12.72	34.23
PK	21.27688G	60.64	74.00	-13.36	-8.71	3	Horizontal	308	1.54	69.35	39.24	15.11	53.52
PK	26.61104G	56.79	68.20	-11.41	-7.67	3	Horizontal	295	1.59	64.46	39.81	18.52	56.46

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	43.92	54.00	-10.08	6.04	3	Vertical	314	1.57	37.88	33.00	7.28	34.24
AV	5.4966G	100.99	Inf	-Inf	6.08	3	Vertical	314	1.57	94.91	33.00	7.32	34.24
PK	5.4542G	56.68	74.00	-17.32	6.03	3	Vertical	314	1.57	50.65	33.00	7.27	34.24
PK	5.4698G	58.86	68.20	-9.34	6.05	3	Vertical	314	1.57	52.81	33.00	7.29	34.24
PK	5.4966G	112.67	Inf	-Inf	6.08	3	Vertical	314	1.57	106.59	33.00	7.32	34.24

5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.06	54.00	-7.94	6.04	3	Horizontal	309	1.87	40.02	33.00	7.28	34.24
AV	5.5044G	110.45	Inf	-Inf	6.08	3	Horizontal	309	1.87	104.37	33.00	7.32	34.24
PK	5.4588G	59.86	74.00	-14.14	6.04	3	Horizontal	309	1.87	53.82	33.00	7.28	34.24
PK	5.4654G	67.25	68.20	-0.95	6.05	3	Horizontal	309	1.87	61.20	33.00	7.29	34.24
PK	5.503G	121.72	Inf	-Inf	6.08	3	Horizontal	309	1.87	115.64	33.00	7.32	34.24


5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5500MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5580MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5700MHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	43.53	54.00	-10.47	6.02	3	Vertical	322	1.78	37.51	33.00	7.26	34.24
AV	5.7474G	101.96	Inf	-Inf	7.04	3	Vertical	322	1.78	94.92	33.89	7.46	34.31
PK	5.5062G	57.68	68.20	-10.52	6.09	3	Vertical	322	1.78	51.59	33.00	7.33	34.24
PK	5.7474G	113.37	Inf	-Inf	7.04	3	Vertical	322	1.78	106.33	33.89	7.46	34.31
PK	5.9862G	58.76	68.20	-9.44	7.51	3	Vertical	322	1.78	51.25	34.13	7.77	34.39

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.445G	43.98	54.00	-10.02	6.02	3	Horizontal	314	1.80	37.96	33.00	7.26	34.24
AV	5.7498G	106.43	Inf	-Inf	7.05	3	Horizontal	314	1.80	99.38	33.90	7.46	34.31
PK	5.4942G	57.60	68.20	-10.60	6.07	3	Horizontal	314	1.80	51.53	33.00	7.31	34.24
PK	5.7486G	117.34	Inf	-Inf	7.04	3	Horizontal	314	1.80	110.30	33.89	7.46	34.31
PK	5.9814G	58.81	68.20	-9.39	7.52	3	Horizontal	314	1.80	51.29	34.14	7.76	34.38




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5745MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7886G	100.80	Inf	-Inf	7.19	3	Vertical	320	1.74	93.61	34.05	7.47	34.33
PK	5.605G	56.94	68.20	-11.26	6.25	3	Vertical	320	1.74	50.69	33.10	7.42	34.27
PK	5.7874G	112.34	Inf	-Inf	7.19	3	Vertical	320	1.74	105.15	34.05	7.47	34.33
PK	5.9554G	59.53	68.20	-8.67	7.53	3	Vertical	320	1.74	52.00	34.19	7.72	34.38

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	106.43	Inf	-Inf	7.19	3	Horizontal	319	1.49	99.24	34.05	7.47	34.33
PK	5.7886G	57.35	68.20	-10.85	6.20	3	Horizontal	319	1.49	51.15	33.06	7.40	34.26
PK	5.7874G	117.48	Inf	-Inf	7.19	3	Horizontal	319	1.49	110.29	34.05	7.47	34.33
PK	6.0142G	58.28	68.20	-9.92	7.53	3	Horizontal	319	1.49	50.75	34.13	7.80	34.40


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5785MHz_TX



5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	100.23	Inf	-Inf	7.28	3	Vertical	322	1.70	92.95	34.10	7.52	34.34
PK	5.645G	56.79	68.20	-11.41	6.25	3	Vertical	322	1.70	50.54	33.10	7.43	34.28
PK	5.8274G	111.08	Inf	-Inf	7.27	3	Vertical	322	1.70	103.81	34.10	7.51	34.34
PK	6.0362G	57.98	68.20	-10.22	7.56	3	Vertical	322	1.70	50.42	34.17	7.80	34.41

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	106.27	Inf	-Inf	7.27	3	Horizontal	322	1.34	99.00	34.10	7.51	34.34
PK	5.555G	57.12	68.20	-11.08	6.12	3	Horizontal	322	1.34	51.00	33.01	7.37	34.26
PK	5.8274G	117.03	Inf	-Inf	7.27	3	Horizontal	322	1.34	109.76	34.10	7.51	34.34
PK	5.9342G	58.17	68.20	-10.03	7.57	3	Horizontal	322	1.34	50.60	34.26	7.68	34.37


5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX




5.725-5.85GHz_802.11a_Nss1,(6Mbps)_4TX

5825MHz_TX



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1474G	48.05	54.00	-5.95	6.13	3	Vertical	327	3.00	41.92	33.19	7.20	34.26
AV	5.1786G	104.42	Inf	-Inf	6.21	3	Vertical	327	3.00	98.21	33.20	7.27	34.26
PK	5.147G	65.68	74.00	-8.32	6.13	3	Vertical	327	3.00	59.55	33.19	7.20	34.26
PK	5.179G	117.14	Inf	-Inf	6.21	3	Vertical	327	3.00	110.93	33.20	7.27	34.26

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	53.22	54.00	-0.78	6.13	3	Horizontal	324	1.68	47.09	33.19	7.20	34.26
AV	5.1846G	110.74	Inf	-Inf	6.22	3	Horizontal	324	1.68	104.52	33.20	7.28	34.26
PK	5.1464G	69.25	74.00	-4.75	6.13	3	Horizontal	324	1.68	63.12	33.19	7.20	34.26
PK	5.1842G	123.80	Inf	-Inf	6.22	3	Horizontal	324	1.68	117.58	33.20	7.28	34.26


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TX



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.1496G	49.18	54.00	-4.82	6.15	3	Vertical	324	3.00	43.03	33.20	7.21	34.26
AV	5.1988G	106.99	Inf	-Inf	6.25	3	Vertical	324	3.00	100.74	33.20	7.31	34.26
PK	5.148G	62.50	74.00	-11.50	6.15	3	Vertical	324	3.00	56.35	33.20	7.21	34.26
PK	5.1988G	118.87	Inf	-Inf	6.25	3	Vertical	324	3.00	112.62	33.20	7.31	34.26

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5200MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.146G	52.43	54.00	-1.57	6.13	3	Horizontal	325	1.68	46.30	33.19	7.20	34.26
AV	5.2044G	114.14	Inf	-Inf	6.24	3	Horizontal	325	1.68	107.90	33.19	7.31	34.26
PK	5.1476G	69.28	74.00	-4.72	6.15	3	Horizontal	325	1.68	63.13	33.20	7.21	34.26
PK	5.2056G	126.86	Inf	-Inf	6.24	3	Horizontal	325	1.68	120.62	33.19	7.31	34.26


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TX



5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.23	54.00	-6.77	6.15	3	Vertical	329	2.95	41.08	33.20	7.21	34.26
AV	5.2388G	109.15	Inf	-Inf	6.15	3	Vertical	329	2.95	103.00	33.12	7.29	34.26
AV	5.3612G	44.44	54.00	-9.56	5.91	3	Vertical	329	2.95	38.53	32.92	7.24	34.25
PK	5.1458G	63.17	74.00	-10.83	6.13	3	Vertical	329	2.95	57.04	33.19	7.20	34.26
PK	5.2394G	120.12	Inf	-Inf	6.15	3	Vertical	329	2.95	113.97	33.12	7.29	34.26
PK	5.3738G	57.39	74.00	-16.61	5.93	3	Vertical	329	2.95	51.46	32.95	7.23	34.25

5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	51.12	54.00	-2.88	6.15	3	Horizontal	318	1.50	44.97	33.20	7.21	34.26
AV	5.243G	116.89	Inf	-Inf	6.14	3	Horizontal	318	1.50	110.75	33.11	7.29	34.26
AV	5.35G	47.19	54.00	-6.81	5.89	3	Horizontal	318	1.50	41.30	32.90	7.24	34.25
PK	5.147G	66.13	74.00	-7.87	6.13	3	Horizontal	318	1.50	60.00	33.19	7.20	34.26
PK	5.2424G	127.07	Inf	-Inf	6.15	3	Horizontal	318	1.50	120.92	33.12	7.29	34.26
PK	5.3504G	61.24	74.00	-12.76	5.89	3	Horizontal	318	1.50	55.35	32.90	7.24	34.25


5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




5.15-5.25GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TX



5.25-5.35GHz_802.11ax_HEW20_Nss1_(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3052G	106.10	Inf	-Inf	6.00	3	Vertical	319	3.00	100.10	32.99	7.26	34.25
AV	5.35G	47.18	54.00	-6.82	5.89	3	Vertical	319	3.00	41.29	32.90	7.24	34.25
PK	5.2984G	119.25	Inf	-Inf	6.02	3	Vertical	319	3.00	113.23	33.00	7.27	34.25
PK	5.3508G	61.12	74.00	-12.88	5.89	3	Vertical	319	3.00	55.23	32.90	7.24	34.25

5.25-5.35GHz_802.11ax_HEW20_Nss1_(MCS0)_4TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3032G	115.22	Inf	-Inf	6.00	3	Horizontal	317	1.55	109.22	32.99	7.26	34.25
AV	5.3512G	53.34	54.00	-0.66	5.89	3	Horizontal	317	1.55	47.45	32.90	7.24	34.25
PK	5.3032G	126.90	Inf	-Inf	6.00	3	Horizontal	317	1.55	120.90	32.99	7.26	34.25
PK	5.3516G	68.72	74.00	-5.28	5.89	3	Horizontal	317	1.55	62.83	32.90	7.24	34.25


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TX




5.25-5.35GHz_802.11ax_HEW20_Nss1_(MCS0)_4TX

5320MHz_TX



5.25-5.35GHz_802.11ax_HEW20_Nss1_(MCS0)_4TX


5320MHz_TX





5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63964G	46.20	54.00	-7.80	14.83	3	Vertical	16	1.00	31.37	39.12	10.45	34.74
AV	15.95142G	42.49	54.00	-11.51	16.64	3	Vertical	331	1.50	25.85	38.15	12.72	34.23
AV	21.28G	44.04	54.00	-9.96	-8.70	3	Vertical	171	1.47	52.74	39.25	15.11	53.52
PK	10.63772G	60.06	74.00	-13.94	14.81	3	Vertical	16	1.00	45.25	39.11	10.44	34.74
PK	15.95334G	56.52	74.00	-17.48	16.64	3	Vertical	331	1.50	39.88	38.15	12.72	34.23
PK	21.27988G	50.35	74.00	-23.65	-8.70	3	Vertical	171	1.47	59.05	39.25	15.11	53.52
PK	26.59664G	49.31	68.20	-18.89	-7.74	3	Vertical	187	1.50	57.05	39.77	18.49	56.46

5.25-5.35GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63946G	47.18	54.00	-6.82	14.83	3	Horizontal	306	1.75	32.35	39.12	10.45	34.74
AV	15.94878G	42.49	54.00	-11.51	16.64	3	Horizontal	130	2.45	25.85	38.15	12.72	34.23
AV	21.27988G	40.57	54.00	-13.43	-8.70	3	Horizontal	165	1.46	49.27	39.25	15.11	53.52
PK	10.64006G	61.23	74.00	-12.77	14.83	3	Horizontal	306	1.75	46.40	39.12	10.45	34.74
PK	15.96348G	56.54	74.00	-17.46	16.63	3	Horizontal	130	2.45	39.91	38.14	12.72	34.23
PK	21.27976G	48.87	74.00	-25.13	-8.70	3	Horizontal	165	1.46	57.57	39.25	15.11	53.52
PK	26.59304G	49.49	68.20	-18.71	-7.75	3	Horizontal	208	1.58	57.24	39.76	18.49	56.46

5.47-5.725GHz_802.11ax HEW20_Nss1.(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	44.08	54.00	-9.92	6.04	3	Vertical	315	3.00	38.04	33.00	7.28	34.24
AV	5.5062G	100.24	Inf	-Inf	6.09	3	Vertical	315	3.00	94.15	33.00	7.33	34.24
PK	5.4594G	55.95	74.00	-18.05	6.04	3	Vertical	315	3.00	49.91	33.00	7.28	34.24
PK	5.4684G	59.97	68.20	-8.23	6.05	3	Vertical	315	3.00	53.92	33.00	7.29	34.24
PK	5.5058G	112.47	Inf	-Inf	6.09	3	Vertical	315	3.00	106.38	33.00	7.33	34.24

5.47-5.725GHz_802.11ax HEW20_Nss1.(MCS0)_4TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.18	54.00	-7.82	6.04	3	Horizontal	327	1.50	40.14	33.00	7.28	34.24
AV	5.5042G	110.10	Inf	-Inf	6.08	3	Horizontal	327	1.50	104.02	33.00	7.32	34.24
PK	5.4592G	58.64	74.00	-15.36	6.04	3	Horizontal	327	1.50	52.60	33.00	7.28	34.24
PK	5.465G	65.77	68.20	-2.43	6.04	3	Horizontal	327	1.50	59.73	33.00	7.28	34.24
PK	5.5024G	122.68	Inf	-Inf	6.08	3	Horizontal	327	1.50	116.60	33.00	7.32	34.24


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TX




5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

5580MHz_TX



5.47-5.725GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX


5580MHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX



5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX






5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5745MHz_TX






5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	101.29	Inf	-Inf	7.19	3	Vertical	324	1.40	94.10	34.05	7.47	34.33
PK	5.5366G	56.66	68.20	-11.54	6.11	3	Vertical	324	1.40	50.55	33.00	7.36	34.25
PK	5.7874G	113.58	Inf	-Inf	7.19	3	Vertical	324	1.40	106.39	34.05	7.47	34.33
PK	5.9866G	58.11	68.20	-10.09	7.51	3	Vertical	324	1.40	50.60	34.13	7.77	34.39

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	107.70	Inf	-Inf	7.18	3	Horizontal	309	1.26	100.52	34.03	7.47	34.32
PK	5.6134G	57.68	68.20	-10.52	6.25	3	Horizontal	309	1.26	51.43	33.10	7.42	34.27
PK	5.7826G	119.35	Inf	-Inf	7.18	3	Horizontal	309	1.26	112.17	34.03	7.47	34.32
PK	5.9734G	58.33	68.20	-9.87	7.52	3	Horizontal	309	1.26	50.81	34.15	7.75	34.38


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TX



5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	100.34	Inf	-Inf	7.26	3	Vertical	307	1.68	93.08	34.10	7.50	34.34
PK	5.615G	56.54	68.20	-11.66	6.25	3	Vertical	307	1.68	50.29	33.10	7.42	34.27
PK	5.8202G	113.29	Inf	-Inf	7.26	3	Vertical	307	1.68	106.03	34.10	7.50	34.34
PK	5.963G	59.82	68.20	-8.38	7.52	3	Vertical	307	1.68	52.30	34.17	7.73	34.38

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	106.63	Inf	-Inf	7.27	3	Horizontal	310	1.26	99.36	34.10	7.51	34.34
PK	5.5394G	57.10	68.20	-11.10	6.11	3	Horizontal	310	1.26	50.99	33.00	7.36	34.25
PK	5.8226G	118.77	Inf	-Inf	7.27	3	Horizontal	310	1.26	111.50	34.10	7.51	34.34
PK	6.0758G	58.22	68.20	-9.98	7.55	3	Horizontal	310	1.26	50.67	34.15	7.82	34.42


5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX




5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TX



5.15-5.25GHz_802.11ax_HEW40_Nss1_(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.10	54.00	-0.90	6.15	3	Vertical	323	3.00	46.95	33.20	7.21	34.26
AV	5.188G	99.18	Inf	-Inf	6.23	3	Vertical	323	3.00	92.95	33.20	7.29	34.26
PK	5.1488G	68.17	74.00	-5.83	6.15	3	Vertical	323	3.00	62.02	33.20	7.21	34.26
PK	5.1884G	111.95	Inf	-Inf	6.23	3	Vertical	323	3.00	105.72	33.20	7.29	34.26

5.15-5.25GHz_802.11ax_HEW40_Nss1_(MCS0)_4TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.17	54.00	-0.83	6.15	3	Horizontal	319	1.59	47.02	33.20	7.21	34.26
AV	5.1936G	105.92	Inf	-Inf	6.24	3	Horizontal	319	1.59	99.68	33.20	7.30	34.26
PK	5.15G	67.46	74.00	-6.54	6.15	3	Horizontal	319	1.59	61.31	33.20	7.21	34.26
PK	5.1936G	117.89	Inf	-Inf	6.24	3	Horizontal	319	1.59	111.65	33.20	7.30	34.26


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TX



5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	51.49	54.00	-2.51	6.15	3	Vertical	331	2.96	45.34	33.20	7.21	34.26
AV	5.2292G	104.42	Inf	-Inf	6.18	3	Vertical	331	2.96	98.24	33.14	7.30	34.26
PK	5.148G	66.43	74.00	-7.57	6.15	3	Vertical	331	2.96	60.28	33.20	7.21	34.26
PK	5.2288G	116.21	Inf	-Inf	6.18	3	Vertical	331	2.96	110.03	33.14	7.30	34.26

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.21	54.00	-0.79	6.15	3	Horizontal	322	1.54	47.06	33.20	7.21	34.26
AV	5.2326G	111.27	Inf	-Inf	6.16	3	Horizontal	322	1.54	105.11	33.13	7.29	34.26
PK	5.1344G	68.84	74.00	-5.16	6.09	3	Horizontal	322	1.54	62.75	33.17	7.18	34.26
PK	5.2328G	123.56	Inf	-Inf	6.17	3	Horizontal	322	1.54	117.39	33.13	7.30	34.26


5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX




5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TX



5.25-5.35GHz_802.11ax_HEW40_Nss1_(MCS0)_4TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2684G	101.93	Inf	-Inf	6.09	3	Vertical	331	2.91	95.84	33.06	7.28	34.25
AV	5.3572G	46.00	54.00	-8.00	5.90	3	Vertical	331	2.91	40.10	32.91	7.24	34.25
PK	5.268G	114.82	Inf	-Inf	6.09	3	Vertical	331	2.91	108.73	33.06	7.28	34.25
PK	5.356G	59.94	74.00	-14.06	5.90	3	Vertical	331	2.91	54.04	32.91	7.24	34.25

5.25-5.35GHz_802.11ax_HEW40_Nss1_(MCS0)_4TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2736G	110.56	Inf	-Inf	6.08	3	Horizontal	318	1.57	104.48	33.05	7.28	34.25
AV	5.3528G	52.45	54.00	-1.55	5.90	3	Horizontal	318	1.57	46.55	32.91	7.24	34.25
PK	5.2732G	123.86	Inf	-Inf	6.08	3	Horizontal	318	1.57	117.78	33.05	7.28	34.25
PK	5.3508G	68.31	74.00	-5.69	5.89	3	Horizontal	318	1.57	62.42	32.90	7.24	34.25




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TX




5.25-5.35GHz_802.11ax_HEW40_Nss1_(MCS0)_4TX

5310MHz_TX




5.25-5.35GHz_802.11ax_HEW40_Nss1_(MCS0)_4TX

5310MHz_TX



5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61992G	41.24	54.00	-12.76	14.75	3	Vertical	163	1.45	26.49	39.06	10.44	34.75
AV	15.93128G	42.46	54.00	-11.54	16.65	3	Vertical	126	1.50	25.81	38.17	12.71	34.23
AV	21.26376G	35.03	54.00	-18.97	-8.73	3	Vertical	225	1.76	43.76	39.22	15.10	53.51
PK	10.60832G	53.94	74.00	-20.06	14.69	3	Vertical	163	1.45	39.25	39.02	10.43	34.76
PK	15.92232G	56.13	74.00	-17.87	16.65	3	Vertical	126	1.50	39.48	38.18	12.70	34.23
PK	21.2334G	46.65	74.00	-27.35	-8.77	3	Vertical	225	1.76	55.42	39.17	15.09	53.49
PK	26.53176G	47.62	68.20	-20.58	-8.05	3	Vertical	317	1.37	55.67	39.59	18.39	56.49

5.25-5.35GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62024G	42.03	54.00	-11.97	14.75	3	Horizontal	314	1.71	27.28	39.06	10.44	34.75
AV	15.92216G	42.42	54.00	-11.58	16.65	3	Horizontal	157	1.00	25.77	38.18	12.70	34.23
AV	21.25608G	35.04	54.00	-18.96	-8.73	3	Horizontal	131	1.87	43.77	39.21	15.10	53.50
PK	10.61816G	55.96	74.00	-18.04	14.74	3	Horizontal	314	1.71	41.22	39.05	10.44	34.75
PK	15.93312G	56.88	74.00	-17.12	16.65	3	Horizontal	157	1.00	40.23	38.17	12.71	34.23
PK	21.23748G	46.88	74.00	-27.12	-8.76	3	Horizontal	131	1.87	55.64	39.18	15.09	53.49
PK	26.54016G	47.31	68.20	-20.89	-8.01	3	Horizontal	74	2.70	55.32	39.61	18.40	56.48

5.47-5.725GHz_802.11ax HEW40_Nss1.(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	44.43	54.00	-9.57	6.04	3	Vertical	334	3.00	38.39	33.00	7.28	34.24
AV	5.518G	97.47	Inf	-Inf	6.09	3	Vertical	334	3.00	91.38	33.00	7.34	34.25
PK	5.458G	58.74	74.00	-15.26	6.04	3	Vertical	334	3.00	52.70	33.00	7.28	34.24
PK	5.4664G	61.03	68.20	-7.17	6.05	3	Vertical	334	3.00	54.98	33.00	7.29	34.24
PK	5.5164G	109.92	Inf	-Inf	6.10	3	Vertical	334	3.00	103.82	33.00	7.34	34.24

5.47-5.725GHz_802.11ax HEW40_Nss1.(MCS0)_4TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.47	54.00	-8.53	6.04	3	Horizontal	324	1.55	39.43	33.00	7.28	34.24
AV	5.514G	104.24	Inf	-Inf	6.09	3	Horizontal	324	1.55	98.15	33.00	7.33	34.24
PK	5.4544G	58.40	74.00	-15.60	6.03	3	Horizontal	324	1.55	52.37	33.00	7.27	34.24
PK	5.47G	67.55	68.20	-0.65	6.05	3	Horizontal	324	1.55	61.50	33.00	7.29	34.24
PK	5.5136G	116.35	Inf	-Inf	6.09	3	Horizontal	324	1.55	110.26	33.00	7.33	34.24


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1.(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	45.47	54.00	-8.53	6.04	3	Vertical	332	2.98	39.43	33.00	7.28	34.24
AV	5.5576G	101.77	Inf	-Inf	6.14	3	Vertical	332	2.98	95.63	33.02	7.38	34.26
PK	5.4584G	59.37	74.00	-14.63	6.04	3	Vertical	332	2.98	53.33	33.00	7.28	34.24
PK	5.4668G	61.28	68.20	-6.92	6.05	3	Vertical	332	2.98	55.23	33.00	7.29	34.24
PK	5.5576G	113.95	Inf	-Inf	6.14	3	Vertical	332	2.98	107.81	33.02	7.38	34.26

5.47-5.725GHz_802.11ax HEW40_Nss1.(MCS0)_4TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	48.47	54.00	-5.53	6.03	3	Horizontal	327	1.50	42.44	33.00	7.27	34.24
AV	5.554G	108.79	Inf	-Inf	6.12	3	Horizontal	327	1.50	102.67	33.01	7.37	34.26
PK	5.4528G	65.00	74.00	-9.00	6.03	3	Horizontal	327	1.50	58.97	33.00	7.27	34.24
PK	5.47G	67.99	68.20	-0.61	6.05	3	Horizontal	327	1.50	61.54	33.00	7.29	34.24
PK	5.5536G	122.12	Inf	-Inf	6.12	3	Horizontal	327	1.50	116.00	33.01	7.37	34.26


5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TX



5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TX






5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	43.57	54.00	-10.43	6.03	3	Vertical	315	1.60	37.54	33.00	7.27	34.24
AV	5.7502G	98.79	Inf	-Inf	7.04	3	Vertical	315	1.60	91.75	33.90	7.46	34.32
PK	5.5138G	57.31	68.20	-10.89	6.09	3	Vertical	315	1.60	51.22	33.00	7.33	34.24
PK	5.7502G	110.50	Inf	-Inf	7.04	3	Vertical	315	1.60	103.46	33.90	7.46	34.32
PK	6.0046G	58.07	68.20	-10.13	7.51	3	Vertical	315	1.60	50.56	34.11	7.79	34.39

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	43.85	54.00	-10.15	6.03	3	Horizontal	304	1.33	37.82	33.00	7.27	34.24
AV	5.749G	104.34	Inf	-Inf	7.05	3	Horizontal	304	1.33	97.29	33.90	7.46	34.31
PK	5.6494G	58.99	68.20	-9.21	6.25	3	Horizontal	304	1.33	52.74	33.10	7.43	34.28
PK	5.7502G	116.41	Inf	-Inf	7.04	3	Horizontal	304	1.33	109.37	33.90	7.46	34.32
PK	6.037G	57.95	68.20	-10.25	7.56	3	Horizontal	304	1.33	50.39	34.17	7.80	34.41



5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5G	43.16	54.00	-10.84	15.51	3	Vertical	24	1.00	27.65	39.20	10.80	34.49
AV	23.02G	44.40	54.00	-9.60	-9.10	3	Vertical	208	1.69	53.50	39.92	15.72	55.20
AV	23.02G	43.89	54.00	-10.11	-9.10	3	Vertical	193	1.69	52.99	39.92	15.72	55.20
PK	11.49832G	56.46	74.00	-17.54	15.51	3	Vertical	24	1.00	40.95	39.20	10.80	34.49
PK	17.26388G	61.49	68.20	-6.71	19.28	3	Vertical	282	1.68	42.21	38.36	14.05	33.13
PK	23.02G	49.79	74.00	-24.21	-9.10	3	Vertical	193	1.69	58.89	39.92	15.72	55.20
PK	28.79468G	45.37	68.20	-22.83	-4.36	3	Vertical	314	1.50	49.73	40.04	20.60	55.46

5.725-5.85GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51176G	44.12	54.00	-9.88	15.47	3	Horizontal	299	1.57	28.65	39.15	10.81	34.49
AV	23.02G	46.04	54.00	-7.96	-9.10	3	Horizontal	239	1.67	55.14	39.92	15.72	55.20
AV	23.02G	45.42	54.00	-8.58	-9.10	3	Horizontal	225	1.65	54.52	39.92	15.72	55.20
PK	11.51176G	57.34	74.00	-16.66	15.47	3	Horizontal	299	1.57	41.87	39.15	10.81	34.49
PK	17.26516G	65.76	68.20	-2.44	19.30	3	Horizontal	335	1.78	46.46	38.37	14.06	33.13
PK	23.01976G	51.03	74.00	-22.97	-9.10	3	Horizontal	225	1.65	60.13	39.92	15.72	55.20
PK	28.76132G	47.01	68.20	-21.19	-4.42	3	Horizontal	296	1.65	51.43	40.01	20.60	55.49

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7938G	100.51	Inf	-Inf	7.22	3	Vertical	314	2.06	93.29	34.08	7.47	34.33
PK	5.6498G	60.61	68.20	-7.59	6.25	3	Vertical	314	2.06	54.36	33.10	7.43	34.28
PK	5.7938G	112.06	Inf	-Inf	7.22	3	Vertical	314	2.06	104.84	34.08	7.47	34.33
PK	5.9306G	58.49	68.20	-9.71	7.59	3	Vertical	314	2.06	50.90	34.28	7.68	34.37

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)	(dBuV)	(dB)	(dB)	(dB)
AV	5.7926G	107.28	Inf	-Inf	7.21	3	Horizontal	318	1.42	100.07	34.07	7.47	34.33
PK	5.6474G	66.88	68.20	-1.32	6.25	3	Horizontal	318	1.42	60.63	33.10	7.43	34.28
PK	5.7938G	119.04	Inf	-Inf	7.22	3	Horizontal	318	1.42	111.82	34.08	7.47	34.33
PK	5.9282G	66.81	68.20	-1.39	7.60	3	Horizontal	318	1.42	59.21	34.29	7.68	34.37


5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX




5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TX



5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	43.93	54.00	-10.07	6.15	3	Vertical	324	3.00	37.78	33.20	7.21	34.26
AV	5.296G	90.00	Inf	-Inf	6.03	3	Vertical	324	3.00	83.97	33.01	7.27	34.25
AV	5.356G	47.08	54.00	-6.92	5.90	3	Vertical	324	3.00	41.18	32.91	7.24	34.25
PK	5.094G	57.17	74.00	-16.83	5.96	3	Vertical	324	3.00	51.21	33.12	7.10	34.26
PK	5.269G	101.98	Inf	-Inf	6.09	3	Vertical	324	3.00	95.89	33.06	7.28	34.25
PK	5.354G	59.93	74.00	-14.07	5.90	3	Vertical	324	3.00	54.03	32.91	7.24	34.25
PK	5.48G	56.20	68.20	-12.00	6.06	3	Vertical	324	3.00	50.14	33.00	7.30	34.24

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	44.16	54.00	-9.84	6.15	3	Horizontal	321	1.49	38.01	33.20	7.21	34.26
AV	5.293G	99.43	Inf	-Inf	6.03	3	Horizontal	321	1.49	93.40	33.01	7.27	34.25
AV	5.353G	53.57	54.00	-0.43	5.90	3	Horizontal	321	1.49	47.67	32.91	7.24	34.25
PK	5.096G	56.59	74.00	-17.41	5.96	3	Horizontal	321	1.49	50.63	33.12	7.10	34.26
PK	5.294G	110.81	Inf	-Inf	6.03	3	Horizontal	321	1.49	104.78	33.01	7.27	34.25
PK	5.353G	65.71	74.00	-8.29	5.90	3	Horizontal	321	1.49	59.81	32.91	7.24	34.25
PK	5.474G	56.89	68.20	-11.31	6.05	3	Horizontal	321	1.49	50.84	33.00	7.29	34.24




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX




5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TX



5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	43.73	54.00	-10.27	5.89	3	Vertical	329	2.95	37.84	32.90	7.24	34.25
AV	5.456G	48.57	54.00	-5.43	6.04	3	Vertical	329	2.95	42.53	33.00	7.28	34.24
AV	5.537G	94.66	Inf	-Inf	6.11	3	Vertical	329	2.95	88.55	33.00	7.36	34.25
PK	5.309G	56.31	68.20	-11.89	5.99	3	Vertical	329	2.95	50.32	32.98	7.26	34.25
PK	5.456G	60.32	74.00	-13.68	6.04	3	Vertical	329	2.95	54.28	33.00	7.28	34.24
PK	5.466G	62.51	68.20	-5.69	6.05	3	Vertical	329	2.95	56.46	33.00	7.29	34.24
PK	5.516G	107.39	Inf	-Inf	6.10	3	Vertical	329	2.95	101.29	33.00	7.34	34.24
PK	5.756G	57.24	68.20	-10.96	7.06	3	Vertical	329	2.95	50.18	33.92	7.46	34.32

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	44.28	54.00	-9.72	5.89	3	Horizontal	328	1.59	38.39	32.90	7.24	34.25
AV	5.453G	53.81	54.00	-0.19	6.03	3	Horizontal	328	1.59	47.78	33.00	7.27	34.24
AV	5.514G	102.19	Inf	-Inf	6.09	3	Horizontal	328	1.59	96.10	33.00	7.33	34.24
PK	5.311G	57.09	68.20	-11.11	5.99	3	Horizontal	328	1.59	51.10	32.98	7.26	34.25
PK	5.454G	66.36	74.00	-7.64	6.03	3	Horizontal	328	1.59	60.33	33.00	7.27	34.24
PK	5.47G	67.44	68.20	-0.76	6.05	3	Horizontal	328	1.59	61.39	33.00	7.29	34.24
PK	5.534G	113.76	Inf	-Inf	6.10	3	Horizontal	328	1.59	107.66	33.00	7.35	34.25
PK	5.732G	58.22	68.20	-9.98	6.97	3	Horizontal	328	1.59	51.25	33.83	7.45	34.31