























APPENDIX D - RADIATED SPURIOUS EMISSIONS (9KHZ TO 30MHZ)

Test Mode	TX Mode
-----------	---------

Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		0.0128	37.60	16.67	54.27	125.46	-71.19	AVG		
2	*	0.0185	45.50	14.88	60.38	122.26	-61.88	AVG		
3		0.0192	43.20	14.66	57.86	121.94	-64.08	AVG		

Test Mode	TX Mode
-----------	---------


Ant 0°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	2.2132	37.50	12.18	49.68	69.54	-19.86	QP		
2		2.9776	31.50	11.96	43.46	69.54	-26.08	QP		
3		6.3860	30.60	12.13	42.73	69.54	-26.81	QP		

Test Mode	TX Mode
-----------	---------


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		0.0180	44.33	15.04	59.37	122.50	-63.13	AVG		
2	*	0.0187	45.20	14.82	60.02	122.17	-62.15	AVG		
3		0.0191	45.10	14.69	59.79	121.98	-62.19	AVG		

Test Mode	TX Mode
-----------	---------


Ant 90°



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		1.8000	32.20	12.39	44.59	69.54	-24.95	QP		
2	*	2.1898	34.40	12.19	46.59	69.54	-22.95	QP		
3		3.4174	32.60	11.99	44.59	69.54	-24.95	QP		

APPENDIX E - RADIATED SPURIOUS EMISSIONS (30MHZ TO 1GHZ)


Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		78.500	-51.61	-17.45	-69.06	-25.00	-44.06	peak	
2		94.020	-54.20	-15.36	-69.56	-25.00	-44.56	peak	
3		176.470	-60.04	-12.54	-72.58	-25.00	-47.58	peak	
4		461.165	-66.01	-7.56	-73.57	-25.00	-48.57	peak	
5		656.135	-64.17	-4.18	-68.35	-25.00	-43.35	peak	
6	*	948.105	-66.61	0.08	-66.53	-25.00	-41.53	peak	


Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		74.620	-56.91	-16.77	-73.68	-25.00	-48.68	peak	
2		194.900	-58.70	-14.44	-73.14	-25.00	-48.14	peak	
3		305.480	-61.32	-10.92	-72.24	-25.00	-47.24	peak	
4		458.255	-62.58	-7.57	-70.15	-25.00	-45.15	peak	
5		564.955	-65.75	-6.37	-72.12	-25.00	-47.12	peak	
6	*	948.105	-66.45	0.08	-66.37	-25.00	-41.37	peak	


Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		50.855	-56.32	-13.60	-69.92	-25.00	-44.92	peak	
2		159.980	-62.51	-10.67	-73.18	-25.00	-48.18	peak	
3		193.930	-59.32	-14.37	-73.69	-25.00	-48.69	peak	
4		451.465	-66.38	-7.62	-74.00	-25.00	-49.00	peak	
5		629.945	-63.53	-4.70	-68.23	-25.00	-43.23	peak	
6 *		948.105	-67.40	0.08	-67.32	-25.00	-42.32	peak	


Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1	*	122.150	-54.61	-12.73	-67.34	-25.00	-42.34	peak	
2		192.960	-57.52	-14.31	-71.83	-25.00	-46.83	peak	
3		305.480	-61.45	-10.92	-72.37	-25.00	-47.37	peak	
4		456.315	-62.56	-7.58	-70.14	-25.00	-45.14	peak	
5		833.645	-67.34	-2.00	-69.34	-25.00	-44.34	peak	
6		948.105	-67.52	0.08	-67.44	-25.00	-42.44	peak	

Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		50.855	-55.96	-13.60	-69.56	-25.00	-44.56	peak	
2		188.595	-60.22	-13.91	-74.13	-25.00	-49.13	peak	
3		260.375	-62.38	-12.24	-74.62	-25.00	-49.62	peak	
4		430.610	-65.15	-8.17	-73.32	-25.00	-48.32	peak	
5		641.585	-63.42	-4.45	-67.87	-25.00	-42.87	peak	
6	*	948.105	-65.92	0.08	-65.84	-25.00	-40.84	peak	

Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1		194.900	-57.68	-14.44	-72.12	-25.00	-47.12	peak	
2		305.480	-61.43	-10.92	-72.35	-25.00	-47.35	peak	
3		423.820	-62.06	-8.35	-70.41	-25.00	-45.41	peak	
4		557.195	-65.71	-6.59	-72.30	-25.00	-47.30	peak	
5		767.685	-68.49	-2.96	-71.45	-25.00	-46.45	peak	
6	*	948.105	-67.40	0.08	-67.32	-25.00	-42.32	peak	

Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		50.370	-56.24	-13.56	-69.80	-25.00	-44.80	peak	
2		135.245	-60.12	-12.65	-72.77	-25.00	-47.77	peak	
3		193.930	-58.68	-14.37	-73.05	-25.00	-48.05	peak	
4		456.315	-62.71	-7.58	-70.29	-25.00	-45.29	peak	
5		642.555	-64.12	-4.43	-68.55	-25.00	-43.55	peak	
6	*	948.105	-65.28	0.08	-65.20	-25.00	-40.20	peak	


Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.045	-59.92	-17.20	-77.12	-25.00	-52.12	peak	
2		191.020	-58.25	-14.16	-72.41	-25.00	-47.41	peak	
3		305.480	-60.99	-10.92	-71.91	-25.00	-46.91	peak	
4		458.740	-61.67	-7.57	-69.24	-25.00	-44.24	peak	
5		567.380	-65.57	-6.30	-71.87	-25.00	-46.87	peak	
6	*	948.105	-68.17	0.08	-68.09	-25.00	-43.09	peak	

Test Mode	LTE Band 40(2305-2315MHz)_TX CH38750_5M
-----------	---


Vertical



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		49.885	-56.23	-13.54	-69.77	-13.00	-56.77	peak	
2		90.140	-57.05	-15.71	-72.76	-13.00	-59.76	peak	
3		157.070	-63.09	-11.05	-74.14	-13.00	-61.14	peak	
4		195.870	-59.50	-14.52	-74.02	-13.00	-61.02	peak	
5	*	632.855	-63.90	-4.64	-68.54	-13.00	-55.54	peak	
6		948.105	-70.16	0.08	-70.08	-13.00	-57.08	peak	


Test Mode	LTE Band 40(2305-2315MHz)_TX CH38750_5M
-----------	---

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		77.530	-61.46	-17.29	-78.75	-13.00	-65.75	peak	
2		123.120	-63.37	-12.74	-76.11	-13.00	-63.11	peak	
3		159.495	-64.73	-10.74	-75.47	-13.00	-62.47	peak	
4		191.020	-58.66	-14.16	-72.82	-13.00	-59.82	peak	
5	*	459.225	-62.51	-7.57	-70.08	-13.00	-57.08	peak	
6		950.530	-70.51	0.15	-70.36	-13.00	-57.36	peak	

Test Mode	LTE Band 40(2305-2315MHz)_TX CH38750_10M
-----------	--




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		55.220	-57.85	-13.68	-71.53	-13.00	-58.53	peak	
2		90.625	-58.39	-15.67	-74.06	-13.00	-61.06	peak	
3		161.435	-63.53	-10.88	-74.41	-13.00	-61.41	peak	
4		192.960	-59.99	-14.31	-74.30	-13.00	-61.30	peak	
5		451.465	-65.63	-7.62	-73.25	-13.00	-60.25	peak	
6	*	652.740	-64.27	-4.22	-68.49	-13.00	-55.49	peak	

Test Mode	LTE Band 40(2305-2315MHz)_TX CH38750_10M
-----------	--




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.530	-58.35	-17.29	-75.64	-13.00	-62.64	peak	
2		194.415	-57.79	-14.40	-72.19	-13.00	-59.19	peak	
3		305.480	-62.40	-10.92	-73.32	-13.00	-60.32	peak	
4		453.405	-61.86	-7.61	-69.47	-13.00	-56.47	peak	
5		676.020	-68.25	-3.91	-72.16	-13.00	-59.16	peak	
6	*	948.105	-64.55	0.08	-64.47	-13.00	-51.47	peak	

Test Mode	LTE Band 40(2350-2360MHz)_TX CH39200_5M
-----------	---




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin		
		MHz	Level	Factor	ment			Detector	Comment
			dBm	dB	dBm	dBm	dB		
1		87.230	-51.44	-16.29	-67.73	-13.00	-54.73	peak	
2		195.870	-59.50	-14.52	-74.02	-13.00	-61.02	peak	
3	*	319.060	-52.03	-10.70	-62.73	-13.00	-49.73	peak	
4		451.465	-65.52	-7.62	-73.14	-13.00	-60.14	peak	
5		652.740	-64.20	-4.22	-68.42	-13.00	-55.42	peak	
6		948.105	-65.66	0.08	-65.58	-13.00	-52.58	peak	

Test Mode	LTE Band 40(2350-2360MHz)_TX CH39200_5M
-----------	---




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		159.980	-64.21	-10.67	-74.88	-13.00	-61.88	peak	
2		193.930	-57.60	-14.37	-71.97	-13.00	-58.97	peak	
3		305.480	-61.40	-10.92	-72.32	-13.00	-59.32	peak	
4		454.860	-62.17	-7.60	-69.77	-13.00	-56.77	peak	
5		666.805	-69.25	-4.03	-73.28	-13.00	-60.28	peak	
6	*	948.105	-66.84	0.08	-66.76	-13.00	-53.76	peak	

Test Mode	LTE Band 40(2350-2360MHz)_TX CH39200_10M
-----------	--




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		49.885	-56.70	-13.54	-70.24	-13.00	-57.24	peak	
2		88.200	-57.39	-16.09	-73.48	-13.00	-60.48	peak	
3		192.960	-58.49	-14.31	-72.80	-13.00	-59.80	peak	
4		416.060	-64.49	-8.57	-73.06	-13.00	-60.06	peak	
5		638.675	-63.80	-4.51	-68.31	-13.00	-55.31	peak	
6 *		948.105	-66.23	0.08	-66.15	-13.00	-53.15	peak	

Test Mode	LTE Band 40(2350-2360MHz)_TX CH39200_10M
-----------	--




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		77.530	-58.35	-17.29	-75.64	-13.00	-62.64	peak	
2		194.415	-57.79	-14.40	-72.19	-13.00	-59.19	peak	
3		305.480	-62.40	-10.92	-73.32	-13.00	-60.32	peak	
4		453.405	-61.86	-7.61	-69.47	-13.00	-56.47	peak	
5		676.020	-68.25	-3.91	-72.16	-13.00	-59.16	peak	
6	*	948.105	-64.55	0.08	-64.47	-13.00	-51.47	peak	

Test Mode	LTE Band 41_TX CH40620_5M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Detector	Comment
		MHz	dBm	dB	dBm	dBm	dB		
1		51.340	-56.19	-13.64	-69.83	-25.00	-44.83	peak	
2		127.485	-59.89	-12.74	-72.63	-25.00	-47.63	peak	
3		193.930	-59.11	-14.37	-73.48	-25.00	-48.48	peak	
4		427.700	-64.88	-8.24	-73.12	-25.00	-48.12	peak	
5		662.440	-63.63	-4.10	-67.73	-25.00	-42.73	peak	
6	*	948.105	-67.54	0.08	-67.46	-25.00	-42.46	peak	

Test Mode	LTE Band 41_TX CH40620_5M
-----------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		195.870	-57.01	-14.52	-71.53	-25.00	-46.53	peak	
2		305.480	-60.85	-10.92	-71.77	-25.00	-46.77	peak	
3		452.435	-62.67	-7.62	-70.29	-25.00	-45.29	peak	
4		646.920	-68.11	-4.34	-72.45	-25.00	-47.45	peak	
5		822.975	-69.01	-2.17	-71.18	-25.00	-46.18	peak	
6	*	948.105	-66.54	0.08	-66.46	-25.00	-41.46	peak	

Test Mode	LTE Band 41_TX CH40620_20M
-----------	----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1		50.855	-55.64	-13.60	-69.24	-25.00	-44.24	peak	
2		194.900	-57.73	-14.44	-72.17	-25.00	-47.17	peak	
3	*	233.215	-51.30	-13.77	-65.07	-25.00	-40.07	peak	
4		429.155	-65.60	-8.20	-73.80	-25.00	-48.80	peak	
5		661.955	-63.87	-4.10	-67.97	-25.00	-42.97	peak	
6		948.105	-66.27	0.08	-66.19	-25.00	-41.19	peak	


Test Mode	LTE Band 41_TX CH40620_20M
-----------	----------------------------



No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1		146.400	-63.27	-12.18	-75.45	-25.00	-50.45	peak	
2		194.900	-55.92	-14.44	-70.36	-25.00	-45.36	peak	
3		305.480	-61.02	-10.92	-71.94	-25.00	-46.94	peak	
4		450.495	-62.95	-7.64	-70.59	-25.00	-45.59	peak	
5		631.885	-68.25	-4.67	-72.92	-25.00	-47.92	peak	
6	*	948.105	-68.15	0.08	-68.07	-25.00	-43.07	peak	

APPENDIX F - RADIATED SPURIOUS EMISSIONS (ABOVE 1GHZ)


Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	10129.000	-51.94	12.14	-39.80	-25.00	-14.80	peak	

Test Mode	LTE Band 7_TX CH21100_5M
-----------	--------------------------


Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14362.000	-57.49	18.22	-39.27	-25.00	-14.27	peak	


Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------

Vertical




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	10129.000	-52.53	12.14	-40.39	-25.00	-15.39	peak	

Test Mode	LTE Band 7_TX CH21100_20M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14387.500	-57.72	18.20	-39.52	-25.00	-14.52	peak	

Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14578.750	-56.61	17.83	-38.78	-25.00	-13.78	peak	

Test Mode	LTE Band 38_TX CH38000_5M
-----------	---------------------------




No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	10129.000	-53.73	12.14	-41.59	-25.00	-16.59	peak	

Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14464.000	-57.43	18.14	-39.29	-25.00	-14.29	peak	

Test Mode	LTE Band 38_TX CH38000_20M
-----------	----------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14515.000	-56.88	18.07	-38.81	-25.00	-13.81	peak	


Test Mode	LTE Band 40(2305-2315MHz)_TX CH38750_5M
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4595.500	-55.68	15.58	-40.10	-13.00	-27.10	peak	


Test Mode	LTE Band 40(2305-2315MHz)_TX CH38750_5M
-----------	---

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4582.750	-58.75	15.54	-43.21	-13.00	-30.21	peak	


Test Mode	LTE Band 40(2305-2315MHz)_TX CH38750_10M
-----------	--



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4608.250	-58.22	15.62	-42.60	-13.00	-29.60	peak	


Test Mode	LTE Band 40(2305-2315MHz)_TX CH38750_10M
-----------	--

Horizontal



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4595.500	-59.62	15.58	-44.04	-13.00	-31.04	peak	


Test Mode	LTE Band 40(2350-2360MHz)_TX CH39200_5M
-----------	---



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4697.500	-59.08	15.85	-43.23	-13.00	-30.23	peak	


Test Mode	LTE Band 40(2350-2360MHz)_TX CH39200_5M
-----------	---

Horizontal




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4697.500	-62.00	15.85	-46.15	-13.00	-33.15	peak	

Test Mode	LTE Band 40(2350-2360MHz)_TX CH39200_10M
-----------	--




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4697.500	-61.00	15.85	-45.15	-13.00	-32.15	peak	

Test Mode	LTE Band 40(2350-2360MHz)_TX CH39200_10M
-----------	--




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	4684.750	-60.73	15.83	-44.90	-13.00	-31.90	peak	

Test Mode	LTE Band 41_TX CH40620_5M
-----------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	14094.250	-57.50	18.40	-39.10	-25.00	-14.10	peak	


Test Mode	LTE Band 41_TX CH40620_5M
-----------	---------------------------



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
		MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1	*	13941.250	-57.38	18.26	-39.12	-25.00	-14.12	peak	


Test Mode	LTE Band 41_TX CH40620_20M
-----------	----------------------------

Vertical




No. Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin		
	MHz	dBm	dB	dBm	dBm	dB	Detector	Comment
1 *	7770.250	-50.99	10.45	-40.54	-25.00	-15.54	peak	


Test Mode	LTE Band 41_TX CH40620_20M
-----------	----------------------------





No.	Mk.	Freq. MHz	Reading Level dBm	Correct Factor dB	Measure- ment dBm	Limit dBm	Margin dB	Detector	Comment
1	*	16287.250	-55.26	16.65	-38.61	-25.00	-13.61	peak	

APPENDIX G - BAND EDGE









LTE Band 38_5M Spectrum Plot

1RB#0



1RB#24

Channel

37775

Channel

38225







25RB#0


Channel


37775


Channel

38225









LTE Band 40(2305-2315MHz)_5M Spectrum Plot

