

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 1 of 44

TEST REPORT

Application No.: FYCR2210000421AT **Applicant:** Scosche Industries Inc

Address of Applicant: 1550 Pacific Ave Oxnard California 93033 United States

Manufacturer: Scosche Industries Inc

Address of Manufacturer: 1550 Pacific Ave Oxnard California 93033 United States
Factory: AQUILSTAR TECHNOLOGY (VIET NAM) CO., LTD

Address of Factory: Hamlet Ve, Dong Tam Commune, Ninh Giang District, Hai Duong Province,

Viet Nam.

Equipment Under Test (EUT):

Trade Mark:

EUT Name:BaseLynx 2.0 2-in-1 Stand 2-in-1 Charging Stand with MagSafe® **Model No.:**BL2MSiQ, BL2MSiQWT-AP, BL2MSiQWT-XV, BL2MSQ

Please refer to section 2 of this report which indicates which model was

actual tested and which were electrically identical.

(/) SCOSCHE

FCC ID: IKQBL2MSIQ

Standard(s): 47 CFR Part 15, Subpart C

Date of Receipt: 2022-10-27

Date of Test: 2024-01-03 to 2024-01-15

Date of Issue: 2024-01-17

Test Result: Pass*

Winkey Wang

Winkey Wang

EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Ferms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Ferms-and-Conditions-And-Ferms-and-Conditions-And-Ferms-and-Conditi

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 2 of 44

	Revision Record					
Version	Version Chapter Date Modifier Remark					
01		2024-01-17		Original		

Authorized for issue by:		
	(ree 2han	
	Tree Zhan/Project Engineer	
	WinkeyWang	
	Winkey Wang/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CN Descherciffsus cond.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 3 of 44

2 Test Summary

Radio Spectrum Technical Requirement					
Item Standard Method Requirement Resul					
Antenna Requirement	47 CFR Part 15, Subpart C	N/A	47 CFR Part 15, Subpart C 15.203	Pass	

Radio Spectrum Matter Part						
Item	Standard	Method	Requirement	Result		
Conducted Emissions at AC Mains Power Port (150kHz-30MHz)		ANSI C63.10 (2013) Section 6.2	47 CFR Part 15, Subpart C 15.207	Pass		
Radiated Emissions (30MHz-1GHz)		ANSI C63.10 (2013) Section 6.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		
Radiated Emissions (9kHz-30MHz)	47 CFR Part 15, Subpart C	ANSI C63.10 (2013) Section 6.4	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		
20dB Bandwidth		ANSI C63.10 (2013) Section 6.9.2	47 CFR Part 15, Subpart C 15.215	Pass		
Restricted Bands		ANSI C63.10 (2013) Section 6.10.5	47 CFR Part 15, Subpart C 15.205	Pass		

Declaration of EUT Family Grouping:

Model No.: BL2MSiQ, BL2MSiQWT-AP, BL2MSiQWT-XV, BL2MSQ

Only the model BL2MSiQ was tested, since according to the declaration from the applicant, the electrical circuit design, PCB layout, components used and internal wiring and functions were identical for the above models, with only difference on color and market needs.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 4 of 44

3 Contents

		Page
1	COVER PAGE	1
2	TEST SUMMARY	3
3	CONTENTS	4
4		
	4.1 DETAILS OF E.U.T.	€
	4.2 DESCRIPTION OF SUPPORT UNITS	
	4.3 MEASUREMENT UNCERTAINTY	
	4.4 TEST LOCATION	
	4.5 TEST FACILITY	
	4.6 DEVIATION FROM STANDARDS	
	4.7 ABNORMALITIES FROM STANDARD CONDITIONS	
5	EQUIPMENT LIST	8
_	DADIO ODECTRIMI TECUNICAL DECUMPENTA	40
6		
	6.1 Antenna Requirement	
	6.1.1 Test Requirement:	
	6.1.2 Conclusion	10
7	RADIO SPECTRUM MATTER TEST RESULTS	11
	7.1 CONDUCTED EMISSIONS AT AC MAINS POWER PORT (150kHz-30MHz)	11
	7.1.1 E.U.T. Operation	
	7.1.2 Test Mode Description	
	7.1.3 Test Setup Diagram	12
	7.1.4 Measurement Procedure and Data	12
	7.2 RADIATED EMISSIONS (30MHz-1GHz)	23
	7.2.1 E.U.T. Operation	
	7.2.2 Test Mode Description	
	7.2.3 Test Setup Diagram	
	7.2.4 Measurement Procedure and Data	
	7.3 RADIATED EMISSIONS (9KHz-30MHz)	
	7.3.1 E.U.T. Operation	
	7.3.2 Test Mode Description	
	7.3.3 Test Setup Diagram	
	7.3.4 Measurement Procedure and Data	
	7.4 20DB BANDWIDTH	
	7.4.1 E.U.T. Operation	
	7.4.2 Test Mode Description	
	7.4.3 Test Setup Diagram	
	7.4.4 Measurement Procedure and Data	
	7.5.1 E.U.T. Operation	40



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apg. and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.apg.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest entry of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sss.com; or certificate, please accontact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sss.com; or certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Deccheck@sss.com; or certificate, please accontact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report N	lo.: FYC	R22100	0042101
----------	----------	--------	---------

Page: 5 of 44

9	9 EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)			
8	TEST SETUP PHOTO	44		
	Output 2			
	7.5.4 Measurement Procedure and Data			
	7.5.3 Test Setup Diagram			
	7.5.2 Test Mode Description	40		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CN Descherciffsus cond.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 6 of 44

4 General Information

4.1 Details of E.U.T.

Power supply:	AC Socket Input: 100-240V~50/60Hz 2.5A	
	iPhone: 15W	
	AirPods: 5W	
Test Voltage:	AC 120V/60Hz	
Cable(s):	AC cable: 180cm shielded	
Declared Fraguency Pange	110.1kHz to 149kHz	
Declared Frequency Range	360KHz	
	Coil 1(iPhone): 126.6kHz to 128.9kHz (for iPhone 8)	
Test Frequency Range	358.88kHz to 361.12kHz (for iPhone 13)	
	Coil 2(AirPods): 110.20kHz to 146.60kHz	
Modulation type:	Load modulation	
Antenna type:	Loop Antenna	

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

-	i		
Description	Manufacturer	Model No.	Serial No.
iPhone 8	Apple	A1863	REF. No.SEA16J00
iPhone 13	Apple	MGGU3CH/A	REF. No.SEA16M00
Earphone	Apple	A2566	REF. No.SEA10D00

4.3 Measurement Uncertainty

Test Item	Measurement Uncertainty
Conducted Emissions at AC Mains Power Port (150kHz-30MHz)	± 2.1 dB (9kHz to 30MHz)
Radiated Emissions (30MHz-1GHz)	± 5.6dB
Radiated Emissions (9kHz-30MHz)	± 2.7dB
20dB Bandwidth	± 0.3%
Restricted Bands	± 0.3%

Remark:

The Ulab (lab Uncertainty) is less than Ucispr/ETSI (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 7 of 44

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China

Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 8 of 44

5 Equipment List

Conducted Emissions at AC Mains Power Port (150kHz-30MHz)					
Equipment Manufacturer Model No. Inventory No. Cal Date Cal Due					
Shielding Room	CRT	N/A	SEM001-14	2021/7/13	2024/7/12
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-01	2023/7/11	2024/7/10
Two-Line V-Network	Rohde & Schwarz	ENV216	SEM007-16	2023/7/11	2024/7/10
Two-Line V-Network	Dobdo 9 Cobwerz	ECU10. 75	CEM007.00	2023/1/9	2024/1/8
	Rohde & Schwarz	ESH3-Z5	SEM007-22	2024/1/8	2025/1/7

Radiated Emissions (30MHz-1GHz)					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12
MXE EMI receiver	Agilent	N9038A	SEM004-05	2023/7/11	2024/7/10
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25
Double-ridged waveguide horn	ETS-LINDGREN	3117	SEM003-34	2021/9/25	2024/9/24
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-23	2023/4/23	2024/4/22
Pre-amplifier	Rohde & Schwarz	CH14-H052	SEM005-17	2023/7/11	2024/7/10

Radiated Emissions (9kHz-30MHz)										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12					
Loop Antenna	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25					
MXE EMI receiver	Agilent	N9038A	SEM004-05	2023/7/11	2024/7/10					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remails CND Rocebeck@sas.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 9 of 44

20dB Bandwidth					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2023/5/29	2024/5/28

Restricted Bands					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2023/5/29	2024/5/28

General used equipment										
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date					
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2023/7/11	2024/7/10					
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2023/7/11	2024/7/10					
Barometer	DUMAI	DYM3	SEM002-24	2023/7/11	2024/7/10					



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest ent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, remail: CN Descherciffsus cond.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 10 of 44

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit permanently attached antenna or of an so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. Refer to internal photos



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.apxx.and. for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions/Terms-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 11 of 44

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Mains Power Port (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

Everyoney of emission/MH=)	Conducted limit(dBµV)						
Frequency of emission(MHz)	Quasi-peak	Average					
0.15-0.5	66 to 56*	56 to 46*					
0.5-5	56	46					
5-30	60	50					
*Decreases with the logarithm of the frequency.							

7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 23.1 °C Humidity: 52.4 % RH Atmospheric Pressure: 1020 mbar

7.1.2 Test Mode Description

THE TOOLINGGO BOOCHPRON								
Pre-scan / Final test	Mode Code	Description						
Final test	00	Charging_Keep the EUT working in charge mode (Coil 1 7.5W)						
Final test	01	Charging_Keep the EUT working in charge mode (Coil 1 15W)						
Final test	02	Charging_Keep the EUT working in charge mode (Coil 2 5W)						
Final test	03	Charging_Keep the EUT working in charge mode (Coil 1 7.5W+ Coil 2 5W)						
Final test	04	Charging_Keep the EUT working in charge mode (Coil 1 15W+ Coil 2 5W)						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 12 of 44

7.1.3 Test Setup Diagram



7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$ linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane,
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 13 of 44

Test Mode: 00; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00421AT

Test mode: 00

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1615	0.02	0.25	41.52	41.79	55.38	-13.59	Average
2	0.1615	0.02	0.25	56.29	56.56	65.38	-8.82	QP
3	0.1659	0.02	0.25	43.32	43.59	55.16	-11.57	Average
4	0.1659	0.02	0.25	55.91	56.18	65.16	-8.98	QP
5	0.2174	0.02	0.26	31.92	32.20	52.92	-20.72	Average
6	0.2174	0.02	0.26	48.71	48.99	62.92	-13.93	QP
7	0.4374	0.02	0.27	21.91	22.20	47.11	-24.91	Average
8	0.4374	0.02	0.27	39.14	39.43	57.11	-17.68	QP
9	0.5047	0.01	0.27	22.56	22.84	46.00	-23.16	Average
10	0.5047	0.01	0.27	35.46	35.74	56.00	-20.26	QP
11	1.3168	0.02	0.18	14.18	14.38	46.00	-31.62	Average
12	1.3168	0.02	0.18	31.71	31.91	56.00	-24.09	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 14 of 44

Test Mode: 00; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00421AT

Test mode: 00

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1924	0.02	0.29	40.77	41.08	53.93	-12.85	Average
2	0.1924	0.02	0.29	47.34	47.65	63.93	-16.28	QP
3	0.2909	0.03	0.28	29.31	29.62	50.50	-20.88	Average
4	0.2909	0.03	0.28	37.94	38.25	60.50	-22.25	QP
5	0.4374	0.02	0.27	36.58	36.87	47.11	-10.24	Average
6	0.4374	0.02	0.27	41.77	42.06	57.11	-15.05	QP
7	0.5293	0.02	0.25	30.66	30.93	46.00	-15.07	Average
8	0.5293	0.02	0.25	43.07	43.34	56.00	-12.66	QP
9	0.5916	0.05	0.21	29.59	29.85	46.00	-16.15	Average
10	0.5916	0.05	0.21	40.02	40.28	56.00	-15.72	QP
11	1.3168	0.02	0.09	16.89	17.00	46.00	-29.00	Average
12	1.3168	0.02	0.09	31.80	31.91	56.00	-24.09	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.and.for electronic format documents as the state of the stat




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 15 of 44

Test Mode: 01; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00421AT

Test mode: 01

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1659	0.02	0.25	43.24	43.51	55.16		Average
2	0.1659	0.02	0.25	55.05	55.32	65.16	-9.84	QP
3	0.2292	0.02	0.26	30.20	30.48	52.48	-22.00	Average
4	0.2292	0.02	0.26	46.37	46.65	62.48	-15.83	QP
5	0.4374	0.02	0.27	18.01	18.30	47.11	-28.81	Average
6	0.4374	0.02	0.27	39.49	39.78	57.11	-17.33	QP
7	0.4837	0.01	0.27	26.14	26.42	46.27	-19.85	Average
8	0.4837	0.01	0.27	38.79	39.07	56.27	-17.20	QP
9	1.0265	0.03	0.19	24.56	24.78	46.00	-21.22	Average
10	1.0265	0.03	0.19	29.17	29.39	56.00	-26.61	QP
11	1.6020	0.02	0.18	13.87	14.07	46.00	-31.93	Average
12	1.6020	0.02	0.18	29.45	29.65	56.00	-26.35	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 16 of 44

Test Mode: 01; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00421AT

Test mode: 01

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
	0.4750			40.75				
1	0.1758	0.02	0.30	19.75	20.07	54.68	-34.61	Average
2	0.1758	0.02	0.30	37.22	37.54	64.68	-27.14	QP
3	0.1986	0.02	0.29	35.28	35.59	53.67	-18.08	Average
4	0.1986	0.02	0.29	45.72	46.03	63.67	-17.64	QP
5	0.5436	0.03	0.24	28.03	28.30	46.00	-17.70	Average
6	0.5436	0.03	0.24	41.66	41.93	56.00	-14.07	QP
7	1.0211	0.03	0.06	15.65	15.74	46.00	-30.26	Average
8	1.0211	0.03	0.06	31.48	31.57	56.00	-24.43	QP
9	1.3098	0.02	0.09	16.41	16.52	46.00	-29.48	Average
10	1.3098	0.02	0.09	31.82	31.93	56.00	-24.07	QP
11	1.8979	0.01	0.12	23.29	23.42	46.00	-22.58	Average
12	1.8979	0.01	0.12	32.02	32.15	56.00	-23.85	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 17 of 44

Test Mode: 02; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00421AT

Test mode: 02

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.4351	0.02	0.27	34.66	34.95	47.15	-12.20	Average
2	0.4351	0.02	0.27	31.43	31.72	57.15	-25.43	QP
3	0.5552	0.03	0.25	22.26	22.54	46.00	-23.46	Average
4	0.5552	0.03	0.25	30.70	30.98	56.00	-25.02	QP
5	1.0211	0.03	0.19	28.89	29.11	46.00	-16.89	Average
6	1.0211	0.03	0.19	24.86	25.08	56.00	-30.92	QP
7	1.3168	0.02	0.18	2.11	2.31	46.00	-43.69	Average
8	1.3168	0.02	0.18	27.38	27.58	56.00	-28.42	QP
9	1.6020	0.02	0.18	25.73	25.93	46.00	-20.07	Average
10	1.6020	0.02	0.18	21.63	21.83	56.00	-34.17	QP
11	3.0738	0.02	0.14	-3.26	-3.10	46.00	-49.10	Average
12	3.0738	0.02	0.14	12.67	12.83	56.00	-43.17	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.and.for electronic format documents as the state of the stat




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 18 of 44

Test Mode: 02; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00421AT

Test mode: 02

	Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.2508	0.03	0.29	19.91	20.23	51.73	-31.50	Average
2	0.2508	0.03	0.29	32.11	32.43	61.73	-29.30	QP
3	0.4374	0.02	0.27	37.80	38.09	47.11	-9.02	Average
4	0.4374	0.02	0.27	35.90	36.19	57.11	-20.92	QP
5	0.5523	0.03	0.24	12.23	12.50	46.00	-33.50	Average
6	0.5523	0.03	0.24	31.77	32.04	56.00	-23.96	QP
7	1.0211	0.03	0.06	29.10	29.19	46.00	-16.81	Average
8	1.0211	0.03	0.06	26.80	26.89	56.00	-29.11	QP
9	1.3098	0.02	0.09	27.50	27.61	46.00	-18.39	Average
10	1.3098	0.02	0.09	26.09	26.20	56.00	-29.80	QP
11	1.6020	0.02	0.11	26.59	26.72	46.00	-19.28	Average
12	1.6020	0.02	0.11	24.40	24.53	56.00	-31.47	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, riggery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) lested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CAD Doccheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 19 of 44

Test Mode: 03; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00421AT

Test mode: 03

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1590	0.02	0.25	42.76	43.03	55.52	-12.49	Average
2	0.1590	0.02	0.25	52.89	53.16	65.52	-12.36	QP
3	0.1965	0.02	0.26	6.79	7.07	53.76	-46.69	Average
4	0.1965	0.02	0.26	22.02	22.30	63.76	-41.46	QP
5	0.4397	0.02	0.27	18.06	18.35	47.07	-28.72	Average
6	0.4397	0.02	0.27	37.00	37.29	57.07	-19.78	QP
7	0.5493	0.03	0.26	23.76	24.05	46.00	-21.95	Average
8	0.5493	0.03	0.26	36.98	37.27	56.00	-18.73	QP
9	1.3098	0.02	0.18	13.81	14.01	46.00	-31.99	Average
10	1.3098	0.02	0.18	28.37	28.57	56.00	-27.43	QP
11	1.6020	0.02	0.18	24.00	24.20	46.00	-21.80	Average
12	1.6020	0.02	0.18	27.59	27.79	56.00	-28.21	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.and.for electronic format documents as the state of the stat




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 20 of 44

Test Mode: 03; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00421AT

Test mode: 03

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1884	0.02	0.29	41.38	41.69	54.11	-12.42	Average
2	0.1884	0.02	0.29	47.36	47.67	64.11	-16.44	QP
3	0.2329	0.02	0.29	28.19	28.50	52.35	-23.85	Average
4	0.2329	0.02	0.29	39.72	40.03	62.35	-22.32	QP
5	0.4374	0.02	0.27	28.45	28.74	47.11	-18.37	Average
6	0.4374	0.02	0.27	42.03	42.32	57.11	-14.79	QP
7	0.5407	0.03	0.24	28.40	28.67	46.00	-17.33	Average
8	0.5407	0.03	0.24	41.61	41.88	56.00	-14.12	QP
9	0.5885	0.05	0.22	29.02	29.29	46.00	-16.71	Average
10	0.5885	0.05	0.22	40.03	40.30	56.00	-15.70	QP
11	0.8664	0.03	0.10	23.69	23.82	46.00	-22.18	Average
12	0.8664	0.03	0.10	34.24	34.37	56.00	-21.63	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.and.for electronic format documents as the state of the stat




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 21 of 44

Test Mode: 04; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00421AT

Test mode: 04

	Frea	Cable	LISN Factor	Read Level	Level	Limit Line	Over	Remark
	1164			Level	Level	LINE		Melliai K
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.1668	0.02	0.25	43.02	43.29	55.12	-11.83	Average
2	0.1668	0.02	0.25	53.96	54.23	65.12	-10.89	QP
3	0.2687	0.03	0.26	25.66	25.95	51.16	-25.21	Average
4	0.2687	0.03	0.26	40.73	41.02	61.16	-20.14	QP
5	0.3997	0.03	0.27	26.17	26.47	47.86	-21.39	Average
6	0.3997	0.03	0.27	39.20	39.50	57.86	-18.36	QP
7	0.4374	0.02	0.27	17.80	18.09	47.11	-29.02	Average
8	0.4374	0.02	0.27	37.45	37.74	57.11	-19.37	QP
9	0.5493	0.03	0.26	24.86	25.15	46.00	-20.85	Average
10	0.5493	0.03	0.26	37.15	37.44	56.00	-18.56	QP
11	1.6020	0.02	0.18	13.15	13.35	46.00	-32.65	Average
12	1.6020	0.02	0.18	28.40	28.60	56.00	-27.40	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 22 of 44

Test Mode: 04; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00421AT

Test mode: 04

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
	0.4555		0.70	40.70	42.40		40 55	
1	0.1565	0.02	0.30	12.78	13.10	55.65	-42.55	Average
2	0.1565	0.02	0.30	37.54	37.86	65.65	-27.79	QP
3	0.2672	0.03	0.28	22.87	23.18	51.20	-28.02	Average
4	0.2672	0.03	0.28	37.05	37.36	61.20	-23.84	QP
5	0.4374	0.02	0.27	25.22	25.51	47.11	-21.60	Average
6	0.4374	0.02	0.27	41.55	41.84	57.11	-15.27	QP
7	0.4786	0.01	0.27	23.61	23.89	46.36	-22.47	Average
8	0.4786	0.01	0.27	34.46	34.74	56.36	-21.62	QP
9	0.5378	0.03	0.25	31.23	31.51	46.00	-14.49	Average
10	0.5378	0.03	0.25	42.34	42.62	56.00	-13.38	QP
11	0.5731	0.04	0.23	22.30	22.57	46.00	-23.43	Average
12	0.5731	0.04	0.23	35.09	35.36	56.00	-20.64	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 23 of 44

7.2 Radiated Emissions (30MHz-1GHz)

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.5

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)		
30-88	100	3		
88-216	150	3		
216-960	200	3		
Above 960	500	3		

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector.

7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 22.2 °C Humidity: 51.3 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	00	Charging_Keep the EUT working in charge mode (Coil 1 7.5W)
Pre-scan	01	Charging_Keep the EUT working in charge mode (Coil 1 15W)
Pre-scan	02	Charging_Keep the EUT working in charge mode (Coil 2 5W)
Final test	03	Charging_Keep the EUT working in charge mode (Coil 1 7.5W+ Coil 2 5W)
Final test	04	Charging_Keep the EUT working in charge mode (Coil 1 15W+ Coil 2 5W)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.and.for electronic format documents as the state of the stat




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 24 of 44

7.2.3 Test Setup Diagram



7.2.4 Measurement Procedure and Data

- a. The EUT was placed on the top of a rotating table 0.8 meters above the ground for below 1GHz at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
- i. Repeat above procedures until all frequencies measured was complete.

Remark: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents a thite://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing finspection report & certificate, please contact us at telephone: (86-755) 8307 1443,




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 25 of 44

Test Mode: 03; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00421AT

Mode : 03

1000									
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
-	MHz			——dB		dBuV/m	dBuV/m	——dB	
	PHIZ	ub	ub/iii	ub	ubuv	ubuv/III	ubuv/III	ub	
1	55.609	0.25	17.24	25.85	28.72	20.36	40.00	-19.64	QP
2	110.569	0.94	15.24	25.74	30.15	20.59	43.50	-22.91	QP
3	151.067	0.90	17.41	25.54	35.49	28.26	43.50	-15.24	QP
4	193.095	0.68	15.38	25.38	39.07	29.75	43.50	-13.75	QP
5	229.293	0.79	16.03	25.27	37.20	28.75	46.00	-17.25	QP
6	329.039	1.32	19.48	25.33	33.62	29.09	46.00	-16.91	OP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CVP. Doccheck@ses.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 26 of 44

Test Mode: 03; Polarity: Vertical



Site : chamber Condition: 3m VERTICAL Job No : 00421AT

Mode : 03

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
_									
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	33.680	0.19	15.34	25.89	39.62	29.26	40.00	-10.74	QP
2	43.966	0.22	17.30	25.87	40.30	31.95	40.00	-8.05	QP
3	52.391	0.23	17.28	25.86	43.09	34.74	40.00	-5.26	QP
4	98.487	0.85	14.14	25.80	37.60	26.79	43.50	-16.71	QP
5	195.822	0.69	15.27	25.37	43.17	33.76	43.50	-9.74	QP
6	208.580	0.72	15.47	25.33	43.81	34.67	43.50	-8.83	OP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 27 of 44

Test Mode: 04; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00421AT

Mode : 04

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	56.001	0.25	17.24	25.85	28.45	20.09	40.00	-19.91	QP
2	145.861	0.93	17.43	25.56	32.74	25.54	43.50	-17.96	QP
3	167.237	0.78	16.98	25.47	35.65	27.94	43.50	-15.56	QP
4	195.822	0.69	15.27	25.37	39.09	29.68	43.50	-13.82	QP
5	229.293	0.79	16.03	25.27	35.84	27.39	46.00	-18.61	QP
6	322.189	1.25	19.32	25.28	32.87	28.16	46.00	-17.84	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND occheck@ss.com




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 28 of 44

Test Mode: 04; Polarity: Vertical



Site : chamber Condition: 3m VERTICAL Job No : 00421AT

Mode : 04

		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
_									
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	32.979	0.19	15.24	25.90	39.92	29.45	40.00	-10.55	QP
2	43.812	0.22	17.29	25.87	39.16	30.80	40.00	-9.20	QP
3	53.131	0.24	17.27	25.85	41.42	33.08	40.00	-6.92	QP
4	90.855	0.69	13.70	25.81	37.48	26.06	43.50	-17.44	QP
5	195.822	0.69	15.27	25.37	42.23	32.82	43.50	-10.68	QP
6	209.313	0.72	15.50	25.33	42.40	33.29	43.50	-10.21	OP.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are tested for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND Doccheck@sss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 29 of 44

7.3 Radiated Emissions (9kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.4

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

If field strength is measured at only a single point, then that point shall be at the radial from the EUT that produces the maximum emission at the frequency being measured, as described in 5.4. If that point is closer to the EUT than $\lambda/2\pi$ and the limit distance is greater than $\lambda/2\pi$, the measurement shall be extrapolated to the limit distance by conservatively presuming that the field strength decreases at a 40 dB/decade of distance rate to the $\lambda/2\pi$ distance, and at a 20 dB/decade of distance rate beyond $\lambda/2\pi$. This shall be accomplished using Equation (2):

$$FS_{(10m)} = FS_{(30/300m)} + 40log\{d_{(near field)}/d_{(10m)}\} + 20log\{d_{(30/300m)}/d_{(near field)}\}$$
(2)

If the single point measured is at a distance greater than $\lambda/2\pi$, then extrapolation to the limit distance shall be calculated using Equation (3):

$$FS_{(10m)} = FS_{(30/300m)} + 20log\{d_{(30/300m)}/d_{(10m)}\}$$
(3)

If both the single point and the limit distance are equal to or closer to the EUT than $\lambda/2\pi$, then extrapolation to the limit distance shall be calculated using Equation (4):

$$FS_{(10m)} = FS_{(30/300m)} + 40log\{d_{(30/300m)}/d_{(10m)}\}$$
(4)

Remark:

 $d_{near field} = 47.77 / f_{MHz}$

where f_{MHz} is the frequency of the emission being measured in MHz.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.and-documents subject to Terms and Conditions for Electronic Documents as this trib: http://www.sgs.com/en/Terma-document.aspx.attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 30 of 44

7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 22.2 °C Humidity: 52.0 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Pre-scan	00	Charging_Keep the EUT working in charge mode (Coil 1 7.5W)
Pre-scan	01	Charging_Keep the EUT working in charge mode (Coil 1 15W)
Pre-scan	02	Charging_Keep the EUT working in charge mode (Coil 2 5W)
Final test	03	Charging_Keep the EUT working in charge mode (Coil 1 7.5W+ Coil 2 5W)
Final test	04	Charging_Keep the EUT working in charge mode (Coil 1 15W+ Coil 2 5W)

7.3.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.and.for electronic format documents as the state of the stat



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 31 of 44

7.3.4 Measurement Procedure and Data

- a. All radiated emission measurements in terms of magnetic field strength shall be performed with a shielded loop antenna.
- b. For all radiated emission measurements in terms of magnetic field strength, the loop antenna were placed such that:
- i. its centre shall be at 1.3 m height above the ground plane;
- ii. the projection of its centre onto the ground plane shall be at the specified measurement distance from the projection on the ground plane of the closest point on the boundary of the equipment under test (EUT); and
- iii. measurements shall be performed with the loop antenna placed vertically, in turn, in two polarizations (the measurement axis specified below is the line segment connecting the projections on the ground plane of the centre of the loop antenna and the centre of the EUT arrangement):
- · coaxial (loop plane perpendicular to the ground plane and to the measurement axis); and
- · coplanar (loop plane perpendicular to the ground plane and coplanar with the measurement axis).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, frogery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are readie for 30 days only.


Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN Doccheck@ass.com.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 32 of 44



Condition: 3m Job No. : 00421AT

Test Mode: 03

		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	0.022	0.29	14.18	33.25	76.52	57.74	122.29	-64.55	Average	
2	0.127	0.29	10.43	33.05	116.09	93.76	105.52	-11.76	Average	
3	0.140	0.29	10.43	33.03	120.91	98.60	104.67	-6.07	Average	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 33 of 44



Condition: 3m Job No. : 00421AT

Test Mode: 03

1 2

	Cable	Ant	Preamp	Read		Limit	0ver		
Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
									_
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
0.221	0.28	10.36	32.46	74.81	52.99	100.63	-47.64	Average	
2.310	0.39	10.32	32.44	62.48	40.75	69.54	-28.79	QP	
7.853	0.49	9.55	32.43	61.06	38.67	69.54	-30.87	OP	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 34 of 44



Condition: 3m Job No. : 00421AT

Test Mode: 04

	Freq		Ant Factor						Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	0.014	0.29	17.40	31.05	78.10	64.74	126.47	-61.73	Average	
2	0.032	0.29	12.37	31.63	77.21	58.24	118.74	-60.50	Average	
3	0.140	0.29	10.43	32.47	120.36	98.61	104.67	-6.06	Average	




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 35 of 44



Condition: 3m Job No. : 00421AT

Test Mode: 06

	Freq		Ant Factor						Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	0.360	0.38	10.32	32.46	105.13	83.37	96.44	-13.07	Average
2	2.497	0.40	10.33	32.44	65.93	44.22	69.54	-25.32	QP
3	21.832	0.27	7.31	32.45	54.03	29.16	69.54	-40.38	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 36 of 44

7.4 20dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.215 Test Method: ANSI C63.10 (2013) Section 6.9.2

Limit:

For report reference only

7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 24.0 °C Humidity: 52.0 % RH Atmospheric Pressure: 1020 mbar

7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Charging_Keep the EUT working in charge mode (Coil 1 7.5W)
Final test	01	Charging_Keep the EUT working in charge mode (Coil 1 15W)
Final test	02	Charging_Keep the EUT working in charge mode (Coil 2 5W)
Pre-scan	03	Charging_Keep the EUT working in charge mode (Coil 1 7.5W+ Coil 2 5W)
Pre-scan	04	Charging_Keep the EUT working in charge mode (Coil 1 15W+ Coil 2 5W)

7.4.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.and.for electronic format documents as the state of the stat



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101


Page: 37 of 44

7.4.4 Measurement Procedure and Data Coil 2:











Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an




SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR221000042101

Page: 38 of 44

Coil 1:














Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 39 of 44





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 40 of 44

7.5 Restricted Bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 Test Method: ANSI C63.10 (2013) Section 6.10.5

Limit:

The fundamental wave could not fall in the restricted band 90KHz-110KHz

7.5.1 E.U.T. Operation


Operating Environment:

Temperature: 24.0 °C Humidity: 52.2 % RH Atmospheric Pressure: 1020 mbar

7.5.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	Charging_Keep the EUT working in charge mode (Coil 1 7.5W)
Final test	01	Charging_Keep the EUT working in charge mode (Coil 1 15W)
Final test	02	Charging_Keep the EUT working in charge mode (Coil 2 5W)
Pre-scan	03	Charging_Keep the EUT working in charge mode (Coil 1 7.5W+ Coil 2 5W)
Pre-scan	04	Charging_Keep the EUT working in charge mode (Coil 1 15W+ Coil 2 5W)

7.5.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-e-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

The procedure of the sample of the state of the second of the content or appearance contact us at telephone: (86-755) 8307 1443, remail: CN Docheck@siss.com/procedure/Procedu



SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR221000042101

Page: 41 of 44

Stop 200 kHz

7.5.4 Measurement Procedure and Data

Coil: 2



10 kHz/



Start 100 kHz

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or semile: CAP Descheck@ass.com.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 42 of 44

Coil: 1





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR221000042101

Page: 43 of 44



1 AP VIEW *RBW 1 kHz Marker 1 [T1]

*VBW 3 kHz -31.23 dBm



Center 128 kHz

120

5 kHz/

Span 50 kHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221000042101

Page: 44 of 44

8 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2210000421AT

9 EUT Constructional Details (EUT Photos)

Refer to Appendix - External and Internal Photos for FYCR2210000421AT

- End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.and-do.forelectronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Termd-Conditions/Terms-a-Document.aspx.and-document.as