



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: wireless speaker lamp

Test Model: WL-BTFL-BLK

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.954	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.966	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.949	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.283	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.286	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.284	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.32	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.289	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.296	N/A	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-1.86	21	Pass
NVNT	1-DH5	2441	Ant1	-1.41	21	Pass
NVNT	1-DH5	2480	Ant1	-2.34	21	Pass
NVNT	2-DH5	2402	Ant1	-0.09	21	Pass
NVNT	2-DH5	2441	Ant1	0.33	21	Pass
NVNT	2-DH5	2480	Ant1	-0.6	21	Pass
NVNT	3-DH5	2402	Ant1	0.42	21	Pass
NVNT	3-DH5	2441	Ant1	0.95	21	Pass
NVNT	3-DH5	2480	Ant1	-0.03	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1










Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1











A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.058	2402.974	0.916	0.644	Pass
NVNT	2-DH5	Ant1	2402.024	2403.002	0.978	0.857	Pass
NVNT	3-DH5	Ant1	2402.002	2403.164	1.162	0.880	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs


CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	299.73	103	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	312.984	108	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	312.876	108	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Dwell NVNT 1-DH5 2402MHz Ant1 One Burst



Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated









A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1







A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-54.23	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-54.58	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-51.68	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-53.43	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.44	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-53.54	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref







Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission

















(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-51.96	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-52.6	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-51.39	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-53.83	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-50.94	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-53.65	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission










Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission








Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-53.19	-20	Pass
NVNT	1-DH5	2441	Ant1	-52.89	-20	Pass
NVNT	1-DH5	2480	Ant1	-52.3	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.1	-20	Pass
NVNT	2-DH5	2441	Ant1	-52.78	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.24	-20	Pass
NVNT	3-DH5	2402	Ant1	-52.51	-20	Pass
NVNT	3-DH5	2441	Ant1	-47.94	-20	Pass
NVNT	3-DH5	2480	Ant1	-52.32	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.33	1.12	0.34
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.43	2	-	46.83	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.6	2	1.1	39.76	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2366.448	-47.36	2	-	49.9	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2359.728	-57.51	2	1.1	40.85	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.68	2	-	46.58	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-57.79	2	1.1	40.57	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-49.22	2	-	48.04	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-58.13	2	1.1	40.23	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2499.712	-46.22	2	-	51.04	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2484.448	-57.17	2	1.1	41.19	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-50.92	2	-	46.34	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.12	2	1.1	40.24	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-50.46	2	-	46.8	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.16	2	1.12	40.22	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2357.328	-47.48	2	-	49.78	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2386.32	-57.57	2	1.12	40.81	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.07	2	-	46.19	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.7	2	1.12	39.68	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.22	2	-	48.04	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.88	2	1.12	40.5	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2484.808	-45.29	2	-	51.97	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.56	-57.03	2	1.12	41.35	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.86	2	-	47.4	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.97	2	1.12	40.41	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-51.09	2	-	46.17	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.94	2	1.12	39.44	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2346.768	-46.8	2	-	50.46	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2381.616	-57.59	2	1.12	40.79	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-51.15	2	-	46.11	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.29	2	1.12	40.09	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.07	2	-	48.19	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.79	2	1.12	40.59	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2484.76	-46.37	2	-	50.89	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2492.272	-56.99	2	1.12	41.39	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.58	2	-	47.68	Peak	74	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.64	2	1.12	40.74	Average	54	Pass
------	-------	------	------	------------	------	--------	---	------	-------	---------	----	------

Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak





Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average







Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity












Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

