


Toshiba (Model PP350x-xxxxx), Frequency: 2412 MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.213 mW/g, SAR (1g): 0.106 mW/g, SAR (10g): 0.0535 mW/g, (Worst-case extrapolation)
Penetration depth: 7.4 (6.8, 8.9) [mm]; Powerdrift: -0.10 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2437MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.681 mW/g, SAR (1g): 0.342 mW/g, SAR (10g): 0.168 mW/g, (Worst-case extrapolation)
Penetration depth: 7.4 (7.1, 8.2) [mm]; Powerdrift: -0.15 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxxx), Frequency: 2437MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 7.1 (6.8, 7.9) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2462MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.195 mW/g, SAR (1g): 0.0959 mW/g, SAR (10g): 0.0473 mW/g, (Worst-case extrapolation)
Penetration depth: 7.2 (6.8, 8.2) [mm]; Powerdrift: -0.18 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2412 MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0286 mW/g, SAR (1g): 0.0113 mW/g, SAR (10g): 0.0069 mW/g, (Worst-case extrapolation)
Penetration depth: 11.6 (10.8, 14.3) [mm]; Powerdrift: -0.19 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2437 MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0597 mW/g, SAR (1g): 0.0331 mW/g, SAR (10g): 0.0193 mW/g, (Worst-case extrapolation)
Penetration depth: 8.7 (8.3, 10.0) [mm]; Powerdrift: -0.15 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2437 MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 7.2 (6.5, 8.6) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2462 MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0312 mW/g, SAR (1g): 0.0102 mW/g, SAR (10g): 0.0056 mW/g * Max outside, (Worst-case extrapolation)
Penetration depth: 20.5 (13.8, 34.4) [mm]; Powerdrift: -0.14 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2412 MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.306 mW/g, SAR (1g): 0.142 mW/g, SAR (10g): 0.0620 mW/g, (Worst-case extrapolation)
Penetration depth: 6.6 (6.4, 7.1) [mm]; Powerdrift: -0.10 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2437 MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.924 mW/g, SAR (1g): 0.431 mW/g, SAR (10g): 0.188 mW/g, (Worst-case extrapolation)
Penetration depth: 6.2 (6.0, 6.6) [mm]; Powerdrift: -0.14 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2437 MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.0 (5.7, 6.5) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2462 MHz (dualband film)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.293 mW/g, SAR (1g): 0.133 mW/g, SAR (10g): 0.0565 mW/g, (Worst-case extrapolation)
Penetration depth: 5.8 (5.6, 6.2) [mm]; Powerdrift: -0.18 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350U), Frequency: 2437 MHz (Co-Location)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.978 mW/g, SAR (1g): 0.443 mW/g, SAR (10g): 0.188 mW/g, (Worst-case extrapolation)
Penetration depth: 5.9 (5.7, 6.4) [mm]; Powerdrift: -0.11 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2437 MHz (Co-Location)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.5$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.0 (5.7, 6.6) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2412 MHz (wide dualband)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.657 mW/g, SAR (1g): 0.303 mW/g, SAR (10g): 0.137 mW/g, (Worst-case extrapolation)
Penetration depth: 6.2 (5.9, 7.1) [mm]; Powerdrift: -0.11 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2412 MHz (wide dualband)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.3 (5.9, 7.7) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2437 MHz (wide dualband)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0347 mW/g, SAR (1g): 0.0152 mW/g, SAR (10g): 0.0089 mW/g, (Worst-case extrapolation)
Penetration depth: 7.7 (7.0, 8.9) [mm]; Powerdrift: -0.16 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2437 MHz (wide dualband)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 8.0 (7.9, 8.3) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2462 MHz (wide dualband)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 1.34 mW/g, SAR (1g): 0.629 mW/g, SAR (10g): 0.274 mW/g, (Worst-case extrapolation)
Penetration depth: 6.3 (6.2, 6.7) [mm]; Powerdrift: 0.09 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0



Toshiba (Model PP350x-xxxxx), Frequency: 2462 MHz (wide dualband)

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.12 \text{ mho/m}$ $\epsilon_r = 50.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.2 (6.1, 6.7) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0

Ambient Temperature (degree C): 22.0
Liquid Temperature (degree C): 20.0

