

# System User Manual


ZP199900001(C66Q)

2024-01-06

Version Change Logs

Version	Change date	Brief description	Remark
V 1.0	2024-01-06	Initial release	

System Diagram




Product List

	Bom NO.	Specification Code	Qty	Position NO.	Note
1	H10098-A35-001	Single motor#A35-24P0950315-A1DB0AJ-143000	1	M1	Drive
2	H1999-C66Q-001		1		
3	H1999-H13B-001		1		

## General Functions:

Description of the function of the remote control



Key	Function	Definition
	Code Matching	<p>Back up+Back down</p> <p>1、 Automatic code matching within 10 seconds of powering on the control box.(The indicator light flashes with an interval of 1 second), Simultaneously press and hold the back up and back down buttons on the remote control to perform code matching, The indicator light flashes 3 times, code matching successful . (Fast flashing, with an interval of 0.5 seconds), The indicator light is constantly on.</p> <p>2、 If the code has been matched before, press any button to control the box to exit the automatic code matching mode after powering on again.</p>
1	Back UP	Back motor extened,release to stop.
2	Back Down	Back motor retract, release to stop.
3	M	<p>The motor runs to the M position with one key.(No initial value)</p> <p>Memory M: FLAT+M, Backlight flashes, Record the current motor position to M. (power off not clear) .Press any button halfway to interrupt the motor action and release the relay.</p> <p>The new position is memorized in the same way, and the control box is covered.</p>
4	Flashlight	Press the flashlight on, release the flashlight off.
5	FLAT	FLAT: All motors run to the horizontal position with one key, and press any key halfway to interrupt the motor action. After reset to the end, the relay is released.

## Special Function Description

### Remote Control

No.	Function	Definition

### Control Box

No.	Function	Definition
1	Power on reset	NO Power on reset.
2	Code matching key	NO code matching key.
3	Synchronization Function	The control box has the synchronization function, which is connected by the synchronization line to synchronize the action.

#### Caution:

This device complies with Part 15 of the Fcc Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference. (2) this device must accept any interference received, including interference that may cause undesired operation.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following

measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.