












		28																																																																																																			
Mode		Band Edge - L																																																																																																			
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																			
ANT		SISO																																																																																																			
Pol.	Horizontal										Fundamental																																																																																										
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.01	62.50	74.00	-11.50	45.45	34.59	12.33	29.87	0.00	300	40	PEAK	2	5470.00	66.55	68.20	-1.65	49.54	34.56	12.34	29.89	0.00	300	40	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>96.72</td><td>-----</td><td>-----</td><td>79.71</td><td>34.50</td><td>12.41</td><td>29.90</td><td>0.00</td><td>300</td><td>40</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	96.72	-----	-----	79.71	34.50	12.41	29.90	0.00	300	40
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5456.01	62.50	74.00	-11.50	45.45	34.59	12.33	29.87	0.00	300	40	PEAK																																																																																									
2	5470.00	66.55	68.20	-1.65	49.54	34.56	12.34	29.89	0.00	300	40	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	96.72	-----	-----	79.71	34.50	12.41	29.90	0.00	300	40	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.37	53.54	54.00	-0.46	36.50	34.58	12.33	29.87	0.00	300	40	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>88.84</td><td>-----</td><td>-----</td><td>71.00</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>300</td><td>40</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	88.84	-----	-----	71.00	34.50	12.42	29.88	0.00	300	40	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.37	53.54	54.00	-0.46	36.50	34.58	12.33	29.87	0.00	300	40	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5530.00	88.84	-----	-----	71.00	34.50	12.42	29.88	0.00	300	40	AVERAGE																																																																																									



Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																							
ANT	SISO																																																							
Pol.	Horizontal	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5764.64</td><td>56.23</td><td>68.20</td><td>-11.97</td><td>38.61</td><td>34.73</td><td>12.73</td><td>29.84</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>300</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>40 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5764.64	56.23	68.20	-11.97	38.61	34.73	12.73	29.84								0.00	300									40 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5764.64	56.23	68.20	-11.97	38.61	34.73	12.73	29.84																																																
							0.00	300																																																
								40 PEAK																																																





		28																																																																																																													
Mode	Band Edge - L																																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																																																																														
ANT	SISO																																																																																																														
Pol.	Vertical					Fundamental																																																																																																									
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.93</td><td>58.05</td><td>74.00</td><td>-15.95</td><td>40.99</td><td>34.60</td><td>12.32</td><td>29.86</td><td>0.00</td><td>300</td><td>140</td><td>PEAK</td></tr><tr><td>2</td><td>5463.37</td><td>58.10</td><td>68.20</td><td>-10.10</td><td>41.07</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>300</td><td>140</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.93	58.05	74.00	-15.95	40.99	34.60	12.32	29.86	0.00	300	140	PEAK	2	5463.37	58.10	68.20	-10.10	41.07	34.57	12.34	29.88	0.00	300	140	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>91.59</td><td>-----</td><td>-----</td><td>74.53</td><td>34.50</td><td>12.43</td><td>29.87</td><td>0.00</td><td>300</td><td>140</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.59	-----	-----	74.53	34.50	12.43	29.87	0.00	300	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5449.93	58.05	74.00	-15.95	40.99	34.60	12.32	29.86	0.00	300	140	PEAK																																																																																																			
2	5463.37	58.10	68.20	-10.10	41.07	34.57	12.34	29.88	0.00	300	140	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5530.00	91.59	-----	-----	74.53	34.50	12.43	29.87	0.00	300	140	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.83</td><td>48.98</td><td>54.00</td><td>-5.02</td><td>31.95</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>300</td><td>140</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.83	48.98	54.00	-5.02	31.95	34.58	12.33	29.88	0.00	300	140	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>84.17</td><td>-----</td><td>-----</td><td>67.13</td><td>34.50</td><td>12.42</td><td>29.88</td><td>0.00</td><td>300</td><td>140</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	84.17	-----	-----	67.13	34.50	12.42	29.88	0.00	300	140	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5459.83	48.98	54.00	-5.02	31.95	34.58	12.33	29.88	0.00	300	140	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5530.00	84.17	-----	-----	67.13	34.50	12.42	29.88	0.00	300	140	AVERAGE																																																																																																			







Mode	28																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																							
ANT	SISO																																																							
Pol.	Vertical						Fundamental																																																	
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.84</td><td>57.62</td><td>68.20</td><td>-10.58</td><td>40.03</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>300</td><td>140</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.84	57.62	68.20	-10.58	40.03	34.72	12.72	29.85	0.00	300	140	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.84	57.62	68.20	-10.58	40.03	34.72	12.72	29.85	0.00	300	140	PEAK																																												




		28																																																				
Mode		Harmonic																																																				
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_Full_5530MHz																																																				
ANT		SISO																																																				
Pol.		Horizontal					Vertical																																															
Peak Avg																																																						
																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.71</td><td>74.00</td><td>-29.29</td><td>54.41</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.71	74.00	-29.29	54.41	37.86	18.20	65.76	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11060.00	44.71	74.00	-29.29	54.41	37.86	18.20	65.76	0.00	--	PEAK																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11060.00</td><td>44.90</td><td>74.00</td><td>-29.10</td><td>54.60</td><td>37.86</td><td>18.20</td><td>65.76</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11060.00	44.90	74.00	-29.10	54.60	37.86	18.20	65.76	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11060.00	44.90	74.00	-29.10	54.60	37.86	18.20	65.76	0.00	--	PEAK																																											







		29																																																																																																													
Mode	Band Edge - L																																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																																																														
ANT	SISO																																																																																																														
Pol.	Horizontal					Fundamental																																																																																																									
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.09</td><td>58.75</td><td>74.00</td><td>-15.25</td><td>41.71</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>309</td><td>36</td><td>PEAK</td></tr><tr><td>2</td><td>5460.97</td><td>60.67</td><td>68.20</td><td>-7.53</td><td>43.64</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>309</td><td>36</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.09	58.75	74.00	-15.25	41.71	34.58	12.33	29.87	0.00	309	36	PEAK	2	5460.97	60.67	68.20	-7.53	43.64	34.58	12.33	29.88	0.00	309	36	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>101.93</td><td>-----</td><td>-----</td><td>84.64</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>309</td><td>36</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	101.93	-----	-----	84.64	34.52	12.53	29.76	0.00	309	36
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5458.09	58.75	74.00	-15.25	41.71	34.58	12.33	29.87	0.00	309	36	PEAK																																																																																																			
2	5460.97	60.67	68.20	-7.53	43.64	34.58	12.33	29.88	0.00	309	36	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5610.00	101.93	-----	-----	84.64	34.52	12.53	29.76	0.00	309	36	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.41</td><td>50.29</td><td>54.00</td><td>-3.71</td><td>33.25</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>309</td><td>36</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.41	50.29	54.00	-3.71	33.25	34.58	12.33	29.87	0.00	309	36	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>94.35</td><td>-----</td><td>-----</td><td>77.06</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>309</td><td>36</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.35	-----	-----	77.06	34.52	12.53	29.76	0.00	309	36	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5458.41	50.29	54.00	-3.71	33.25	34.58	12.33	29.87	0.00	309	36	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5610.00	94.35	-----	-----	77.06	34.52	12.53	29.76	0.00	309	36	AVERAGE																																																																																																			




Mode	29																																					
	Band Edge - R																																					
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																					
ANT	SISO																																					
Pol.	Horizontal	Fundamental																																				
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5756.88</td><td>58.63</td><td>68.20</td><td>-9.57</td><td>41.06</td><td>34.71</td><td>12.72</td><td>29.86</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5756.88	58.63	68.20	-9.57	41.06	34.71	12.72	29.86	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5756.88	58.63	68.20	-9.57	41.06	34.71	12.72	29.86																														





Mode	29																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																																																																
ANT	SISO																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.73</td><td>57.01</td><td>74.00</td><td>-16.99</td><td>39.97</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>354</td><td>178</td><td>PEAK</td></tr><tr><td>2</td><td>5463.05</td><td>57.34</td><td>68.20</td><td>-10.86</td><td>40.31</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>354</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.73	57.01	74.00	-16.99	39.97	34.58	12.33	29.87	0.00	354	178	PEAK	2	5463.05	57.34	68.20	-10.86	40.31	34.57	12.34	29.88	0.00	354	178	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>97.95</td><td>-----</td><td>-----</td><td>80.66</td><td>34.52</td><td>12.53</td><td>29.76</td><td>0.00</td><td>354</td><td>178</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	97.95	-----	-----	80.66	34.52	12.53	29.76	0.00	354	178	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.73	57.01	74.00	-16.99	39.97	34.58	12.33	29.87	0.00	354	178	PEAK																																																																																																					
2	5463.05	57.34	68.20	-10.86	40.31	34.57	12.34	29.88	0.00	354	178	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	97.95	-----	-----	80.66	34.52	12.53	29.76	0.00	354	178	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.57</td><td>47.92</td><td>54.00</td><td>-6.08</td><td>30.88</td><td>34.58</td><td>12.33</td><td>29.87</td><td>0.00</td><td>354</td><td>178</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.57	47.92	54.00	-6.08	30.88	34.58	12.33	29.87	0.00	354	178	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>90.00</td><td>-----</td><td>-----</td><td>72.70</td><td>34.51</td><td>12.53</td><td>29.74</td><td>0.00</td><td>354</td><td>178</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	90.00	-----	-----	72.70	34.51	12.53	29.74	0.00	354	178	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.57	47.92	54.00	-6.08	30.88	34.58	12.33	29.87	0.00	354	178	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5610.00	90.00	-----	-----	72.70	34.51	12.53	29.74	0.00	354	178	AVERAGE																																																																																																					






Mode	29																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																							
ANT	SISO																																																							
Pol.	Vertical	Fundamental																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5725.52</td><td>56.07</td><td>68.20</td><td>-12.13</td><td>38.68</td><td>34.65</td><td>12.68</td><td>29.94</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>0.00</td><td>354</td></tr><tr><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>178 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.52	56.07	68.20	-12.13	38.68	34.65	12.68	29.94								0.00	354									178 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	5725.52	56.07	68.20	-12.13	38.68	34.65	12.68	29.94																																																
							0.00	354																																																
								178 PEAK																																																






		29																																																																																																																		
Mode		Harmonic																																																																																																																		
		U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_Full_5610MHz																																																																																																																		
ANT		SISO																																																																																																																		
Pol.		Horizontal						Vertical																																																																																																												
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>46.19</td><td>74.00</td><td>-27.81</td><td>55.01</td><td>37.98</td><td>18.34</td><td>65.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	46.19	74.00	-27.81	55.01	37.98	18.34	65.14	0.00	--	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11220.00</td><td>45.55</td><td>74.00</td><td>-28.45</td><td>54.37</td><td>37.98</td><td>18.34</td><td>65.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>															Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11220.00	45.55	74.00	-28.45	54.37	37.98	18.34	65.14	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11220.00	46.19	74.00	-27.81	55.01	37.98	18.34	65.14	0.00	--	--	PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11220.00	45.55	74.00	-28.45	54.37	37.98	18.34	65.14	0.00	--	--	PEAK																																																																																																								





		30																																																																																																																																																		
Mode		Band Edge																																																																																																																																																		
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																																		
ANT		SISO																																																																																																																																																		
Pol.	Horizontal										Fundamental																																																																																																																																									
Peak																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5626.00</td><td>55.96</td><td>68.20</td><td>-12.24</td><td>38.66</td><td>34.55</td><td>12.55</td><td>29.00</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>52.95</td><td>68.20</td><td>-15.25</td><td>35.63</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>3</td><td>5718.40</td><td>69.58</td><td>110.45</td><td>-40.87</td><td>52.22</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>69.55</td><td>110.90</td><td>-41.35</td><td>52.19</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5626.00	55.96	68.20	-12.24	38.66	34.55	12.55	29.00	0.00	300	35	PEAK	2	5650.00	52.95	68.20	-15.25	35.63	34.60	12.58	29.86	0.00	300	35	PEAK	3	5718.40	69.58	110.45	-40.87	52.22	34.64	12.67	29.95	0.00	300	35	PEAK	4	5720.00	69.55	110.90	-41.35	52.19	34.64	12.67	29.95	0.00	300	35	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.10</td><td>-----</td><td>-----</td><td>87.60</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	105.10	-----	-----	87.60	34.69	12.70	29.89	0.00	300	35	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																									
1	5626.00	55.96	68.20	-12.24	38.66	34.55	12.55	29.00	0.00	300	35	PEAK																																																																																																																																								
2	5650.00	52.95	68.20	-15.25	35.63	34.60	12.58	29.86	0.00	300	35	PEAK																																																																																																																																								
3	5718.40	69.58	110.45	-40.87	52.22	34.64	12.67	29.95	0.00	300	35	PEAK																																																																																																																																								
4	5720.00	69.55	110.90	-41.35	52.19	34.64	12.67	29.95	0.00	300	35	PEAK																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	5745.00	105.10	-----	-----	87.60	34.69	12.70	29.89	0.00	300	35	PEAK																																																																																																																																								
Avg	Blank																																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.75</td><td>-----</td><td>-----</td><td>81.25</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>300</td><td>35</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.75	-----	-----	81.25	34.69	12.70	29.89	0.00	300	35	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.75</td><td>-----</td><td>-----</td><td>81.25</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>300</td><td>35</td><td>AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.75	-----	-----	81.25	34.69	12.70	29.89	0.00	300	35	AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	5745.00	98.75	-----	-----	81.25	34.69	12.70	29.89	0.00	300	35	AVERAGE																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																									
1	5745.00	98.75	-----	-----	81.25	34.69	12.70	29.89	0.00	300	35	AVERAGE																																																																																																																																								





Mode	30																																																																																																			
	Band Edge																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																			
ANT	SISO																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5624.40</td><td>56.38</td><td>68.20</td><td>-11.82</td><td>39.08</td><td>34.55</td><td>12.55</td><td>29.80</td><td>0.00</td><td>372</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>56.00</td><td>69.09</td><td>-13.09</td><td>38.69</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>372</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>63.34</td><td>110.79</td><td>-47.45</td><td>45.98</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>372</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>61.34</td><td>111.81</td><td>-50.47</td><td>43.98</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>372</td><td>183</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5624.40	56.38	68.20	-11.82	39.08	34.55	12.55	29.80	0.00	372	183	PEAK	2	5651.20	56.00	69.09	-13.09	38.69	34.60	12.58	29.87	0.00	372	183	PEAK	3	5719.60	63.34	110.79	-47.45	45.98	34.64	12.67	29.95	0.00	372	183	PEAK	4	5720.40	61.34	111.81	-50.47	43.98	34.64	12.67	29.95	0.00	372	183	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5624.40	56.38	68.20	-11.82	39.08	34.55	12.55	29.80	0.00	372	183	PEAK																																																																																								
2	5651.20	56.00	69.09	-13.09	38.69	34.60	12.58	29.87	0.00	372	183	PEAK																																																																																								
3	5719.60	63.34	110.79	-47.45	45.98	34.64	12.67	29.95	0.00	372	183	PEAK																																																																																								
4	5720.40	61.34	111.81	-50.47	43.98	34.64	12.67	29.95	0.00	372	183	PEAK																																																																																								
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.74</td><td>-----</td><td>-----</td><td>83.24</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>372</td><td>183</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	100.74	-----	-----	83.24	34.69	12.70	29.89	0.00	372	183	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5745.00	100.74	-----	-----	83.24	34.69	12.70	29.89	0.00	372	183	PEAK																																																																																								
Blank																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.88</td><td>-----</td><td>-----</td><td>77.38</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>372</td><td>183</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5745.00	94.88	-----	-----	77.38	34.69	12.70	29.89	0.00	372	183	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5745.00	94.88	-----	-----	77.38	34.69	12.70	29.89	0.00	372	183	AVERAGE																																																																																								






		30																																																																																																																								
Mode		Harmonic																																																																																																																								
		U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																								
ANT		SISO																																																																																																																								
Pol.		Horizontal						Vertical																																																																																																																		
Peak Avg																																																																																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>54.41</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	46.89	74.00	-27.11	54.41	38.00	18.58	64.10	0.00	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11490.00</td><td>47.09</td><td>74.00</td><td>-26.91</td><td>54.61</td><td>38.00</td><td>18.58</td><td>64.10</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>37.45</td><td>54.00</td><td>-16.55</td><td>44.93</td><td>38.00</td><td>18.59</td><td>64.07</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	47.09	74.00	-26.91	54.61	38.00	18.58	64.10	0.00	100	0	PEAK	2	11490.00	37.45	54.00	-16.55	44.93	38.00	18.59	64.07	0.00	100	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11490.00	46.89	74.00	-27.11	54.41	38.00	18.58	64.10	0.00	--	PEAK																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																
1	11490.00	47.09	74.00	-26.91	54.61	38.00	18.58	64.10	0.00	100	0	PEAK																																																																																																														
2	11490.00	37.45	54.00	-16.55	44.93	38.00	18.59	64.07	0.00	100	0	AVERAGE																																																																																																														



Mode	31																																																																																																																
	Harmonic																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																
ANT	SISO																																																																																																																
Pol.	Horizontal						Vertical																																																																																																										
Peak Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>54.50</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.20</td><td>54.00</td><td>-16.80</td><td>44.56</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.12	74.00	-26.88	54.50	38.07	18.65	64.10	0.00	300	0	PEAK	2	11570.00	37.20	54.00	-16.80	44.56	38.08	18.66	64.10	0.00	300	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.88</td><td>74.00</td><td>-27.12</td><td>54.26</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.88	74.00	-27.12	54.26	38.07	18.65	64.10	0.00	--	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11570.00	47.12	74.00	-26.88	54.50	38.07	18.65	64.10	0.00	300	0	PEAK																																																																																																					
2	11570.00	37.20	54.00	-16.80	44.56	38.08	18.66	64.10	0.00	300	0	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	11570.00	46.88	74.00	-27.12	54.26	38.07	18.65	64.10	0.00	--	--	PEAK																																																																																																					




Mode	32																																																																																																																																					
	Band Edge																																																																																																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																					
ANT	SISO																																																																																																																																					
Pol.	Horizontal						Fundamental																																																																																																																															
Peak																																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5853.20</td><td>68.94</td><td>115.00</td><td>-46.06</td><td>51.07</td><td>34.82</td><td>12.86</td><td>29.81</td><td>0.00</td><td>300</td><td>29 PEAK</td></tr><tr><td>2</td><td>5858.40</td><td>64.07</td><td>109.95</td><td>-45.88</td><td>46.17</td><td>34.85</td><td>12.87</td><td>29.82</td><td>0.00</td><td>300</td><td>29 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>55.08</td><td>69.53</td><td>-14.45</td><td>36.85</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>29 PEAK</td></tr><tr><td>4</td><td>5958.40</td><td>56.75</td><td>68.20</td><td>-11.45</td><td>38.43</td><td>35.10</td><td>13.04</td><td>29.82</td><td>0.00</td><td>300</td><td>29 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5853.20	68.94	115.00	-46.06	51.07	34.82	12.86	29.81	0.00	300	29 PEAK	2	5858.40	64.07	109.95	-45.88	46.17	34.85	12.87	29.82	0.00	300	29 PEAK	3	5923.20	55.08	69.53	-14.45	36.85	35.10	12.98	29.85	0.00	300	29 PEAK	4	5958.40	56.75	68.20	-11.45	38.43	35.10	13.04	29.82	0.00	300	29 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>105.85</td><td>-----</td><td>-----</td><td>88.02</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>29 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.85	-----	-----	88.02	34.80	12.81	29.78	0.00	300	29 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5853.20	68.94	115.00	-46.06	51.07	34.82	12.86	29.81	0.00	300	29 PEAK																																																																																																																											
2	5858.40	64.07	109.95	-45.88	46.17	34.85	12.87	29.82	0.00	300	29 PEAK																																																																																																																											
3	5923.20	55.08	69.53	-14.45	36.85	35.10	12.98	29.85	0.00	300	29 PEAK																																																																																																																											
4	5958.40	56.75	68.20	-11.45	38.43	35.10	13.04	29.82	0.00	300	29 PEAK																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5825.00	105.85	-----	-----	88.02	34.80	12.81	29.78	0.00	300	29 PEAK																																																																																																																											
Avg	Blank																																																																																																																																					
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>98.97</td><td>-----</td><td>-----</td><td>81.14</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>300</td><td>29 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.97	-----	-----	81.14	34.80	12.81	29.78	0.00	300	29 AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																												
1	5825.00	98.97	-----	-----	81.14	34.80	12.81	29.78	0.00	300	29 AVERAGE																																																																																																																											






Mode	32																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																														
ANT	SISO																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>59.58</td><td>112.27</td><td>-52.69</td><td>41.71</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>368</td><td>131</td><td>PEAK</td></tr><tr><td>2</td><td>5866.40</td><td>60.44</td><td>107.71</td><td>-47.27</td><td>42.49</td><td>34.90</td><td>12.88</td><td>29.83</td><td>0.00</td><td>368</td><td>131</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>56.44</td><td>68.35</td><td>-11.91</td><td>38.21</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>368</td><td>131</td><td>PEAK</td></tr><tr><td>4</td><td>5986.00</td><td>56.48</td><td>68.20</td><td>-11.72</td><td>38.09</td><td>35.10</td><td>13.09</td><td>29.80</td><td>0.00</td><td>368</td><td>131</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	59.58	112.27	-52.69	41.71	34.83	12.86	29.82	0.00	368	131	PEAK	2	5866.40	60.44	107.71	-47.27	42.49	34.90	12.88	29.83	0.00	368	131	PEAK	3	5924.80	56.44	68.35	-11.91	38.21	35.10	12.98	29.85	0.00	368	131	PEAK	4	5986.00	56.48	68.20	-11.72	38.09	35.10	13.09	29.80	0.00	368	131	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.77</td><td>-----</td><td>-----</td><td>83.94</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>368</td><td>131</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.77	-----	-----	83.94	34.80	12.81	29.78	0.00	368	131
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5854.40	59.58	112.27	-52.69	41.71	34.83	12.86	29.82	0.00	368	131	PEAK																																																																																																																																			
2	5866.40	60.44	107.71	-47.27	42.49	34.90	12.88	29.83	0.00	368	131	PEAK																																																																																																																																			
3	5924.80	56.44	68.35	-11.91	38.21	35.10	12.98	29.85	0.00	368	131	PEAK																																																																																																																																			
4	5986.00	56.48	68.20	-11.72	38.09	35.10	13.09	29.80	0.00	368	131	PEAK																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	101.77	-----	-----	83.94	34.80	12.81	29.78	0.00	368	131	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>94.79</td><td>-----</td><td>-----</td><td>76.96</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>368</td><td>131</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	94.79	-----	-----	76.96	34.80	12.81	29.78	0.00	368	131	AVERAGE																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5825.00	94.79	-----	-----	76.96	34.80	12.81	29.78	0.00	368	131	AVERAGE																																																																																																																																			






Mode	32																																																					
	Harmonic																																																					
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																					
ANT	SISO																																																					
Pol.	Horizontal						Vertical																																															
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>53.90</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.68	74.00	-27.32	53.90	38.20	18.72	64.14	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11650.00	46.68	74.00	-27.32	53.90	38.20	18.72	64.14	0.00	--	PEAK																																											
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.57</td><td>74.00</td><td>-27.43</td><td>53.79</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	46.57	74.00	-27.43	53.79	38.20	18.72	64.14	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11650.00	46.57	74.00	-27.43	53.79	38.20	18.72	64.14	0.00	--	PEAK																																											




		33																																																																																					
Mode	Band Edge																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full_5745MHz																																																																																						
ANT	SISO																																																																																						
Pol.	Horizontal																																																																																						
Peak																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5608.80</td><td>56.86</td><td>68.20</td><td>-11.34</td><td>39.56</td><td>34.52</td><td>12.53</td><td>29.75</td><td>0.00</td><td>269 35 PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>55.61</td><td>69.09</td><td>-13.48</td><td>38.30</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>269 35 PEAK</td></tr><tr><td>3</td><td>5710.40</td><td>67.03</td><td>108.21</td><td>-41.18</td><td>49.72</td><td>34.62</td><td>12.66</td><td>29.97</td><td>0.00</td><td>269 35 PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>70.87</td><td>114.55</td><td>-43.68</td><td>53.51</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>269 35 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5608.80	56.86	68.20	-11.34	39.56	34.52	12.53	29.75	0.00	269 35 PEAK	2	5651.20	55.61	69.09	-13.48	38.30	34.60	12.58	29.87	0.00	269 35 PEAK	3	5710.40	67.03	108.21	-41.18	49.72	34.62	12.66	29.97	0.00	269 35 PEAK	4	5721.60	70.87	114.55	-43.68	53.51	34.64	12.67	29.95	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5608.80	56.86	68.20	-11.34	39.56	34.52	12.53	29.75	0.00	269 35 PEAK																																																																													
2	5651.20	55.61	69.09	-13.48	38.30	34.60	12.58	29.87	0.00	269 35 PEAK																																																																													
3	5710.40	67.03	108.21	-41.18	49.72	34.62	12.66	29.97	0.00	269 35 PEAK																																																																													
4	5721.60	70.87	114.55	-43.68	53.51	34.64	12.67	29.95	0.00	269 35 PEAK																																																																													
Fundamental																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>107.46</td><td>-----</td><td>-----</td><td>89.96</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>269 35 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	107.46	-----	-----	89.96	34.69	12.70	29.89	0.00	269 35 PEAK																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5745.00	107.46	-----	-----	89.96	34.69	12.70	29.89	0.00	269 35 PEAK																																																																													
Avg	Blank																																																																																						
																																																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.00</td><td>99.81</td><td>-----</td><td>-----</td><td>82.31</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>269 35 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	99.81	-----	-----	82.31	34.69	12.70	29.89	0.00	269 35 AVERAGE																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5745.00	99.81	-----	-----	82.31	34.69	12.70	29.89	0.00	269 35 AVERAGE																																																																													




Mode	33																																																																																																																																										
	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full_5745MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.00</td><td>56.81</td><td>68.20</td><td>-11.39</td><td>39.50</td><td>34.59</td><td>12.57</td><td>29.85</td><td>0.00</td><td>373</td><td>182</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>55.72</td><td>68.20</td><td>-12.48</td><td>38.40</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>373</td><td>182</td><td>PEAK</td></tr><tr><td>3</td><td>5719.60</td><td>65.29</td><td>110.79</td><td>-45.50</td><td>47.93</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>373</td><td>182</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>64.09</td><td>110.90</td><td>-46.81</td><td>46.73</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>373</td><td>182</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5644.00	56.81	68.20	-11.39	39.50	34.59	12.57	29.85	0.00	373	182	PEAK	2	5650.00	55.72	68.20	-12.48	38.40	34.60	12.58	29.86	0.00	373	182	PEAK	3	5719.60	65.29	110.79	-45.50	47.93	34.64	12.67	29.95	0.00	373	182	PEAK	4	5720.00	64.09	110.90	-46.81	46.73	34.64	12.67	29.95	0.00	373	182	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.54</td><td>-----</td><td>-----</td><td>84.04</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>373</td><td>182</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	101.54	-----	-----	84.04	34.69	12.70	29.89	0.00	373	182	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5644.00	56.81	68.20	-11.39	39.50	34.59	12.57	29.85	0.00	373	182	PEAK																																																																																																																															
2	5650.00	55.72	68.20	-12.48	38.40	34.60	12.58	29.86	0.00	373	182	PEAK																																																																																																																															
3	5719.60	65.29	110.79	-45.50	47.93	34.64	12.67	29.95	0.00	373	182	PEAK																																																																																																																															
4	5720.00	64.09	110.90	-46.81	46.73	34.64	12.67	29.95	0.00	373	182	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	101.54	-----	-----	84.04	34.69	12.70	29.89	0.00	373	182	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.42</td><td>-----</td><td>-----</td><td>76.92</td><td>34.69</td><td>12.70</td><td>29.89</td><td>0.00</td><td>373</td><td>182</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.42	-----	-----	76.92	34.69	12.70	29.89	0.00	373	182	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5745.00	94.42	-----	-----	76.92	34.69	12.70	29.89	0.00	373	182	AVERAGE																																																																																																																															







Mode	33																																																							
	Harmonic																																																							
	U-NII-3_5.725-5.85_802.11ac VHT20_CH149_Full_5745MHz																																																							
ANT	SISO																																																							
Pol.	Horizontal						Vertical																																																	
Peak Avg																																																								
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>55.30</td><td>38.00</td><td>18.58</td><td>64.10</td></tr><tr><td>2</td><td>11490.00</td><td>37.55</td><td>54.00</td><td>-16.45</td><td>45.04</td><td>38.00</td><td>18.59</td><td>64.08</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	47.78	74.00	-26.22	55.30	38.00	18.58	64.10	2	11490.00	37.55	54.00	-16.45	45.04	38.00	18.59	64.08
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	11490.00	47.78	74.00	-26.22	55.30	38.00	18.58	64.10																																																
2	11490.00	37.55	54.00	-16.45	45.04	38.00	18.59	64.08																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>55.30</td><td>38.00</td><td>18.58</td><td>64.10</td></tr><tr><td>2</td><td>11490.00</td><td>37.55</td><td>54.00</td><td>-16.45</td><td>45.04</td><td>38.00</td><td>18.59</td><td>64.08</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	47.78	74.00	-26.22	55.30	38.00	18.58	64.10	2	11490.00	37.55	54.00	-16.45	45.04	38.00	18.59	64.08
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	11490.00	47.78	74.00	-26.22	55.30	38.00	18.58	64.10																																																
2	11490.00	37.55	54.00	-16.45	45.04	38.00	18.59	64.08																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11490.00</td><td>47.78</td><td>74.00</td><td>-26.22</td><td>55.30</td><td>38.00</td><td>18.58</td><td>64.10</td></tr><tr><td>2</td><td>11490.00</td><td>37.55</td><td>54.00</td><td>-16.45</td><td>45.04</td><td>38.00</td><td>18.59</td><td>64.08</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11490.00	47.78	74.00	-26.22	55.30	38.00	18.58	64.10	2	11490.00	37.55	54.00	-16.45	45.04	38.00	18.59	64.08
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																
1	11490.00	47.78	74.00	-26.22	55.30	38.00	18.58	64.10																																																
2	11490.00	37.55	54.00	-16.45	45.04	38.00	18.59	64.08																																																






Mode	34																																																																			
	Harmonic																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT20_CH157_Full_5785MHz																																																																			
ANT	SISO																																																																			
Pol.	Horizontal						Vertical																																																													
Peak Avg																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>54.76</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>300</td><td>0 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.30</td><td>54.00</td><td>-16.70</td><td>44.66</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>300</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.38	74.00	-26.62	54.76	38.07	18.65	64.10	0.00	300	0 PEAK	2	11570.00	37.30	54.00	-16.70	44.66	38.08	18.66	64.10	0.00	300	0 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11570.00	47.38	74.00	-26.62	54.76	38.07	18.65	64.10	0.00	300	0 PEAK																																																									
2	11570.00	37.30	54.00	-16.70	44.66	38.08	18.66	64.10	0.00	300	0 AVERAGE																																																									
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11570.00</td><td>47.92</td><td>74.00</td><td>-26.08</td><td>55.30</td><td>38.07</td><td>18.65</td><td>64.10</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>37.29</td><td>54.00</td><td>-16.71</td><td>44.65</td><td>38.08</td><td>18.66</td><td>64.10</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	47.92	74.00	-26.08	55.30	38.07	18.65	64.10	0.00	100	0 PEAK	2	11570.00	37.29	54.00	-16.71	44.65	38.08	18.66	64.10	0.00	100	0 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	11570.00	47.92	74.00	-26.08	55.30	38.07	18.65	64.10	0.00	100	0 PEAK																																																									
2	11570.00	37.29	54.00	-16.71	44.65	38.08	18.66	64.10	0.00	100	0 AVERAGE																																																									





Mode	35																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full_5825MHz																																																																																																																																				
ANT	SISO																																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>63.27</td><td>111.36</td><td>-48.09</td><td>45.40</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>302</td><td>31 PEAK</td></tr><tr><td>2</td><td>5860.00</td><td>61.79</td><td>109.50</td><td>-47.71</td><td>43.88</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>302</td><td>31 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>55.24</td><td>69.23</td><td>-13.99</td><td>37.01</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>302</td><td>31 PEAK</td></tr><tr><td>4</td><td>5941.60</td><td>56.37</td><td>68.20</td><td>-11.83</td><td>38.10</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>302</td><td>31 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	63.27	111.36	-48.09	45.40	34.83	12.86	29.82	0.00	302	31 PEAK	2	5860.00	61.79	109.50	-47.71	43.88	34.86	12.87	29.82	0.00	302	31 PEAK	3	5923.60	55.24	69.23	-13.99	37.01	35.10	12.98	29.85	0.00	302	31 PEAK	4	5941.60	56.37	68.20	-11.83	38.10	35.10	13.01	29.84	0.00	302	31 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.27</td><td>-----</td><td>-----</td><td>87.44</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>302</td><td>31 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.27	-----	-----	87.44	34.80	12.81	29.78	0.00	302
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5854.00	63.27	111.36	-48.09	45.40	34.83	12.86	29.82	0.00	302	31 PEAK																																																																																																																										
2	5860.00	61.79	109.50	-47.71	43.88	34.86	12.87	29.82	0.00	302	31 PEAK																																																																																																																										
3	5923.60	55.24	69.23	-13.99	37.01	35.10	12.98	29.85	0.00	302	31 PEAK																																																																																																																										
4	5941.60	56.37	68.20	-11.83	38.10	35.10	13.01	29.84	0.00	302	31 PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	105.27	-----	-----	87.44	34.80	12.81	29.78	0.00	302	31 PEAK																																																																																																																										
Avg																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>63.27</td><td>111.36</td><td>-48.09</td><td>45.40</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>302</td><td>31 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	63.27	111.36	-48.09	45.40	34.83	12.86	29.82	0.00	302	31 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>105.27</td><td>-----</td><td>-----</td><td>87.44</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>302</td><td>31 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	105.27	-----	-----	87.44	34.80	12.81	29.78	0.00	302	31 AVERAGE																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5854.00	63.27	111.36	-48.09	45.40	34.83	12.86	29.82	0.00	302	31 AVERAGE																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																											
1	5825.00	105.27	-----	-----	87.44	34.80	12.81	29.78	0.00	302	31 AVERAGE																																																																																																																										





		35																																																																																																																																									
Mode	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full_5825MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>57.13</td><td>111.36</td><td>-54.23</td><td>39.26</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>365</td><td>130</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>56.35</td><td>105.92</td><td>-49.57</td><td>38.36</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>365</td><td>130</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>53.91</td><td>68.35</td><td>-14.44</td><td>35.68</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>365</td><td>130</td><td>PEAK</td></tr><tr><td>4</td><td>5965.60</td><td>57.62</td><td>68.20</td><td>-10.58</td><td>39.29</td><td>35.10</td><td>13.05</td><td>29.82</td><td>0.00</td><td>365</td><td>130</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	57.13	111.36	-54.23	39.26	34.83	12.86	29.82	0.00	365	130	PEAK	2	5872.80	56.35	105.92	-49.57	38.36	34.94	12.89	29.84	0.00	365	130	PEAK	3	5924.80	53.91	68.35	-14.44	35.68	35.10	12.98	29.85	0.00	365	130	PEAK	4	5965.60	57.62	68.20	-10.58	39.29	35.10	13.05	29.82	0.00	365	130	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>101.32</td><td>-----</td><td>-----</td><td>83.49</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>365</td><td>130</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	101.32	-----	-----	83.49	34.80	12.81	29.78	0.00	365	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5854.80	57.13	111.36	-54.23	39.26	34.83	12.86	29.82	0.00	365	130	PEAK																																																																																																																															
2	5872.80	56.35	105.92	-49.57	38.36	34.94	12.89	29.84	0.00	365	130	PEAK																																																																																																																															
3	5924.80	53.91	68.35	-14.44	35.68	35.10	12.98	29.85	0.00	365	130	PEAK																																																																																																																															
4	5965.60	57.62	68.20	-10.58	39.29	35.10	13.05	29.82	0.00	365	130	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	101.32	-----	-----	83.49	34.80	12.81	29.78	0.00	365	130	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>93.33</td><td>-----</td><td>-----</td><td>75.50</td><td>34.80</td><td>12.81</td><td>29.78</td><td>0.00</td><td>365</td><td>130</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	93.33	-----	-----	75.50	34.80	12.81	29.78	0.00	365	130	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5825.00	93.33	-----	-----	75.50	34.80	12.81	29.78	0.00	365	130	AVERAGE																																																																																																																															




Mode	35																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT20_CH165_Full_5825MHz																																																																																																																										
ANT	SISO																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																				
Peak Avg																																																																																																																											
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>47.50</td><td>74.00</td><td>-26.50</td><td>54.72</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>36.84</td><td>54.00</td><td>-17.16</td><td>44.09</td><td>38.18</td><td>18.71</td><td>64.14</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	47.50	74.00	-26.50	54.72	38.20	18.72	64.14	0.00	300	0	PEAK	2	11650.00	36.84	54.00	-17.16	44.09	38.18	18.71	64.14	0.00	300	0	AVERAGE	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>46.48</td><td>74.00</td><td>-27.52</td><td>53.70</td><td>38.20</td><td>18.72</td><td>64.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>								Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	46.48	74.00	-27.52	53.70	38.20	18.72	64.14	0.00	--	--	PEAK
			Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	11650.00	47.50	74.00	-26.50	54.72	38.20	18.72	64.14	0.00	300	0	PEAK																																																																																																															
2	11650.00	36.84	54.00	-17.16	44.09	38.18	18.71	64.14	0.00	300	0	AVERAGE																																																																																																															
		Limit		Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																															
1	11650.00	46.48	74.00	-27.52	53.70	38.20	18.72	64.14	0.00	--	--	PEAK																																																																																																															







		36																																																																																								
Mode		Band Edge - L																																																																																								
		U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																								
ANT		SISO																																																																																								
Pol.		Horizontal																																																																																								
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5647.74</td><td>61.07</td><td>68.20</td><td>-7.13</td><td>43.75</td><td>34.60</td><td>12.58</td><td>29.86</td><td>0.00</td><td>300</td><td>34 PEAK</td></tr><tr><td>2</td><td>5652.08</td><td>58.68</td><td>69.75</td><td>-11.07</td><td>41.36</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>300</td><td>34 PEAK</td></tr><tr><td>3</td><td>5719.66</td><td>78.27</td><td>110.81</td><td>-32.54</td><td>60.91</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>34 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>76.14</td><td>111.19</td><td>-35.05</td><td>58.78</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>34 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5647.74	61.07	68.20	-7.13	43.75	34.60	12.58	29.86	0.00	300	34 PEAK	2	5652.08	58.68	69.75	-11.07	41.36	34.60	12.59	29.87	0.00	300	34 PEAK	3	5719.66	78.27	110.81	-32.54	60.91	34.64	12.67	29.95	0.00	300	34 PEAK	4	5720.13	76.14	111.19	-35.05	58.78	34.64	12.67	29.95	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5647.74	61.07	68.20	-7.13	43.75	34.60	12.58	29.86	0.00	300	34 PEAK																																																																															
2	5652.08	58.68	69.75	-11.07	41.36	34.60	12.59	29.87	0.00	300	34 PEAK																																																																															
3	5719.66	78.27	110.81	-32.54	60.91	34.64	12.67	29.95	0.00	300	34 PEAK																																																																															
4	5720.13	76.14	111.19	-35.05	58.78	34.64	12.67	29.95	0.00	300	34 PEAK																																																																															
Avg	Blank																																																																																									
																																																																																										
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.00</td><td>103.49</td><td>-----</td><td>-----</td><td>85.90</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>300</td><td>34 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	103.49	-----	-----	85.90	34.72	12.72	29.85	0.00	300	34 PEAK																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5755.00	103.49	-----	-----	85.90	34.72	12.72	29.85	0.00	300	34 PEAK																																																																															




Mode	36																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																														
ANT	SISO																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.45</td><td>55.38</td><td>112.15</td><td>-56.77</td><td>37.51</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>34</td><td>PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>56.44</td><td>105.92</td><td>-49.48</td><td>38.45</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>34</td><td>PEAK</td></tr><tr><td>3</td><td>5924.85</td><td>55.99</td><td>68.31</td><td>-12.32</td><td>37.76</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>34</td><td>PEAK</td></tr><tr><td>4</td><td>5943.76</td><td>57.41</td><td>68.20</td><td>-10.79</td><td>39.13</td><td>35.10</td><td>13.01</td><td>29.83</td><td>0.00</td><td>300</td><td>34</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	55.38	112.15	-56.77	37.51	34.83	12.86	29.82	0.00	300	34	PEAK	2	5872.78	56.44	105.92	-49.48	38.45	34.94	12.89	29.84	0.00	300	34	PEAK	3	5924.85	55.99	68.31	-12.32	37.76	35.10	12.98	29.85	0.00	300	34	PEAK	4	5943.76	57.41	68.20	-10.79	39.13	35.10	13.01	29.83	0.00	300	34	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.45	55.38	112.15	-56.77	37.51	34.83	12.86	29.82	0.00	300	34	PEAK																																																																																			
2	5872.78	56.44	105.92	-49.48	38.45	34.94	12.89	29.84	0.00	300	34	PEAK																																																																																			
3	5924.85	55.99	68.31	-12.32	37.76	35.10	12.98	29.85	0.00	300	34	PEAK																																																																																			
4	5943.76	57.41	68.20	-10.79	39.13	35.10	13.01	29.83	0.00	300	34	PEAK																																																																																			





Mode	36																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.42</td><td>56.53</td><td>68.20</td><td>-11.67</td><td>39.21</td><td>34.59</td><td>12.58</td><td>29.85</td><td>0.00</td><td>389</td><td>166</td><td>PEAK</td></tr><tr><td>2</td><td>5650.69</td><td>54.35</td><td>68.71</td><td>-14.36</td><td>37.04</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>389</td><td>166</td><td>PEAK</td></tr><tr><td>3</td><td>5719.66</td><td>70.70</td><td>110.81</td><td>-40.11</td><td>53.34</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>389</td><td>166</td><td>PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>68.66</td><td>111.19</td><td>-42.53</td><td>51.30</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>389</td><td>166</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5645.42	56.53	68.20	-11.67	39.21	34.59	12.58	29.85	0.00	389	166	PEAK	2	5650.69	54.35	68.71	-14.36	37.04	34.60	12.58	29.87	0.00	389	166	PEAK	3	5719.66	70.70	110.81	-40.11	53.34	34.64	12.67	29.95	0.00	389	166	PEAK	4	5720.13	68.66	111.19	-42.53	51.30	34.64	12.67	29.95	0.00	389	166	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.69</td><td>-----</td><td>-----</td><td>82.10</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>389</td><td>166</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.69	-----	-----	82.10	34.72	12.72	29.85	0.00	389	166	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5645.42	56.53	68.20	-11.67	39.21	34.59	12.58	29.85	0.00	389	166	PEAK																																																																																																																														
2	5650.69	54.35	68.71	-14.36	37.04	34.60	12.58	29.87	0.00	389	166	PEAK																																																																																																																														
3	5719.66	70.70	110.81	-40.11	53.34	34.64	12.67	29.95	0.00	389	166	PEAK																																																																																																																														
4	5720.13	68.66	111.19	-42.53	51.30	34.64	12.67	29.95	0.00	389	166	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	99.69	-----	-----	82.10	34.72	12.72	29.85	0.00	389	166	PEAK																																																																																																																														
Avg																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>91.39</td><td>-----</td><td>-----</td><td>73.80</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>389</td><td>166</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	91.39	-----	-----	73.80	34.72	12.72	29.85	0.00	389	166	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>91.39</td><td>-----</td><td>-----</td><td>73.80</td><td>34.72</td><td>12.72</td><td>29.85</td><td>0.00</td><td>389</td><td>166</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	91.39	-----	-----	73.80	34.72	12.72	29.85	0.00	389	166	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	91.39	-----	-----	73.80	34.72	12.72	29.85	0.00	389	166	AVERAGE																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5755.00	91.39	-----	-----	73.80	34.72	12.72	29.85	0.00	389	166	AVERAGE																																																																																																																														
	Blank																																																																																																																																									






Mode	36																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																														
ANT	SISO																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.26</td><td>54.89</td><td>112.60</td><td>-57.71</td><td>37.02</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>309</td><td>166</td><td>PEAK</td></tr><tr><td>2</td><td>5872.78</td><td>55.86</td><td>105.92</td><td>-50.06</td><td>37.87</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>309</td><td>166</td><td>PEAK</td></tr><tr><td>3</td><td>5924.46</td><td>54.33</td><td>68.60</td><td>-14.27</td><td>36.10</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>309</td><td>166</td><td>PEAK</td></tr><tr><td>4</td><td>5948.05</td><td>56.33</td><td>68.20</td><td>-11.87</td><td>38.04</td><td>35.10</td><td>13.02</td><td>29.83</td><td>0.00</td><td>309</td><td>166</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.26	54.89	112.60	-57.71	37.02	34.83	12.86	29.82	0.00	309	166	PEAK	2	5872.78	55.86	105.92	-50.06	37.87	34.94	12.89	29.84	0.00	309	166	PEAK	3	5924.46	54.33	68.60	-14.27	36.10	35.10	12.98	29.85	0.00	309	166	PEAK	4	5948.05	56.33	68.20	-11.87	38.04	35.10	13.02	29.83	0.00	309	166	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.26	54.89	112.60	-57.71	37.02	34.83	12.86	29.82	0.00	309	166	PEAK																																																																																			
2	5872.78	55.86	105.92	-50.06	37.87	34.94	12.89	29.84	0.00	309	166	PEAK																																																																																			
3	5924.46	54.33	68.60	-14.27	36.10	35.10	12.98	29.85	0.00	309	166	PEAK																																																																																			
4	5948.05	56.33	68.20	-11.87	38.04	35.10	13.02	29.83	0.00	309	166	PEAK																																																																																			




Mode	36																																																																																																	
	Harmonic																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT40_CH151_Full_5755MHz																																																																																																	
ANT	SISO																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>54.25</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.79	74.00	-27.21	54.25	38.01	18.60	64.07	0.00	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>54.25</td><td>38.01</td><td>18.60</td><td>64.07</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	46.79	74.00	-27.21	54.25	38.01	18.60	64.07	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11510.00	46.79	74.00	-27.21	54.25	38.01	18.60	64.07	0.00	--	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	11510.00	46.79	74.00	-27.21	54.25	38.01	18.60	64.07	0.00	--	PEAK																																																																																							



Mode	37																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																																																																										
ANT	SISO																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.00</td><td>55.36</td><td>68.20</td><td>-12.84</td><td>38.06</td><td>34.56</td><td>12.56</td><td>29.82</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>2</td><td>5650.80</td><td>54.83</td><td>68.80</td><td>-13.97</td><td>37.52</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>3</td><td>5706.40</td><td>58.29</td><td>107.09</td><td>-48.80</td><td>41.01</td><td>34.61</td><td>12.65</td><td>29.98</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>57.29</td><td>110.90</td><td>-53.61</td><td>39.93</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5632.00	55.36	68.20	-12.84	38.06	34.56	12.56	29.82	0.00	300	35	PEAK	2	5650.80	54.83	68.80	-13.97	37.52	34.60	12.58	29.87	0.00	300	35	PEAK	3	5706.40	58.29	107.09	-48.80	41.01	34.61	12.65	29.98	0.00	300	35	PEAK	4	5720.00	57.29	110.90	-53.61	39.93	34.64	12.67	29.95	0.00	300	35	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>101.50</td><td>-----</td><td>-----</td><td>83.71</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	101.50	-----	-----	83.71	34.79	12.76	29.76	0.00	300	35	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5632.00	55.36	68.20	-12.84	38.06	34.56	12.56	29.82	0.00	300	35	PEAK																																																																																																																															
2	5650.80	54.83	68.80	-13.97	37.52	34.60	12.58	29.87	0.00	300	35	PEAK																																																																																																																															
3	5706.40	58.29	107.09	-48.80	41.01	34.61	12.65	29.98	0.00	300	35	PEAK																																																																																																																															
4	5720.00	57.29	110.90	-53.61	39.93	34.64	12.67	29.95	0.00	300	35	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	101.50	-----	-----	83.71	34.79	12.76	29.76	0.00	300	35	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>94.23</td><td>-----</td><td>-----</td><td>76.44</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>300</td><td>35</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	94.23	-----	-----	76.44	34.79	12.76	29.76	0.00	300	35	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	94.23	-----	-----	76.44	34.79	12.76	29.76	0.00	300	35	AVERAGE																																																																																																																															



Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																				
ANT	SISO																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>58.72</td><td>112.27</td><td>-53.55</td><td>40.85</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>2</td><td>5859.20</td><td>61.14</td><td>109.72</td><td>-48.58</td><td>43.23</td><td>34.86</td><td>12.87</td><td>29.82</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>55.43</td><td>68.35</td><td>-12.92</td><td>37.20</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr><tr><td>4</td><td>5937.60</td><td>56.76</td><td>68.20</td><td>-11.44</td><td>38.50</td><td>35.10</td><td>13.00</td><td>29.84</td><td>0.00</td><td>300</td><td>35</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	58.72	112.27	-53.55	40.85	34.83	12.86	29.82	0.00	300	35	PEAK	2	5859.20	61.14	109.72	-48.58	43.23	34.86	12.87	29.82	0.00	300	35	PEAK	3	5924.80	55.43	68.35	-12.92	37.20	35.10	12.98	29.85	0.00	300	35	PEAK	4	5937.60	56.76	68.20	-11.44	38.50	35.10	13.00	29.84	0.00	300	35	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.40	58.72	112.27	-53.55	40.85	34.83	12.86	29.82	0.00	300	35	PEAK																																																																									
2	5859.20	61.14	109.72	-48.58	43.23	34.86	12.87	29.82	0.00	300	35	PEAK																																																																									
3	5924.80	55.43	68.35	-12.92	37.20	35.10	12.98	29.85	0.00	300	35	PEAK																																																																									
4	5937.60	56.76	68.20	-11.44	38.50	35.10	13.00	29.84	0.00	300	35	PEAK																																																																									



Mode	37																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5639.60</td><td>56.27</td><td>68.20</td><td>-11.93</td><td>38.96</td><td>34.58</td><td>12.57</td><td>29.84</td><td>0.00</td><td>300</td><td>190</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>54.56</td><td>69.09</td><td>-14.53</td><td>37.25</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>300</td><td>190</td><td>PEAK</td></tr><tr><td>3</td><td>5702.40</td><td>54.91</td><td>105.97</td><td>-51.06</td><td>37.65</td><td>34.60</td><td>12.65</td><td>29.99</td><td>0.00</td><td>300</td><td>190</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>53.88</td><td>110.90</td><td>-57.02</td><td>36.52</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>300</td><td>190</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5639.60	56.27	68.20	-11.93	38.96	34.58	12.57	29.84	0.00	300	190	PEAK	2	5651.20	54.56	69.09	-14.53	37.25	34.60	12.58	29.87	0.00	300	190	PEAK	3	5702.40	54.91	105.97	-51.06	37.65	34.60	12.65	29.99	0.00	300	190	PEAK	4	5720.00	53.88	110.90	-57.02	36.52	34.64	12.67	29.95	0.00	300	190	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>97.60</td><td>-----</td><td>-----</td><td>79.81</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>300</td><td>190</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	97.60	-----	-----	79.81	34.79	12.76	29.76	0.00	300	190
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5639.60	56.27	68.20	-11.93	38.96	34.58	12.57	29.84	0.00	300	190	PEAK																																																																																																																														
2	5651.20	54.56	69.09	-14.53	37.25	34.60	12.58	29.87	0.00	300	190	PEAK																																																																																																																														
3	5702.40	54.91	105.97	-51.06	37.65	34.60	12.65	29.99	0.00	300	190	PEAK																																																																																																																														
4	5720.00	53.88	110.90	-57.02	36.52	34.64	12.67	29.95	0.00	300	190	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	97.60	-----	-----	79.81	34.79	12.76	29.76	0.00	300	190	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>90.06</td><td>-----</td><td>-----</td><td>72.27</td><td>34.79</td><td>12.76</td><td>29.76</td><td>0.00</td><td>300</td><td>190</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5795.00	90.06	-----	-----	72.27	34.79	12.76	29.76	0.00	300	190	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5795.00	90.06	-----	-----	72.27	34.79	12.76	29.76	0.00	300	190	AVERAGE																																																																																																																														






Mode	37																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																																														
ANT	SISO																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.24</td><td>111.36</td><td>-56.12</td><td>37.37</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>300</td><td>190</td><td>PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>56.99</td><td>105.92</td><td>-48.93</td><td>39.00</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>300</td><td>190</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>57.00</td><td>68.94</td><td>-11.94</td><td>38.77</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>300</td><td>190</td><td>PEAK</td></tr><tr><td>4</td><td>5976.40</td><td>57.05</td><td>68.20</td><td>-11.15</td><td>38.69</td><td>35.10</td><td>13.07</td><td>29.81</td><td>0.00</td><td>300</td><td>190</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.24	111.36	-56.12	37.37	34.83	12.86	29.82	0.00	300	190	PEAK	2	5872.00	56.99	105.92	-48.93	39.00	34.94	12.89	29.84	0.00	300	190	PEAK	3	5924.00	57.00	68.94	-11.94	38.77	35.10	12.98	29.85	0.00	300	190	PEAK	4	5976.40	57.05	68.20	-11.15	38.69	35.10	13.07	29.81	0.00	300	190	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.00	55.24	111.36	-56.12	37.37	34.83	12.86	29.82	0.00	300	190	PEAK																																																																																			
2	5872.00	56.99	105.92	-48.93	39.00	34.94	12.89	29.84	0.00	300	190	PEAK																																																																																			
3	5924.00	57.00	68.94	-11.94	38.77	35.10	12.98	29.85	0.00	300	190	PEAK																																																																																			
4	5976.40	57.05	68.20	-11.15	38.69	35.10	13.07	29.81	0.00	300	190	PEAK																																																																																			




		37																																																																
Mode		Harmonic																																																																
		U-NII-3_5.725-5.85_802.11ac VHT40_CH159_Full_5795MHz																																																																
ANT		SISO																																																																
Pol.		Horizontal					Vertical																																																											
Peak Avg																																																																		
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>46.79</td><td>74.00</td><td>-27.21</td><td>54.14</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	46.79	74.00	-27.21	54.14	38.09	18.67	64.11	0.00	--	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11590.00	46.79	74.00	-27.21	54.14	38.09	18.67	64.11	0.00	--	PEAK																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11590.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>54.39</td><td>38.09</td><td>18.67</td><td>64.11</td><td>0.00</td><td>100</td><td>0 PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>37.44</td><td>54.00</td><td>-16.56</td><td>44.80</td><td>38.09</td><td>18.66</td><td>64.11</td><td>0.00</td><td>100</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	47.04	74.00	-26.96	54.39	38.09	18.67	64.11	0.00	100	0 PEAK	2	11590.00	37.44	54.00	-16.56	44.80	38.09	18.66	64.11	0.00	100	0 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																								
1	11590.00	47.04	74.00	-26.96	54.39	38.09	18.67	64.11	0.00	100	0 PEAK																																																							
2	11590.00	37.44	54.00	-16.56	44.80	38.09	18.66	64.11	0.00	100	0 AVERAGE																																																							






Mode	38																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																																																																									
ANT	SISO																																																																																																																																									
Pol.	Horizontal						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5607.60</td><td>61.96</td><td>68.20</td><td>-6.24</td><td>44.66</td><td>34.52</td><td>12.53</td><td>29.75</td><td>0.00</td><td>306</td><td>33</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>62.66</td><td>69.69</td><td>-7.03</td><td>45.34</td><td>34.60</td><td>12.59</td><td>29.87</td><td>0.00</td><td>306</td><td>33</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>72.87</td><td>105.52</td><td>-32.65</td><td>55.62</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>306</td><td>33</td><td>PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>78.05</td><td>114.55</td><td>-36.50</td><td>60.69</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>306</td><td>33</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5607.60	61.96	68.20	-6.24	44.66	34.52	12.53	29.75	0.00	306	33	PEAK	2	5652.00	62.66	69.69	-7.03	45.34	34.60	12.59	29.87	0.00	306	33	PEAK	3	5700.80	72.87	105.52	-32.65	55.62	34.60	12.65	30.00	0.00	306	33	PEAK	4	5721.60	78.05	114.55	-36.50	60.69	34.64	12.67	29.95	0.00	306	33	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>101.06</td><td>-----</td><td>-----</td><td>83.42</td><td>34.74</td><td>12.73</td><td>29.83</td><td>0.00</td><td>306</td><td>33</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	101.06	-----	-----	83.42	34.74	12.73	29.83	0.00	306	33
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5607.60	61.96	68.20	-6.24	44.66	34.52	12.53	29.75	0.00	306	33	PEAK																																																																																																																														
2	5652.00	62.66	69.69	-7.03	45.34	34.60	12.59	29.87	0.00	306	33	PEAK																																																																																																																														
3	5700.80	72.87	105.52	-32.65	55.62	34.60	12.65	30.00	0.00	306	33	PEAK																																																																																																																														
4	5721.60	78.05	114.55	-36.50	60.69	34.64	12.67	29.95	0.00	306	33	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	101.06	-----	-----	83.42	34.74	12.73	29.83	0.00	306	33	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>92.54</td><td>-----</td><td>-----</td><td>74.86</td><td>34.75</td><td>12.74</td><td>29.81</td><td>0.00</td><td>306</td><td>33</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5775.00	92.54	-----	-----	74.86	34.75	12.74	29.81	0.00	306	33	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5775.00	92.54	-----	-----	74.86	34.75	12.74	29.81	0.00	306	33	AVERAGE																																																																																																																														




Mode	38																																																																																
	Band Edge - R																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																
ANT	SISO																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>67.28</td><td>111.36</td><td>-44.08</td><td>49.41</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>306</td><td>33 PEAK</td></tr><tr><td>2</td><td>5862.00</td><td>67.41</td><td>108.94</td><td>-41.53</td><td>49.48</td><td>34.87</td><td>12.88</td><td>29.82</td><td>0.00</td><td>306</td><td>33 PEAK</td></tr><tr><td>3</td><td>5923.60</td><td>56.58</td><td>69.23</td><td>-12.65</td><td>38.35</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>306</td><td>33 PEAK</td></tr><tr><td>4</td><td>5930.00</td><td>57.17</td><td>68.20</td><td>-11.03</td><td>38.93</td><td>35.10</td><td>12.99</td><td>29.85</td><td>0.00</td><td>306</td><td>33 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	67.28	111.36	-44.08	49.41	34.83	12.86	29.82	0.00	306	33 PEAK	2	5862.00	67.41	108.94	-41.53	49.48	34.87	12.88	29.82	0.00	306	33 PEAK	3	5923.60	56.58	69.23	-12.65	38.35	35.10	12.98	29.85	0.00	306	33 PEAK	4	5930.00	57.17	68.20	-11.03	38.93	35.10	12.99	29.85	0.00	306	33 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5854.80	67.28	111.36	-44.08	49.41	34.83	12.86	29.82	0.00	306	33 PEAK																																																																						
2	5862.00	67.41	108.94	-41.53	49.48	34.87	12.88	29.82	0.00	306	33 PEAK																																																																						
3	5923.60	56.58	69.23	-12.65	38.35	35.10	12.98	29.85	0.00	306	33 PEAK																																																																						
4	5930.00	57.17	68.20	-11.03	38.93	35.10	12.99	29.85	0.00	306	33 PEAK																																																																						






Mode	38																																																																																															
	Band Edge - L																																																																																															
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																															
ANT	SISO																																																																																															
Pol.	Vertical																																																																																															
Peak																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.00</td><td>57.85</td><td>68.20</td><td>-10.35</td><td>40.54</td><td>34.56</td><td>12.56</td><td>29.81</td><td>0.00</td><td>367</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5651.20</td><td>57.56</td><td>69.09</td><td>-11.53</td><td>40.25</td><td>34.60</td><td>12.58</td><td>29.87</td><td>0.00</td><td>367</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>63.83</td><td>106.09</td><td>-42.26</td><td>46.56</td><td>34.61</td><td>12.65</td><td>29.99</td><td>0.00</td><td>367</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>65.67</td><td>111.81</td><td>-46.14</td><td>48.31</td><td>34.64</td><td>12.67</td><td>29.95</td><td>0.00</td><td>367</td><td>183</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5630.00	57.85	68.20	-10.35	40.54	34.56	12.56	29.81	0.00	367	183	PEAK	2	5651.20	57.56	69.09	-11.53	40.25	34.60	12.58	29.87	0.00	367	183	PEAK	3	5702.00	63.83	106.09	-42.26	46.56	34.61	12.65	29.99	0.00	367	183	PEAK	4	5720.40	65.67	111.81	-46.14	48.31	34.64	12.67	29.95	0.00	367	183	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5630.00	57.85	68.20	-10.35	40.54	34.56	12.56	29.81	0.00	367	183	PEAK																																																																																				
2	5651.20	57.56	69.09	-11.53	40.25	34.60	12.58	29.87	0.00	367	183	PEAK																																																																																				
3	5702.00	63.83	106.09	-42.26	46.56	34.61	12.65	29.99	0.00	367	183	PEAK																																																																																				
4	5720.40	65.67	111.81	-46.14	48.31	34.64	12.67	29.95	0.00	367	183	PEAK																																																																																				
Fundamental																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>95.19</td><td>-----</td><td>-----</td><td>77.51</td><td>34.75</td><td>12.74</td><td>29.81</td><td>0.00</td><td>367</td><td>183</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	95.19	-----	-----	77.51	34.75	12.74	29.81	0.00	367	183	PEAK																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1	5775.00	95.19	-----	-----	77.51	34.75	12.74	29.81	0.00	367	183	PEAK																																																																																				
Avg	Blank																																																																																															
																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>87.55</td><td>-----</td><td>-----</td><td>69.91</td><td>34.74</td><td>12.73</td><td>29.83</td><td>0.00</td><td>367</td><td>183</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	87.55	-----	-----	69.91	34.74	12.73	29.83	0.00	367	183	AVERAGE																																							
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																						
1	5775.00	87.55	-----	-----	69.91	34.74	12.73	29.83	0.00	367	183	AVERAGE																																																																																				



Mode	38																																																																																													
	Band Edge - R																																																																																													
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																																																													
ANT	SISO																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>59.70</td><td>112.27</td><td>-52.57</td><td>41.83</td><td>34.83</td><td>12.86</td><td>29.82</td><td>0.00</td><td>367</td><td>183</td><td>PEAK</td></tr><tr><td>2</td><td>5873.20</td><td>59.53</td><td>105.80</td><td>-46.27</td><td>41.54</td><td>34.94</td><td>12.89</td><td>29.84</td><td>0.00</td><td>367</td><td>183</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>57.02</td><td>69.83</td><td>-12.81</td><td>38.79</td><td>35.10</td><td>12.98</td><td>29.85</td><td>0.00</td><td>367</td><td>183</td><td>PEAK</td></tr><tr><td>4</td><td>5942.40</td><td>56.60</td><td>68.20</td><td>-11.60</td><td>38.33</td><td>35.10</td><td>13.01</td><td>29.84</td><td>0.00</td><td>367</td><td>183</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	59.70	112.27	-52.57	41.83	34.83	12.86	29.82	0.00	367	183	PEAK	2	5873.20	59.53	105.80	-46.27	41.54	34.94	12.89	29.84	0.00	367	183	PEAK	3	5922.80	57.02	69.83	-12.81	38.79	35.10	12.98	29.85	0.00	367	183	PEAK	4	5942.40	56.60	68.20	-11.60	38.33	35.10	13.01	29.84	0.00	367	183	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5854.40	59.70	112.27	-52.57	41.83	34.83	12.86	29.82	0.00	367	183	PEAK																																																																																		
2	5873.20	59.53	105.80	-46.27	41.54	34.94	12.89	29.84	0.00	367	183	PEAK																																																																																		
3	5922.80	57.02	69.83	-12.81	38.79	35.10	12.98	29.85	0.00	367	183	PEAK																																																																																		
4	5942.40	56.60	68.20	-11.60	38.33	35.10	13.01	29.84	0.00	367	183	PEAK																																																																																		



Mode	38																																																					
	Harmonic																																																					
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_Full_5775MHz																																																					
ANT	SISO																																																					
Pol.	Horizontal						Vertical																																															
Peak Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>54.03</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.62	74.00	-27.38	54.03	38.05	18.63	64.09	0.00	--	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11550.00	46.62	74.00	-27.38	54.03	38.05	18.63	64.09	0.00	--	PEAK																																											
																																																						
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11550.00</td><td>46.68</td><td>74.00</td><td>-27.32</td><td>54.09</td><td>38.05</td><td>18.63</td><td>64.09</td><td>0.00</td><td>--</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11550.00	46.68	74.00	-27.32	54.09	38.05	18.63	64.09	0.00	--	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	11550.00	46.68	74.00	-27.32	54.09	38.05	18.63	64.09	0.00	--	PEAK																																											







Appendix C. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	93.31	1.395	0.717	0.75kHz
802.11ac VHT20	92.25	1.310	0.763	0.82kHz
802.11ac VHT40	86.74	0.654	1.529	1.7kHz
802.11ac VHT80	76.53	0.326	3.067	3.3kHz

802.11a




802.11ac VHT20





802.11ac VHT40



802.11ac VHT80

