

SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 1 of 198

TEST REPORT

Application No.: FYCR2211000438AT

Applicant: GL Technologies (Hong Kong) Limited

Address of Applicant: FLAT/RM 203 2/F BUILDING 19W 19 SCIENCE PARK WEST AVENUE

SHATIN NT Hong Kong

Manufacturer: GL Technologies (Hong Kong) Limited

Address of Manufacturer: FLAT/RM 203 2/F BUILDING 19W 19 SCIENCE PARK WEST AVENUE

SHATIN NT Hong Kong

Factory: GL Technologies (Hong Kong) Limited

Address of Factory: FLAT/RM 203 2/F BUILDING 19W 19 SCIENCE PARK WEST AVENUE

SHATIN NT Hong Kong

Equipment Under Test (EUT):

EUT Name: AX3000 WiFi 6 Router

Model No.: GL-MT3000
Trade Mark: GL.iNET

FCC ID: 2AFIW-MT3000

Standard(s): 47 CFR Part 15, Subpart C 15.247

Date of Receipt: 2022-11-03

Date of Test: 2022-11-23 to 2022-12-08

Date of Issue: 2022-12-13

Test Result: Pass*

Winkey Wang
Winkey Wang
EMC Technical Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sepx and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-C

^{*} In the configuration tested, the EUT complied with the standards specified above.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 2 of 198

	Revision Record						
Version	Version Chapter Date Modifier Re						
01		2022-12-13		Original			

Authorized for issue by:		
	Tree Zhan	
	Tree Zhan/Project Engineer	
	WinkeyWang	
	Winkey Wang/Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 3 of 198

2 Test Summary

Radio Spectrum Technical Requirement						
Item	Standard	Method	Requirement	Result		
Antenna Requirement	47 CFR Part 15, Subpart C 15.247	N/A	47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)	Pass		

Radio Spectrum Matter Part					
Item	Standard	Method	Requirement	Result	
Conducted Emissions at AC Power Line (150kHz-30MHz)		ANSI C63.10 (2013) Section 6.2	47 CFR Part 15, Subpart C 15.207	Pass	
Conducted Peak Output Power		ANSI C63.10 (2013) Section 11.9.2	47 CFR Part 15, Subpart C 15.247(b)(3)	Pass	
Minimum 6dB Bandwidth		ANSI C63.10 (2013) Section 11.8.1	47 CFR Part 15, Subpart C 15.247a(2)	Pass	
Power Spectrum Density		ANSI C63.10 (2013) Section 11.10.2	47 CFR Part 15, Subpart C 15.247(e)	Pass	
Conducted Band Edges Measurement	47 CFR Part 15,	ANSI C63.10 (2013) Section 11.13.3.2	47 CFR Part 15, Subpart C 15.247(d)	Pass	
Conducted Spurious Emissions	Subpart C 15.247	ANSI C63.10 (2013) Section 11.11	47 CFR Part 15, Subpart C 15.247(d)	Pass	
Radiated Emissions which fall in the restricted bands		ANSI C63.10 (2013) Section 6.10.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	
Radiated Spurious Emissions Below 1GHz		ANSI C63.10 (2013) Section 6.4,6.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	
Radiated Spurious Emissions Above 1GHz		ANSI C63.10 (2013) Section 6.6	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 4 of 198

3 Contents

		Page
1	COVER PAGE	1
2	2 TEST SUMMARY	3
3	B CONTENTS	
9		
4	GENERAL INFORMATION	6
	4.1 DETAILS OF E.U.T.	
	4.2 DESCRIPTION OF SUPPORT UNITS	
	4.3 MEASUREMENT UNCERTAINTY	
	4.4 TEST LOCATION	
	4.5 TEST FACILITY	
	4.6 DEVIATION FROM STANDARDS	
5	5 EQUIPMENT LIST	8
6	RADIO SPECTRUM TECHNICAL REQUIREMENT	11
O		
	6.1 ANTENNA REQUIREMENT	
	6.1.1 Test Requirement:	
7		
	7.1 CONDUCTED EMISSIONS AT AC POWER LINE (150kHz-30MHz)	12
	7.1.1 E.U.T. Operation	
	7.1.2 Test Mode Description	
	7.1.3 Test Setup Diagram	
	7.1.4 Measurement Procedure and Data	
	7.2 CONDUCTED PEAK OUTPUT POWER	
	7.2.2 Test Mode Description	
	7.2.3 Test Setup Diagram	
	7.2.4 Measurement Procedure and Data	
	7.3 MINIMUM 6DB BANDWIDTH	
	7.3.1 E.U.T. Operation	19
	7.3.2 Test Mode Description	19
	7.3.3 Test Setup Diagram	
	7.3.4 Measurement Procedure and Data	19
	7.4 POWER SPECTRUM DENSITY	
	7.4.1 E.U.T. Operation	
	7.4.2 Test Mode Description	
	7.4.3 Test Setup Diagram	
	7.4.4 Measurement Procedure and Data	
	7.5.1 E.U.T. Operation	
	1.0.1 L.O.1. Operation	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification in sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.

or emails CND Doccheck@ass.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 5 of 198

7.5.2 Test Mode Description	
7.5.4 Measurement Procedure and Data	22
7.6 CONDUCTED SPURIOUS EMISSIONS	23
7.6.1 E.U.T. Operation	23
7.6.2 Test Mode Description	
7.6.3 Test Setup Diagram	24
7.6.4 Measurement Procedure and Data	24
7.7 RADIATED EMISSIONS WHICH FALL IN THE RESTRICTED BANDS	25
7.7.1 E.U.T. Operation	25
7.7.2 Test Mode Description	25
7.7.3 Test Setup Diagram	
7.7.4 Measurement Procedure and Data	27
7.8 RADIATED SPURIOUS EMISSIONS BELOW 1GHZ	60
7.8.1 E.U.T. Operation	60
7.8.2 Test Mode Description	60
7.8.3 Test Setup Diagram	
7.8.4 Measurement Procedure and Data	
7.9 RADIATED SPURIOUS EMISSIONS ABOVE 1GHz	
7.9.1 E.U.T. Operation	64
7.9.2 Test Mode Description	64
7.9.3 Test Setup Diagram	
7.9.4 Measurement Procedure and Data	6
8 TEST SETUP PHOTO	90
9 EUT CONSTRUCTIONAL DETAILS (EUT PHOTOS)	90
10 APPENDIX	91

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 6 of 198

4 General Information

4.1 Details of E.U.T.

Adapter Model: ICP20-050-3000D
Input: AC 100-240V 50/60Hz 0.6A
Output: DC 5V 3A.
DC cable:140cm unshielded
RJ45 cable:75cm unshielded
802.11b/g/n(HT20)/ax(HEW20): 2412MHz to 2462MHz,
802.11n(HT40)/ax(HEW40): 2422MHz to 2452MHz
802.11b: DSSS (CCK, DQPSK, DBPSK),
802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)
802.11ax: OFDMA(16QAM, 64QAM, 256QAM, 1024QAM, QPSK, BPSK)
802.11b/g/n(HT20)/ax(HEW20): 11, 802.11n(HT40)/ax(HEW40):7
5MHz
PCB Antenna
Antenna 1&2:3.67 dBi; Directional Gain: 6.68dBi.

Remark: The information in this section is provided by the applicant or manufacturer, CCS is not liable to the accuracy, suitability, reliability or/and integrity of the information.

4.2 Description of Support Units

Description	Manufacturer	Model No.	Serial No.			
The EUT has been tested as an independent unit.						

4.3 Measurement Uncertainty

Measurement Uncertainty
± 2.1 dB (9kHz to 30MHz)
± 0.8dB
± 0.3%
± 0.4dB
± 2.7dB
± 2.7dB
± 4.4dB (Above 1GHz)
± 3.1dB (Below 1GHz)
± 4.4dB (Above 1GHz)

Remark:

The U_{lab} (lab Uncertainty) is less than U_{cispr/ETSI} (CISPR/ETSI Uncertainty), so the test results

- compliance is deemed to occur if no measured disturbance level exceeds the disturbance limit;
- non-compliance is deemed to occur if any measured disturbance level exceeds the disturbance limit.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.ragor.and.for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions.ragor.and.for electronic Documents.and.for.and.f



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 7 of 198

4.4 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc. Shenzhen branch.

Fuyong lab. Xinlong TechnoPark,Fengtang Road, Fuyong Subdistrict, Bao'an, Shenzhen, China Tel: +86 755 8866 3988 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.5 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• A2LA (Certificate No. 6606.01)

Compliance Certification Services (Kunshan) Inc. Shenzhen branch is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6606.01.

• FCC -Designation Number: CN1322

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized as an accredited testing laboratory.

Designation Number: CN1322. Test Firm Registration Number: 718073

• Innovation, Science and Economic Development Canada

Compliance Certification Services (Kunshan) Inc. Shenzhen branch has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0129.

IC#: 28189.

4.6 Deviation from Standards

None

4.7 Abnormalities from Standard Conditions

None





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 8 of 198

5 Equipment List

Conducted Emissions at AC Power Line (150kHz-30MHz)						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
Shielding Room	CRT	N/A	SEM001-14	2021/7/13	2024/7/12	
EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-01	2022/7/12	2023/7/11	
Two-Line V-Network	Rohde & Schwarz	ENV216	SEM007-16	2022/7/12	2023/7/11	
Two-Line V-Network	Rohde & Schwarz	ESH3-Z5	SEM007-22	2022/1/10	2023/1/9	
Coaxial Cable	CCS	N/A	SEM033-02	2022/5/16	2023/5/15	
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A	

Conducted Peak Output Power					
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29
Power Sensor	Erika Fiedler	U2021XA	SEM009-15	2022/7/12	2023/7/11
Power Sensor	Erika Fiedler	U2021XA	SEM009-16	2022/7/12	2023/7/11
Programmable DC Source	Chroma	62024P-80-60	SEM011-09	2022/7/12	2023/7/11
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A

Minimum 6dB Bandwidth						
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date	
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29	
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11	
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A	

Power Spectrum Density							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29		
Attenuator	Huber+Suhner	6620_SMA-50- 1	SEM021-09	2022/7/12	2023/7/11		
Measurement Software	easurement Software TST PASS		N/A	N/A	N/A		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification in sues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.

Remail CAD Doccheck@sss.com



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 9 of 198

Conducted Band Edges Measurement							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29		
Attenuator	Huber+Suhner 6620_SMA		SEM021-09	2022/7/12	2023/7/11		
Measurement Software	TST PASS	TST PASS V2.0	N/A	N/A	N/A		

Conducted Spurious Emissions							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-25	2022/5/30	2023/5/29		
Attenuator	Huber+Suhner 6620_SMA		SEM021-09	2022/7/12	2023/7/11		
Measurement Software	asurement Software TST PASS		N/A	N/A	N/A		

Radiated Emissions which fall in the restricted bands							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12		
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	SEM003-15	2021/7/11	2024/7/10		
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-23	2022/4/24	2023/4/23		
Pre-amplifier	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2022/7/12	2023/7/11		
Pre-amplifier	Rohde & Schwarz	CH14-H052	SEM005-17	2022/7/12	2023/7/11		
Coaxial Cable	CCS	N/A	SEM035-02	2022/5/16	2023/5/15		
Coaxial Cable	CCS	N/A	SEM035-03	2022/5/16	2023/5/15		
Pre-amplifier	e-amplifier TST PASS		SEM005-27	2022/4/15	2023/4/14		
Pre-amplifier	mplifier TST PASS		SEM005-28	2022/4/15	2023/4/14		
Measurement Software AUDIX		e3 V8.2014-6- 27	N/A	N/A	N/A		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 10 of 198

Radiated Spurious Emissions Below 1GHz							
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date		
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12		
Trilog-Broadband Antenna	d Schwarzbeck VULB9168 SEM003-33		SEM003-33	2021/9/25	2024/9/24		
Loop Antenna	ETS-LINDGREN	6502	SEM003-36	2021/9/26	2024/9/25		
MXE EMI receiver	receiver Agilent		SEM004-05	2022/7/12	2023/7/11		
Pre-amplifier	HP	8447D	SEM005-02	2022/7/12	2023/7/11		
Coaxial Cable	CCS	N/A	SEM035-01	2022/5/16	2023/5/15		
Measurement Software	AUDIX	e3 V8.2014-6- 27	N/A	N/A	N/A		

Radiated Spurious Emissions Above 1GHz							
Equipment Manufacturer		Model No.	Inventory No.	Cal Date	Cal Due Date		
3m Anechoic Chamber	CRT	N/A	SEM001-13	2021/7/13	2024/7/12		
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9120D	SEM003-32	2021/9/26	2024/9/25		
MXA Signal Analyzer	KEYSIGHT	N9020A	SEM004-23	2022/4/24	2023/4/23		
Coaxial Cable	Coaxial Cable CCS		SEM035-03	2022/5/16	2023/5/15		
Pre-amplifier	TST PASS	LNA04080G30	SEM005-27	2022/4/15	2023/4/14		
Pre-amplifier	TST PASS	LNA10180G45	SEM005-28	2022/4/15	2023/4/14		
Measurement Software AUDIX		e3 V8.2014-6- 27	N/A	N/A	N/A		

General used equipment								
Equipment	Manufacturer	Model No.	Inventory No.	Cal Date	Cal Due Date			
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-22	2022-07-12	2023-07-11			
Humidity/ Temperature Indicator	Mingle	TH607	SEM002-23	2022-07-12	2023-07-11			
Barometer	DUMAI	DYM3	SEM002-24	2022-07-12	2023-07-11			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 11 of 198

6 Radio Spectrum Technical Requirement

6.1 Antenna Requirement

6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

6.1.2 Conclusion

Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna:

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is Antenna 1&2:3.67 dBi; Directional Gain: 6.68dBi.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents after the time of the Indiano and Indiano and Indiano and Indiano and Indiano and Indiano and Indiano advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing Inspection report & certificate, pease contact us at telephone (86-755) 8307 1443.

Attention:To check the authenticity of testing Inspection report & certificate, pease contact us at telephone (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 12 of 198

7 Radio Spectrum Matter Test Results

7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement 47 CFR Part 15, Subpart C 15.207 Test Method: ANSI C63.10 (2013) Section 6.2

Limit:

Erogueney of emission/MU=)	Conducted limit(dBμV)				
Frequency of emission(MHz)	Quasi-peak	Average			
0.15-0.5	66 to 56*	56 to 46*			
0.5-5	56	46			
5-30	60	50			
*Decreases with the logarithm of the frequency.					
Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz					

7.1.1 E.U.T. Operation

Operating Environment:

Temperature: 22.3 °C Humidity: 52.6 % RH Atmospheric Pressure: 1020 mbar





SZCCS-TRF-01 Rev. A/0 Aug01,2022


Report No.: FYCR221100043802

Page: 13 of 198

7.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40); data rate @8Mbps is the worst case of IEEE 802.11ax(HE20); data rate@16Mbps is the worst case of IEEE 802.11ax(HE40). Only the data of worst case is recorded in the report

7.1.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 14 of 198

7.1.4 Measurement Procedure and Data

- 1) The mains terminal disturbance voltage test was conducted in a shielded room.
- 2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a $50 \text{ohm}/50 \mu\text{H} + 5 \text{ohm}$ linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.
- 3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.
- 4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.
- 5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents after the time of the Indiano and Indiano and Indiano and Indiano and Indiano and Indiano and Indiano advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing Inspection report & certificate, pease contact us at telephone (86-755) 8307 1443.

Attention:To check the authenticity of testing Inspection report & certificate, pease contact us at telephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 15 of 198

Test Mode: 00; Line: Live line



Site : Shielding Room

Condition: Line Job No. : 00438AT

Test mode: 00

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
								_
1	0.2416	0.02	0.26	25.19	25.47	52.04	-26.57	Average
2	0.2416	0.02	0.26	32.34	32.62	62.04	-29.42	QP
3	0.4564	0.02	0.27	22.98	23.27	46.76	-23.49	Average
4	0.4564	0.02	0.27	35.45	35.74	56.76	-21.02	QP
5	0.5265	0.02	0.26	32.90	33.18	46.00	-12.82	Average
6	0.5265	0.02	0.26	42.09	42.37	56.00	-13.63	QP
7	0.7835	0.06	0.21	20.96	21.23	46.00	-24.77	Average
8	0.7835	0.06	0.21	29.97	30.24	56.00	-25.76	QP
9	1.1056	0.03	0.19	17.72	17.94	46.00	-28.06	Average
10	1.1056	0.03	0.19	28.20	28.42	56.00	-27.58	QP
11	1.6450	0.02	0.18	22.36	22.56	46.00	-23.44	Average
12	1.6450	0.02	0.18	30.93	31.13	56.00	-24.87	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection report & certificate, please contents at telephone (86-75) 8307 1443.

Attention To check the authenticity of testing inspection report & certificate, please contents at telephone (86-75) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 16 of 198

Test Mode: 00; Line: Neutral Line



Site : Shielding Room

Condition: Neutral Job No. : 00438AT

Test mode: 00

		Cable	LISN	Read		Limit	0ver	
	Freq	Loss	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
								_
1	0.1945	0.02	0.29	21.18	21.49	53.84	-32.35	Average
2	0.1945	0.02	0.29	35.65	35.96	63.84	-27.88	QP
3	0.2495	0.03	0.29	27.78	28.10	51.78	-23.68	Average
4	0.2495	0.03	0.29	36.14	36.46	61.78	-25.32	QP
5	0.5210	0.02	0.26	35.57	35.85	46.00	-10.15	Average
6	0.5210	0.02	0.26	44.09	44.37	56.00	-11.63	QP
7	0.7793	0.06	0.13	17.37	17.56	46.00	-28.44	Average
8	0.7793	0.06	0.13	27.80	27.99	56.00	-28.01	QP
9	1.0430	0.03	0.06	20.18	20.27	46.00	-25.73	Average
10	1.0430	0.03	0.06	29.28	29.37	56.00	-26.63	QP
11	2.7356	0.02	0.12	15.59	15.73	46.00	-30.27	Average
12	2.7356	0.02	0.12	24.53	24.67	56.00	-31.33	QP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx, and, for electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-75) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 17 of 198

7.2 Conducted Peak Output Power

Test Requirement 47 CFR Part 15, Subpart C 15.247(b)(3)
Test Method: ANSI C63.10 (2013) Section 11.9.2

Limit:

Frequency range(MHz)	Output power of the intentional radiator(watt)
	1 for ≥50 hopping channels
902-928	0.25 for 25≤ hopping channels <50
	1 for digital modulation
	1 for ≥75 non-overlapping hopping channels
2400-2483.5	0.125 for all other frequency hopping systems
	1 for digital modulation
5725-5850	1 for frequency hopping systems and digital modulation

7.2.1 E.U.T. Operation

Operating Environment:

Temperature: 24.5 °C Humidity: 52.1 % RH Atmospheric Pressure: 1020 mbar

7.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40); data rate @8Mbps is the worst case of IEEE 802.11ax(HE20); data rate@16Mbps is the worst case of IEEE 802.11ax(HE40). Only the data of worst case is recorded in the report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention to the determine the authenticity of testing Inspection report & certificate, please contacture at telephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 18 of 198

7.2.3 Test Setup Diagram



7.2.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention to check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 19 of 198

7.3 Minimum 6dB Bandwidth

Test Requirement 47 CFR Part 15, Subpart C 15.247a(2)
Test Method: ANSI C63.10 (2013) Section 11.8.1

Limit:

≥500 kHz

7.3.1 E.U.T. Operation


Operating Environment:

Temperature: 24.5 °C Humidity: 52.1 % RH Atmospheric Pressure: 1020 mbar

7.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description						
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40); data rate @8Mbps is the worst case of IEEE 802.11ax(HE20); data rate@16Mbps is the worst case of IEEE 802.11ax(HE40). Only the data of worst case is recorded in the report						

7.3.3 Test Setup Diagram



7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention to the determine the authenticity of testing Inspection report & certificate, please contacture at telephone (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 20 of 198

7.4 Power Spectrum Density

Test Requirement 47 CFR Part 15, Subpart C 15.247(e)
Test Method: ANSI C63.10 (2013) Section 11.10.2

Limit:

≤8dBm in any 3 kHz band during any time interval of continuous transmission

7.4.1 E.U.T. Operation


Operating Environment:

Temperature: 24.5 °C Humidity: 52.1 % RH Atmospheric Pressure: 1020 mbar

7.4.2 Test Mode Description

Title Took mode becompain								
Pre-scan / Final test	Mode Code	Description						
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40); data rate @8Mbps is the worst case of IEEE 802.11ax(HE20); data rate@16Mbps is the worst case of IEEE 802.11ax(HE40). Only the data of worst case is recorded in the report						

7.4.3 Test Setup Diagram



7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention to the determine the authenticity of testing Inspection report & certificate, please contacture at telephone (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 21 of 198

7.5 Conducted Band Edges Measurement

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.13.3.2

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.5.1 E.U.T. Operation

Operating Environment:

Temperature: 24.5 °C Humidity: 52.1 % RH Atmospheric Pressure: 1020 mbar

7.5.2 Test Mode Description

7.0.2 Test made Beschption								
Pre-scan / Final test	Mode Code	Description						
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40); data rate @8Mbps is the worst case of IEEE 802.11ax(HE20); data rate@16Mbps is the worst case of IEEE 802.11ax(HE40). Only the data of worst case is recorded in the report						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attantion: To check the authenticity of testing //inspection report 2 certificate, please contacture at letephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 22 of 198

7.5.3 Test Setup Diagram



7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, right or figure yr faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 23 of 198

7.6 Conducted Spurious Emissions

Test Requirement 47 CFR Part 15, Subpart C 15.247(d)
Test Method: ANSI C63.10 (2013) Section 11.11

Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

7.6.1 E.U.T. Operation

Operating Environment:

Temperature: 24.5 °C Humidity: 52.1 % RH Atmospheric Pressure: 1020 mbar

7.6.2 Test Mode Description

7.0.2 Test mode bescription								
Pre-scan / Final test	Mode Code	Description						
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40); data rate @8Mbps is the worst case of IEEE 802.11ax(HE20); data rate@16Mbps is the worst case of IEEE 802.11ax(HE40). Only the data of worst case is recorded in the report						



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's service responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest settent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authenticity of testing planetion report & certificate, please contactus at telephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 24 of 198

7.6.3 Test Setup Diagram



7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, right or figure yr faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 25 of 198

7.7 Radiated Emissions which fall in the restricted bands

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.10.5

Measurement Distance: 3m

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

7.7.1 E.U.T. Operation

Operating Environment:

Temperature: 24.5 °C Humidity: 45 % RH Atmospheric Pressure: 1020 mbar

7.7.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40); data rate @8Mbps is the worst case of IEEE 802.11ax(HE20); data rate@16Mbps is the worst case of IEEE 802.11ax(HE40). Only the data of worst case is recorded in the report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents after the time of the Indiano and Indiano and Indiano and Indiano and Indiano and Indiano and Indiano advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exceed except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention:To check the authenticity of testing Inspection report & certificate, pease contact us at telephone (86-755) 8307 1443.

Attention:To check the authenticity of testing Inspection report & certificate, pease contact us at telephone (86-755) 8307 1443.





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 26 of 198

7.7.3 Test Setup Diagram





30MHz-1GHz

Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, fragery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

**Assault Company Authorities of the full less contact us at telephone: (86-755) 8307 1443.

**Assault Company Authorities of the full less contact us at telephone: (86-755) 8307 1443.

**Assault Company Authorities of the full less contact us at telephone: (86-755) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 27 of 198

7.7.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.
- h. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- j. Repeat above procedures until all frequencies measured was complete.
- Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents after the provided of the Company is the Company and the Indition of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing Angelon and content or appearance contact us at telephone (86-785) 8301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 28 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2412 Band edge Note : 2,4G WIFI 11B

-	100,000	Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Jane	Factor				90.000		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2388,032	5.05	27.15	32.50	55.67	55.37	74.00	-18.63	peak
2	2390.000	5.05	27,16	32.50	55.04	54.75	74.00	-19.25	peak
3 .	. 2412.000	5.07	27.21	32,50	107.79	107.57	74.00	33.57	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 29 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2412 Band edge Note : 2,4G WIFI 11B

		10 112	1 110						
	Freq	Cable Loss	Ant Factor	Preamp Factor		Level	Limit Line	Over Limit	Remark
. ?	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.968	5.05	27.16	32.50	43.09	42.80	54.00	-11.20	Average
2	2390.000	5.05	27,16	32,50	43.09	42.80	54.00	-11.20	Average
3 .	2412.000	5.07	27.21	32.50	104.60	104.38	54.00	50.38	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 30 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2412 Band edge

: 2.4G WIFI 11B Note

		0000	Cable	Ant	Preamp	Read		Limit	Over	
		Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	2	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1		2389,484	5.05	27.16	32.50	55.97	55.68	74.00	-18.32	Peak
2		2390.000	5.05	27,16	32.50	55,32	55.03	74,00	-18.97	Peak
3		2412.000	5.07	27.21	32.50	112.08	111.86	74.00	37.86	Peak






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 31 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2412 Band edge Note : 2.4G WIFI 11B

	in have	Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	the state of the s		Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389,484	5.05	27.16	32.50	44.58	44.29	54.00	-9.71	Average
2	2390.000	5.05	27,16	32,50	44,43	44.14	54.00	-9.86	Average
3	. 2412.000	5.07	27.21	32.50	109.57	109.35	54.00	55.35	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-an




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 32 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2462 Band edge Note : 2,4G WIFI 11B

	11 27 14 1121 2 222									
	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	1000	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		-
1 .	2462.000	5.10	27.32	32.50	106.90	106.82	74.00	32.82	peak	
2	2483,500	5,12	27.36	32,50	54,42	54,40	74,00	-19.60	peak	
3	2486.702	5,12	27.37	32.50	56.57	56.56	74.00	-17,44	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 33 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2462 Band edge Note : 2.4G WIFI 11B

	Freq	Cable Loss	Ant Factor	Preamp Factor		Level	Limit Line	0.00	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 .	2462.000	5.10	27.32	32.50	103.65	103.57	54.00	49.57	Average
2	2483.500	5,12	27.36	32,50	42,59	42,57	54,00	-11.43	Average
3	2490.171	5.12	27,38	32,50	42,94	42.94	54.00	-11.06	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list hervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 34 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



: chamber Site

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2462 Band edge

: 2,4G WIFI 11B Note

	Freq	Cable Loss	Ant Factor	Preamp Factor			Limit Line	Over Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		_
1 ,	2462.000	5.10	27.32	32.50	109.62	109.54	74.00	35.54	Peak	
2	2483,500	5.12	27.36	32,50	54.29	54,27	74.00	-19.73	Peak	
3	2485.245	5,12	27.37	32.50	55.76	55.75	74.00	-18.25	Peak	






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 35 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT

Mode : 2462 Band edge Note : 2,4G WIFI 11B

200											
	Freq	Cable Loss	Ant Factor	Preamp Factor			Limit Line	-014			
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB			
1.	2462,000	5.10	27.32	32.50	107.07	106.99	54.00	52,99	Average		
2	2483,500	5,12	27.36	32,50	43.15	43.13	54.00	-10.87	Average		
3	2483,940	5.12	27.37	32,50	43,35	43,34	54,00	-10.66	Average		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 36 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2412 Band edge Note : 2.4G WIFI 11G

	Freq	Cable Loss		Preamp Factor			Limit Line	1012		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		_
1	2387.065	5.05	27,15	32.50	67.81	67.51	74.00	-6,49	peak	
2	2390.000	5.05	27.16	32,50	66.30	66,01	74,00	-7.99	peak	
3 ,	2412.000	5.07	27,21	32.50	109.67	109.45	74.00	35.45	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 37 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2412 Band edge Note : 2,4G WIFI 11G

	1 to								
	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.968	5.05	27.16	32.50	48.10	47.81	54.00	-6.19	Average
2	2390.000	5.05	27.16	32,50	48.10	47.81	54,00	-6.19	Average
3 .	2412.000	5.07	27.21	32.50	98.83	98.61	54.00	44.61	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 38 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 2412 Band ed

Mode : 2412 Band edge Note : 2.4G WIFI 11G

	10 T 10 T 10 T 10 T	A 100 A								
	Freq	Cable Loss		Preamp Factor			Limit Line	Over Limit		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7	_
1	2389.726	5.05	27.16	32.50	72.28	71.99	74.00	-2.01	Peak	
2	2390.000	5.05	27,16	32.50	70.39	70.10	74,00	-3.90	Peak	
3 ,	2412.000	5.07	27.21	32.50	113,40	113,18	74.00	39.18	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 39 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2412 Band edge Note : 2.4G WIFI 11G

232	Freq	Cable	Ant Factor	Preamp Factor	Read Level		Limit Line	Over Limit	Remark	
>	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		4
1	2389.726	5.05	27.16	32.50	51.85	51,56	54.00	-2.44	Average	
2	2390.000	5.05	27.16	32.50	51.56	51,27	54,00	-2.73	Average	
3 .	2412.000	5.07	27.21	32.50	103.88	103,66	54,00	49.66	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection report & certificate, please contents and telephone (86-75) \$807 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 40 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2462 Band edge Note : 2,4G WIFI 11G

250									
	Freq	Cable Loss		Preamp Factor			Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1.	2462.000	5.10	27.32	32,50	109.00	108.92	74.00	34.92	peak
2	2483,500	5.12	27.36	32,50	70.23	70.21	74.00	-3.79	peak
3	2495.257	5.13	27.39	32.50	67,43	67.45	74.00	-6.55	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 41 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2462 Band edge Note : 2,4G WIFI 11G

200										
	Freq	Cable Loss	4 4 4 4	Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark	
1	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-	_
1.	2462.000	5.10	27.32	32,50	99.35	99.27	54.00	45.27	Average	
2	2483,500	5,12	27.36	32,50	45,92	45,90	54.00	-8,10	Average	
3	2483.790	5,12	27.37	32.50	45.74	45.73	54.00	-8.27	Average	
2	2483,500	5,12	27.36	32,50	45,92	45.90	54,00	-8,10	Ave	erage



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection report & certificate, please contents and telephone (86-75) \$807 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 42 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



: chamber Site

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2462 Band edge

: 2.4G WIFI 11G Note

	100000								
	Freq	Cable Loss		Preamp Factor			Limit Line	Over Limit	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1.	2462.000	5.10	27.32	32,50	112.90	112.82	74,00	38.82	Peak
2	2483,500	5.12	27.36	32,50	69,81	69.79	74,00	-4.21	Peak
3	2483.890	5.12	27.37	32,50	71.42	71,41	74.00	-2,59	Peak






SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 43 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2462 Band edge Note : 2,4G WIFI 11G

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB

1 . 2462.000 5.10 27.32 32.50 102.94 102.86 54.00 48.86 Average
2 2483.500 5.12 27.36 32.50 47.95 47.93 54.00 -6.07 Average
3 2483.790 5.12 27.37 32.50 47.39 47.38 54.00 -6.62 Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 44 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2422 Band edge Note : 2,4G WIFI 11N40

= 5	110 20	Cable	Δnt	Preamp	Read		Limit	Over	
	Freq	-	Factor					-	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.526	5.05	27.16	32.50	61.74	61.45	74.00	-12.55	peak
2	2390,000	5.05	27,16	32,50	61,26	60.97	74,00	-13.03	peak
3	. 2422.000	5.08	27.23	32,50	104,68	104.49	74.00	30.49	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions-and-C




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 45 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2422 Band edge Note : 2,4G WIFI 11N40

	Freq	Cable Loss		Preamp Factor	Read Level		Limit Line	Over Limit	Remark
2	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.376	5.05	27.16	32,50	49.59	49.30	54.00	-4.70	Average
2	2390,000	5.05	27.16	32,50	49,15	48,86	54,00	-5.14	Average
3 .	2422.000	5.08	27.23	32.50	95.08	94.89	54.00	40.89	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 46 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT

Mode : 2422 Band edge Note : 2,4G WIFI 11N40

	Freq	Cable Loss		t Preamp or Factor			Limit Line	Over Limit	Remark
>	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.677	5.05	27.16	32,50	67.04	66.75	74.00	-7.25	Peak
2	2390.000	5.05	27,16	32,50	65.42	65.13	74,00	-8.87	Peak
3 .	2422.000	5.08	27.23	32,50	109,51	109.32	74.00	35.32	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list hervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 47 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 2422 Band ed

Mode : 2422 Band edge Note : 2,4G WIFI 11N40

	Freq	Cable Loss		Preamp Factor			Limit Line	Over Limit	Remark
5	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389,677	5.05	27.16	32,50	53.56	53.27	54.00	-0.73	Average
2	2390.000	5.05	27.16	32,50	53.50	53.21	54,00	-0.79	Average
3 .	2422.000	5.08	27.23	32.50	100,11	99.92	54.00	45.92	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list hervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 48 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2452 Band edge Note : 2,4G WIFI 11N40

2.0				~					
	Freq	Cable Loss		Preamp Factor			Limit Line	100	Remark
2	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1.	2452,000	5.10	27.30	32.50	104.80	104.70	74.00	30.70	peak
2	2483.500	5.12	27.36	32,50	59,40	59.38	74,00	-14.62	peak
3	2484,641	5.12	27.37	32.50	59.61	59.60	74.00	-14,40	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection report & certificate, please contents and telephone (86-75) \$807 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 49 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2452 Band edge Note : 2,4G WIFI 11N40

0.5-5		10.00		5 mm ann	to the state of th					
		Cable	Ant	Preamp	Read		Limit	Over		
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1 ,	2452.000	5.10	27.30	32,50	95.51	95.41	54.00	41.41	Average	
2	2483.500	5,12	27.36	32,50	46.79	46,77	54,00	-7.23	Average	
3	2484.217	5.12	27.37	32.50	47.53	47.52	54.00	-6.48	Average	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 50 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 2452 Band edge

Mode : 2452 Band edge Note : 2,4G WIFI 11N40

-		Cable	Ant	Preamp	Read		Limit	Over		
	Freq		Factor	the state of the s			90.000		Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-	-
1 ,	2452.000	5.10	27.30	32,50	107.63	107.53	74.00	33.53	Peak	
2	2483,500	5.12	27.36	32,50	61.37	61.35	74,00	-12.65	Peak	
3	2484.288	5.12	27.37	32.50	62.43	62,42	74.00	-11.58	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 51 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT

Mode : 2452 Band edge Note : 2,4G WIFI 11N40

	Cable	Ant	Preamn	Read		Limit	Over	
Freq	200			A Property of	Level	93.900		Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
2452.000	5.10	27.30	32,50	98,17	98.07	54.00	44.07	Average
2483.500	5,12	27.36	32,50	48.70	48,68	54,00	-5.32	Average
2484.217	5.12	27.37	32.50	49.50	49.49	54.00	-4.51	Average
	MHz 2452,000 2483,500	Freq Loss MHz dB 2452.000 5.10 2483.500 5.12	Freq Loss Factor MHz dB dB/m 2452.000 5.10 27.30 2483.500 5.12 27.36	Freq Loss Factor Factor MHz dB dB/m dB 2452.000 5.10 27.30 32.50 2483.500 5.12 27.36 32.50	Freq Loss Factor Factor Level MHz dB dB/m dB dBuV 2452.000 5.10 27.30 32.50 98.17 2483.500 5.12 27.36 32.50 48.70	Freq Loss Factor Factor Level Level MHz dB dB/m dB dBuV dBuV/m 2452.000 5.10 27.30 32.50 98.17 98.07 2483.500 5.12 27.36 32.50 48.70 48.68	Freq Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m dBuV/m 2452.000 5.10 27.30 32.50 98.17 98.07 54.00 2483.500 5.12 27.36 32.50 48.70 48.68 54.00	Freq Loss Factor Factor Level Level Line Limit MHz dB dB/m dB dBuV dBuV/m dBuV/m dB 2452.000 5.10 27.30 32.50 98.17 98.07 54.00 44.07 2483.500 5.12 27.36 32.50 48.70 48.68 54.00 -5.32



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 52 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2412 Band edge Note : 2.4G WIFI 11AX20

e z e		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss				Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389,726	5.05	27.16	32.50	66.98	66.69	74.00	-7.31	peak
2	2390,000	5.05	27,16	32,50	62,38	62.09	74.00	-11.91	peak
3	. 2412.000	5.07	27.21	32.50	109.62	109,40	74.00	35,40	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 53 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2412 Band edge Note : 2.4G WIFI 11AX20

222	A COL	Cable	Ant	Preamp	Read		Limit	Over	
	Freq			Factor	1000000		93.3600		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	2389.000	5.05	27.16	32.50	46,83	46.54	54.00	-7.46	Average
2	2390.000	5.05	27.16	32,50	46,68	46.39	54,00	-7,61	Average
3 .	2412.000	5.07	27.21	32.50	96.23	96.01	54.00	42.01	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, rigery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention to check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 54 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2412 Band edge Note : 2.4G WIFI 11AX20

- E	A 17 (A 17 A 17 A 17 A 17 A 17 A 17 A 17									
	Freq	Cable Loss		Preamp Factor			Limit Line			
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		_
1	2388.154	5.05	27.15	32.50	68.88	68.58	74.00	-5.42	Peak	
2	2390.000	5.05	27,16	32,50	67.02	66,73	74,00	-7.27	Peak	
3	. 2412.000	5.07	27.21	32.50	114,92	114.70	74.00	40.70	Peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 55 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2412 Band edge Note : 2.4G WIFI 11AX20

0.2.2	Freq	Cable Loss		Preamp Factor			Limit Line	Over Limit	Remark
2	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	2389,484	5.05	27.16	32.50	51.70	51.41	54.00	-2,59	Average
2	2390.000	5.05	27,16	32.50	51.31	51.02	54,00	-2,98	Average
3 .	2412.000	5.07	27.21	32.50	103.14	102.92	54.00	48.92	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list hervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 56 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2462 Band edge Note : 2,4G WIFI 11AX20

10.70	Cable	Ant	Preamp	Read		Limit	Over	
Freq						900000		
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
, 2462,000	5.10	27.32	32.50	108.82	108.74	74.00	34.74	peak
2483.500	5.12	27.36	32,50	56,01	55.99	74,00	-18,01	peak
2486.802	5.12	27.37	32.50	58.25	58.24	74.00	-15.76	peak
	MHz . 2462,000 2483,500	Freq Loss MHz dB . 2462.000 5.10 2483.500 5.12	MHz dB dB/m . 2462.000 5.10 27.32 2483.500 5.12 27.36	MHz dB dB/m dB . 2462.000 5.10 27.32 32.50 2483.500 5.12 27.36 32.50	Freq Loss Factor Factor Level MHz dB dB/m dB dBuV . 2462.000 5.10 27.32 32.50 108.82 2483.500 5.12 27.36 32.50 56.01	MHz dB dB/m dB dBuV dBuV/m . 2462.000 5.10 27.32 32.50 108.82 108.74 2483.500 5.12 27.36 32.50 56.01 55.99	Freq Loss Factor Factor Level Level Line MHz dB dB/m dB dBuV dBuV/m dBuV/m . 2462.000 5.10 27.32 32.50 108.82 108.74 74.00 2483.500 5.12 27.36 32.50 56.01 55.99 74.00	Freq Loss Factor Factor Level Level Line Limit MHz dB dB/m dB dBuV dBuV/m dBuV/m dB . 2462.000 5.10 27.32 32.50 108.82 108.74 74.00 34.74 2483.500 5.12 27.36 32.50 56.01 55.99 74.00 -18.01



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention To check the authenticity of testing inspection reports.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 57 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2462 Band edge Note : 2,4G WIFI 11AX20

~~~									
	Freq	Cable Loss		Preamp Factor	Read Level	Level	Limit Line	Over Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1.	2462,000	5.10	27.32	32,50	95,68	95.60	54.00	41.60	Average
2	2483,500	5.12	27.36	32,50	44.35	44,33	54,00	-9.67	Average
3	2483.790	5.12	27.37	32,50	44,06	44.05	54.00	-9.95	Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention To check the authenticity of testing inspection reports.**




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 58 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2462 Band edge Note : 2.4G WIFI 11AX20

000	14 27	40 MAY	TTTT	20					
	Freq	Cable Loss		Preamp Factor	112		Limit Line	-	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1.	2462.000	5,10	27.32	32.50	114.96	114.88	74.00	40.88	Peak
2	2483,500	5,12	27.36	32,50	60.24	60,22	74,00	-13.78	Peak
3	2485.747	5,12	27.37	32.50	63,65	63,64	74.00	-10.36	Peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list hervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 59 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2462 Band edge Note : 2,4G WIFI 11AX20

Cable Ant Preamp Read Limit Over
Freq Loss Factor Factor Level Level Line Limit Remark

MHz dB dB/m dB dBuV dBuV/m dBuV/m dB

1 . 2462.000 5.10 27.32 32.50 102.39 102.31 54.00 48.31 Average
2 2483.500 5.12 27.36 32.50 47.72 47.70 54.00 -6.30 Average
3 2484.994 5.12 27.37 32.50 47.66 47.65 54.00 -6.35 Average



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlead, available on request or accessible at http://www.sgs.com/en/ferms-and-Conditions agay and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/ferms-and-Conditions/ferms-a-Document aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the acutemicity of testing /inspection report & certificate, pease contact us at talephone (66-755) 8301 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 60 of 198

### 7.8 Radiated Spurious Emissions Below 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.4,6.5

Measurement Distance: 3m

### Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
960-1000	500	3

### 7.8.1 E.U.T. Operation

Operating Environment:

Temperature: 23.2 °C Humidity: 52.6 % RH Atmospheric Pressure: 1020 mbar

#### 7.8.2 Test Mode Description

7.0.2 10311		
Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40); data rate @8Mbps is the worst case of IEEE 802.11ax(HE20); data rate@16Mbps is the worst case of IEEE 802.11ax(HE40). Only the data of worst case is recorded in the report



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention to the determine the authenticity of testing /inspection report & certificate, please contacture at telephone (86-755) 8307 1443.





SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 61 of 198

### 7.8.3 Test Setup Diagram





Below 30MHz

30MHz-1GHz

#### 7.8.4 Measurement Procedure and Data

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using guasi-peak method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

#### Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents</a>, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx.</a>
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:**To check the adult of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.

**Attention:**To check the adult of the company is a testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 62 of 198

Test Mode: 00; Polarity: Horizontal



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 00

-									
		Cable	Ant	Preamp	Read		Limit	0ver	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	58.613	0.26	16.91	25.93	28.49	19.73	40.00	-20.27	QP
2	176.888	0.70	16.38	25.50	35.77	27.35	43.50	-16.15	QP
3	216.024	0.75	15.72	25.46	39.13	30.14	46.00	-15.86	QP
4	250.301	0.85	16.82	25.43	37.51	29.75	46.00	-16.25	QP
5	483.910	1.42	22.21	25.49	32.02	30.16	46.00	-15.84	QP
6	989 536	2 74	29 32	24 91	32 83	40 88	54 00	-13 12	OP



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apxx.and.">http://www.sgs.com/en/Terms-and-Conditions.apxx.and.</a> for electronic Documents subject to Terms and Conditions for Electronic Documents. Subject to Terms and Conditions for Electronic Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the acutenticity of testing /inspection report & certificate please contact us at telephone (86-75) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 63 of 198

Test Mode: 00; Polarity: Vertical



Site : chamber Condition: 3m VERTICAL Job No : 00438AT

Mode : 00

ouc	. 00									
		Cable	Ant	Preamp	Read		Limit	0ver		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark	
_										_
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB		
1	37.812	0.20	16.23	26.02	36.55	26.96	40.00	-13.04	QP	
2	43.966	0.22	17.30	26.01	35.84	27.35	40.00	-12.65	QP	
3	101.644	0.89	14.51	25.60	42.75	32.55	43.50	-10.95	QP	
4	144.335	0.94	17.44	25.53	32.88	25.73	43.50	-17.77	QP	
5	201.393	0.69	15.16	25.47	36.05	26.43	43.50	-17.07	QP	
6	958.794	2.31	29.34	24.04	30.08	37.69	46.00	-8.31	OP	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Co



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 64 of 198

### 7.9 Radiated Spurious Emissions Above 1GHz

Test Requirement 47 CFR Part 15, Subpart C 15.205 & 15.209

Test Method: ANSI C63.10 (2013) Section 6.6

Measurement Distance: 3m

### Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
Above 1000	500	3

### 7.9.1 E.U.T. Operation


Operating Environment:

Temperature: 24.5 °C Humidity: 45 % RH Atmospheric Pressure: 1020 mbar

### 7.9.2 Test Mode Description

7.5.2 TOST W	000 -00	
Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40); data rate @8Mbps is the worst case of IEEE 802.11ax(HE20); data rate@16Mbps is the worst case of IEEE 802.11ax(HE40). Only the data of worst case is recorded in the report

### 7.9.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and.">http://www.sgs.com/en/Terms-and-Conditions.aspx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents and the Terms and Conditions for Electronic Document as parts. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention. To check the authernicity of testing /inspection report & certificates, please contact us at telephone. (86-75) 8307 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 65 of 198

#### 7.9.4 Measurement Procedure and Data

- a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.
- g. Test the EUT in the lowest channel, the middle channel, the Highest channel.
- h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.
- i. Repeat above procedures until all frequencies measured was complete.

#### Remark:

- 1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor
- 2. Scan from 1GHz to 25GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlaaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx and,">http://www.sgs.com/en/Terms-and-Conditions.appx and,</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents and the time of the Imitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the establishment of a testing inspection report & certificate, pease contact us at telephone (86-785) 8301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 66 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2412 TX RSE

: 2.4G WIFI 11B

	. Z,	40 MIL	1 110						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7-00
1	1672.779	4.14	24.95	52.95	65.05	41.19	74.00	-32.81	peak
2	4254.921	7.48	29.87	52.88	67.78	52.25	74.00	-21.75	peak
3	4824.000	8.02	30.99	53.05	65.04	51.00	74.00	-23.00	peak
4	6974.982	8.17	35.74	53,48	62.36	52,79	74.00	-21.21	peak
5	7236,000	8.31	36.09	53.52	62.09	52.97	74.00	-21.03	peak
6	9648.000	11.38	37.62	53.54	57.43	52.89	74.00	-21.11	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 67 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2412 TX RSE

: 2,4G WIFI 11B

		10 MI	170000	Automotive to the later of				1.000	
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1587,975	3.96	24.77	52.90	64.68	40.51	74.00	-33.49	peak
2	4267.237	7.48	29.88	52.89	66,63	51,10	74,00	-22,90	peak
3	4824.000	8.02	30.99	53.05	64.91	50.87	74.00	-23,13	peak
4	5932,638	7.72	32.43	52.82	65.09	52.42	74,00	-21,58	peak
5	7236,000	8.31	36.09	53.52	62.16	53.04	74.00	-20.96	peak
6	9648.000	11.38	37.62	53.54	57.20	52,66	74.00	-21,34	peak
									1 -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 68 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2437 TX RSE

: 2.4G WIFI 11B

	: Z,	4G WIF	1 118						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1639.274	4.07	24.88	52,93	64.47	40.49	74.00	-33.51	peak
2	4254.921	7.48	29,87	52.88	66.91	51.38	74.00	-22,62	peak
3	4874.000	8.10	31,11	53.07	63.65	49.79	74.00	-24.21	peak
4	6340,436	7.68	33,92	53,05	63.67	52.22	74.00	-21.78	peak
5	7311.000	8.34	36.18	53,53	61,44	52,43	74.00	-21.57	peak
6	9748.000	11.30	37.84	53,44	56.77	52,47	74.00	-21.53	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 69 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2437 TX RSE

: 2,4G WIFI 11B

	1111	Cable	Δnt	Preamp	Read		Limit	Over	
	Freq			Factor			95.36900	Limit	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1692.231	4.18	24.99	52,96	64.58	40.79	74.00	-33.21	peak
2	4304,400	7,48	29.94	52.90	65.85	50.37	74.00	-23.63	peak
3	4874.000	8.10	31.11	53.07	65.44	51.58	74.00	-22.42	peak
4	6995.172	8.19	35.79	53,50	62.24	52.72	74.00	-21.28	peak
5	7311.000	8.34	36.18	53.53	61.81	52.80	74.00	-21.20	peak
6	9748,000	11.30	37.84	53,44	57,46	53.16	74.00	-20,84	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 70 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2462 TX RSE

: 2.4G WIFI 11B

	: 4,	4G WIF	1 1119						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	-
1	1663.137	4,12	24.93	52.94	63.49	39.60	74.00	-34.40	peak
2	4379.699	7.47	30.04	52.92	66.51	51,10	74,00	-22.90	peak
3	4924.000	8.18	31.23	53.08	63.84	50.17	74.00	-23.83	peak
4	6583.209	7.78	34,81	53.22	62.27	51,64	74.00	-22.36	peak
5	7386,000	8.38	36.27	53,54	61,23	52.34	74.00	-21.66	peak
6	9848.000	11.23	38.07	53.35	56.93	52,88	74.00	-21,12	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 71 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2462 TX RSE

: 2.4G WIFI 11B

	10,000	Cable	Ant	Preamp	Read		Limit	Over	
	Freq			Factor			Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1574.265	3.93	24.73	52.89	64.57	40.34	74.00	-33.66	peak
2	4379,699	7.47	30.04	52.92	66.14	50.73	74.00	-23.27	peak
3	4924.000	8.18	31.23	53.08	64.85	51.18	74.00	-22.82	peak
4	6974.982	8.17	35,74	53,48	61.79	52,22	74.00	-21.78	peak
5	7386.000	8.38	36.27	53,54	61.72	52.83	74.00	-21.17	peak
6	9848,000	11.23	38,07	53,35	56.39	52,34	74,00	-21,66	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-end-Conditions.appx and, for electronic Decuments at http://www.sgs.com/en/Terms-end-Conditions.appx and, for electronic Decuments at http://www.sgs.com/en/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 72 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2412 TX RSE

: 2.4G WIFI 11G

		Cable		Preamp	Read		Limit		
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1667,951	4.13	24.94	52.94	64.57	40.70	74.00	-33.30	peak
2	4367,058	7.48	30.02	52,92	66.93	51,51	74,00	-22.49	peak
3	4824.000	8.02	30.99	53,05	64.91	50.87	74.00	-23.13	peak
4	6340,436	7.68	33,92	53.05	63.24	51.79	74.00	-22.21	peak
5	7236.000	8.31	36.09	53.52	61.29	52,17	74.00	-21.83	peak
6	9648.000	11.38	37.62	53.54	57.59	53.05	74.00	-20.95	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 73 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2412 TX RSE

: 2,4G WIFI 11G

	O. S.	Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1702.042	4.20	25.01	52,96	64.93	41.18	74.00	-32.82	peak
2	4279,589	7.48	29.90	52.89	66.80	51.29	74.00	-22.71	peak
3	4824.000	8.02	30.99	53,05	66.67	52.63	74.00	-21.37	peak
4	6340,436	7.68	33.92	53.05	63.45	52.00	74.00	-22.00	peak
5	7236,000	8.31	36.09	53.52	62.05	52.93	74.00	-21.07	peak
6	9648.000	11.38	37.62	53.54	57.20	52,66	74.00	-21.34	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-an




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 74 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2437 TX RSE

: 2.4G WIFI 11G

	. Z.	40 MIL	1 110						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1663.137	4.12	24.93	52,94	63.95	40.06	74.00	-33.94	peak
2	4495.125	7.47	30.19	52,96	66.76	51,46	74,00	-22.54	peak
3	4874.000	8.10	31.11	53,07	65.03	51.17	74.00	-22.83	peak
4	6914.763	8.11	35.60	53,44	61.45	51.72	74.00	-22.28	peak
5	7311.000	8.34	36,18	53.53	60.83	51.82	74.00	-22,18	peak
6	9748.000	11.30	37.84	53.44	56.75	52.45	74.00	-21.55	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.for">http://www.sgs.com/en/Terms-and-Conditions.for</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents as the time of the Terms and Conditions for Electronic Document sept. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extend the law. Diless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:**To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.

**Attention:**To check the authenticity of testing /inspection report & certificate, please contact us at telephone; (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 75 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2437 TX RSE

: 2.4G WIFI 11G

	Cable	Ant	Preamp	Read		Limit	Over	
Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1702.042	4.20	25.01	52,96	63,63	39.88	74.00	-34.12	peak
4230,396	7,48	29.83	52.88	67.06	51.49	74,00	-22.51	peak
4874.000	8.10	31.11	53.07	64.72	50.86	74.00	-23.14	peak
6659,763	7.86	34.99	53,27	62,21	51.79	74.00	-22.21	peak
7311.000	8.34	36.18	53,53	62.09	53.08	74.00	-20.92	peak
9748.000	11.30	37.84	53.44	57.22	52,92	74,00	-21.08	peak
	MHz 1702,042 4230,396 4874,000 6659,763 7311,000	MHz dB 1702.042 4.20 4230.396 7.48 4874.000 8.10 6659.763 7.86 7311.000 8.34	MHz dB dB/m  1702.042 4.20 25.01 4230.396 7.48 29.83 4874.000 8.10 31.11 6659.763 7.86 34.99 7311.000 8.34 36.18	MHz dB dB/m dB 1702.042 4.20 25.01 52.96 4230.396 7.48 29.83 52.88 4874.000 8.10 31.11 53.07 6659.763 7.86 34.99 53.27 7311.000 8.34 36.18 53.53	MHz         dB         dB/m         dB         dBuV           1702.042         4.20         25.01         52.96         63.63           4230.396         7.48         29.83         52.88         67.06           4874.000         8.10         31.11         53.07         64.72           6659.763         7.86         34.99         53.27         62.21           7311.000         8.34         36.18         53.53         62.09	MHz         dB         dB/m         dB         dBuV         dBuV/m           1702.042         4.20         25.01         52.96         63.63         39.88           4230.396         7.48         29.83         52.88         67.06         51.49           4874.000         8.10         31.11         53.07         64.72         50.86           6659.763         7.86         34.99         53.27         62.21         51.79           7311.000         8.34         36.18         53.53         62.09         53.08	MHz         dB         dB/m         dB         dBuV         dBuV/m         dBuV/m           1702.042         4.20         25.01         52.96         63.63         39.88         74.00           4230.396         7.48         29.83         52.88         67.06         51.49         74.00           4874.000         8.10         31.11         53.07         64.72         50.86         74.00           6659.763         7.86         34.99         53.27         62.21         51.79         74.00           7311.000         8.34         36.18         53.53         62.09         53.08         74.00	Freq         Loss Factor         Factor         Level         Level         Line         Limit           MHz         dB         dB/m         dB         dBuV         dBuV/m         dBuV/m         dB           1702.042         4.20         25.01         52.96         63.63         39.88         74.00         -34.12           4230.396         7.48         29.83         52.88         67.06         51.49         74.00         -22.51           4874.000         8.10         31.11         53.07         64.72         50.86         74.00         -23.14           6659.763         7.86         34.99         53.27         62.21         51.79         74.00         -22.21           7311.000         8.34         36.18         53.53         62.09         53.08         74.00         -20.92



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list hervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 76 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2462 TX RSE

: 2.4G WIFI 11G

	. Z,	40 WIF	1 110						
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1672.779	4.14	24,95	52.95	63,49	39.63	74.00	-34.37	peak
2	4379.699	7.47	30.04	52.92	66.33	50.92	74.00	-23.08	peak
3	4924,000	8.18	31.23	53.08	64.01	50.34	74.00	-23,66	peak
4	6358,789	7.68	34.00	53.06	63.58	52.20	74.00	-21.80	peak
5	7386,000	8.38	36.27	53.54	61.53	52.64	74.00	-21,36	peak
6	9848,000	11.23	38.07	53,35	56.56	52.51	74.00	-21.49	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-end-Conditions.appx and, for electronic Decuments at http://www.sgs.com/en/Terms-end-Conditions.appx and, for electronic Decuments at http://www.sgs.com/en/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 77 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 2462 TX RSE

: 2,4G WIFI 11G

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1702.042	4.20	25.01	52,96	63,56	39.81	74.00	-34,19	peak
2	4316,859	7,48	29.95	52.90	66.48	51.01	74,00	-22,99	peak
3	4924.000	8.18	31,23	53.08	63.68	50.01	74.00	-23.99	peak
4	6106,616	7.65	32.88	52.88	64.20	51.85	74.00	-22,15	peak
5	7386,000	8.38	36.27	53,54	61.77	52.88	74.00	-21.12	peak
6	9848,000	11,23	38.07	53,35	56.43	52,38	74.00	-21.62	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 78 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2422 TX RSE

: 2.4G WIFI 11N40

				× 100 000	47.57			16777	
	eriedal.			Preamp			Limit	7177	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Kemark
	MHz	dB	dB/m	dB.	dBuV	dBuV/m	dBuV/m	dB	
1	1682.477	4.16	24.97	52.95	64.54	40.72	74.00	-33.28	peak
2	4341.886	7,48	29.99	52,91	66.72	51.28	74,00	-22.72	peak
3	4844.000	8.05	31.04	53,06	64,62	50.65	74.00	-23,35	peak
4	6213,441	7.67	33,36	52,96	64.36	52.43	74.00	-21.57	peak
5	7266,000	8.32	36.12	53,53	62.07	52.98	74,00	-21.02	peak
6	9688,000	11.35	37.71	53.50	57,07	52,63	74.00	-21,37	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 79 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 2422 TX RSE

: 2,4G WIFI 11N40

	60.94	Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7
1	1648.778	4.09	24.90	52,93	63.78	39.84	74.00	-34.16	peak
2	4169,698	7.48	29.75	52.86	66.50	50.87	74,00	-23.13	peak
3	4844.000	8.05	31.04	53,06	65.22	51.25	74.00	-22.75	peak
4	6395,654	7.69	34.16	53,09	62.93	51.69	74.00	-22.31	peak
5	7266.000	8.32	36.12	53.53	61.37	52,28	74.00	-21.72	peak
6	9688.000	11.35	37.71	53.50	56.93	52,49	74.00	-21.51	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 80 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2437 TX RSE

: 2.4G WIFI 11N40

		40 MIL	1 11114	0						
		Cable	Ant	Preamp	Read		Limit	Over		
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	7	
1	1682.477	4,16	24.97	52.95	64.48	40.66	74.00	-33.34	peak	
2	4206,011	7,48	29,80	52.87	65.97	50.38	74.00	-23.62	peak	
3	4874.000	8.10	31.11	53.07	65.88	52.02	74.00	-21.98	peak	
4	6679,040	7.88	35.04	53.29	63.39	53.02	74.00	-20.98	peak	
5	7311.000	8.34	36.18	53,53	61.48	52.47	74.00	-21,53	peak	
6	9748.000	11.30	37.84	53.44	57.43	53.13	74.00	-20.87	peak	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 81 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 2437 TX RSE

: 2.4G WIFI 11N40

		Control of the Contro	14 114		~					
					Preamp	Read		Limit		
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	1	1601.804	3.99	24.80	52,91	64.19	40.07	74.00	-33.93	peak
9.6	2	4405,090	7.47	30,07	52.93	66.38	50.99	74,00	-23.01	peak
1	3	4874.000	8.10	31.11	53,07	64.39	50.53	74.00	-23.47	peak
q	4	6322.136	7.68	33,84	53.04	63.91	52,39	74.00	-21.61	peak
3	5	7311.000	8.34	36.18	53.53	61.59	52.58	74.00	-21.42	peak
á	6	9748.000	11.30	37.84	53.44	56.92	52.62	74,00	-21.38	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 82 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2452 TX RSE

: 2.4G WIFI 11N40

		STATE AND ADDRESS.	T TTIME		40.00		A 1777-177	ACT OF	
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1658.337	4.11	24.92	52,94	64.91	41.00	74.00	-33.00	peak
2	4316,859	7,48	29,95	52.90	67.13	51.66	74.00	-22.34	peak
3	4904.000	8.15	31.18	53.07	65.08	51.34	74.00	-22,66	peak
4	6659,763	7.86	34.99	53.27	63.27	52.85	74.00	-21.15	peak
5	7356,000	8.36	36.23	53,54	61.66	52.71	74.00	-21.29	peak
6	9808,000	11.26	37.98	53,38	56,71	52,57	74.00	-21.43	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 83 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



: chamber Site

Condition: 3m VERTICAL

Job No : 00438AT Mode : 2452 TX RSE

	: 2,	4G WIF	1 11N4	0					
		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1692.231	4.18	24.99	52,96	64.03	40.24	74.00	-33.76	peak
2	4367.058	7.48	30,02	52.92	65.69	50.27	74,00	-23.73	peak
3	4904.000	8.15	31.18	53.07	65.26	51,52	74.00	-22.48	peak
4	6583,209	7.78	34,81	53.22	62,50	51.87	74,00	-22.13	peak
5	7356.000	8.36	36.23	53,54	61.77	52.82	74.00	-21.18	peak
6	9808,000	11.26	37.98	53,38	56.89	52.75	74.00	-21.25	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 84 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2412 TX RSE

: 2.4G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1677,621	4.15	24.96	52.95	64.09	40.25	74.00	-33.75	peak
2	4417.841	7,47	30.09	52,93	66.39	51.02	74,00	-22.98	peak
3	4824.000	8.02	30.99	53,05	64.77	50.73	74.00	-23.27	peak
4	6395,654	7.69	34,16	53,09	63.26	52.02	74.00	-21.98	peak
5	7236,000	8.31	36.09	53,52	61,42	52.30	74.00	-21.70	peak
6	9648.000	11.38	37.62	53.54	56.86	52,32	74.00	-21,68	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx</a>. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention** To check the authenticity of testing inspection report & certificate, please contents at telephone (86-75) 8307 1443.

**Attention** To check the authenticity of testing inspection report & certificate, please contents at telephone (86-75) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 85 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:Low



Site : chamber

Condition: 3m VERTICAL Job No : 00438AT

Mode : 2412 TX RSE

: 2,4G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1663.137	4.12	24.93	52,94	64.07	40.18	74.00	-33.82	peak
2	4304,400	7.48	29.94	52.90	66,42	50.94	74,00	-23.06	peak
3	4824.000	8.02	30.99	53,05	64.25	50.21	74.00	-23.79	peak
4	6974.982	8.17	35.74	53,48	61.57	52,00	74.00	-22.00	peak
5	7236.000	8.31	36.09	53.52	61.84	52.72	74.00	-21.28	peak
6	9648,000	11.38	37.62	53.54	57,31	52,77	74,00	-21.23	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions/Terms-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions-and-Conditions




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 86 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2437 TX RSE

: 2,4G WIFI 11AX20

		Cable	Ant	Preamp	Read		Limit	Over	
	Freq	Loss	Factor	Factor	Leve1	Leve1	Line	Limit	Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1	1663.137	4.12	24.93	52,94	64.41	40.52	74.00	-33.48	peak
2	4329.354	7,48	29.97	52,91	66.74	51.28	74.00	-22.72	peak
3	4874.000	8.10	31.11	53.07	65.13	51.27	74.00	-22.73	peak
4	6545.263	7.75	34.71	53,19	63.36	52.63	74.00	-21.37	peak
5	7311.000	8.34	36.18	53,53	61.57	52,56	74.00	-21,44	peak
6	9748.000	11.30	37.84	53,44	57.06	52,76	74,00	-21.24	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-end-Conditions.appx and, for electronic Decuments at http://www.sgs.com/en/Terms-end-Conditions.appx and, for electronic Decuments at http://www.sgs.com/en/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-end-Conditions/Terms-




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 87 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:middle



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 2437 TX RSE

: 2,4G WIFI 11AX20

	Cable	Ant	Preamp	Read		Limit	Over	
Freq	Loss	Factor	Factor	Leve1	Level	Line	Limit	Remark
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1606.441	4.00	24.81	52,91	63.32	39.22	74.00	-34.78	peak
4316,859	7.48	29.95	52.90	66.30	50.83	74,00	-23.17	peak
4874.000	8.10	31.11	53.07	64.22	50.36	74.00	-23.64	peak
6432,732	7.69	34.31	53.12	63.70	52,58	74.00	-21.42	peak
7311.000	8.34	36.18	53,53	61,44	52.43	74.00	-21.57	peak
9748.000	11.30	37.84	53.44	57.40	53.10	74.00	-20.90	peak
	MHz 1606.441 4316.859 4874.000 6432.732 7311.000	MHz dB  1606.441 4.00 4316.859 7.48 4874.000 8.10 6432.732 7.69 7311.000 8.34	Freq         Loss Factor           MHz         dB         dB/m           1606.441         4.00         24.81           4316.859         7.48         29.95           4874.000         8.10         31.11           6432.732         7.69         34.31           7311.000         8.34         36.18	Freq         Loss Factor Factor           MHz         dB         dB/m         dB           1606.441         4.00         24.81         52.91           4316.859         7.48         29.95         52.90           4874.000         8.10         31.11         53.07           6432.732         7.69         34.31         53.12           7311.000         8.34         36.18         53.53	Freq         Loss Factor Factor         Level           MHz         dB         dB/m         dB         dBuV           1606.441         4.00         24.81         52.91         63.32           4316.859         7.48         29.95         52.90         66.30           4874.000         8.10         31.11         53.07         64.22           6432.732         7.69         34.31         53.12         63.70           7311.000         8.34         36.18         53.53         61.44	MHz         dB         dB/m         dB         dBuV         dBuV/m           1606.441         4.00         24.81         52.91         63.32         39.22           4316.859         7.48         29.95         52.90         66.30         50.83           4874.000         8.10         31.11         53.07         64.22         50.36           6432.732         7.69         34.31         53.12         63.70         52.58           7311.000         8.34         36.18         53.53         61.44         52.43	MHz         dB         dB/m         dB         dBuV         dBuV/m         dBuV/m         dBuV/m           1606.441         4.00         24.81         52.91         63.32         39.22         74.00           4316.859         7.48         29.95         52.90         66.30         50.83         74.00           4874.000         8.10         31.11         53.07         64.22         50.36         74.00           6432.732         7.69         34.31         53.12         63.70         52.58         74.00           7311.000         8.34         36.18         53.53         61.44         52.43         74.00	Freq         Loss Factor Factor         Level         Level         Line         Limit           MHz         dB         dB/m         dB         dBuV         dBuV/m         dBuV/m         dBuV/m         dB           1606.441         4.00         24.81         52.91         63.32         39.22         74.00         -34.78           4316.859         7.48         29.95         52.90         66.30         50.83         74.00         -23.17           4874.000         8.10         31.11         53.07         64.22         50.36         74.00         -23.64           6432.732         7.69         34.31         53.12         63.70         52.58         74.00         -21.42           7311.000         8.34         36.18         53.53         61.44         52.43         74.00         -21.57



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jury/sdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of list hervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 88 of 198

Test Mode: 00; Polarity: Horizontal; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m HORIZONTAL

Job No : 00438AT

Mode : 2462 TX RSE

: 2.4G WIFI 11AX20

	Freq			Preamp Factor			Limit Line		Remark
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
	1565.191	3,91	24.70	52.89	64.26	39.98	74.00	-34.02	peak
2	4316,859	7,48	29.95	52,90	66,67	51.20	74,00	-22.80	peak
3	4924.000	8.18	31.23	53,08	63.30	49.63	74.00	-24.37	peak
4	6470,026	7.70	34.47	53,14	62,91	51,94	74.00	-22.06	peak
5	7386,000	8.38	36.27	53,54	61,41	52.52	74.00	-21,48	peak
6	9848.000	11,23	38.07	53.35	57.04	52,99	74.00	-21.01	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 89 of 198

Test Mode: 00; Polarity: Vertical; Modulation:802.11ax(Full RU0); Bandwidth:20MHz; Channel:High



Site : chamber

Condition: 3m VERTICAL

Job No : 00438AT Mode : 2462 TX RSE

: 2,4G WIFI 11AX20

	Freq			Preamp Factor	Read Level		Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	— dB	-
2	1658.337	4.11	24.92	52,94	63.94	40.03	74.00	-33.97	peak
2	4193.872	7,48	29.78	52.86	66.20	50,60	74,00	-23.40	peak
3	4924.000	8.18	31.23	53.08	63.06	49.39	74.00	-24,61	peak
4	6124,292	7.66	32.96	52,89	63.90	51,63	74.00	-22.37	peak
5	7386.000	8.38	36.27	53,54	60.94	52.05	74.00	-21,95	peak
6	9848,000	11,23	38.07	53,35	56.39	52,34	74.00	-21.66	peak



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions, appx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing /inspection report & certificate, pease contact us at talephone (86-755) 3301 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 90 of 198

## 8 Test Setup Photo

Refer to Appendix - Test Setup Photo for FYCR2211000438AT

# 9 EUT Constructional Details (EUT Photos)

Refer to External and Internal Photos for FYCR2211000438AT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overlaaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.apxx.and.">http://www.sgs.com/en/Terms-and-Conditions.apxx.and.</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents. Subject to Terms and Conditions for Electronic Documents. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the acutenticity of testing /apsection report & certificate please contact us at talephone (86-75) 3301 1443.



SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 91 of 198

# 10 Appendix

1. Duty Cycle

1.1 Ant1

### 1.1.1 Test Result

	Ant1											
Mode	TX Type	Frequency (MHz)	RU	RU Pos	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)			
		2412	/	/	8.413	8.470	99.33	0.03	0.04			
802.11b	SISO	2437	/	/	8.416	8.473	99.33	0.03	0.04			
		2462	/	/	8.417	8.473	99.34	0.03	0.04			
		2412	/	1	1.397	1.453	96.15	0.17	0.03			
802.11g	SISO	2437	/	/	1.397	1.453	96.15	0.17	0.03			
		2462	/	/	1.396	1.453	96.08	0.17	0.00			
000 44	МІМО	2412	/	/	1.309	1.365	95.90	0.18	0.03			
802.11n (HT20)		2437	/	/	1.308	1.364	95.89	0.18	0.03			
(11120)		2462	/	/	1.308	1.365	95.82	0.19	0.03			
000.44	МІМО	2422	/	/	0.649	0.706	91.93	0.37	0.03			
802.11n (HT40)		2437	/	/	0.649	0.706	91.93	0.37	0.06			
(11140)		2452	/	/	0.649	0.705	92.06	0.36	0.06			
000 44		2412	RU242	Left	0.312	0.368	84.78	0.72	0.10			
802.11ax (HEW20)	MIMO	2437	RU242	Left	0.312	0.369	84.55	0.73	0.07			
(1127720)		2462	RU242	Left	0.313	0.369	84.82	0.71	0.07			
000.44		2422	RU484	Left	0.313	0.369	84.82	0.71	0.04			
802.11ax (HEW40)	MIMO	2437	RU484	Left	0.312	0.369	84.55	0.73	0.07			
(110040)		2452	RU484	Left	0.313	0.369	84.82	0.71	0.07			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, right or figure yr faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 92 of 198

### 1.1.2 Test Graph



Time (ms)



-40

-50

-60 +

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, right or figure yr faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

Fuyong lab. Xinfong TechnoPark, Fenglang Road, Fuyong Subdiskind, Baolan, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


100.0




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 93 of 198









Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or faisfication of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) less tead and such sample(s) are retained for 30 days only.


Attention To check the authenticity of testing/inspection report & certificate, please contactus at telephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 94 of 198





Time (ms)



-60

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.appx">http://www.sgs.com/en/Terms-and-Conditions.appx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.appx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the adultanticity of testing /inspection report & certification part activities places contact us at talephone (86-75) 3307 1443.

Fuyong lab. Xinfong TechnoPark, Fenglang Road, Fuyong Subdiskind, Baolan, Shenzhen, China 518103 t (86-755) 88663988 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·宝安区福永街道风塘大道鑫龙科技园福永实验室 邮编: 518103 t (86-755) 88663988 f (86-755) 26710594 sgs.china@sgs.com


15.0




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 95 of 198







Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues define therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention to the determine the authenticity of testing /inspection report & certificate, please contacture at telephone (86-755) 8307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 96 of 198



### 802.11n(HT40)_LCH_2422MHz_Ant1 (MIMO)_NTNV





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx and,">http://www.sgs.com/en/Terms-and-Conditions.aspx and,</a> for electronic format documents, subject to Terms and Conditions for Electronic Documents after the time of the Imitation of liability, indemnification and jurisdiction issues defined therein, Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's Instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


**Attention:*To check the acutemicity of testing / appeation report & certificate please contact us at telephone (86-75) 3307 1443.




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 97 of 198



### 802.11n(HT40)_HCH_2452MHz_Ant1 (MIMO)_NTNV






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents a subject to Terms and Conditions for Electronic Documents after the time of the second of the




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 98 of 198



#### 802.11ax(HEW20) MCH 2437MHz RU242 Left Ant1 (MIMO) NTNV





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents a subject to Terms and Conditions for Electronic Documents after the time of the stream of the limitation of liability, indemnification and juryaldiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


**Attention 7.0 sheet the each such sample(s) are retained for 30 days only.** or least the full such sample(s) are retained for 30 days only.** or least the full such sample(s) are retained for 30 days only.** or least the full such sample(s) tested and such sample(s) are retained for 30 days only.**




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 99 of 198



### 802.11ax(HEW40)_LCH_2422MHz_RU484_Left_Ant1 (MIMO)_NTNV






Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.forEnderorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangerorgangeror




SZCCS-TRF-01 Rev. A/0 Aug01,2022

Report No.: FYCR221100043802

Page: 100 of 198



### 802.11ax(HEW40)_HCH_2452MHz_RU484_Left_Ant1 (MIMO)_NTNV





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx.and">http://www.sgs.com/en/Terms-and-Conditions.aspx.and</a>, for electronic format documents a subject to Terms and Conditions for Electronic Documents after the time of the stream of the limitation of liability, indemnification and juryaldiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawfull and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention 7.0 sheet the each such sample(s) are retained for 30 days only.** or least the full such sample(s) are retained for 30 days only.** or least the full such sample(s) are retained for 30 days only.** or least the full such sample(s) tested and such sample(s) are retained for 30 days only.**