





LTE Band 66 / 10MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 66 / 10MHz / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 66 / 10MHz / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 66 / 10MHz / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 66 / 15MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 66 / 15MHz / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 66 / 15MHz / 64QAM

Lowest Band Edge / Full RB



Date: 17.MAR.2025 21:12:19


Highest Band Edge / Full RB



Date: 17.MAR.2025 21:16:29


LTE Band 66 / 15MHz / 256QAM

Lowest Band Edge / Full RB



Date: 17.MAR.2025 21:13:21

Highest Band Edge / Full RB




Date: 17.MAR.2025 21:17:32




LTE Band 66 / 20MHz / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 66 / 20MHz / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






LTE Band 66 / 20MHz / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




LTE Band 66 / 20MHz / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






Conducted Spurious Emission


LTE Band 66 / 1.4MHz

Lowest Channel / QPSK




Date: 17.MAR.2025 21:52:45

Middle Channel / QPSK



Date: 17.MAR.2025 21:53:58

Highest Channel / QPSK




Date: 17.MAR.2025 21:55:12




LTE Band 66 / 3MHz

Lowest Channel / QPSK




Date: 17.MAR.2025 21:56:27

Middle Channel / QPSK



Date: 17.MAR.2025 21:57:40

Highest Channel / QPSK




Date: 17.MAR.2025 21:58:53




LTE Band 66 / 5MHz

Lowest Channel / QPSK




Date: 17.MAR.2025 22:00:08

Middle Channel / QPSK



Date: 17.MAR.2025 22:01:22

Highest Channel / QPSK




Date: 17.MAR.2025 22:02:35




LTE Band 66 / 10MHz

Lowest Channel / QPSK




Date: 17.MAR.2025 22:03:50

Middle Channel / QPSK



Date: 17.MAR.2025 22:05:03

Highest Channel / QPSK




Date: 17.MAR.2025 22:06:17




LTE Band 66 / 15MHz

Lowest Channel / QPSK




Date: 17.MAR.2025 22:07:32

Middle Channel / QPSK



Date: 17.MAR.2025 22:08:45

Highest Channel / QPSK




Date: 17.MAR.2025 22:09:58




LTE Band 66 / 20MHz

Lowest Channel / QPSK




Date: 17.MAR.2025 22:11:13

Middle Channel / QPSK



Date: 17.MAR.2025 22:12:27

Highest Channel / QPSK



Date: 17.MAR.2025 22:13:40

Frequency Stability

Test Conditions		LTE Band 66 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0026	PASS
40	Normal Voltage	0.0006	
30	Normal Voltage	0.0023	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0019	
0	Normal Voltage	0.0045	
-10	Normal Voltage	0.0014	
-20	Normal Voltage	0.0023	
-30	Normal Voltage	0.0017	
20	Maximum Voltage	0.0071	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0044	

Note:

1. Normal Voltage = 3.8 V. ; Minimum Voltage = 3.135 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	Part 22H	LTE B5	M	1664	-57.18	RMS	25.30	-53.83	0.34	-95.23	66.24	-13.00	-44.18	V	1
1	Part 24E	LTE B2	L	3705	-42.25	RMS	29.84	-51.15	0.80	-95.23	73.49	-13.00	-29.25	V	1
2	Part 24E	EN-DC B2+n5	H	5685	-56.61	RMS	33.58	-49.63	0.32	-95.23	54.35	-13.00	-43.61	V	0+1
1	Part 27H	LTE B12	M	1406	-57.82	RMS	25.96	-54.29	0.67	-95.23	65.07	-13.00	-44.82	V	1
1	Part 27L	LTE B66	H	3522	-42.80	RMS	29.54	-51.44	0.99	-95.23	73.34	-13.00	-29.80	V	1
2	Part 27L	EN-DC B66+n5	M	6945	-53.78	RMS	35.80	-49.03	0.20	-95.23	54.48	-13.00	-40.78	V	0+1
1	Part 27D	LTE B30	H	9241	-56.77	RMS	38.18	-47.72	0.09	-95.23	47.91	-40.00	-16.77	V	0
1	Part 90R	LTE B14	H	1586	-53.96	RMS	25.60	-53.96	0.42	-95.23	69.21	-42.15	-11.81	V	1




Ant. 1

Part 22H Mode 1

LTE B5 10M Ch20450 1RB0 QPSK

L




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

Mode : LTE Band 5 10M Ch20450 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	dB	dB	dB				
1	1649.00	-62.55	RMS	25.31	-53.85	0.35	-95.23	60.87	-13.00	-49.55	Horizontal
2	2473.00	-63.92	RMS	27.74	-52.43	0.22	-95.23	55.78	-13.00	-50.92	Horizontal
3	3298.00	-68.19	RMS	29.60	-51.67	0.26	-95.23	48.85	-13.00	-55.19	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

Mode : LTE Band 5 10M Ch20450 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	dB	dB	dB				
1	1649.00	-60.40	RMS	25.31	-53.85	0.35	-95.23	63.02	-13.00	-47.40	Vertical
2	2473.00	-64.86	RMS	27.74	-52.43	0.22	-95.23	54.84	-13.00	-51.86	Vertical
3	3298.00	-62.16	RMS	29.60	-51.67	0.26	-95.23	54.88	-13.00	-49.16	Vertical




Ant. 1

Part 22H Mode 1

LTE B5 10M Ch20525 1RB0 QPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

Mode : LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1664.00	-59.81	RMS	25.30	-53.83	0.34	-95.23	63.61	-13.00	-46.81	Horizontal	
2	2496.00	-64.68	RMS	27.88	-52.39	0.22	-95.23	54.84	-13.00	-51.68	Horizontal	
3	3328.00	-67.88	RMS	29.60	-51.65	0.25	-95.23	49.15	-13.00	-54.88	Horizontal	



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

Mode : LTE Band 5 10M Ch20525 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1664.00	-57.18	RMS	25.30	-53.83	0.34	-95.23	66.24	-13.00	-44.18	Vertical	
2	2496.00	-66.62	RMS	27.88	-52.39	0.22	-95.23	52.90	-13.00	-53.62	Vertical	
3	3328.00	-61.25	RMS	29.60	-51.65	0.25	-95.23	55.78	-13.00	-48.25	Vertical	




Ant. 1

Part 22H Mode 1

LTE B5 10M Ch20600 1RB0 QPSK

H




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

Mode : LTE Band 5 10M Ch20600 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1679.00	-63.70	RMS	25.30	-53.80	0.32	-95.23	59.71	-13.00	-50.70
2	2518.00	-67.02	RMS	27.98	-52.36	0.21	-95.23	52.38	-13.00	-54.02
3	3358.00	-66.42	RMS	29.62	-51.61	0.24	-95.23	50.56	-13.00	-53.42



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

Mode : LTE Band 5 10M Ch20600 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1679.00	-58.38	RMS	25.30	-53.80	0.32	-95.23	65.03	-13.00	-45.38
2	2518.00	-65.47	RMS	27.97	-52.36	0.21	-95.23	53.94	-13.00	-52.47
3	3358.00	-58.13	RMS	29.62	-51.62	0.24	-95.23	58.86	-13.00	-45.13




Ant. 1

Part 24E Mode 1

LTE B2 20M Ch18700 1RB0 QPSK

L




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: LTE Band 2 20M Ch18700 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	3705.00	-47.12 RMS	29.84	-51.15	0.80	-95.23	0.00	-13.00	-34.12	Horizontal
2	5565.00	-61.16 RMS	33.00	-49.73	0.35	-95.23	50.45	-13.00	-48.16	Horizontal
3	7410.00	-53.42 RMS	36.38	-49.03	0.26	-95.23	54.20	-13.00	-40.42	Horizontal
4	9270.00	-54.51 RMS	38.20	-47.67	0.10	-95.23	50.09	-13.00	-41.51	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: LTE Band 2 20M Ch18700 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	3705.00	-42.25 RMS	29.84	-51.15	0.80	-95.23	73.49	-13.00	-29.25	Vertical
2	5565.00	-54.68 RMS	33.00	-49.73	0.35	-95.23	56.93	-13.00	-41.68	Vertical
3	7410.00	-50.13 RMS	36.38	-49.03	0.26	-95.23	57.49	-13.00	-37.13	Vertical
4	9270.00	-52.04 RMS	38.20	-47.67	0.10	-95.23	52.56	-13.00	-39.04	Vertical




Ant. 1

Part 24E Mode 1


LTE B2 20M Ch18900 1RB0 QPSK

M



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 2 20M Ch18900 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	3750.00	-48.16 RMS	30.20	-51.07	0.75	-95.23	67.20	-13.00	-35.16	Horizontal
2	5625.00	-62.55 RMS	33.15	-49.70	0.33	-95.23	48.90	-13.00	-49.55	Horizontal
3	7485.00	-53.38 RMS	36.23	-49.07	0.21	-95.23	54.48	-13.00	-40.38	Horizontal
4	9360.00	-56.23 RMS	38.26	-47.50	0.11	-95.23	48.13	-13.00	-43.23	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 2 20M Ch18900 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	3750.00	-42.45 RMS	30.20	-51.07	0.75	-95.23	72.91	-13.00	-29.45	Vertical
2	5625.00	-54.78 RMS	33.15	-49.70	0.33	-95.23	56.67	-13.00	-41.78	Vertical
3	7485.00	-52.07 RMS	36.23	-49.07	0.21	-95.23	55.79	-13.00	-39.07	Vertical
4	9360.00	-54.15 RMS	38.26	-47.50	0.11	-95.23	50.21	-13.00	-41.15	Vertical




Ant. 1

Part 24E Mode 1

LTE B2 20M Ch19100 1RB0 QPSK

H




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

: LTE Band 2 20M Ch19100 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter				Readin g	Limit dBm	Margin dB	Pol
				Factor	1	EIRPCF					
1	3795.00	-57.84	RMS	30.47	-51.00	0.69	-95.23	57.23	-13.00	-44.84	Horizontal
2	5685.00	-61.38	RMS	33.58	-49.63	0.32	-95.23	49.58	-13.00	-48.38	Horizontal
3	7575.00	-58.94	RMS	36.15	-49.14	0.14	-95.23	49.14	-13.00	-45.94	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

: LTE Band 2 20M Ch19100 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter				Readin g	Limit dBm	Margin dB	Pol
				Factor	1	EIRPCF					
1	3795.00	-51.48	RMS	30.47	-51.00	0.69	-95.23	63.59	-13.00	-38.48	Vertical
2	5685.00	-51.01	RMS	33.58	-49.63	0.32	-95.23	59.95	-13.00	-38.01	Vertical
3	7575.00	-55.34	RMS	36.15	-49.14	0.14	-95.23	52.74	-13.00	-42.34	Vertical




MIMO <Ant. 0+1>

Part 24E Mode 2


EN-DC B2+n5 20M + 20M Ch18700 1RB0 QPSK + Ch167300 1RB1 BPSK

L



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 2 20M Ch18700 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3702.00	-61.58	RMS	29.82	-51.15	0.81	-95.23	0.00	-13.00	-48.58	Horizontal
2	5553.00	-64.93	RMS	33.00	-49.73	0.35	-95.23	46.68	-13.00	-51.93	Horizontal
3	7404.00	-59.01	RMS	36.39	-49.03	0.27	-95.23	48.59	-13.00	-46.01	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 2 20M Ch18700 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB		dB	dBuV	dBm	dB	
1	3702.00	-57.03	RMS	29.82	-51.15	0.81	-95.23	58.72	-13.00	-44.03	Vertical
2	5553.00	-58.47	RMS	33.00	-49.73	0.35	-95.23	53.14	-13.00	-45.47	Vertical
3	7404.00	-57.28	RMS	36.39	-49.03	0.27	-95.23	50.32	-13.00	-44.28	Vertical




MIMO <Ant. 0+1>

Part 24E Mode 2


EN-DC B2+n5 20M + 20M Ch18900 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 2 20M Ch18900 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3760.00	-65.78	RMS	30.26	-51.06	0.73 -95.23	49.52	-13.00	-52.78	Horizontal
2	5640.00	-64.31	RMS	33.24	-49.68	0.33 -95.23	47.03	-13.00	-51.31	Horizontal
3	7515.00	-61.15	RMS	36.17	-49.09	0.18 -95.23	46.82	-13.00	-48.15	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 2 20M Ch18900 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3760.00	-58.76	RMS	30.26	-51.06	0.73 -95.23	56.54	-13.00	-45.76	Vertical
2	5640.00	-60.06	RMS	33.24	-49.68	0.33 -95.23	51.28	-13.00	-47.06	Vertical
3	7515.00	-60.87	RMS	36.17	-49.09	0.18 -95.23	47.10	-13.00	-47.87	Vertical




MIMO <Ant. 0+1>

Part 24E Mode 2


EN-DC B2+n5 20M + 20M Ch19100 1RB0 QPSK + Ch167300 1RB1 BPSK

H



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 2 20M Ch19100 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	dB/m						
1	3795.00	-62.85	RMS	30.47	-51.00	0.69	-95.23	52.22	-13.00	-49.85	Horizontal
2	5685.00	-61.68	RMS	33.58	-49.63	0.32	-95.23	49.28	-13.00	-48.68	Horizontal
3	7560.00	-61.89	RMS	36.12	-49.12	0.15	-95.23	46.19	-13.00	-48.89	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 2 20M Ch19100 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	dB/m						
1	3795.00	-57.82	RMS	30.47	-51.00	0.69	-95.23	57.25	-13.00	-44.82	Vertical
2	5685.00	-56.61	RMS	33.58	-49.63	0.32	-95.23	54.35	-13.00	-43.61	Vertical
3	7560.00	-61.83	RMS	36.12	-49.12	0.15	-95.23	46.25	-13.00	-48.83	Vertical




Ant. 1

Part 27H Mode 1

LTE B12 10M Ch23060 1RB0 QPSK

L




Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Horizontal

: LTE Band 12 10M Ch23060 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1399.00	-64.52	RMS	26.00	-54.30	0.68	-95.23	58.33	-13.00	-51.52	Horizontal
2	2098.00	-69.91	RMS	27.30	-53.10	0.13	-95.23	50.99	-13.00	-56.91	Horizontal
3	2798.00	-68.95	RMS	28.59	-52.09	0.25	-95.23	49.53	-13.00	-55.95	Horizontal
4	3497.00	-67.59	RMS	29.51	-51.48	0.23	-95.23	49.38	-13.00	-54.59	Horizontal



Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Vertical

: LTE Band 12 10M Ch23060 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	1399.00	-62.15	RMS	26.00	-54.30	0.68	-95.23	60.70	-13.00	-49.15	Vertical
2	2098.00	-70.22	RMS	27.30	-53.10	0.13	-95.23	50.68	-13.00	-57.22	Vertical
3	2798.00	-64.17	RMS	28.59	-52.09	0.25	-95.23	54.31	-13.00	-51.17	Vertical
4	3497.00	-63.87	RMS	29.51	-51.48	0.23	-95.23	53.10	-13.00	-50.87	Vertical




Ant. 1

Part 27H Mode 1

LTE B12 10M Ch23095 1RB0 QPSK

M




Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Horizontal

: LTE Band 12 10M Ch23095 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1406.00	-62.33	RMS	25.96	-54.29	0.67	-95.23	60.56	-13.00	-49.33	Horizontal
2	2109.00	-68.96	RMS	27.34	-53.08	0.14	-95.23	51.87	-13.00	-55.96	Horizontal
3	2812.00	-64.68	RMS	28.62	-52.08	0.25	-95.23	53.76	-13.00	-51.68	Horizontal
4	3515.00	-66.50	RMS	29.53	-51.46	0.22	-95.23	50.44	-13.00	-53.50	Horizontal



Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Vertical

: LTE Band 12 10M Ch23095 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1406.00	-57.82	RMS	25.96	-54.29	0.67	-95.23	65.07	-13.00	-44.82	Vertical
2	2109.00	-66.19	RMS	27.34	-53.08	0.14	-95.23	54.64	-13.00	-53.19	Vertical
3	2812.00	-62.39	RMS	28.62	-52.08	0.25	-95.23	56.05	-13.00	-49.39	Vertical
4	3515.00	-60.65	RMS	29.53	-51.46	0.22	-95.23	56.29	-13.00	-47.65	Vertical




Ant. 1

Part 27H Mode 1


LTE B12 10M Ch23130 1RB0 QPSK

H



Site : 03CH15-HY
Condition: 700 AC BAND 3m 9120D-02294_240620 Horizontal
: LTE Band 12 10M Ch23130 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1413.00	-61.00	RMS	25.92	-54.27	0.66	-95.23	61.92	-13.00	-48.00	Horizontal
2	2119.00	-64.02	RMS	27.38	-53.06	0.15	-95.23	56.74	-13.00	-51.02	Horizontal
3	2826.00	-61.67	RMS	28.65	-52.07	0.25	-95.23	56.73	-13.00	-48.67	Horizontal
4	3532.00	-63.96	RMS	29.56	-51.43	0.22	-95.23	52.92	-13.00	-50.96	Horizontal



Site : 03CH15-HY
Condition: 700 AC BAND 3m 9120D-02294_240620 Vertical
: LTE Band 12 10M Ch23130 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1413.00	-58.34	RMS	25.92	-54.27	0.66	-95.23	64.58	-13.00	-45.34	Vertical
2	2119.00	-64.94	RMS	27.38	-53.06	0.15	-95.23	55.82	-13.00	-51.94	Vertical
3	2826.00	-60.05	RMS	28.65	-52.07	0.25	-95.23	58.35	-13.00	-47.05	Vertical
4	3532.00	-59.38	RMS	29.56	-51.43	0.22	-95.23	57.50	-13.00	-46.38	Vertical




Ant. 1

Part 27L Mode 1

LTE B66 20M Ch132072 1RB0 QPSK

L




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

Mode : LTE Band 66 20M Ch132072 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm						dBuV	dBm	dB	
1	3422.00	-52.91	RMS	29.66	-51.55	1.05	-95.23	63.16	-13.00	-39.91	Horizontal
2	5130.00	-65.24	RMS	33.12	-49.83	0.50	-95.23	46.20	-13.00	-52.24	Horizontal
3	6844.00	-61.65	RMS	35.81	-49.05	0.31	-95.23	46.51	-13.00	-48.65	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

Mode : LTE Band 66 20M Ch132072 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF					
	MHz	dBm						dBuV	dBm	dB	
1	3422.00	-44.13	RMS	29.66	-51.55	1.05	-95.23	71.94	-13.00	-31.13	Vertical
2	5130.00	-64.86	RMS	33.12	-49.83	0.50	-95.23	46.58	-13.00	-51.86	Vertical
3	6844.00	-56.49	RMS	35.81	-49.05	0.31	-95.23	51.67	-13.00	-43.49	Vertical




Ant. 1

Part 27L Mode 1

LTE B66 20M Ch132322 1RB0 QPSK

M




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

Mode : LTE Band 66 20M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	3472.00	-54.58	RMS	29.56	-51.51	1.02	-95.23	61.58	-13.00	-41.58	Horizontal
2	5208.00	-61.98	RMS	33.00	-49.80	0.50	-95.23	49.55	-13.00	-48.98	Horizontal
3	6944.00	-57.85	RMS	35.80	-49.03	0.20	-95.23	50.41	-13.00	-44.85	Horizontal
4	8680.00	-57.64	RMS	37.90	-48.42	0.36	-95.23	47.75	-13.00	-44.64	Horizontal
5	10417.00	-57.91	RMS	38.60	-46.10	0.22	-95.23	44.60	-13.00	-44.91	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

Mode : LTE Band 66 20M Ch132322 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	Readin		Limit	Margin	Pol
				Factor	Amp\Cb		g	g			
	MHz	dBm			1	EIRPCF					
1	3472.00	-44.35	RMS	29.56	-51.51	1.02	-95.23	71.81	-13.00	-31.35	Vertical
2	5208.00	-56.49	RMS	33.00	-49.80	0.50	-95.23	55.04	-13.00	-43.49	Vertical
3	6944.00	-51.66	RMS	35.80	-49.03	0.20	-95.23	56.60	-13.00	-38.66	Vertical
4	8680.00	-55.81	RMS	37.90	-48.42	0.36	-95.23	49.58	-13.00	-42.81	Vertical
5	10417.00	-56.84	RMS	38.60	-46.10	0.22	-95.23	45.67	-13.00	-43.84	Vertical




Ant. 1

Part 27L Mode 1

LTE B66 20M Ch132572 1RB0 QPSK

H




Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Horizontal

Mode : LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3522.00	-52.20	RMS	29.54	-51.44	0.99	-95.23	63.94	-13.00	-39.20	Horizontal
2	5283.00	-64.48	RMS	32.93	-49.77	0.45	-95.23	47.14	-13.00	-51.48	Horizontal
3	7044.00	-59.79	RMS	36.08	-49.01	0.16	-95.23	48.21	-13.00	-46.79	Horizontal
4	8805.00	-59.42	RMS	38.00	-48.36	0.45	-95.23	45.72	-13.00	-46.42	Horizontal



Site : 03CH15-HY

Condition: -13 3m 9120D-02294_240620 Vertical

Mode : LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3522.00	-42.80	RMS	29.54	-51.44	0.99	-95.23	73.34	-13.00	-29.80	Vertical
2	5283.00	-58.06	RMS	32.93	-49.77	0.45	-95.23	53.56	-13.00	-45.06	Vertical
3	7044.00	-51.19	RMS	36.08	-49.01	0.16	-95.23	56.81	-13.00	-38.19	Vertical
4	8805.00	-56.23	RMS	38.00	-48.36	0.45	-95.23	48.91	-13.00	-43.23	Vertical




MIMO <Ant. 0+1>

Part 27L Mode 2


EN-DC B66+n5 Ch132072 + Ch167300

L



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 66 20M Ch 132072 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3420.00	-68.61	RMS	29.66	-51.56	1.05	-95.23	0.00	-13.00	-55.61	Horizontal
2	5133.00	-65.22	RMS	33.13	-49.82	0.50	-95.23	46.20	-13.00	-52.22	Horizontal
3	6844.00	-61.89	RMS	35.81	-49.05	0.31	-95.23	46.27	-13.00	-48.89	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 66 20M Ch 132072 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3435.00	-66.06	RMS	29.63	-51.54	1.04	-95.23	50.04	-13.00	-53.06	Vertical
2	5145.00	-63.45	RMS	33.18	-49.82	0.50	-95.23	47.92	-13.00	-50.45	Vertical
3	6855.00	-60.21	RMS	35.80	-49.05	0.30	-95.23	47.97	-13.00	-47.21	Vertical




MIMO <Ant. 0+1>

Part 27L Mode 2


EN-DC B66+n5 Ch132322 + Ch167300

M



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 66 20M Ch 132322 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	3480.00	-59.94	RMS	29.54	-51.50	1.01 -95.23	56.24	-13.00	-46.94	Horizontal	
2	5220.00	-57.92	RMS	33.00	-49.79	0.50 -95.23	53.60	-13.00	-44.92	Horizontal	
3	6945.00	-59.51	RMS	35.80	-49.03	0.20 -95.23	48.75	-13.00	-46.51	Horizontal	



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 66 20M Ch 132322 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	3480.00	-55.17	RMS	29.54	-51.50	1.01 -95.23	61.01	-13.00	-42.17	Vertical	
2	5220.00	-55.88	RMS	33.00	-49.79	0.50 -95.23	55.64	-13.00	-42.88	Vertical	
3	6945.00	-53.78	RMS	35.80	-49.03	0.20 -95.23	54.48	-13.00	-40.78	Vertical	




MIMO <Ant. 0+1>

Part 27L Mode 2


EN-DC B66+n5 Ch132572 + Ch167300

H



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Horizontal
: LTE Band 66 20M Ch 132572 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	3525.00	-60.74	RMS	29.55	-51.44	0.99	-95.23	55.40	-13.00	-47.74	Horizontal
2	5283.00	-64.77	RMS	32.93	-49.77	0.45	-95.23	46.85	-13.00	-51.77	Horizontal
3	7050.00	-61.23	RMS	36.10	-49.01	0.17	-95.23	46.74	-13.00	-48.23	Horizontal



Site : 03CH15-HY
Condition: -13 3m 9120D-02294_240620 Vertical
: LTE Band 66 20M Ch 132572 1RB0 QPSK
: SA n5 20M Ch167300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	3525.00	-56.15	RMS	29.55	-51.44	0.99	-95.23	59.99	-13.00	-43.15	Vertical
2	5295.00	-60.07	RMS	32.91	-49.76	0.44	-95.23	51.57	-13.00	-47.07	Vertical
3	7050.00	-56.57	RMS	36.10	-49.01	0.17	-95.23	51.40	-13.00	-43.57	Vertical




Ant. 0

Part 27D Mode 1

LTE B30 5M Ch27685 1RB0 QPSK

L




Site : 03CH15-HY

Condition: -40 3m 9120D-02294_240620 Horizontal

: LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	4610.00	-67.60	RMS	31.72	-50.43	0.15	-95.23	46.19	-40.00	-27.60 Horizontal
2	6916.00	-62.35	RMS	35.80	-49.03	0.23	-95.23	45.88	-40.00	-22.35 Horizontal
3	9221.00	-58.70	RMS	38.14	-47.76	0.09	-95.23	46.06	-40.00	-18.70 Horizontal



Site : 03CH15-HY

Condition: -40 3m 9120D-02294_240620 Vertical

: LTE Band 30 5M Ch27685 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	4610.00	-64.01	RMS	31.72	-50.43	0.15	-95.23	49.78	-40.00	-24.01 Vertical
2	6916.00	-60.49	RMS	35.80	-49.03	0.23	-95.23	47.74	-40.00	-20.49 Vertical
3	9221.00	-57.23	RMS	38.14	-47.76	0.09	-95.23	47.53	-40.00	-17.23 Vertical




Ant. 0

Part 27D Mode 1

LTE B30 5M Ch27710 1RB0 QPSK

M




Site : 03CH15-HY

Condition: -40 3m 9120D-02294_240620 Horizontal

: LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	4615.00	-66.04	RMS	31.73	-50.42	0.16	-95.23	47.72	-40.00	-26.04 Horizontal
2	6923.00	-61.70	RMS	35.80	-49.03	0.22	-95.23	46.54	-40.00	-21.70 Horizontal
3	9231.00	-59.49	RMS	38.16	-47.74	0.09	-95.23	45.23	-40.00	-19.49 Horizontal



Site : 03CH15-HY

Condition: -40 3m 9120D-02294_240620 Vertical

: LTE Band 30 5M Ch27710 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	4615.00	-61.89	RMS	31.73	-50.42	0.16	-95.23	51.87	-40.00	-21.89 Vertical
2	6923.00	-60.60	RMS	35.80	-49.03	0.22	-95.23	47.64	-40.00	-20.60 Vertical
3	9231.00	-57.48	RMS	38.16	-47.74	0.09	-95.23	47.24	-40.00	-17.48 Vertical




Ant. 0

Part 27D Mode 1

LTE B30 5M Ch27735 1RB0 QPSK

H




Site : 03CH15-HY

Condition: -40 3m 9120D-02294_240620 Horizontal

: LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	4620.00	-65.25	RMS	31.74	-50.41	0.16	-95.23	48.49	-40.00	-25.25 Horizontal
2	6931.00	-61.91	RMS	35.80	-49.03	0.22	-95.23	46.33	-40.00	-21.91 Horizontal
3	9241.00	-58.91	RMS	38.18	-47.72	0.09	-95.23	45.77	-40.00	-18.91 Horizontal



Site : 03CH15-HY

Condition: -40 3m 9120D-02294_240620 Vertical

: LTE Band 30 5M Ch27735 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	4620.00	-60.82	RMS	31.74	-50.41	0.16	-95.23	52.92	-40.00	-20.82 Vertical
2	6931.00	-59.97	RMS	35.80	-49.03	0.22	-95.23	48.27	-40.00	-19.97 Vertical
3	9241.00	-56.77	RMS	38.18	-47.72	0.09	-95.23	47.91	-40.00	-16.77 Vertical




Ant. 1

Part 90R Mode 1

LTE B14 5M Ch23305 1RB0 QPSK

L




Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Horizontal

: LTE Band 14 5M Ch23305 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1576.00	-59.19	RMS	25.60	-53.98	0.43	-95.23	63.99	-42.15	-17.04 Horizontal
2	2365.00	-63.24	RMS	27.33	-52.63	0.23	-95.23	57.06	-13.00	-50.24 Horizontal
3	3153.00	-66.96	RMS	29.70	-51.82	0.27	-95.23	50.12	-13.00	-53.96 Horizontal



Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Vertical

: LTE Band 14 5M Ch23305 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1576.00	-58.79	RMS	25.60	-53.98	0.43	-95.23	64.39	-42.15	-16.64 Vertical
2	2365.00	-63.95	RMS	27.33	-52.63	0.23	-95.23	56.35	-13.00	-50.95 Vertical
3	3153.00	-62.17	RMS	29.70	-51.82	0.27	-95.23	54.91	-13.00	-49.17 Vertical




Ant. 1

Part 90R Mode 1

LTE B14 5M Ch23330 1RB0 QPSK

M




Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Horizontal

: LTE Band 14 5M Ch23330 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1581.00	-59.19	RMS	25.60	-53.97	0.43 -95.23	63.98	-42.15	-17.04	Horizontal
2	2372.00	-67.13	RMS	27.34	-52.62	0.23 -95.23	53.15	-13.00	-54.13	Horizontal
3	3163.00	-66.92	RMS	29.70	-51.81	0.27 -95.23	50.15	-13.00	-53.92	Horizontal



Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Vertical

: LTE Band 14 5M Ch23330 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1581.00	-54.42	RMS	25.60	-53.97	0.43 -95.23	68.75	-42.15	-12.27	Vertical
2	2372.00	-66.45	RMS	27.34	-52.62	0.23 -95.23	53.83	-13.00	-53.45	Vertical
3	3163.00	-62.12	RMS	29.70	-51.81	0.27 -95.23	54.95	-13.00	-49.12	Vertical




Ant. 1

Part 90R Mode 1

LTE B14 5M Ch23355 1RB0 QPSK

H




Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Horizontal

: LTE Band 14 5M Ch23355 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1586.00	-59.14	RMS	25.60	-53.96	0.42	-95.23	64.03	-42.15	-16.99 Horizontal
2	2380.00	-67.09	RMS	27.36	-52.61	0.23	-95.23	53.16	-13.00	-54.09 Horizontal
3	3173.00	-64.72	RMS	29.70	-51.80	0.27	-95.23	52.34	-13.00	-51.72 Horizontal



Site : 03CH15-HY

Condition: 700 AC BAND 3m 9120D-02294_240620 Vertical

: LTE Band 14 5M Ch23355 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1586.00	-53.96	RMS	25.60	-53.96	0.42	-95.23	69.21	-42.15	-11.81 Vertical
2	2380.00	-64.19	RMS	27.36	-52.61	0.23	-95.23	56.06	-13.00	-51.19 Vertical
3	3173.00	-60.31	RMS	29.70	-51.80	0.27	-95.23	56.75	-13.00	-47.31 Vertical




Ant. 1

Part 90R Mode 1


LTE B14 5M Ch23355 1RB0 QPSK

H



Site : 03CH15-HY
Condition: 700 AC BAND 3m Bilog_41912 & 05_250301 Horizontal
: LTE Band 14 5M Ch23355 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	791.45	25.50	RMS	28.27	3.25	0.00	-95.23	89.21	-13.00	38.50	Horizontal



Site : 03CH15-HY
Condition: 700 AC BAND 3m Bilog_41912 & 05_250301 Vertical
: LTE Band 14 5M Ch23355 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	791.45	20.48	RMS	28.27	3.25	0.00	-95.23	84.19	-13.00	33.48	Vertical

Remark: #1 is fundamental signal which can be ignored.