

TELETEST REPORTS
2445, 2446, 2447, 2448 & 2449
0
Continued on 5
L






TELENET Systems
2445, 2446, 2447, 2448 & 2449
0
Continued
5






TELTEST H6000TS
2445, 2446, 2447, 2448 & 2449
0
Continuity
5






TELTEST Reports
2445, 2446, 2447, 2448 & 2449

0 5
Centimetres







Custom Product
CP8927

TBA71H0-0000 18022787
380-520 MHz 100004097



Caution
Do not remove or
switch load while
transmitting.
This may damage
the output stage.

10.6-16.8 VDC
15A Max



TARF2446 TARF2447
TARF2448 TARF2449

TELTEST
Reports 2446, 2447, 2448 & 2449



Custom Product
CP8927

TBA70H0-0000 18022789
380-520 MHz 100004098

CE

TARF2446 TARF2447
TARF2448 TARF2449


Caution
Do not remove or
switch load while
transmitting.
This may damage
the output stage.

TELTEST
Reports 2446, 2447, 2448 & 2449

0 Centimetres 5




TELTEST Reports
2445, 2446, 2447, 2448 & 2449
0 5
Centimeters




CAUTION!
LETHAL VOLTAGES
DISCONNECT FROM SUPPLY
BEFORE DISMANTLING.

TEADGA1
CE N48

240V 50/60Hz 240V 240V 240V 240V
240V 240V 240V 240V 240V 240V

TELTEST Reports
2445, 2446, 2447, 2448 & 2449

0
Centimeters
5





0
Centimetres
5

TELTEST Reports
2444, 2445, 2446, 2447, 2448 & 2449







TELTEST Reports
2444, 2445, 2446, 2447, 2448 & 2449

0 5
Centimetres

