

Appendix Test Data

Report No.:	1812C40135012503	Test Sample No.:	1-2-2
Start Test Date:	2024.11.12	Finish Test Date:	2024.11.25
Test Engineer:	<i>Joker Huang</i>	Auditor:	<i>Justin Feng</i>
Temperature:	24.3°C	Relative Humidity:	50%
Pressure:	101kPa		

Appendix A1: 26dB Bandwidth

Test Result

Test Mode	Antenna	Frequency [MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	21.60	5169.48	5191.08	---	---
11A	Ant1	5200	24.04	5187.48	5211.52	---	---
11A	Ant1	5240	23.12	5227.48	5250.60	---	---
11A	Ant1	5260	23.32	5248.36	5271.68	---	---
11A	Ant1	5280	21.80	5269.24	5291.04	---	---
11A	Ant1	5320	24.44	5307.80	5332.24	---	---
11A	Ant1	5500	24.04	5487.52	5511.56	---	---
11A	Ant1	5580	22.72	5568.56	5591.28	---	---
11A	Ant1	5700	24.24	5688.36	5712.60	---	---
11A	Ant1	5745	24.80	5732.76	5757.56	---	---
11A	Ant1	5785	24.88	5773.96	5798.84	---	---
11A	Ant1	5825	25.12	5812.16	5837.28	---	---
11N20SISO	Ant1	5180	24.08	5167.60	5191.68	---	---
11N20SISO	Ant1	5200	23.56	5188.40	5211.96	---	---
11N20SISO	Ant1	5240	24.60	5227.48	5252.08	---	---
11N20SISO	Ant1	5260	23.44	5247.76	5271.20	---	---
11N20SISO	Ant1	5280	24.24	5267.60	5291.84	---	---
11N20SISO	Ant1	5320	23.64	5308.12	5331.76	---	---
11N20SISO	Ant1	5500	24.88	5487.72	5512.60	---	---
11N20SISO	Ant1	5580	24.88	5567.36	5592.24	---	---
11N20SISO	Ant1	5700	24.92	5687.72	5712.64	---	---
11N20SISO	Ant1	5745	26.60	5732.68	5759.28	---	---
11N20SISO	Ant1	5785	26.24	5772.52	5798.76	---	---
11N20SISO	Ant1	5825	27.36	5810.16	5837.52	---	---
11N40SISO	Ant1	5190	44.08	5167.36	5211.44	---	---



11N40SISO	Ant1	5230	46.00	5206.56	5252.56	---	---
11N40SISO	Ant1	5270	43.20	5248.16	5291.36	---	---
11N40SISO	Ant1	5310	46.96	5286.56	5333.52	---	---
11N40SISO	Ant1	5510	46.80	5486.56	5533.36	---	---
11N40SISO	Ant1	5550	46.24	5527.20	5573.44	---	---
11N40SISO	Ant1	5670	45.60	5647.76	5693.36	---	---
11N40SISO	Ant1	5755	52.16	5730.20	5782.36	---	---
11N40SISO	Ant1	5795	52.88	5768.04	5820.92	---	---
11AC20SISO	Ant1	5180	23.92	5168.68	5192.60	---	---
11AC20SISO	Ant1	5200	24.20	5188.24	5212.44	---	---
11AC20SISO	Ant1	5240	24.36	5227.88	5252.24	---	---
11AC20SISO	Ant1	5260	24.00	5247.92	5271.92	---	---
11AC20SISO	Ant1	5280	24.52	5268.00	5292.52	---	---
11AC20SISO	Ant1	5320	23.68	5308.40	5332.08	---	---
11AC20SISO	Ant1	5500	24.24	5488.04	5512.28	---	---
11AC20SISO	Ant1	5580	24.16	5567.80	5591.96	---	---
11AC20SISO	Ant1	5700	28.04	5686.48	5714.52	---	---
11AC20SISO	Ant1	5745	32.96	5729.28	5762.24	---	---
11AC20SISO	Ant1	5785	31.44	5769.28	5800.72	---	---
11AC20SISO	Ant1	5825	32.80	5808.32	5841.12	---	---
11AC40SISO	Ant1	5190	50.24	5161.92	5212.16	---	---
11AC40SISO	Ant1	5230	46.32	5206.56	5252.88	---	---
11AC40SISO	Ant1	5270	45.36	5246.88	5292.24	---	---
11AC40SISO	Ant1	5310	46.64	5286.72	5333.36	---	---
11AC40SISO	Ant1	5510	44.40	5486.40	5530.80	---	---
11AC40SISO	Ant1	5550	46.88	5526.88	5573.76	---	---
11AC40SISO	Ant1	5670	55.92	5647.04	5702.96	---	---
11AC40SISO	Ant1	5755	57.76	5722.60	5780.36	---	---
11AC40SISO	Ant1	5795	67.52	5762.44	5829.96	---	---
11AX20SISO	Ant1	5180	26.92	5168.32	5195.24	---	---
11AX20SISO	Ant1	5200	23.16	5188.32	5211.48	---	---
11AX20SISO	Ant1	5240	22.48	5228.80	5251.28	---	---
11AX20SISO	Ant1	5260	22.32	5248.76	5271.08	---	---
11AX20SISO	Ant1	5280	23.40	5267.88	5291.28	---	---
11AX20SISO	Ant1	5320	22.88	5308.80	5331.68	---	---
11AX20SISO	Ant1	5500	23.68	5487.72	5511.40	---	---
11AX20SISO	Ant1	5580	24.72	5567.16	5591.88	---	---
11AX20SISO	Ant1	5700	24.08	5687.08	5711.16	---	---
11AX20SISO	Ant1	5745	27.24	5732.36	5759.60	---	---
11AX20SISO	Ant1	5785	34.72	5770.04	5804.76	---	---
11AX20SISO	Ant1	5825	32.52	5808.08	5840.60	---	---
11AX40SISO	Ant1	5190	44.96	5168.16	5213.12	---	---



11AX40SISO	Ant1	5230	43.04	5207.52	5250.56	---	---
11AX40SISO	Ant1	5270	46.72	5246.72	5293.44	---	---
11AX40SISO	Ant1	5310	43.68	5288.16	5331.84	---	---
11AX40SISO	Ant1	5510	42.80	5488.88	5531.68	---	---
11AX40SISO	Ant1	5550	44.00	5529.04	5573.04	---	---
11AX40SISO	Ant1	5670	44.80	5646.88	5691.68	---	---
11AX40SISO	Ant1	5755	50.96	5732.36	5783.32	---	---
11AX40SISO	Ant1	5795	58.96	5766.84	5825.80	---	---

Shenzhen Anbotek Compliance Laboratory Limited


Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
Tel: (86)0755-26066440 Email: service@anbotek.com





Hotline
400-003-0500
www.anbotek.com




Test Graphs









11A-Ant1-5280




11A-Ant1-5320












11A-Ant1-5785





11A-Ant1-5825

















11N20SISO-Ant1-5700




11N20SISO-Ant1-5745









11N40SISO-Ant1-5190





11N40SISO-Ant1-5230




















11AC20SISO-Ant1-5260





11AC20SISO-Ant1-5280

















11AC40SISO-Ant1-5230




11AC40SISO-Ant1-5270












11AC40SISO-Ant1-5755




11AC40SISO-Ant1-5795









11AX20SISO-Ant1-5240





11AX20SISO-Ant1-5260













11AX20SISO-Ant1-5785




11AX20SISO-Ant1-5825







11AX40SISO-Ant1-5190




11AX40SISO-Ant1-5230











Shenzhen Anbotek Compliance Laboratory Limited

Address: Sogood Industrial Zone Laboratory & 1/F. of Building D, Sogood Science and Technology Park,
 Sanwei Community, Hangcheng Subdistrict, Bao'an District, Shenzhen, Guangdong, China
 Tel:(86)0755-26066440 Email:service@anbotek.com



Hotline
 400-003-0500
www.anbotek.com



Appendix A2: 99% Occupied Bandwidth

Test Result


Test Mode	Antenna	Frequency [MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	18.741	5170.7293	5189.4705	---	---
11A	Ant1	5200	18.541	5190.4096	5208.9510	---	---
11A	Ant1	5240	17.582	5231.0889	5248.6713	---	---
11A	Ant1	5260	18.182	5250.5694	5268.7512	---	---
11A	Ant1	5280	18.422	5270.4895	5288.9111	---	---
11A	Ant1	5320	17.782	5311.0090	5328.7912	---	---
11A	Ant1	5500	17.662	5491.1289	5508.7912	---	---
11A	Ant1	5580	18.222	5570.8092	5589.0310	---	---
11A	Ant1	5700	18.941	5690.3297	5709.2707	---	---
11A	Ant1	5745	18.382	5735.9690	5754.3506	---	---
11A	Ant1	5785	18.382	5775.4895	5793.8711	---	---
11A	Ant1	5825	18.262	5815.8891	5834.1508	---	---
11N20SISO	Ant1	5180	19.021	5170.6893	5189.7103	---	---
11N20SISO	Ant1	5200	19.9	5189.5704	5209.4705	---	---
11N20SISO	Ant1	5240	18.901	5230.3696	5249.2707	---	---
11N20SISO	Ant1	5260	19.58	5250.5295	5270.1099	---	---
11N20SISO	Ant1	5280	18.861	5270.5295	5289.3906	---	---
11N20SISO	Ant1	5320	19.141	5310.2098	5329.3506	---	---
11N20SISO	Ant1	5500	18.981	5490.2498	5509.2308	---	---
11N20SISO	Ant1	5580	19.421	5570.3696	5589.7902	---	---
11N20SISO	Ant1	5700	19.181	5690.4895	5709.6703	---	---
11N20SISO	Ant1	5745	20.06	5734.8501	5754.9101	---	---
11N20SISO	Ant1	5785	19.5	5775.3696	5794.8701	---	---
11N20SISO	Ant1	5825	19.221	5815.1698	5834.3906	---	---
11N40SISO	Ant1	5190	37.083	5171.5385	5208.6214	---	---
11N40SISO	Ant1	5230	37.722	5210.9790	5248.7013	---	---
11N40SISO	Ant1	5270	37.163	5251.4585	5288.6214	---	---
11N40SISO	Ant1	5310	37.483	5290.9790	5328.4615	---	---
11N40SISO	Ant1	5510	37.962	5490.4196	5528.3816	---	---
11N40SISO	Ant1	5550	37.323	5531.1389	5568.4615	---	---
11N40SISO	Ant1	5670	38.202	5650.7393	5688.9411	---	---
11N40SISO	Ant1	5755	37.483	5736.0589	5773.5415	---	---
11N40SISO	Ant1	5795	38.761	5775.7393	5814.5005	---	---
11AC20SISO	Ant1	5180	19.54	5170.6094	5190.1499	---	---
11AC20SISO	Ant1	5200	19.301	5190.4496	5209.7502	---	---
11AC20SISO	Ant1	5240	18.981	5230.3696	5249.3506	---	---
11AC20SISO	Ant1	5260	19.82	5250.3297	5270.1499	---	---





11AC20SISO	Ant1	5280	19.061	5270.2897	5289.3506	---	---
11AC20SISO	Ant1	5320	19.381	5310.2897	5329.6703	---	---
11AC20SISO	Ant1	5500	20.22	5489.5305	5509.7502	---	---
11AC20SISO	Ant1	5580	19.5	5570.0500	5589.5504	---	---
11AC20SISO	Ant1	5700	19.341	5690.3297	5709.6703	---	---
11AC20SISO	Ant1	5745	19.78	5735.2498	5755.0300	---	---
11AC20SISO	Ant1	5785	19.461	5775.2498	5794.7103	---	---
11AC20SISO	Ant1	5825	19.86	5815.0500	5834.9101	---	---
11AC40SISO	Ant1	5190	37.562	5171.6184	5209.1808	---	---
11AC40SISO	Ant1	5230	37.403	5211.5385	5248.9411	---	---
11AC40SISO	Ant1	5270	37.562	5250.7393	5288.3017	---	---
11AC40SISO	Ant1	5310	37.562	5291.2987	5328.8611	---	---
11AC40SISO	Ant1	5510	37.722	5490.8991	5528.6214	---	---
11AC40SISO	Ant1	5550	37.642	5530.8192	5568.4615	---	---
11AC40SISO	Ant1	5670	37.163	5651.4585	5688.6214	---	---
11AC40SISO	Ant1	5755	38.042	5736.1389	5774.1808	---	---
11AC40SISO	Ant1	5795	37.802	5776.1389	5813.9411	---	---
11AX20SISO	Ant1	5180	19.54	5170.1698	5189.7103	---	---
11AX20SISO	Ant1	5200	20.819	5189.4905	5210.3097	---	---
11AX20SISO	Ant1	5240	19.62	5230.1698	5249.7902	---	---
11AX20SISO	Ant1	5260	19.58	5250.2897	5269.8701	---	---
11AX20SISO	Ant1	5280	20.34	5269.6503	5289.9900	---	---
11AX20SISO	Ant1	5320	19.86	5310.0899	5329.9500	---	---
11AX20SISO	Ant1	5500	19.58	5490.2498	5509.8302	---	---
11AX20SISO	Ant1	5580	19.82	5570.0100	5589.8302	---	---
11AX20SISO	Ant1	5700	19.54	5690.2498	5709.7902	---	---
11AX20SISO	Ant1	5745	19.78	5735.2897	5755.0699	---	---
11AX20SISO	Ant1	5785	20.38	5774.6503	5795.0300	---	---
11AX20SISO	Ant1	5825	19.82	5815.1698	5834.9900	---	---
11AX40SISO	Ant1	5190	38.362	5170.7393	5209.1009	---	---
11AX40SISO	Ant1	5230	38.681	5210.5794	5249.2607	---	---
11AX40SISO	Ant1	5270	38.601	5250.4995	5289.1009	---	---
11AX40SISO	Ant1	5310	39.081	5290.2597	5329.3407	---	---
11AX40SISO	Ant1	5510	38.521	5490.6593	5529.1808	---	---
11AX40SISO	Ant1	5550	38.282	5530.8192	5569.1009	---	---
11AX40SISO	Ant1	5670	38.521	5650.7393	5689.2607	---	---
11AX40SISO	Ant1	5755	38.761	5735.4196	5774.1808	---	---
11AX40SISO	Ant1	5795	39.481	5774.7003	5814.1808	---	---





Test Graphs

















11A-Ant1-5785




11A-Ant1-5825












11N20SISO-Ant1-5280




11N20SISO-Ant1-5320









11N20SISO-Ant1-5700





11N20SISO-Ant1-5745






















11AC20SISO-Ant1-5200




11AC20SISO-Ant1-5240






11AC20SISO-Ant1-5260




11AC20SISO-Ant1-5280







11AC20SISO-Ant1-5320





11AC20SISO-Ant1-5500














11AC40SISO-Ant1-5230





11AC40SISO-Ant1-5270














11AX20SISO-Ant1-5180




11AX20SISO-Ant1-5200









11AX20SISO-Ant1-5280




11AX20SISO-Ant1-5320









11AX20SISO-Ant1-5700




11AX20SISO-Ant1-5745












11AX40SISO-Ant1-5270




11AX40SISO-Ant1-5310







11AX40SISO-Ant1-5670



11AX40SISO-Ant1-5755






Appendix A3: Minimum 6dB Bandwidth


Test Result B4


Test Mode	Antenna	Frequency [MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	16.52	5736.68	5753.20	0.5	PASS
11A	Ant1	5785	16.56	5776.68	5793.24	0.5	PASS
11A	Ant1	5825	16.56	5816.68	5833.24	0.5	PASS
11N20SISO	Ant1	5745	17.80	5736.08	5753.88	0.5	PASS
11N20SISO	Ant1	5785	17.68	5776.16	5793.84	0.5	PASS
11N20SISO	Ant1	5825	17.80	5816.08	5833.88	0.5	PASS
11N40SISO	Ant1	5755	36.40	5736.76	5773.16	0.5	PASS
11N40SISO	Ant1	5795	36.40	5776.76	5813.16	0.5	PASS
11AC20SISO	Ant1	5745	17.64	5736.16	5753.80	0.5	PASS
11AC20SISO	Ant1	5785	17.80	5776.08	5793.88	0.5	PASS
11AC20SISO	Ant1	5825	17.56	5816.20	5833.76	0.5	PASS
11AC40SISO	Ant1	5755	36.32	5736.84	5773.16	0.5	PASS
11AC40SISO	Ant1	5795	36.48	5776.76	5813.24	0.5	PASS
11AX20SISO	Ant1	5745	19.08	5735.44	5754.52	0.5	PASS
11AX20SISO	Ant1	5785	19.00	5775.48	5794.48	0.5	PASS
11AX20SISO	Ant1	5825	19.08	5815.44	5834.52	0.5	PASS
11AX40SISO	Ant1	5755	37.20	5736.76	5773.96	0.5	PASS
11AX40SISO	Ant1	5795	37.60	5776.12	5813.72	0.5	PASS





Test Graphs B4























Appendix B: Duty Cycle

Test Result

Test Mode	Antenna	Frequency [MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Dc Factor [%]	1/T
11A	Ant1	5180	2.03	2.15	94.42	0.25	0.49
11A	Ant1	5200	2.04	2.10	97.14	0.13	0.49
11A	Ant1	5240	2.04	2.18	93.58	0.29	0.49
11A	Ant1	5260	2.04	2.16	94.44	0.25	0.49
11A	Ant1	5280	2.04	2.21	92.31	0.35	0.49
11A	Ant1	5320	2.03	2.16	93.98	0.27	0.49
11A	Ant1	5500	2.03	2.11	96.21	0.17	0.49
11A	Ant1	5580	2.03	2.14	94.86	0.23	0.49
11A	Ant1	5700	2.04	2.18	93.58	0.29	0.49
11A	Ant1	5745	2.04	2.21	92.31	0.35	0.49
11A	Ant1	5785	2.03	2.21	91.86	0.37	0.49
11A	Ant1	5825	2.03	2.20	92.27	0.35	0.49
11N20SISO	Ant1	5180	1.89	2.00	94.50	0.25	0.53
11N20SISO	Ant1	5200	1.89	2.04	92.65	0.33	0.53
11N20SISO	Ant1	5240	1.89	2.01	94.03	0.27	0.53
11N20SISO	Ant1	5260	1.90	2.06	92.23	0.35	0.53
11N20SISO	Ant1	5280	1.90	2.02	94.06	0.27	0.53
11N20SISO	Ant1	5320	1.90	2.06	92.23	0.35	0.53
11N20SISO	Ant1	5500	1.89	2.07	91.30	0.40	0.53
11N20SISO	Ant1	5580	1.89	2.07	91.30	0.40	0.53
11N20SISO	Ant1	5700	1.89	2.04	92.65	0.33	0.53
11N20SISO	Ant1	5745	1.90	2.02	94.06	0.27	0.53
11N20SISO	Ant1	5785	1.89	2.07	91.30	0.40	0.53
11N20SISO	Ant1	5825	1.90	2.07	91.79	0.37	0.53
11N40SISO	Ant1	5190	0.94	1.51	62.25	2.06	1.06
11N40SISO	Ant1	5230	0.93	1.11	83.78	0.77	1.08
11N40SISO	Ant1	5270	0.94	1.15	81.74	0.88	1.06
11N40SISO	Ant1	5310	0.93	1.06	87.74	0.57	1.08
11N40SISO	Ant1	5510	0.93	1.16	80.17	0.96	1.08
11N40SISO	Ant1	5550	0.93	1.10	84.55	0.73	1.08
11N40SISO	Ant1	5670	0.93	1.11	83.78	0.77	1.08
11N40SISO	Ant1	5755	0.93	1.09	85.32	0.69	1.08
11N40SISO	Ant1	5795	0.94	1.15	81.74	0.88	1.06
11AC20SISO	Ant1	5180	1.91	2.03	94.09	0.26	0.52
11AC20SISO	Ant1	5200	1.90	2.04	93.14	0.31	0.53
11AC20SISO	Ant1	5240	1.90	2.62	72.52	1.40	0.53
11AC20SISO	Ant1	5260	1.90	2.02	94.06	0.27	0.53



11AC20SISO	Ant1	5280	1.90	2.12	89.62	0.48	0.53
11AC20SISO	Ant1	5320	1.90	2.03	93.60	0.29	0.53
11AC20SISO	Ant1	5500	1.91	2.07	92.27	0.35	0.52
11AC20SISO	Ant1	5580	1.91	2.02	94.55	0.24	0.52
11AC20SISO	Ant1	5700	1.90	2.07	91.79	0.37	0.53
11AC20SISO	Ant1	5745	1.90	1.99	95.48	0.20	0.53
11AC20SISO	Ant1	5785	1.90	2.02	94.06	0.27	0.53
11AC20SISO	Ant1	5825	1.90	2.06	92.23	0.35	0.53
11AC40SISO	Ant1	5190	0.93	1.09	85.32	0.69	1.08
11AC40SISO	Ant1	5230	0.93	1.11	83.78	0.77	1.08
11AC40SISO	Ant1	5270	0.93	1.11	83.78	0.77	1.08
11AC40SISO	Ant1	5310	0.93	1.09	85.32	0.69	1.08
11AC40SISO	Ant1	5510	0.93	1.10	84.55	0.73	1.08
11AC40SISO	Ant1	5550	0.93	1.08	86.11	0.65	1.08
11AC40SISO	Ant1	5670	0.94	1.08	87.04	0.60	1.06
11AC40SISO	Ant1	5755	0.93	1.09	85.32	0.69	1.08
11AC40SISO	Ant1	5795	0.94	1.18	79.66	0.99	1.06
11AX20SISO	Ant1	5180	1.45	1.71	84.80	0.72	0.69
11AX20SISO	Ant1	5200	1.46	1.62	90.12	0.45	0.68
11AX20SISO	Ant1	5240	1.46	1.63	89.57	0.48	0.68
11AX20SISO	Ant1	5260	1.45	1.63	88.96	0.51	0.69
11AX20SISO	Ant1	5280	1.45	1.58	91.77	0.37	0.69
11AX20SISO	Ant1	5320	1.46	1.61	90.68	0.42	0.68
11AX20SISO	Ant1	5500	1.46	1.57	92.99	0.32	0.68
11AX20SISO	Ant1	5580	1.46	1.63	89.57	0.48	0.68
11AX20SISO	Ant1	5700	1.45	1.59	91.19	0.40	0.69
11AX20SISO	Ant1	5745	1.46	1.61	90.68	0.42	0.68
11AX20SISO	Ant1	5785	1.46	1.64	89.02	0.51	0.68
11AX20SISO	Ant1	5825	1.45	1.61	90.06	0.45	0.69
11AX40SISO	Ant1	5190	0.75	1.22	61.48	2.11	1.33
11AX40SISO	Ant1	5230	0.75	0.91	82.42	0.84	1.33
11AX40SISO	Ant1	5270	0.75	0.98	76.53	1.16	1.33
11AX40SISO	Ant1	5310	0.75	0.93	80.65	0.93	1.33
11AX40SISO	Ant1	5510	0.74	0.89	83.15	0.80	1.35
11AX40SISO	Ant1	5550	0.75	0.92	81.52	0.89	1.33
11AX40SISO	Ant1	5670	0.74	0.91	81.32	0.90	1.35
11AX40SISO	Ant1	5755	0.75	0.93	80.65	0.93	1.33
11AX40SISO	Ant1	5795	0.74	0.95	77.89	1.09	1.35



Test Graphs

