


Annex C. Spurious Emission at Antenna Terminals for SA

28. n2 15kHz


**28.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.23	-13	Pass	2985
30	1000	0.1	RMS	870.829	-63.12	-13	Pass	9699
1000	1840	1	RMS	1840	-51.2	-13	Pass	840
1840	1920	1	RMS	1852.6	12.36	60	Pass	401
1920	3000	1	RMS	2863.874	-47.95	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.66	-13	Pass	3500
6500	20000	1	RMS	16399.322	-54.1	-13	Pass	13500




**28.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.59	-13	Pass	2985
30	1000	0.1	RMS	872.731	-63.06	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.22	-13	Pass	840
1840	1920	1	RMS	1852.2	13.56	60	Pass	401
1920	3000	1	RMS	2857.868	-47.97	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.54	-13	Pass	3500
6500	20000	1	RMS	16401.322	-53.98	-13	Pass	13500




**28.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.95	-13	Pass	2985
30	1000	0.1	RMS	870.428	-63.07	-13	Pass	9699
1000	1840	1	RMS	1836.996	-51.33	-13	Pass	840
1840	1920	1	RMS	1880	12.76	60	Pass	401
1920	3000	1	RMS	2873.883	-47.96	-13	Pass	1080
3000	6500	1	RMS	6311.946	-65.6	-13	Pass	3500
6500	20000	1	RMS	16400.322	-54.04	-13	Pass	13500




**28.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.44	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.48	-13	Pass	2985
30	1000	0.1	RMS	997.897	-62.92	-13	Pass	9699
1000	1840	1	RMS	1837.998	-51.31	-13	Pass	840
1840	1920	1	RMS	1880.2	13.47	60	Pass	401
1920	3000	1	RMS	2865.876	-47.91	-13	Pass	1080
3000	6500	1	RMS	6310.946	-65.53	-13	Pass	3500
6500	20000	1	RMS	16402.322	-54.06	-13	Pass	13500




**28.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.81	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.01	-13	Pass	2985
30	1000	0.1	RMS	877.037	-63.12	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.27	-13	Pass	840
1840	1920	1	RMS	1907.2	13.42	60	Pass	401
1920	3000	1	RMS	2997.998	-47.91	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.64	-13	Pass	3500
6500	20000	1	RMS	16398.321	-54.11	-13	Pass	13500




**28.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:381500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.31	-13	Pass	2985
30	1000	0.1	RMS	880.441	-63.15	-13	Pass	9699
1000	1840	1	RMS	1834.994	-51.28	-13	Pass	840
1840	1920	1	RMS	1907.2	13.3	60	Pass	401
1920	3000	1	RMS	2997.998	-47.91	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.59	-13	Pass	3500
6500	20000	1	RMS	16399.322	-53.98	-13	Pass	13500




**28.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.2	-69.98	-13	Pass	2985
30	1000	0.1	RMS	870.929	-62.93	-13	Pass	9699
1000	1840	1	RMS	1840	-49.94	-13	Pass	840
1840	1920	1	RMS	1858.4	8.51	60	Pass	401
1920	3000	1	RMS	2868.879	-47.89	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.55	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.01	-13	Pass	13500




**28.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.28	-13	Pass	2985
30	1000	0.1	RMS	997.797	-63.09	-13	Pass	9699
1000	1840	1	RMS	1840	-47.75	-13	Pass	840
1840	1920	1	RMS	1858	8.76	60	Pass	401
1920	3000	1	RMS	2992.994	-47.94	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.56	-13	Pass	3500
6500	20000	1	RMS	16402.322	-53.92	-13	Pass	13500




**28.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	Pass	2985
30	1000	0.1	RMS	869.227	-62.92	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.26	-13	Pass	840
1840	1920	1	RMS	1878	8.78	60	Pass	401
1920	3000	1	RMS	2859.87	-47.92	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.56	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.11	-13	Pass	13500




**28.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.95	-13	Pass	2985
30	1000	0.1	RMS	869.727	-63.03	-13	Pass	9699
1000	1840	1	RMS	1840	-51.25	-13	Pass	840
1840	1920	1	RMS	1877	8.83	60	Pass	401
1920	3000	1	RMS	2994.995	-47.94	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.59	-13	Pass	3500
6500	20000	1	RMS	16403.322	-54.06	-13	Pass	13500




**28.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.27	-70.84	-13	Pass	2985
30	1000	0.1	RMS	873.733	-62.96	-13	Pass	9699
1000	1840	1	RMS	1840	-51.27	-13	Pass	840
1840	1920	1	RMS	1900	8.78	60	Pass	401
1920	3000	1	RMS	3000	-47.93	-13	Pass	1080
3000	6500	1	RMS	6310.946	-65.53	-13	Pass	3500
6500	20000	1	RMS	16399.322	-54.04	-13	Pass	13500




**28.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:380500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.87	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.4	-13	Pass	2985
30	1000	0.1	RMS	881.643	-63.01	-13	Pass	9699
1000	1840	1	RMS	1840	-51.28	-13	Pass	840
1840	1920	1	RMS	1900.2	8.81	60	Pass	401
1920	3000	1	RMS	2859.87	-47.89	-13	Pass	1080
3000	6500	1	RMS	5552.729	-65.51	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.08	-13	Pass	13500




**28.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.44	-13	Pass	2985
30	1000	0.1	RMS	867.024	-63.06	-13	Pass	9699
1000	1840	1	RMS	1840	-47.44	-13	Pass	840
1840	1920	1	RMS	1862.4	7.46	60	Pass	401
1920	3000	1	RMS	2988.99	-47.96	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.56	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.08	-13	Pass	13500




**28.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.48	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.23	-13	Pass	2985
30	1000	0.1	RMS	868.225	-63.1	-13	Pass	9699
1000	1840	1	RMS	1838.999	-44.89	-13	Pass	840
1840	1920	1	RMS	1861.4	7.43	60	Pass	401
1920	3000	1	RMS	2997.998	-47.91	-13	Pass	1080
3000	6500	1	RMS	6309.946	-65.59	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.08	-13	Pass	13500




**28.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.64	-13	Pass	2985
30	1000	0.1	RMS	879.54	-62.92	-13	Pass	9699
1000	1840	1	RMS	1835.995	-51.23	-13	Pass	840
1840	1920	1	RMS	1878.8	7.48	60	Pass	401
1920	3000	1	RMS	3000	-47.92	-13	Pass	1080
3000	6500	1	RMS	5558.731	-65.54	-13	Pass	3500
6500	20000	1	RMS	16396.321	-54.08	-13	Pass	13500




**28.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.16	-13	Pass	2985
30	1000	0.1	RMS	874.734	-63	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.07	-13	Pass	840
1840	1920	1	RMS	1876	7.17	60	Pass	401
1920	3000	1	RMS	2996.997	-47.94	-13	Pass	1080
3000	6500	1	RMS	5552.729	-65.62	-13	Pass	3500
6500	20000	1	RMS	16398.321	-54.03	-13	Pass	13500




**28.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.33	-13	Pass	2985
30	1000	0.1	RMS	870.228	-63.15	-13	Pass	9699
1000	1840	1	RMS	1838.999	-51.24	-13	Pass	840
1840	1920	1	RMS	1896	7.48	60	Pass	401
1920	3000	1	RMS	2993.994	-47.89	-13	Pass	1080
3000	6500	1	RMS	6310.946	-65.56	-13	Pass	3500
6500	20000	1	RMS	16403.322	-54.06	-13	Pass	13500



**28.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.57	-13	Pass	2985
30	1000	0.1	RMS	871.73	-62.96	-13	Pass	9699
1000	1840	1	RMS	1840	-51.22	-13	Pass	840
1840	1920	1	RMS	1896	7.37	60	Pass	401
1920	3000	1	RMS	2992.994	-47.91	-13	Pass	1080
3000	6500	1	RMS	5553.73	-65.54	-13	Pass	3500
6500	20000	1	RMS	16402.322	-53.95	-13	Pass	13500



29. n5 15kHz


**29.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.87	-13	Pass	2985
30	814	0.1	RMS	727.689	-63.5	-13	Pass	7840
814	859	0.1	RMS	826.528	2.28	60	Pass	450
859	1000	0.1	RMS	870.908	-63.03	-13	Pass	1410
1000	3000	1	RMS	3000	-47.88	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.56	-13	Pass	7000




**29.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:165300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.4	-13	Pass	2985
30	814	0.1	RMS	745.891	-63.57	-13	Pass	7840
814	859	0.1	RMS	826.428	3.43	60	Pass	450
859	1000	0.1	RMS	878.514	-63.03	-13	Pass	1410
1000	3000	1	RMS	3000	-47.91	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.62	-13	Pass	7000




**29.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.52	-13	Pass	401
0.15	30	0.01	RMS	0.21	-70.14	-13	Pass	2985
30	814	0.1	RMS	724.689	-63.59	-13	Pass	7840
814	859	0.1	RMS	836.751	2.72	60	Pass	450
859	1000	0.1	RMS	870.908	-63.02	-13	Pass	1410
1000	3000	1	RMS	2866.933	-47.95	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.59	-13	Pass	7000




**29.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.84	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.85	-13	Pass	2985
30	814	0.1	RMS	735.59	-63.53	-13	Pass	7840
814	859	0.1	RMS	835.949	2.69	60	Pass	450
859	1000	0.1	RMS	870.008	-63.08	-13	Pass	1410
1000	3000	1	RMS	2995.998	-47.93	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.61	-13	Pass	7000




**29.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.35	-13	Pass	2985
30	814	0.1	RMS	728.489	-63.57	-13	Pass	7840
814	859	0.1	RMS	846.171	2.1	60	Pass	450
859	1000	0.1	RMS	877.113	-62.97	-13	Pass	1410
1000	3000	1	RMS	2872.936	-47.9	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.54	-13	Pass	7000




**29.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.48	-13	Pass	2985
30	814	0.1	RMS	718.688	-63.56	-13	Pass	7840
814	859	0.1	RMS	846.873	2.4	60	Pass	450
859	1000	0.1	RMS	868.507	-63.03	-13	Pass	1410
1000	3000	1	RMS	2996.998	-47.91	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.62	-13	Pass	7000




**29.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.27	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.22	-13	Pass	2985
30	814	0.1	RMS	813.3	-62.52	-13	Pass	7840
814	859	0.1	RMS	828.833	-1.8	60	Pass	450
859	1000	0.1	RMS	872.109	-62.85	-13	Pass	1410
1000	3000	1	RMS	2995.998	-47.93	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.61	-13	Pass	7000




**29.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.33	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.56	-13	Pass	2985
30	814	0.1	RMS	814	-59.98	-13	Pass	7840
814	859	0.1	RMS	831.94	-1.35	60	Pass	450
859	1000	0.1	RMS	999.7	-63.15	-13	Pass	1410
1000	3000	1	RMS	2868.934	-47.92	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.52	-13	Pass	7000




**29.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.16	-13	Pass	2985
30	814	0.1	RMS	746.291	-63.66	-13	Pass	7840
814	859	0.1	RMS	836.851	-1.94	60	Pass	450
859	1000	0.1	RMS	877.513	-62.85	-13	Pass	1410
1000	3000	1	RMS	3000	-47.91	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.56	-13	Pass	7000




**29.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.9	-13	Pass	2985
30	814	0.1	RMS	814	-63.31	-13	Pass	7840
814	859	0.1	RMS	836.751	-1.57	60	Pass	450
859	1000	0.1	RMS	876.512	-62.92	-13	Pass	1410
1000	3000	1	RMS	2996.998	-47.96	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.51	-13	Pass	7000




**29.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.84	-13	Pass	2985
30	814	0.1	RMS	738.29	-63.64	-13	Pass	7840
814	859	0.1	RMS	841.06	-1.43	60	Pass	450
859	1000	0.1	RMS	880.515	-63.07	-13	Pass	1410
1000	3000	1	RMS	2869.935	-47.93	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.59	-13	Pass	7000




**29.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.48	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.74	-13	Pass	2985
30	814	0.1	RMS	741.491	-63.58	-13	Pass	7840
814	859	0.1	RMS	842.664	-1.67	60	Pass	450
859	1000	0.1	RMS	881.516	-63.01	-13	Pass	1410
1000	3000	1	RMS	2996.998	-47.94	-13	Pass	2000
3000	10000	1	RMS	6878.554	-61.62	-13	Pass	7000




**29.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.57	-13	Pass	2985
30	814	0.1	RMS	813.8	-59.61	-13	Pass	7840
814	859	0.1	RMS	834.445	-2.78	60	Pass	450
859	1000	0.1	RMS	880.415	-63.14	-13	Pass	1410
1000	3000	1	RMS	2991.996	-47.93	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.64	-13	Pass	7000




**29.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.96	-13	Pass	2985
30	814	0.1	RMS	814	-57	-13	Pass	7840
814	859	0.1	RMS	833.343	-2.39	60	Pass	450
859	1000	0.1	RMS	871.009	-63.15	-13	Pass	1410
1000	3000	1	RMS	3000	-47.92	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.67	-13	Pass	7000




**29.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.14	-13	Pass	2985
30	814	0.1	RMS	813	-61.76	-13	Pass	7840
814	859	0.1	RMS	839.457	-2.6	60	Pass	450
859	1000	0.1	RMS	874.811	-62.99	-13	Pass	1410
1000	3000	1	RMS	2857.929	-47.92	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.63	-13	Pass	7000




**29.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.82	-13	Pass	2985
30	814	0.1	RMS	813.8	-60.17	-13	Pass	7840
814	859	0.1	RMS	838.053	-2.85	60	Pass	450
859	1000	0.1	RMS	872.209	-62.75	-13	Pass	1410
1000	3000	1	RMS	2873.937	-47.93	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.55	-13	Pass	7000




**29.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.16	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.81	-13	Pass	2985
30	814	0.1	RMS	813.5	-62.23	-13	Pass	7840
814	859	0.1	RMS	840.158	-2.67	60	Pass	450
859	1000	0.1	RMS	876.512	-62.97	-13	Pass	1410
1000	3000	1	RMS	2999	-47.91	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.55	-13	Pass	7000



**29.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.82	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.4	-13	Pass	2985
30	814	0.1	RMS	813.5	-60.61	-13	Pass	7840
814	859	0.1	RMS	840.359	-2.51	60	Pass	450
859	1000	0.1	RMS	877.113	-62.71	-13	Pass	1410
1000	3000	1	RMS	2996.998	-47.92	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.68	-13	Pass	7000



30. n12 15kHz


**30.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.02	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.57	-13	Pass	2985
30	689	0.1	RMS	471.467	-64.3	-13	Pass	6590
689	726	0.1	RMS	701.303	3.79	60	Pass	401
726	1000	0.1	RMS	884.658	-62.94	-13	Pass	2740
1000	3000	1	RMS	2994.997	-47.91	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.59	-13	Pass	7000




**30.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:140300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.49	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.16	-13	Pass	2985
30	689	0.1	RMS	471.167	-64.31	-13	Pass	6590
689	726	0.1	RMS	702.135	3	60	Pass	401
726	1000	0.1	RMS	874.154	-62.84	-13	Pass	2740
1000	3000	1	RMS	2996.998	-47.92	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.62	-13	Pass	7000




**30.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.7	-13	Pass	2985
30	689	0.1	RMS	473.567	-64.22	-13	Pass	6590
689	726	0.1	RMS	707.315	3.61	60	Pass	401
726	1000	0.1	RMS	882.657	-62.86	-13	Pass	2740
1000	3000	1	RMS	2999	-47.87	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.56	-13	Pass	7000




**30.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:141500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.68	-13	Pass	2985
30	689	0.1	RMS	465.366	-64.06	-13	Pass	6590
689	726	0.1	RMS	708.148	3.67	60	Pass	401
726	1000	0.1	RMS	869.752	-62.91	-13	Pass	2740
1000	3000	1	RMS	2999	-47.95	-13	Pass	2000
3000	10000	1	RMS	6881.555	-61.59	-13	Pass	7000




**30.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.73	-13	Pass	2985
30	689	0.1	RMS	465.866	-64.34	-13	Pass	6590
689	726	0.1	RMS	712.403	2.82	60	Pass	401
726	1000	0.1	RMS	878.656	-62.9	-13	Pass	2740
1000	3000	1	RMS	3000	-47.9	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.46	-13	Pass	7000




**30.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:142700, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.7	-13	Pass	2985
30	689	0.1	RMS	474.467	-64.34	-13	Pass	6590
689	726	0.1	RMS	714.16	3.4	60	Pass	401
726	1000	0.1	RMS	873.254	-62.77	-13	Pass	2740
1000	3000	1	RMS	2859.93	-47.9	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.58	-13	Pass	7000




**30.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.96	-13	Pass	401
0.15	30	0.01	RMS	0.17	-69.86	-13	Pass	2985
30	689	0.1	RMS	689	-64.11	-13	Pass	6590
689	726	0.1	RMS	701.95	0.71	60	Pass	401
726	1000	0.1	RMS	869.352	-62.85	-13	Pass	2740
1000	3000	1	RMS	3000	-47.93	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.6	-13	Pass	7000




**30.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:140800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2985
30	689	0.1	RMS	688.8	-63.03	-13	Pass	6590
689	726	0.1	RMS	702.228	0.51	60	Pass	401
726	1000	0.1	RMS	869.152	-62.63	-13	Pass	2740
1000	3000	1	RMS	2999	-47.92	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.55	-13	Pass	7000




**30.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.9	-13	Pass	2985
30	689	0.1	RMS	482.369	-64.3	-13	Pass	6590
689	726	0.1	RMS	708.703	0.65	60	Pass	401
726	1000	0.1	RMS	876.955	-62.72	-13	Pass	2740
1000	3000	1	RMS	3000	-47.93	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.68	-13	Pass	7000




**30.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:141500, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.65	-13	Pass	2985
30	689	0.1	RMS	689	-64.08	-13	Pass	6590
689	726	0.1	RMS	707.685	0.3	60	Pass	401
726	1000	0.1	RMS	874.654	-62.69	-13	Pass	2740
1000	3000	1	RMS	2997.999	-47.91	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.62	-13	Pass	7000




**30.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.06	-13	Pass	2985
30	689	0.1	RMS	474.167	-64.18	-13	Pass	6590
689	726	0.1	RMS	709.628	0.78	60	Pass	401
726	1000	0.1	RMS	874.154	-63.04	-13	Pass	2740
1000	3000	1	RMS	2996.998	-47.86	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.54	-13	Pass	7000




**30.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:142200, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.75	-13	Pass	2985
30	689	0.1	RMS	477.768	-64.25	-13	Pass	6590
689	726	0.1	RMS	709.35	0.78	60	Pass	401
726	1000	0.1	RMS	885.058	-62.93	-13	Pass	2740
1000	3000	1	RMS	3000	-47.93	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.5	-13	Pass	7000




**30.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.23	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.04	-13	Pass	2985
30	689	0.1	RMS	689	-63.95	-13	Pass	6590
689	726	0.1	RMS	706.483	-1.11	60	Pass	401
726	1000	0.1	RMS	885.258	-62.82	-13	Pass	2740
1000	3000	1	RMS	3000	-47.94	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.6	-13	Pass	7000




**30.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.49	-13	Pass	2985
30	689	0.1	RMS	688.9	-61.95	-13	Pass	6590
689	726	0.1	RMS	707.963	-1.59	60	Pass	401
726	1000	0.1	RMS	878.055	-62.94	-13	Pass	2740
1000	3000	1	RMS	2995.998	-47.9	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.57	-13	Pass	7000




**30.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.37	-13	Pass	2985
30	689	0.1	RMS	688.3	-63.95	-13	Pass	6590
689	726	0.1	RMS	707.5	-1.25	60	Pass	401
726	1000	0.1	RMS	873.754	-62.95	-13	Pass	2740
1000	3000	1	RMS	3000	-47.91	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.59	-13	Pass	7000




**30.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.11	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.89	-13	Pass	2985
30	689	0.1	RMS	688.6	-62.43	-13	Pass	6590
689	726	0.1	RMS	707.87	-1.59	60	Pass	401
726	1000	0.1	RMS	997.699	-62.79	-13	Pass	2740
1000	3000	1	RMS	2995.998	-47.93	-13	Pass	2000
3000	10000	1	RMS	6880.554	-61.59	-13	Pass	7000




**30.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.95	-13	Pass	401
0.15	30	0.01	RMS	0.24	-70.56	-13	Pass	2985
30	689	0.1	RMS	688.3	-63.6	-13	Pass	6590
689	726	0.1	RMS	709.073	-1.12	60	Pass	401
726	1000	0.1	RMS	870.453	-62.83	-13	Pass	2740
1000	3000	1	RMS	2990.995	-47.96	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.56	-13	Pass	7000



**30.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.75	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70.52	-13	Pass	2985
30	689	0.1	RMS	688.8	-61.94	-13	Pass	6590
689	726	0.1	RMS	708.888	-0.92	60	Pass	401
726	1000	0.1	RMS	876.855	-62.97	-13	Pass	2740
1000	3000	1	RMS	3000	-47.92	-13	Pass	2000
3000	10000	1	RMS	6879.554	-61.65	-13	Pass	7000



31. n25 15kHz


**31.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.17	-65.4	-13	Pass	2986
30	1000	0.1	RMS	878.5	-62	-13	Pass	9701
1000	1840	1	RMS	1839	-50.73	-13	Pass	841
1840	1925	1	RMS	1852.608	11.64	60	Pass	601
1925	3000	1	RMS	2996	-47.17	-13	Pass	1076
3000	6500	1	RMS	5050	-62.87	-13	Pass	3501
6500	20000	1	RMS	19350	-54.74	-13	Pass	13501




**31.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:370500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.36	-13	Pass	2986
30	1000	0.1	RMS	877.8	-62.03	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1925	1	RMS	1852.608	11.67	60	Pass	601
1925	3000	1	RMS	2999	-47.11	-13	Pass	1076
3000	6500	1	RMS	5051	-62.86	-13	Pass	3501
6500	20000	1	RMS	19397	-54.68	-13	Pass	13501




**31.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.84	-13	Pass	2986
30	1000	0.1	RMS	877.6	-61.81	-13	Pass	9701
1000	1840	1	RMS	1839	-50.72	-13	Pass	841
1840	1925	1	RMS	1882.642	11.48	60	Pass	601
1925	3000	1	RMS	3000	-47.2	-13	Pass	1076
3000	6500	1	RMS	5049	-62.86	-13	Pass	3501
6500	20000	1	RMS	19393	-54.79	-13	Pass	13501




**31.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.18	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.3	-13	Pass	2986
30	1000	0.1	RMS	880.4	-61.8	-13	Pass	9701
1000	1840	1	RMS	1839	-50.72	-13	Pass	841
1840	1925	1	RMS	1882.5	11.62	60	Pass	601
1925	3000	1	RMS	2997	-47.14	-13	Pass	1076
3000	6500	1	RMS	5050	-62.8	-13	Pass	3501
6500	20000	1	RMS	19453	-54.67	-13	Pass	13501




**31.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-51.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.71	-13	Pass	2986
30	1000	0.1	RMS	881.6	-62.08	-13	Pass	9701
1000	1840	1	RMS	1838	-50.62	-13	Pass	841
1840	1925	1	RMS	1912.25	11.57	60	Pass	601
1925	3000	1	RMS	2998	-47.16	-13	Pass	1076
3000	6500	1	RMS	5050	-62.79	-13	Pass	3501
6500	20000	1	RMS	19443	-54.71	-13	Pass	13501




**31.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:382500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.3	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.28	-13	Pass	2986
30	1000	0.1	RMS	928.7	-62	-13	Pass	9701
1000	1840	1	RMS	1839	-50.68	-13	Pass	841
1840	1925	1	RMS	1912.392	11.69	60	Pass	601
1925	3000	1	RMS	3000	-47.16	-13	Pass	1076
3000	6500	1	RMS	5050	-62.82	-13	Pass	3501
6500	20000	1	RMS	19390	-54.63	-13	Pass	13501




**31.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.78	-13	Pass	2986
30	1000	0.1	RMS	920	-62.04	-13	Pass	9701
1000	1840	1	RMS	1840	-49.7	-13	Pass	841
1840	1925	1	RMS	1858.558	7.01	60	Pass	601
1925	3000	1	RMS	2996	-47.24	-13	Pass	1076
3000	6500	1	RMS	5050	-62.87	-13	Pass	3501
6500	20000	1	RMS	19370	-54.82	-13	Pass	13501




**31.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:371500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.07	-13	Pass	2986
30	1000	0.1	RMS	879.2	-62.04	-13	Pass	9701
1000	1840	1	RMS	1839	-47.86	-13	Pass	841
1840	1925	1	RMS	1858.133	7.08	60	Pass	601
1925	3000	1	RMS	2999	-47.25	-13	Pass	1076
3000	6500	1	RMS	5049	-62.9	-13	Pass	3501
6500	20000	1	RMS	19439	-54.82	-13	Pass	13501




**31.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-51.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.15	-13	Pass	2986
30	1000	0.1	RMS	997.4	-61.94	-13	Pass	9701
1000	1840	1	RMS	1836	-50.77	-13	Pass	841
1840	1925	1	RMS	1884.058	6.8	60	Pass	601
1925	3000	1	RMS	3000	-47.18	-13	Pass	1076
3000	6500	1	RMS	5051	-62.84	-13	Pass	3501
6500	20000	1	RMS	19359	-54.69	-13	Pass	13501




**31.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.1	-13	Pass	2986
30	1000	0.1	RMS	881.2	-61.99	-13	Pass	9701
1000	1840	1	RMS	1838	-50.76	-13	Pass	841
1840	1925	1	RMS	1879.808	6.86	60	Pass	601
1925	3000	1	RMS	2998	-47.16	-13	Pass	1076
3000	6500	1	RMS	5050	-62.95	-13	Pass	3501
6500	20000	1	RMS	19379	-54.8	-13	Pass	13501




**31.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:
PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-53.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.75	-13	Pass	2986
30	1000	0.1	RMS	999.2	-61.86	-13	Pass	9701
1000	1840	1	RMS	1840	-50.16	-13	Pass	841
1840	1925	1	RMS	1904.883	7.28	60	Pass	601
1925	3000	1	RMS	2995	-47.12	-13	Pass	1076
3000	6500	1	RMS	5048	-62.72	-13	Pass	3501
6500	20000	1	RMS	19397	-54.55	-13	Pass	13501




**31.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:381500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.99	-13	Pass	2985
30	1000	0.1	RMS	881.943	-62.96	-13	Pass	9699
1000	1840	1	RMS	1840	-51.3	-13	Pass	840
1840	1925	1	RMS	1904.6	8.61	60	Pass	401
1925	3000	1	RMS	3000	-47.9	-13	Pass	1075
3000	6500	1	RMS	5559.731	-65.58	-13	Pass	3500
6500	20000	1	RMS	16406.323	-54.04	-13	Pass	13500




**31.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.13	-13	Pass	2986
30	1000	0.1	RMS	872.9	-62.07	-13	Pass	9701
1000	1840	1	RMS	1840	-47.05	-13	Pass	841
1840	1925	1	RMS	1860.967	5.85	60	Pass	601
1925	3000	1	RMS	2997	-47.26	-13	Pass	1076
3000	6500	1	RMS	5050	-62.83	-13	Pass	3501
6500	20000	1	RMS	19396	-54.78	-13	Pass	13501




**31.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.06	-13	Pass	2986
30	1000	0.1	RMS	887.7	-61.96	-13	Pass	9701
1000	1840	1	RMS	1840	-44.49	-13	Pass	841
1840	1925	1	RMS	1861.533	5.85	60	Pass	601
1925	3000	1	RMS	2999	-47.23	-13	Pass	1076
3000	6500	1	RMS	5049	-62.96	-13	Pass	3501
6500	20000	1	RMS	19447	-54.83	-13	Pass	13501




**31.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.05	-13	Pass	2986
30	1000	0.1	RMS	921.7	-61.94	-13	Pass	9701
1000	1840	1	RMS	1839	-50.78	-13	Pass	841
1840	1925	1	RMS	1883.633	5.67	60	Pass	601
1925	3000	1	RMS	2997	-47.28	-13	Pass	1076
3000	6500	1	RMS	5050	-63	-13	Pass	3501
6500	20000	1	RMS	19418	-54.81	-13	Pass	13501




**31.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.65	-13	Pass	2986
30	1000	0.1	RMS	880.5	-62.06	-13	Pass	9701
1000	1840	1	RMS	1840	-50.64	-13	Pass	841
1840	1925	1	RMS	1880.233	5.66	60	Pass	601
1925	3000	1	RMS	2999	-47.25	-13	Pass	1076
3000	6500	1	RMS	5052	-62.99	-13	Pass	3501
6500	20000	1	RMS	19418	-54.84	-13	Pass	13501




**31.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.66	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.06	-13	Pass	2986
30	1000	0.1	RMS	930.5	-61.99	-13	Pass	9701
1000	1840	1	RMS	1838	-50.78	-13	Pass	841
1840	1925	1	RMS	1883.633	5.73	60	Pass	601
1925	3000	1	RMS	2998	-47.29	-13	Pass	1076
3000	6500	1	RMS	5051	-62.99	-13	Pass	3501
6500	20000	1	RMS	19400	-54.7	-13	Pass	13501



**31.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.84	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.02	-13	Pass	2986
30	1000	0.1	RMS	873.1	-62.05	-13	Pass	9701
1000	1840	1	RMS	1840	-50.81	-13	Pass	841
1840	1925	1	RMS	1900.917	5.86	60	Pass	601
1925	3000	1	RMS	2995	-47.11	-13	Pass	1076
3000	6500	1	RMS	5050	-62.92	-13	Pass	3501
6500	20000	1	RMS	19414	-54.76	-13	Pass	13501



32. n30 15kHz


**32.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.17	-40	Pass	401
0.15	30	0.01	RMS	1.06	-79.24	-40	Pass	2985
30	1000	0.1	RMS	347.039	-66.04	-40	Pass	9699
1000	2295	1	RMS	2295	-59.59	-40	Pass	1295
2295	2325	1	RMS	2307.3	12.78	60	Pass	401
2325	3000	1	RMS	2865.801	-57.84	-40	Pass	675
3000	6500	1	RMS	6310.946	-55.36	-40	Pass	3500
6500	18000	1	RMS	16399.516	-61.99	-40	Pass	11500
18000	24000	1	RMS	21606.601	-63.83	-40	Pass	6000




**32.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:461500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.55	-40	Pass	401
0.15	30	0.01	RMS	0.23	-80.22	-40	Pass	2985
30	1000	0.1	RMS	347.039	-67.44	-40	Pass	9699
1000	2295	1	RMS	1710.549	-56.13	-40	Pass	1295
2295	2325	1	RMS	2307.45	11.83	60	Pass	401
2325	3000	1	RMS	3000	-57.82	-40	Pass	675
3000	6500	1	RMS	5179.623	-52.22	-40	Pass	3500
6500	18000	1	RMS	16396.515	-61.91	-40	Pass	11500
18000	24000	1	RMS	21594.599	-63.71	-40	Pass	6000




**32.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.17	-40	Pass	401
0.15	30	0.01	RMS	0.15	-79.87	-40	Pass	2985
30	1000	0.1	RMS	349.639	-65.86	-40	Pass	9699
1000	2295	1	RMS	2295	-60.1	-40	Pass	1295
2295	2325	1	RMS	2310	12.76	60	Pass	401
2325	3000	1	RMS	2997.997	-57.89	-40	Pass	675
3000	6500	1	RMS	6309.946	-55.39	-40	Pass	3500
6500	18000	1	RMS	16400.516	-62.06	-40	Pass	11500
18000	24000	1	RMS	21601.6	-63.81	-40	Pass	6000




**32.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:462000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.77	-40	Pass	401
0.15	30	0.01	RMS	1.06	-78.75	-40	Pass	2985
30	1000	0.1	RMS	349.639	-66.99	-40	Pass	9699
1000	2295	1	RMS	2295	-60.12	-40	Pass	1295
2295	2325	1	RMS	2309.925	11.9	60	Pass	401
2325	3000	1	RMS	2997.997	-57.93	-40	Pass	675
3000	6500	1	RMS	5554.73	-55.46	-40	Pass	3500
6500	18000	1	RMS	16398.516	-62.06	-40	Pass	11500
18000	24000	1	RMS	21598.6	-63.75	-40	Pass	6000




**32.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.74	-40	Pass	401
0.15	30	0.01	RMS	1.05	-75.54	-40	Pass	2985
30	1000	0.1	RMS	352.039	-65.91	-40	Pass	9699
1000	2295	1	RMS	2075.831	-60.25	-40	Pass	1295
2295	2325	1	RMS	2312.475	12.8	60	Pass	401
2325	3000	1	RMS	2357.047	-57.77	-40	Pass	675
3000	6500	1	RMS	6311.946	-55.47	-40	Pass	3500
6500	18000	1	RMS	16399.516	-62.04	-40	Pass	11500
18000	24000	1	RMS	21601.6	-63.82	-40	Pass	6000




**32.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:462500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.17	-40	Pass	401
0.15	30	0.01	RMS	1.06	-78.8	-40	Pass	2985
30	1000	0.1	RMS	351.339	-67.47	-40	Pass	9699
1000	2295	1	RMS	2071.828	-60.24	-40	Pass	1295
2295	2325	1	RMS	2312.325	11.88	60	Pass	401
2325	3000	1	RMS	2357.047	-57.91	-40	Pass	675
3000	6500	1	RMS	6309.946	-55.38	-40	Pass	3500
6500	18000	1	RMS	16399.516	-62.05	-40	Pass	11500
18000	24000	1	RMS	21601.6	-63.88	-40	Pass	6000




**32.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.2	-40	Pass	401
0.15	30	0.01	RMS	3.571	-79.37	-40	Pass	2985
30	1000	0.1	RMS	349.539	-68.98	-40	Pass	9699
1000	2295	1	RMS	2292.998	-57.63	-40	Pass	1295
2295	2325	1	RMS	2310.825	10.21	60	Pass	401
2325	3000	1	RMS	2325	-56.88	-40	Pass	675
3000	6500	1	RMS	6310.946	-55.4	-40	Pass	3500
6500	18000	1	RMS	16399.516	-62.05	-40	Pass	11500
18000	24000	1	RMS	21607.601	-63.81	-40	Pass	6000



**32.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.44	-40	Pass	401
0.15	30	0.01	RMS	0.15	-79.85	-40	Pass	2985
30	1000	0.1	RMS	348.939	-69.66	-40	Pass	9699
1000	2295	1	RMS	2295	-56.18	-40	Pass	1295
2295	2325	1	RMS	2309.7	9.27	60	Pass	401
2325	3000	1	RMS	2861.795	-57.95	-40	Pass	675
3000	6500	1	RMS	6309.946	-55.4	-40	Pass	3500
6500	18000	1	RMS	16400.516	-61.98	-40	Pass	11500
18000	24000	1	RMS	21599.6	-63.8	-40	Pass	6000



33. n38 30kHz


**33.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.67	-25	Pass	601
0.15	30	0.01	RMS	0.17	-64.87	-25	Pass	2986
30	1000	0.1	RMS	964.5	-59.19	-25	Pass	9701
1000	2560	1	RMS	2555	-46.51	-25	Pass	1561
2560	2630	1	RMS	2577.5	9.9	60	Pass	601
2630	3000	1	RMS	2999.383	-47.46	-25	Pass	601
3000	6500	1	RMS	5050	-62.4	-25	Pass	3501
6500	27000	1	RMS	26265	-51.3	-25	Pass	20501




**33.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.73	-25	Pass	601
0.15	30	0.01	RMS	0.15	-65.43	-25	Pass	2986
30	1000	0.1	RMS	913.3	-59.18	-25	Pass	9701
1000	2560	1	RMS	2557	-44.6	-25	Pass	1561
2560	2630	1	RMS	2576.333	9.77	60	Pass	601
2630	3000	1	RMS	2995.067	-47.49	-25	Pass	601
3000	6500	1	RMS	5050	-62.71	-25	Pass	3501
6500	27000	1	RMS	26354	-51.43	-25	Pass	20501




**33.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-49.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.85	-25	Pass	2986
30	1000	0.1	RMS	909.9	-58.82	-25	Pass	9701
1000	2560	1	RMS	2544	-47.05	-25	Pass	1561
2560	2630	1	RMS	2592.667	10.01	60	Pass	601
2630	3000	1	RMS	2996.3	-47.39	-25	Pass	601
3000	6500	1	RMS	5049	-62.51	-25	Pass	3501
6500	27000	1	RMS	26267	-51.22	-25	Pass	20501




**33.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.17	-25	Pass	601
0.15	30	0.01	RMS	0.18	-65.13	-25	Pass	2986
30	1000	0.1	RMS	921.6	-58.93	-25	Pass	9701
1000	2560	1	RMS	2535	-47.06	-25	Pass	1561
2560	2630	1	RMS	2595.933	10.03	60	Pass	601
2630	3000	1	RMS	3000	-47.46	-25	Pass	601
3000	6500	1	RMS	5050	-62.79	-25	Pass	3501
6500	27000	1	RMS	26143	-51.15	-25	Pass	20501




**33.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.09	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.81	-25	Pass	2986
30	1000	0.1	RMS	862.9	-59.27	-25	Pass	9701
1000	2560	1	RMS	2481	-47.02	-25	Pass	1561
2560	2630	1	RMS	2607.017	10.02	60	Pass	601
2630	3000	1	RMS	2631.233	-47.21	-25	Pass	601
3000	6500	1	RMS	5054	-62.77	-25	Pass	3501
6500	27000	1	RMS	26359	-51.3	-25	Pass	20501




**33.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.39	-25	Pass	601
0.15	30	0.01	RMS	0.16	-63.77	-25	Pass	2986
30	1000	0.1	RMS	875.7	-59.88	-25	Pass	9701
1000	2560	1	RMS	2486	-47.09	-25	Pass	1561
2560	2630	1	RMS	2613.083	10.07	60	Pass	601
2630	3000	1	RMS	2630	-43.83	-25	Pass	601
3000	6500	1	RMS	5052	-62.7	-25	Pass	3501
6500	27000	1	RMS	26244	-51.09	-25	Pass	20501




**33.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.21	-25	Pass	601
0.15	30	0.01	RMS	0.19	-63.37	-25	Pass	2986
30	1000	0.1	RMS	944.8	-60.02	-25	Pass	9701
1000	2560	1	RMS	2557	-42.69	-25	Pass	1561
2560	2630	1	RMS	2580.533	7.4	60	Pass	601
2630	3000	1	RMS	2998.15	-47.48	-25	Pass	601
3000	6500	1	RMS	5551	-62.5	-25	Pass	3501
6500	27000	1	RMS	26163	-50.77	-25	Pass	20501




**33.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:517000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.56	-25	Pass	601
0.15	30	0.01	RMS	0.18	-63.09	-25	Pass	2986
30	1000	0.1	RMS	896.2	-59.26	-25	Pass	9701
1000	2560	1	RMS	2560	-40.86	-25	Pass	1561
2560	2630	1	RMS	2579.25	8.62	60	Pass	601
2630	3000	1	RMS	2999.383	-47.45	-25	Pass	601
3000	6500	1	RMS	5054	-62.4	-25	Pass	3501
6500	27000	1	RMS	25684	-50.85	-25	Pass	20501




**33.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.39	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.1	-25	Pass	2985
30	1000	0.1	RMS	993.992	-61.18	-25	Pass	9699
1000	2560	1	RMS	2558.999	-48.32	-25	Pass	1560
2560	2630	1	RMS	2590.8	6.75	60	Pass	401
2630	3000	1	RMS	2866.8	-48.1	-25	Pass	401
3000	6500	1	RMS	5555.73	-65.25	-25	Pass	3500
6500	27000	1	RMS	25800.709	-50.67	-25	Pass	20500




**33.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.35	-25	Pass	401
0.15	30	0.01	RMS	0.35	-67.87	-25	Pass	2985
30	1000	0.1	RMS	889.153	-61.02	-25	Pass	9699
1000	2560	1	RMS	2558.999	-46.42	-25	Pass	1560
2560	2630	1	RMS	2589.575	7.55	60	Pass	401
2630	3000	1	RMS	2993.525	-48.02	-25	Pass	401
3000	6500	1	RMS	6312.947	-65.38	-25	Pass	3500
6500	27000	1	RMS	25901.733	-50.24	-25	Pass	20500




**33.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.36	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.84	-25	Pass	2985
30	1000	0.1	RMS	865.722	-60.67	-25	Pass	9699
1000	2560	1	RMS	2553.996	-49.29	-25	Pass	1560
2560	2630	1	RMS	2600.6	7.4	60	Pass	401
2630	3000	1	RMS	2630	-47.87	-25	Pass	401
3000	6500	1	RMS	5560.732	-65.3	-25	Pass	3500
6500	27000	1	RMS	25899.733	-50.27	-25	Pass	20500




**33.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:521000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.72	-25	Pass	401
0.15	30	0.01	RMS	0.24	-68.28	-25	Pass	2985
30	1000	0.1	RMS	998.298	-60.74	-25	Pass	9699
1000	2560	1	RMS	2557.999	-48.18	-25	Pass	1560
2560	2630	1	RMS	2605.675	7.47	60	Pass	401
2630	3000	1	RMS	2630	-46.29	-25	Pass	401
3000	6500	1	RMS	6307.945	-65.3	-25	Pass	3500
6500	27000	1	RMS	25881.728	-50.69	-25	Pass	20500




**33.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.82	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.36	-25	Pass	2985
30	1000	0.1	RMS	885.548	-60.76	-25	Pass	9699
1000	2560	1	RMS	2552.996	-45.45	-25	Pass	1560
2560	2630	1	RMS	2581.525	6.25	60	Pass	401
2630	3000	1	RMS	2874.2	-48.02	-25	Pass	401
3000	6500	1	RMS	6309.946	-65.38	-25	Pass	3500
6500	27000	1	RMS	25859.723	-50.25	-25	Pass	20500




**33.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:518000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.97	-25	Pass	2985
30	1000	0.1	RMS	714.684	-61.08	-25	Pass	9699
1000	2560	1	RMS	2554.997	-42.16	-25	Pass	1560
2560	2630	1	RMS	2581.525	6.32	60	Pass	401
2630	3000	1	RMS	2630	-48	-25	Pass	401
3000	6500	1	RMS	5555.73	-65.31	-25	Pass	3500
6500	27000	1	RMS	25817.713	-50.56	-25	Pass	20500




**33.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-68.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-66.42	-25	Pass	2985
30	1000	0.1	RMS	924.3	-60.47	-25	Pass	9699
1000	2560	1	RMS	2557.999	-44.81	-25	Pass	1560
2560	2630	1	RMS	2586.25	6.12	60	Pass	401
2630	3000	1	RMS	2994.45	-48	-25	Pass	401
3000	6500	1	RMS	5549.728	-65.2	-25	Pass	3500
6500	27000	1	RMS	25861.723	-50.65	-25	Pass	20500




**33.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:519000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-67.71	-25	Pass	2985
30	1000	0.1	RMS	896.062	-60.4	-25	Pass	9699
1000	2560	1	RMS	2554.997	-42.96	-25	Pass	1560
2560	2630	1	RMS	2593.425	6.1	60	Pass	401
2630	3000	1	RMS	2632.775	-47.14	-25	Pass	401
3000	6500	1	RMS	6314.947	-65.06	-25	Pass	3500
6500	27000	1	RMS	25838.718	-50.28	-25	Pass	20500




**33.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.8	-25	Pass	401
0.15	30	0.01	RMS	0.16	-68.73	-25	Pass	2985
30	1000	0.1	RMS	888.552	-60.86	-25	Pass	9699
1000	2560	1	RMS	2558.999	-47.32	-25	Pass	1560
2560	2630	1	RMS	2591.15	6.04	60	Pass	401
2630	3000	1	RMS	2870.5	-48.02	-25	Pass	401
3000	6500	1	RMS	6309.946	-65.39	-25	Pass	3500
6500	27000	1	RMS	25896.732	-50.31	-25	Pass	20500



**33.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:520000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-69.57	-25	Pass	401
0.15	30	0.01	RMS	0.32	-69.51	-25	Pass	2985
30	1000	0.1	RMS	884.246	-60.54	-25	Pass	9699
1000	2560	1	RMS	2553.996	-46.87	-25	Pass	1560
2560	2630	1	RMS	2599.375	6.14	60	Pass	401
2630	3000	1	RMS	2630.925	-47.58	-25	Pass	401
3000	6500	1	RMS	5558.731	-65.3	-25	Pass	3500
6500	27000	1	RMS	25907.735	-50.31	-25	Pass	20500



34. n41 30kHz


**34.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.32	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.04	-25	Pass	2986
30	1000	0.1	RMS	874.6	-59.21	-25	Pass	9701
1000	2486	1	RMS	2480	-46.63	-25	Pass	1487
2486	2700	1	RMS	2508.113	10.38	60	Pass	601
2700	3000	1	RMS	2989	-47.49	-25	Pass	601
3000	6500	1	RMS	5051	-62.28	-25	Pass	3501
6500	27000	1	RMS	26349	-51.5	-25	Pass	20501




**34.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.12	-25	Pass	601
0.15	30	0.01	RMS	0.18	-63.67	-25	Pass	2986
30	1000	0.1	RMS	879	-59.34	-25	Pass	9701
1000	2486	1	RMS	2482	-44.45	-25	Pass	1487
2486	2700	1	RMS	2506.687	11.48	60	Pass	601
2700	3000	1	RMS	2997.5	-47.51	-25	Pass	601
3000	6500	1	RMS	5051	-62.79	-25	Pass	3501
6500	27000	1	RMS	26431	-51.6	-25	Pass	20501




**34.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-50.52	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.69	-25	Pass	2986
30	1000	0.1	RMS	879.2	-59.46	-25	Pass	9701
1000	2486	1	RMS	2480	-47.16	-25	Pass	1487
2486	2700	1	RMS	2590.503	11.33	60	Pass	601
2700	3000	1	RMS	2997.5	-47.58	-25	Pass	601
3000	6500	1	RMS	5054	-62.78	-25	Pass	3501
6500	27000	1	RMS	26381	-51.45	-25	Pass	20501




**34.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.2	-25	Pass	601
0.15	30	0.01	RMS	0.16	-65.41	-25	Pass	2986
30	1000	0.1	RMS	967.3	-59.43	-25	Pass	9701
1000	2486	1	RMS	2480	-47.13	-25	Pass	1487
2486	2700	1	RMS	2595.497	11.39	60	Pass	601
2700	3000	1	RMS	2997.5	-47.44	-25	Pass	601
3000	6500	1	RMS	5051	-62.63	-25	Pass	3501
6500	27000	1	RMS	26263	-51.2	-25	Pass	20501




**34.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.61	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64	-25	Pass	2986
30	1000	0.1	RMS	938.1	-59.34	-25	Pass	9701
1000	2486	1	RMS	2485	-47.1	-25	Pass	1487
2486	2700	1	RMS	2681.097	10.73	60	Pass	601
2700	3000	1	RMS	2700.5	-46.48	-25	Pass	601
3000	6500	1	RMS	5553	-62.73	-25	Pass	3501
6500	27000	1	RMS	26152	-51.44	-25	Pass	20501




**34.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.27	-25	Pass	601
0.15	30	0.01	RMS	0.16	-62.34	-25	Pass	2986
30	1000	0.1	RMS	871	-59.73	-25	Pass	9701
1000	2486	1	RMS	2484	-47.16	-25	Pass	1487
2486	2700	1	RMS	2678.957	11.41	60	Pass	601
2700	3000	1	RMS	2700.5	-43.43	-25	Pass	601
3000	6500	1	RMS	5008	-62.7	-25	Pass	3501
6500	27000	1	RMS	26275	-51.12	-25	Pass	20501




**34.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.24	-25	Pass	601
0.15	30	0.01	RMS	0.16	-62.99	-25	Pass	2986
30	1000	0.1	RMS	859.5	-59.62	-25	Pass	9701
1000	2486	1	RMS	2485	-33.53	-25	Pass	1487
2486	2700	1	RMS	2537.717	6.73	60	Pass	601
2700	3000	1	RMS	2998	-47.47	-25	Pass	601
3000	6500	1	RMS	5552	-62.64	-25	Pass	3501
6500	27000	1	RMS	26271	-50.94	-25	Pass	20501




**34.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-50.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-65.07	-25	Pass	2986
30	1000	0.1	RMS	940.7	-59.36	-25	Pass	9701
1000	2486	1	RMS	2482	-37.61	-25	Pass	1487
2486	2700	1	RMS	2532.367	6.77	60	Pass	601
2700	3000	1	RMS	2997	-47.56	-25	Pass	601
3000	6500	1	RMS	5046	-62.86	-25	Pass	3501
6500	27000	1	RMS	26371	-51.17	-25	Pass	20501




**34.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.11	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.8	-25	Pass	2986
30	1000	0.1	RMS	944.7	-59.55	-25	Pass	9701
1000	2486	1	RMS	2475	-47.17	-25	Pass	1487
2486	2700	1	RMS	2595.497	6.52	60	Pass	601
2700	3000	1	RMS	2999.5	-47.48	-25	Pass	601
3000	6500	1	RMS	5052	-62.75	-25	Pass	3501
6500	27000	1	RMS	26239	-51.1	-25	Pass	20501




**34.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.49	-25	Pass	601
0.15	30	0.01	RMS	0.17	-64.71	-25	Pass	2986
30	1000	0.1	RMS	851.1	-59.2	-25	Pass	9701
1000	2486	1	RMS	2481	-47.05	-25	Pass	1487
2486	2700	1	RMS	2599.063	6.54	60	Pass	601
2700	3000	1	RMS	2996	-47.44	-25	Pass	601
3000	6500	1	RMS	5051	-62.84	-25	Pass	3501
6500	27000	1	RMS	25663	-51.21	-25	Pass	20501




**34.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-50.96	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.14	-25	Pass	2986
30	1000	0.1	RMS	775.7	-59.74	-25	Pass	9701
1000	2486	1	RMS	2485	-47.22	-25	Pass	1487
2486	2700	1	RMS	2667.187	6.39	60	Pass	601
2700	3000	1	RMS	2701	-41.38	-25	Pass	601
3000	6500	1	RMS	5045	-62.7	-25	Pass	3501
6500	27000	1	RMS	26384	-51.25	-25	Pass	20501




**34.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.91	-25	Pass	601
0.15	30	0.01	RMS	0.16	-64.3	-25	Pass	2986
30	1000	0.1	RMS	946.3	-59.5	-25	Pass	9701
1000	2486	1	RMS	2480	-47.13	-25	Pass	1487
2486	2700	1	RMS	2671.11	4.86	60	Pass	601
2700	3000	1	RMS	2700.5	-38.8	-25	Pass	601
3000	6500	1	RMS	5049	-62.71	-25	Pass	3501
6500	27000	1	RMS	26459	-51.41	-25	Pass	20501




**34.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.42	-25	Pass	601
0.15	30	0.01	RMS	0.16	-63.12	-25	Pass	2986
30	1000	0.1	RMS	878.6	-59.19	-25	Pass	9701
1000	2486	1	RMS	2483	-33.08	-25	Pass	1487
2486	2700	1	RMS	2543.78	4.5	60	Pass	601
2700	3000	1	RMS	2996	-47.49	-25	Pass	601
3000	6500	1	RMS	5053	-62.77	-25	Pass	3501
6500	27000	1	RMS	26329	-51.2	-25	Pass	20501




**34.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-25	Pass	601
0.15	30	0.01	RMS	0.16	-62.47	-25	Pass	2986
30	1000	0.1	RMS	984.5	-59.15	-25	Pass	9701
1000	2486	1	RMS	2486	-28.94	-25	Pass	1487
2486	2700	1	RMS	2540.927	4.3	60	Pass	601
2700	3000	1	RMS	2997.5	-47.39	-25	Pass	601
3000	6500	1	RMS	5560	-62.76	-25	Pass	3501
6500	27000	1	RMS	26239	-51.51	-25	Pass	20501




**34.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-50.54	-25	Pass	601
0.15	30	0.01	RMS	0.17	-63.44	-25	Pass	2986
30	1000	0.1	RMS	912	-59.61	-25	Pass	9701
1000	2486	1	RMS	2485	-46.12	-25	Pass	1487
2486	2700	1	RMS	2575.167	4.15	60	Pass	601
2700	3000	1	RMS	2709	-47.23	-25	Pass	601
3000	6500	1	RMS	5050	-62.8	-25	Pass	3501
6500	27000	1	RMS	26386	-51.29	-25	Pass	20501




**34.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.31	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.72	-25	Pass	2986
30	1000	0.1	RMS	923.8	-59.34	-25	Pass	9701
1000	2486	1	RMS	2480	-44.69	-25	Pass	1487
2486	2700	1	RMS	2571.957	4.24	60	Pass	601
2700	3000	1	RMS	2701	-46.17	-25	Pass	601
3000	6500	1	RMS	5553	-62.71	-25	Pass	3501
6500	27000	1	RMS	26359	-51.05	-25	Pass	20501




**34.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.34	-25	Pass	601
0.15	30	0.01	RMS	0.18	-63.46	-25	Pass	2986
30	1000	0.1	RMS	864.8	-59.71	-25	Pass	9701
1000	2486	1	RMS	2478	-46.83	-25	Pass	1487
2486	2700	1	RMS	2657.557	3.94	60	Pass	601
2700	3000	1	RMS	2700.5	-37.61	-25	Pass	601
3000	6500	1	RMS	5050	-62.63	-25	Pass	3501
6500	27000	1	RMS	26339	-51.38	-25	Pass	20501



**34.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.84	-25	Pass	601
0.15	30	0.01	RMS	0.16	-63.98	-25	Pass	2986
30	1000	0.1	RMS	865.3	-59.23	-25	Pass	9701
1000	2486	1	RMS	2482	-46.75	-25	Pass	1487
2486	2700	1	RMS	2658.983	4.05	60	Pass	601
2700	3000	1	RMS	2701	-35.22	-25	Pass	601
3000	6500	1	RMS	5048	-62.64	-25	Pass	3501
6500	27000	1	RMS	26397	-51.07	-25	Pass	20501



35. n48 30kHz


**35.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.56	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.2	-40	Pass	2986
30	1000	0.1	RMS	931.4	-62.11	-40	Pass	9701
1000	3000	1	RMS	3000	-46.51	-40	Pass	2001
3000	3500	1	RMS	3275.833	-55.95	-40	Pass	601
3500	3750	1	RMS	3554.583	9.35	60	Pass	601
3750	6500	1	RMS	5050	-52.98	-40	Pass	2751
6500	18000	1	RMS	7107	-46.25	-40	Pass	11501
18000	37000	1	RMS	36997	-48.68	-40	Pass	19001




**35.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:637000, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-40	Pass	601
0.15	30	0.01	RMS	0.16	-64.11	-40	Pass	2986
30	1000	0.1	RMS	892.6	-62.03	-40	Pass	9701
1000	3000	1	RMS	2999	-46.49	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.95	-40	Pass	601
3500	3750	1	RMS	3554.583	8.96	60	Pass	601
3750	6500	1	RMS	5051	-53.03	-40	Pass	2751
6500	18000	1	RMS	7110	-49.46	-40	Pass	11501
18000	37000	1	RMS	36991	-48.7	-40	Pass	19001




**35.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.84	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.06	-40	Pass	2986
30	1000	0.1	RMS	928.9	-62.04	-40	Pass	9701
1000	3000	1	RMS	2999	-46.45	-40	Pass	2001
3000	3500	1	RMS	3278.333	-55.93	-40	Pass	601
3500	3750	1	RMS	3624.583	8.13	60	Pass	601
3750	6500	1	RMS	5052	-52.89	-40	Pass	2751
6500	18000	1	RMS	17337	-56.7	-40	Pass	11501
18000	37000	1	RMS	36997	-48.57	-40	Pass	19001




**35.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:641666, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.64	-40	Pass	601
0.15	30	0.01	RMS	0.15	-64.16	-40	Pass	2986
30	1000	0.1	RMS	876.1	-62.07	-40	Pass	9701
1000	3000	1	RMS	2997	-46.4	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.97	-40	Pass	601
3500	3750	1	RMS	3624.583	7.66	60	Pass	601
3750	6500	1	RMS	5050	-52.93	-40	Pass	2751
6500	18000	1	RMS	7252	-54.82	-40	Pass	11501
18000	37000	1	RMS	36988	-48.59	-40	Pass	19001




**35.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.15	-40	Pass	2986
30	1000	0.1	RMS	899.7	-61.98	-40	Pass	9701
1000	3000	1	RMS	2997	-46.38	-40	Pass	2001
3000	3500	1	RMS	3272.5	-55.93	-40	Pass	601
3500	3750	1	RMS	3694.583	8.05	60	Pass	601
3750	6500	1	RMS	5049	-52.9	-40	Pass	2751
6500	18000	1	RMS	17347	-56.66	-40	Pass	11501
18000	37000	1	RMS	36987	-48.63	-40	Pass	19001




**35.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:646332, Bandwidth:10, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.67	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.33	-40	Pass	2986
30	1000	0.1	RMS	888.3	-61.99	-40	Pass	9701
1000	3000	1	RMS	2999	-46.45	-40	Pass	2001
3000	3500	1	RMS	3270.833	-55.97	-40	Pass	601
3500	3750	1	RMS	3695	7.71	60	Pass	601
3750	6500	1	RMS	5050	-52.89	-40	Pass	2751
6500	18000	1	RMS	17343	-56.6	-40	Pass	11501
18000	37000	1	RMS	36969	-48.59	-40	Pass	19001




**35.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.7	-40	Pass	601
0.15	30	0.01	RMS	0.15	-64.32	-40	Pass	2986
30	1000	0.1	RMS	869.3	-61.94	-40	Pass	9701
1000	3000	1	RMS	3000	-46.39	-40	Pass	2001
3000	3500	1	RMS	3280	-55.84	-40	Pass	601
3500	3750	1	RMS	3557.083	6.29	60	Pass	601
3750	6500	1	RMS	5050	-52.94	-40	Pass	2751
6500	18000	1	RMS	7114	-47.69	-40	Pass	11501
18000	37000	1	RMS	36963	-48.51	-40	Pass	19001




**35.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.67	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.13	-40	Pass	2986
30	1000	0.1	RMS	877.6	-62.09	-40	Pass	9701
1000	3000	1	RMS	3000	-46.36	-40	Pass	2001
3000	3500	1	RMS	3273.333	-55.91	-40	Pass	601
3500	3750	1	RMS	3556.667	5.65	60	Pass	601
3750	6500	1	RMS	5050	-52.94	-40	Pass	2751
6500	18000	1	RMS	7115	-52.21	-40	Pass	11501
18000	37000	1	RMS	36997	-48.62	-40	Pass	19001




**35.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-53.19	-40	Pass	601
0.15	30	0.01	RMS	0.16	-64.9	-40	Pass	2986
30	1000	0.1	RMS	873.3	-62.07	-40	Pass	9701
1000	3000	1	RMS	2999	-46.48	-40	Pass	2001
3000	3500	1	RMS	3272.5	-55.95	-40	Pass	601
3500	3750	1	RMS	3622.083	5.5	60	Pass	601
3750	6500	1	RMS	5050	-52.9	-40	Pass	2751
6500	18000	1	RMS	17354	-56.68	-40	Pass	11501
18000	37000	1	RMS	36914	-48.54	-40	Pass	19001




**35.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.15	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.13	-40	Pass	2986
30	1000	0.1	RMS	865.1	-62.03	-40	Pass	9701
1000	3000	1	RMS	3000	-46.46	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.98	-40	Pass	601
3500	3750	1	RMS	3621.667	4.49	60	Pass	601
3750	6500	1	RMS	5051	-52.94	-40	Pass	2751
6500	18000	1	RMS	17324	-56.69	-40	Pass	11501
18000	37000	1	RMS	36933	-48.57	-40	Pass	19001




**35.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.88	-40	Pass	601
0.15	30	0.01	RMS	0.16	-64.64	-40	Pass	2986
30	1000	0.1	RMS	866.3	-61.88	-40	Pass	9701
1000	3000	1	RMS	2999	-46.38	-40	Pass	2001
3000	3500	1	RMS	3272.5	-55.91	-40	Pass	601
3500	3750	1	RMS	3687.083	4.73	60	Pass	601
3750	6500	1	RMS	5051	-52.87	-40	Pass	2751
6500	18000	1	RMS	17320	-56.6	-40	Pass	11501
18000	37000	1	RMS	36988	-48.49	-40	Pass	19001




**35.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-40	Pass	601
0.15	30	0.01	RMS	0.17	-65.52	-40	Pass	2986
30	1000	0.1	RMS	990.5	-62.04	-40	Pass	9701
1000	3000	1	RMS	3000	-46.34	-40	Pass	2001
3000	3500	1	RMS	3277.5	-55.93	-40	Pass	601
3500	3750	1	RMS	3687.083	4.73	60	Pass	601
3750	6500	1	RMS	5050	-52.88	-40	Pass	2751
6500	18000	1	RMS	17309	-56.69	-40	Pass	11501
18000	37000	1	RMS	36993	-48.52	-40	Pass	19001




**35.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.22	-40	Pass	601
0.15	30	0.01	RMS	0.15	-64.7	-40	Pass	2986
30	1000	0.1	RMS	884.3	-61.87	-40	Pass	9701
1000	3000	1	RMS	2994	-46.39	-40	Pass	2001
3000	3500	1	RMS	3499.167	-54.24	-40	Pass	601
3500	3750	1	RMS	3565	2.81	60	Pass	601
3750	6500	1	RMS	5051	-52.86	-40	Pass	2751
6500	18000	1	RMS	17347	-56.6	-40	Pass	11501
18000	37000	1	RMS	36995	-48.56	-40	Pass	19001




**35.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.52	-40	Pass	601
0.15	30	0.01	RMS	0.16	-65.05	-40	Pass	2986
30	1000	0.1	RMS	874.5	-62.01	-40	Pass	9701
1000	3000	1	RMS	3000	-46.4	-40	Pass	2001
3000	3500	1	RMS	3499.167	-52.54	-40	Pass	601
3500	3750	1	RMS	3573	0.69	60	Pass	251
3750	6500	1	RMS	3754	-60.76	-40	Pass	2751
6500	18000	1	RMS	7131	-55.21	-40	Pass	11501
18000	37000	1	RMS	36972	-48.63	-40	Pass	19001




**35.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.93	-40	Pass	601
0.15	30	0.01	RMS	0.15	-64.36	-40	Pass	2986
30	1000	0.1	RMS	934.7	-62.07	-40	Pass	9701
1000	3000	1	RMS	2997	-46.36	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.93	-40	Pass	601
3500	3750	1	RMS	3616.667	2.53	60	Pass	601
3750	6500	1	RMS	5049	-52.94	-40	Pass	2751
6500	18000	1	RMS	17353	-56.72	-40	Pass	11501
18000	37000	1	RMS	36983	-48.57	-40	Pass	19001




**35.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-40	Pass	601
0.15	30	0.01	RMS	0.15	-64.23	-40	Pass	2986
30	1000	0.1	RMS	880.1	-62.06	-40	Pass	9701
1000	3000	1	RMS	3000	-46.36	-40	Pass	2001
3000	3500	1	RMS	3273.333	-55.91	-40	Pass	601
3500	3750	1	RMS	3616.667	1.66	60	Pass	601
3750	6500	1	RMS	5050	-52.95	-40	Pass	2751
6500	18000	1	RMS	17328	-56.71	-40	Pass	11501
18000	37000	1	RMS	36994	-48.55	-40	Pass	19001




**35.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.69	-40	Pass	601
0.15	30	0.01	RMS	0.16	-65.61	-40	Pass	2986
30	1000	0.1	RMS	883	-62.03	-40	Pass	9701
1000	3000	1	RMS	2999	-46.43	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.95	-40	Pass	601
3500	3750	1	RMS	3674.167	2.05	60	Pass	601
3750	6500	1	RMS	5051	-52.88	-40	Pass	2751
6500	18000	1	RMS	17336	-56.68	-40	Pass	11501
18000	37000	1	RMS	36972	-48.54	-40	Pass	19001



**35.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-40	Pass	601
0.15	30	0.01	RMS	0.15	-65.48	-40	Pass	2986
30	1000	0.1	RMS	922.1	-62.01	-40	Pass	9701
1000	3000	1	RMS	3000	-46.48	-40	Pass	2001
3000	3500	1	RMS	3271.667	-55.93	-40	Pass	601
3500	3750	1	RMS	3679.167	2.07	60	Pass	601
3750	6500	1	RMS	5050	-52.97	-40	Pass	2751
6500	18000	1	RMS	17357	-56.65	-40	Pass	11501
18000	37000	1	RMS	36997	-48.64	-40	Pass	19001



36. n66 15kHz


**36.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-69.45	-13	Pass	2985
30	1000	0.1	RMS	995.093	-63.07	-13	Pass	9699
1000	1700	1	RMS	1669.957	-51.82	-13	Pass	700
1700	1790	1	RMS	1712.15	12.18	60	Pass	401
1790	3000	1	RMS	2990.993	-47.98	-13	Pass	1210
3000	6500	1	RMS	6309.946	-65.57	-13	Pass	3500
6500	20000	1	RMS	16400.322	-54.14	-13	Pass	13500




**36.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.1	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.53	-13	Pass	2985
30	1000	0.1	RMS	873.632	-62.97	-13	Pass	9699
1000	1700	1	RMS	1672.961	-51.83	-13	Pass	700
1700	1790	1	RMS	1712.15	12.16	60	Pass	401
1790	3000	1	RMS	3000	-47.93	-13	Pass	1210
3000	6500	1	RMS	6309.946	-65.5	-13	Pass	3500
6500	20000	1	RMS	16399.322	-54.08	-13	Pass	13500




**36.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.43	-13	Pass	2985
30	1000	0.1	RMS	871.63	-62.96	-13	Pass	9699
1000	1700	1	RMS	1669.957	-51.85	-13	Pass	700
1700	1790	1	RMS	1745.225	12.89	60	Pass	401
1790	3000	1	RMS	2998.999	-47.92	-13	Pass	1210
3000	6500	1	RMS	5559.731	-65.54	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.01	-13	Pass	13500




**36.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.91	-13	Pass	401
0.15	30	0.01	RMS	0.17	-70	-13	Pass	2985
30	1000	0.1	RMS	866.723	-62.76	-13	Pass	9699
1000	1700	1	RMS	1668.956	-51.86	-13	Pass	700
1700	1790	1	RMS	1744.775	13.06	60	Pass	401
1790	3000	1	RMS	3000	-47.89	-13	Pass	1210
3000	6500	1	RMS	6310.946	-65.55	-13	Pass	3500
6500	20000	1	RMS	16400.322	-54.13	-13	Pass	13500




**36.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.54	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.29	-13	Pass	2985
30	1000	0.1	RMS	999.8	-63	-13	Pass	9699
1000	1700	1	RMS	1638.913	-51.82	-13	Pass	700
1700	1790	1	RMS	1776.95	12.85	60	Pass	401
1790	3000	1	RMS	2868.892	-47.92	-13	Pass	1210
3000	6500	1	RMS	5553.73	-65.56	-13	Pass	3500
6500	20000	1	RMS	16402.322	-54.05	-13	Pass	13500




**36.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.28	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.38	-13	Pass	2985
30	1000	0.1	RMS	867.124	-62.93	-13	Pass	9699
1000	1700	1	RMS	1637.911	-51.8	-13	Pass	700
1700	1790	1	RMS	1777.4	12.76	60	Pass	401
1790	3000	1	RMS	3000	-47.93	-13	Pass	1210
3000	6500	1	RMS	5553.73	-65.5	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.06	-13	Pass	13500




**36.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.01	-13	Pass	401
0.15	30	0.01	RMS	0.18	-70.6	-13	Pass	2985
30	1000	0.1	RMS	878.138	-62.92	-13	Pass	9699
1000	1700	1	RMS	1698.999	-51.37	-13	Pass	700
1700	1790	1	RMS	1715.975	7.78	60	Pass	401
1790	3000	1	RMS	2998.999	-47.93	-13	Pass	1210
3000	6500	1	RMS	5559.731	-65.5	-13	Pass	3500
6500	20000	1	RMS	16399.322	-54.03	-13	Pass	13500




**36.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:343500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.91	-13	Pass	401
0.15	30	0.01	RMS	0.21	-69.95	-13	Pass	2985
30	1000	0.1	RMS	987.984	-62.95	-13	Pass	9699
1000	1700	1	RMS	1697.997	-50.23	-13	Pass	700
1700	1790	1	RMS	1715.525	8.27	60	Pass	401
1790	3000	1	RMS	2859.884	-47.89	-13	Pass	1210
3000	6500	1	RMS	6309.946	-65.49	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.08	-13	Pass	13500




**36.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	Pass	2985
30	1000	0.1	RMS	872.13	-63.08	-13	Pass	9699
1000	1700	1	RMS	1671.96	-51.83	-13	Pass	700
1700	1790	1	RMS	1744.55	7.09	60	Pass	401
1790	3000	1	RMS	2994.996	-47.92	-13	Pass	1210
3000	6500	1	RMS	5183.624	-63.05	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54	-13	Pass	13500




**36.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:349000, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.67	-13	Pass	2985
30	1000	0.1	RMS	999.8	-62.99	-13	Pass	9699
1000	1700	1	RMS	1642.918	-51.81	-13	Pass	700
1700	1790	1	RMS	1742.525	7.33	60	Pass	401
1790	3000	1	RMS	2993.995	-47.91	-13	Pass	1210
3000	6500	1	RMS	6309.946	-65.42	-13	Pass	3500
6500	20000	1	RMS	16402.322	-54.1	-13	Pass	13500




**36.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.23	-13	Pass	2985
30	1000	0.1	RMS	870.729	-62.92	-13	Pass	9699
1000	1700	1	RMS	1641.917	-51.82	-13	Pass	700
1700	1790	1	RMS	1770.425	8.32	60	Pass	401
1790	3000	1	RMS	2861.886	-47.9	-13	Pass	1210
3000	6500	1	RMS	6309.946	-65.53	-13	Pass	3500
6500	20000	1	RMS	16401.322	-53.96	-13	Pass	13500




**36.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:354500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.01	-13	Pass	401
0.15	30	0.01	RMS	0.2	-70.51	-13	Pass	2985
30	1000	0.1	RMS	994.493	-63.02	-13	Pass	9699
1000	1700	1	RMS	1633.906	-51.83	-13	Pass	700
1700	1790	1	RMS	1771.325	8.29	60	Pass	401
1790	3000	1	RMS	2874.897	-47.9	-13	Pass	1210
3000	6500	1	RMS	6310.946	-65.51	-13	Pass	3500
6500	20000	1	RMS	16399.322	-54.09	-13	Pass	13500




**36.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.33	-13	Pass	401
0.15	30	0.01	RMS	0.23	-70.31	-13	Pass	2985
30	1000	0.1	RMS	872.931	-62.76	-13	Pass	9699
1000	1700	1	RMS	1700	-49.3	-13	Pass	700
1700	1790	1	RMS	1720.925	6.97	60	Pass	401
1790	3000	1	RMS	2866.89	-47.94	-13	Pass	1210
3000	6500	1	RMS	5177.622	-62.1	-13	Pass	3500
6500	20000	1	RMS	16397.321	-54.05	-13	Pass	13500




**36.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-69.82	-13	Pass	2985
30	1000	0.1	RMS	875.235	-63.05	-13	Pass	9699
1000	1700	1	RMS	1698.999	-46.39	-13	Pass	700
1700	1790	1	RMS	1715.75	7.04	60	Pass	401
1790	3000	1	RMS	2864.888	-47.89	-13	Pass	1210
3000	6500	1	RMS	6309.946	-65.55	-13	Pass	3500
6500	20000	1	RMS	16400.322	-54.07	-13	Pass	13500




**36.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.68	-13	Pass	2985
30	1000	0.1	RMS	877.037	-62.83	-13	Pass	9699
1000	1700	1	RMS	1638.913	-51.83	-13	Pass	700
1700	1790	1	RMS	1740.725	5.86	60	Pass	401
1790	3000	1	RMS	2991.993	-47.88	-13	Pass	1210
3000	6500	1	RMS	6312.947	-65.55	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.11	-13	Pass	13500




**36.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.3	-13	Pass	2985
30	1000	0.1	RMS	863.118	-62.93	-13	Pass	9699
1000	1700	1	RMS	1667.954	-51.84	-13	Pass	700
1700	1790	1	RMS	1740.95	5.84	60	Pass	401
1790	3000	1	RMS	2868.892	-47.9	-13	Pass	1210
3000	6500	1	RMS	6310.946	-65.49	-13	Pass	3500
6500	20000	1	RMS	16400.322	-54.01	-13	Pass	13500




**36.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.22	-70.63	-13	Pass	2985
30	1000	0.1	RMS	886.95	-62.98	-13	Pass	9699
1000	1700	1	RMS	1631.903	-51.84	-13	Pass	700
1700	1790	1	RMS	1768.85	5.74	60	Pass	401
1790	3000	1	RMS	2858.883	-47.84	-13	Pass	1210
3000	6500	1	RMS	6309.946	-65.5	-13	Pass	3500
6500	20000	1	RMS	16401.322	-54.04	-13	Pass	13500



**36.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	Pass	2985
30	1000	0.1	RMS	875.435	-62.83	-13	Pass	9699
1000	1700	1	RMS	1669.957	-51.84	-13	Pass	700
1700	1790	1	RMS	1765.925	6.11	60	Pass	401
1790	3000	1	RMS	2863.888	-47.91	-13	Pass	1210
3000	6500	1	RMS	6310.946	-65.53	-13	Pass	3500
6500	20000	1	RMS	16399.322	-54.06	-13	Pass	13500



37. n71 15kHz


**37.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.56	-13	Pass	601
0.15	30	0.01	RMS	0.17	-65	-13	Pass	2986
30	653	0.1	RMS	652.7	-64	-13	Pass	6231
653	708	0.1	RMS	666.017	1.65	60	Pass	601
708	1000	0.1	RMS	948.6	-62.43	-13	Pass	2921
1000	3000	1	RMS	3000	-46.46	-13	Pass	2001
3000	10000	1	RMS	9855	-61.56	-13	Pass	7001




**37.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:133100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.22	-13	Pass	2986
30	653	0.1	RMS	650.6	-63.81	-13	Pass	6231
653	708	0.1	RMS	665.925	1.56	60	Pass	601
708	1000	0.1	RMS	890.4	-62.41	-13	Pass	2921
1000	3000	1	RMS	3000	-46.46	-13	Pass	2001
3000	10000	1	RMS	9844	-61.51	-13	Pass	7001




**37.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:136100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.58	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.28	-13	Pass	2986
30	653	0.1	RMS	650.9	-64.02	-13	Pass	6231
653	708	0.1	RMS	680.317	2	60	Pass	601
708	1000	0.1	RMS	880.2	-62.42	-13	Pass	2921
1000	3000	1	RMS	2998	-46.53	-13	Pass	2001
3000	10000	1	RMS	9846	-61.54	-13	Pass	7001




**37.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:136100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.24	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.37	-13	Pass	2986
30	653	0.1	RMS	651.1	-63.87	-13	Pass	6231
653	708	0.1	RMS	680.592	1.52	60	Pass	601
708	1000	0.1	RMS	899	-62.3	-13	Pass	2921
1000	3000	1	RMS	2998	-46.54	-13	Pass	2001
3000	10000	1	RMS	9853	-61.52	-13	Pass	7001




**37.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK,
RB Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.64	-13	Pass	2986
30	653	0.1	RMS	649	-63.93	-13	Pass	6231
653	708	0.1	RMS	695.258	1.47	60	Pass	601
708	1000	0.1	RMS	872	-62.45	-13	Pass	2921
1000	3000	1	RMS	2999	-46.51	-13	Pass	2001
3000	10000	1	RMS	9847	-61.57	-13	Pass	7001




**37.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:139100, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB
Number:12, RB Position:6)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.28	-13	Pass	2986
30	653	0.1	RMS	631.3	-64.1	-13	Pass	6231
653	708	0.1	RMS	696.083	1.36	60	Pass	601
708	1000	0.1	RMS	862.6	-62.29	-13	Pass	2921
1000	3000	1	RMS	3000	-46.51	-13	Pass	2001
3000	10000	1	RMS	9851	-61.58	-13	Pass	7001




**37.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.86	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.43	-13	Pass	2986
30	653	0.1	RMS	651.5	-63.99	-13	Pass	6231
653	708	0.1	RMS	669.225	-1.22	60	Pass	601
708	1000	0.1	RMS	873.3	-62.36	-13	Pass	2921
1000	3000	1	RMS	3000	-46.47	-13	Pass	2001
3000	10000	1	RMS	9860	-61.56	-13	Pass	7001




**37.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:133600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.5	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.9	-13	Pass	2986
30	653	0.1	RMS	649.7	-64.03	-13	Pass	6231
653	708	0.1	RMS	668.492	-1.33	60	Pass	601
708	1000	0.1	RMS	878.5	-62.27	-13	Pass	2921
1000	3000	1	RMS	2999	-46.52	-13	Pass	2001
3000	10000	1	RMS	9849	-61.56	-13	Pass	7001




**37.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:136100, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.27	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.16	-13	Pass	2986
30	653	0.1	RMS	649.6	-64.08	-13	Pass	6231
653	708	0.1	RMS	680.958	-1.38	60	Pass	601
708	1000	0.1	RMS	874	-62.46	-13	Pass	2921
1000	3000	1	RMS	2999	-46.48	-13	Pass	2001
3000	10000	1	RMS	9848	-61.53	-13	Pass	7001




**37.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:136100, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.89	-13	Pass	2986
30	653	0.1	RMS	646.9	-64.01	-13	Pass	6231
653	708	0.1	RMS	679.4	-1.48	60	Pass	601
708	1000	0.1	RMS	857	-62.35	-13	Pass	2921
1000	3000	1	RMS	2997	-46.51	-13	Pass	2001
3000	10000	1	RMS	9854	-61.54	-13	Pass	7001




**37.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.42	-13	Pass	2986
30	653	0.1	RMS	646.3	-63.97	-13	Pass	6231
653	708	0.1	RMS	694.25	-1.57	60	Pass	601
708	1000	0.1	RMS	883.5	-62.2	-13	Pass	2921
1000	3000	1	RMS	2999	-46.51	-13	Pass	2001
3000	10000	1	RMS	9848	-61.58	-13	Pass	7001




**37.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:138600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-51.79	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.18	-13	Pass	2986
30	653	0.1	RMS	611.1	-64	-13	Pass	6231
653	708	0.1	RMS	691.225	-1.68	60	Pass	601
708	1000	0.1	RMS	709.1	-62.05	-13	Pass	2921
1000	3000	1	RMS	2999	-46.5	-13	Pass	2001
3000	10000	1	RMS	9844	-61.53	-13	Pass	7001




**37.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.76	-13	Pass	2986
30	653	0.1	RMS	642.5	-64	-13	Pass	6231
653	708	0.1	RMS	676.008	-4.58	60	Pass	601
708	1000	0.1	RMS	852.8	-62.39	-13	Pass	2921
1000	3000	1	RMS	2999	-46.51	-13	Pass	2001
3000	10000	1	RMS	9849	-61.56	-13	Pass	7001




**37.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-52.76	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.49	-13	Pass	2986
30	653	0.1	RMS	649.8	-64.02	-13	Pass	6231
653	708	0.1	RMS	669.867	-4.3	60	Pass	601
708	1000	0.1	RMS	925.1	-62.19	-13	Pass	2921
1000	3000	1	RMS	2997	-46.53	-13	Pass	2001
3000	10000	1	RMS	9848	-61.54	-13	Pass	7001




**37.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.55	-13	Pass	2986
30	653	0.1	RMS	630.2	-63.98	-13	Pass	6231
653	708	0.1	RMS	680.958	-4.54	60	Pass	601
708	1000	0.1	RMS	874	-62.46	-13	Pass	2921
1000	3000	1	RMS	3000	-46.43	-13	Pass	2001
3000	10000	1	RMS	9852	-61.41	-13	Pass	7001




**37.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.74	-13	Pass	2986
30	653	0.1	RMS	652.1	-64.08	-13	Pass	6231
653	708	0.1	RMS	682.242	-4.33	60	Pass	601
708	1000	0.1	RMS	884.8	-62.27	-13	Pass	2921
1000	3000	1	RMS	3000	-46.53	-13	Pass	2001
3000	10000	1	RMS	9846	-61.55	-13	Pass	7001




**37.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.27	-13	Pass	2986
30	653	0.1	RMS	650	-63.92	-13	Pass	6231
653	708	0.1	RMS	686.825	-4.51	60	Pass	601
708	1000	0.1	RMS	875	-62.39	-13	Pass	2921
1000	3000	1	RMS	2999	-46.51	-13	Pass	2001
3000	10000	1	RMS	9845	-61.54	-13	Pass	7001



**37.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:137600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.29	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.66	-13	Pass	2986
30	653	0.1	RMS	651.6	-64.06	-13	Pass	6231
653	708	0.1	RMS	685.908	-4.58	60	Pass	601
708	1000	0.1	RMS	708.5	-59.13	-13	Pass	2921
1000	3000	1	RMS	2999	-46.5	-13	Pass	2001
3000	10000	1	RMS	9853	-61.56	-13	Pass	7001



38. n77 30kHz(3450-3550)


**38.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.01	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.39	-13	Pass	2986
30	1000	0.1	RMS	821.8	-59.38	-13	Pass	9701
1000	3000	1	RMS	2993	-46.11	-13	Pass	2001
3000	3440	1	RMS	3440	-45.34	-13	Pass	601
3440	3560	1	RMS	3462	11.43	60	Pass	601
3560	6500	1	RMS	3583	-61.89	-13	Pass	2941
6500	40000	1	RMS	38821	-45.77	-13	Pass	33501




**38.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-49.6	-13	Pass	601
0.15	30	0.01	RMS	0.19	-64.36	-13	Pass	2986
30	1000	0.1	RMS	786.9	-59.32	-13	Pass	9701
1000	3000	1	RMS	2987	-46.07	-13	Pass	2001
3000	3440	1	RMS	3437.8	-37.08	-13	Pass	601
3440	3560	1	RMS	3463	10.49	60	Pass	601
3560	6500	1	RMS	3578	-52.17	-13	Pass	2941
6500	40000	1	RMS	38820	-45.63	-13	Pass	33501




**38.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.82	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.36	-13	Pass	2986
30	1000	0.1	RMS	945.9	-58.7	-13	Pass	9701
1000	3000	1	RMS	2992	-46.04	-13	Pass	2001
3000	3440	1	RMS	3272.067	-45.72	-13	Pass	601
3440	3560	1	RMS	3502	11.45	60	Pass	601
3560	6500	1	RMS	3595	-60.62	-13	Pass	2941
6500	40000	1	RMS	38829	-45.96	-13	Pass	33501




**38.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.5	-13	Pass	2986
30	1000	0.1	RMS	946.5	-59.38	-13	Pass	9701
1000	3000	1	RMS	2993	-46.23	-13	Pass	2001
3000	3440	1	RMS	3271.333	-45.78	-13	Pass	601
3440	3560	1	RMS	3496.8	10.71	60	Pass	601
3560	6500	1	RMS	3563	-52.82	-13	Pass	2941
6500	40000	1	RMS	38848	-45.88	-13	Pass	33501




**38.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.42	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.69	-13	Pass	2986
30	1000	0.1	RMS	937.9	-59.76	-13	Pass	9701
1000	3000	1	RMS	2997	-46.13	-13	Pass	2001
3000	3440	1	RMS	3270.6	-45.79	-13	Pass	601
3440	3560	1	RMS	3537.6	11.06	60	Pass	601
3560	6500	1	RMS	3568	-39.59	-13	Pass	2941
6500	40000	1	RMS	38813	-45.73	-13	Pass	33501




**38.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.03	-13	Pass	601
0.15	30	0.01	RMS	0.17	-63.67	-13	Pass	2986
30	1000	0.1	RMS	982.2	-59.4	-13	Pass	9701
1000	3000	1	RMS	2988	-45.95	-13	Pass	2001
3000	3440	1	RMS	3272.8	-45.76	-13	Pass	601
3440	3560	1	RMS	3541.2	10.15	60	Pass	601
3560	6500	1	RMS	3569	-39.11	-13	Pass	2941
6500	40000	1	RMS	38833	-45.65	-13	Pass	33501




**38.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.51	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.23	-13	Pass	2986
30	1000	0.1	RMS	881.8	-59.19	-13	Pass	9701
1000	3000	1	RMS	2997	-45.96	-13	Pass	2001
3000	3440	1	RMS	3438.533	-40.05	-13	Pass	601
3440	3560	1	RMS	3482.4	6.29	60	Pass	601
3560	6500	1	RMS	3565	-60.56	-13	Pass	2941
6500	40000	1	RMS	38820	-45.73	-13	Pass	33501




**38.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.3	-13	Pass	601
0.15	30	0.01	RMS	0.19	-63.98	-13	Pass	2986
30	1000	0.1	RMS	988.9	-59.57	-13	Pass	9701
1000	3000	1	RMS	2988	-46.11	-13	Pass	2001
3000	3440	1	RMS	3438.533	-35.56	-13	Pass	601
3440	3560	1	RMS	3486.4	6.39	60	Pass	601
3560	6500	1	RMS	3567	-58.83	-13	Pass	2941
6500	40000	1	RMS	38867	-45.5	-13	Pass	33501




**38.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-48.38	-13	Pass	601
0.15	30	0.01	RMS	0.19	-64.81	-13	Pass	2986
30	1000	0.1	RMS	833	-56.92	-13	Pass	9701
1000	3000	1	RMS	2997	-45.97	-13	Pass	2001
3000	3440	1	RMS	3276.467	-45.82	-13	Pass	601
3440	3560	1	RMS	3489.2	6.01	60	Pass	601
3560	6500	1	RMS	3566	-48.25	-13	Pass	2941
6500	40000	1	RMS	38850	-45.51	-13	Pass	33501




**38.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.33	-13	Pass	2986
30	1000	0.1	RMS	938.2	-59.22	-13	Pass	9701
1000	3000	1	RMS	2995	-46.31	-13	Pass	2001
3000	3440	1	RMS	3438.533	-39.93	-13	Pass	601
3440	3560	1	RMS	3493	5.28	60	Pass	601
3560	6500	1	RMS	3567	-38.05	-13	Pass	2941
6500	40000	1	RMS	38822	-45.74	-13	Pass	33501




**38.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.68	-13	Pass	601
0.15	30	0.01	RMS	0.18	-64.37	-13	Pass	2986
30	1000	0.1	RMS	878.3	-58.94	-13	Pass	9701
1000	3000	1	RMS	2651	-46.17	-13	Pass	2001
3000	3440	1	RMS	3276.467	-45.66	-13	Pass	601
3440	3560	1	RMS	3512.2	6.16	60	Pass	601
3560	6500	1	RMS	3571	-44.7	-13	Pass	2941
6500	40000	1	RMS	38873	-45.93	-13	Pass	33501




**38.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:634666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.57	-13	Pass	2986
30	1000	0.1	RMS	949.8	-59.08	-13	Pass	9701
1000	3000	1	RMS	3000	-45.97	-13	Pass	2001
3000	3440	1	RMS	3279.4	-45.73	-13	Pass	601
3440	3560	1	RMS	3521	4.33	60	Pass	601
3560	6500	1	RMS	3571	-34.91	-13	Pass	2941
6500	40000	1	RMS	38887	-45.98	-13	Pass	33501




**38.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.24	-13	Pass	2986
30	1000	0.1	RMS	950.7	-59.34	-13	Pass	9701
1000	3000	1	RMS	2997	-46.14	-13	Pass	2001
3000	3440	1	RMS	3430.467	-39.28	-13	Pass	601
3440	3560	1	RMS	3483.6	3.96	60	Pass	601
3560	6500	1	RMS	3566	-36.55	-13	Pass	2941
6500	40000	1	RMS	38863	-45.84	-13	Pass	33501



38.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.53	-13	Pass	601
0.15	30	0.01	RMS	0.18	-63.71	-13	Pass	2986
30	1000	0.1	RMS	993.1	-58.89	-13	Pass	9701
1000	3000	1	RMS	2998	-46.05	-13	Pass	2001
3000	3440	1	RMS	3439.267	-31.28	-13	Pass	601
3440	3560	1	RMS	3495.2	3.67	60	Pass	601
3560	6500	1	RMS	3564	-26.38	-13	Pass	2941
6500	40000	1	RMS	38889	-45.76	-13	Pass	33501



39. n77 30kHz(3700-3980)


**39.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-48.43	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.17	-13	Pass	2986
30	1000	0.1	RMS	866.5	-59.52	-13	Pass	9701
1000	3000	1	RMS	2997	-46.09	-13	Pass	2001
3000	3690	1	RMS	3689	-43.52	-13	Pass	691
3690	3990	1	RMS	3706	8.83	60	Pass	601
3990	6500	1	RMS	5049	-62.45	-13	Pass	2511
6500	40000	1	RMS	38812	-45.41	-13	Pass	33501




**39.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.63	-13	Pass	2986
30	1000	0.1	RMS	855.6	-58.38	-13	Pass	9701
1000	3000	1	RMS	2997	-46.04	-13	Pass	2001
3000	3690	1	RMS	3689	-41.26	-13	Pass	691
3690	3990	1	RMS	3711	8.86	60	Pass	601
3990	6500	1	RMS	4020	-61.88	-13	Pass	2511
6500	40000	1	RMS	38817	-45.59	-13	Pass	33501




**39.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-50.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.41	-13	Pass	2986
30	1000	0.1	RMS	834	-59.56	-13	Pass	9701
1000	3000	1	RMS	2987	-46.17	-13	Pass	2001
3000	3690	1	RMS	3690	-43.88	-13	Pass	691
3690	3990	1	RMS	3836.5	8.92	60	Pass	601
3990	6500	1	RMS	4150	-61.39	-13	Pass	2511
6500	40000	1	RMS	38810	-45.58	-13	Pass	33501




**39.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.54	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.04	-13	Pass	2986
30	1000	0.1	RMS	948.5	-58.91	-13	Pass	9701
1000	3000	1	RMS	2997	-45.92	-13	Pass	2001
3000	3690	1	RMS	3684	-43.93	-13	Pass	691
3690	3990	1	RMS	3843	9.63	60	Pass	601
3990	6500	1	RMS	5048	-62.56	-13	Pass	2511
6500	40000	1	RMS	38886	-46.15	-13	Pass	33501




**39.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.43	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.68	-13	Pass	2986
30	1000	0.1	RMS	872.1	-59.37	-13	Pass	9701
1000	3000	1	RMS	2999	-46.18	-13	Pass	2001
3000	3690	1	RMS	3690	-43.79	-13	Pass	691
3690	3990	1	RMS	3967.5	10.55	60	Pass	601
3990	6500	1	RMS	3990	-43.99	-13	Pass	2511
6500	40000	1	RMS	38857	-45.47	-13	Pass	33501




**39.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:664666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.48	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.85	-13	Pass	2986
30	1000	0.1	RMS	860.3	-59.45	-13	Pass	9701
1000	3000	1	RMS	2998	-46.14	-13	Pass	2001
3000	3690	1	RMS	3688	-43.91	-13	Pass	691
3690	3990	1	RMS	3968.5	9.27	60	Pass	601
3990	6500	1	RMS	3990	-37.46	-13	Pass	2511
6500	40000	1	RMS	38846	-46.11	-13	Pass	33501




**39.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.86	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.86	-13	Pass	2986
30	1000	0.1	RMS	905.6	-59.18	-13	Pass	9701
1000	3000	1	RMS	2998	-46.25	-13	Pass	2001
3000	3690	1	RMS	3687	-39.86	-13	Pass	691
3690	3990	1	RMS	3741.5	3.77	60	Pass	601
3990	6500	1	RMS	5051	-62.45	-13	Pass	2511
6500	40000	1	RMS	38836	-45.19	-13	Pass	33501




**39.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:648668, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.32	-13	Pass	2986
30	1000	0.1	RMS	968.7	-58.91	-13	Pass	9701
1000	3000	1	RMS	2989	-46.27	-13	Pass	2001
3000	3690	1	RMS	3689	-35.64	-13	Pass	691
3690	3990	1	RMS	3737	4.49	60	Pass	601
3990	6500	1	RMS	5050	-62.37	-13	Pass	2511
6500	40000	1	RMS	38818	-45.9	-13	Pass	33501




**39.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-51.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.99	-13	Pass	2986
30	1000	0.1	RMS	904.7	-59.25	-13	Pass	9701
1000	3000	1	RMS	2998	-46.08	-13	Pass	2001
3000	3690	1	RMS	3686	-43.91	-13	Pass	691
3690	3990	1	RMS	3829	4.88	60	Pass	601
3990	6500	1	RMS	5049	-62.55	-13	Pass	2511
6500	40000	1	RMS	38865	-45.96	-13	Pass	33501




**39.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.17	-13	Pass	2986
30	1000	0.1	RMS	818.2	-59.15	-13	Pass	9701
1000	3000	1	RMS	2998	-46.06	-13	Pass	2001
3000	3690	1	RMS	3686	-43.97	-13	Pass	691
3690	3990	1	RMS	3831	4.94	60	Pass	601
3990	6500	1	RMS	5047	-62.45	-13	Pass	2511
6500	40000	1	RMS	38865	-45.83	-13	Pass	33501




**39.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:663332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.3	-13	Pass	601
0.15	30	0.01	RMS	0.18	-66.18	-13	Pass	2986
30	1000	0.1	RMS	924.7	-59.03	-13	Pass	9701
1000	3000	1	RMS	2998	-45.89	-13	Pass	2001
3000	3690	1	RMS	3690	-43.82	-13	Pass	691
3690	3990	1	RMS	3941.5	4.77	60	Pass	601
3990	6500	1	RMS	4000	-43.47	-13	Pass	2511
6500	40000	1	RMS	38800	-46	-13	Pass	33501




**39.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:663332, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.06	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.25	-13	Pass	2986
30	1000	0.1	RMS	955.5	-59.16	-13	Pass	9701
1000	3000	1	RMS	2999	-46.05	-13	Pass	2001
3000	3690	1	RMS	3686	-43.92	-13	Pass	691
3690	3990	1	RMS	3956.5	4.9	60	Pass	601
3990	6500	1	RMS	4001	-40.68	-13	Pass	2511
6500	40000	1	RMS	38841	-46.11	-13	Pass	33501




**39.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-50.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.72	-13	Pass	2986
30	1000	0.1	RMS	954.4	-59.37	-13	Pass	9701
1000	3000	1	RMS	2999	-46.09	-13	Pass	2001
3000	3690	1	RMS	3687	-37.59	-13	Pass	691
3690	3990	1	RMS	3740.5	1.65	60	Pass	601
3990	6500	1	RMS	5050	-62.43	-13	Pass	2511
6500	40000	1	RMS	38839	-45.94	-13	Pass	33501




**39.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.3	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.42	-13	Pass	2986
30	1000	0.1	RMS	934.1	-58.58	-13	Pass	9701
1000	3000	1	RMS	2999	-46.08	-13	Pass	2001
3000	3690	1	RMS	3680	-35	-13	Pass	691
3690	3990	1	RMS	3736.5	2.67	60	Pass	601
3990	6500	1	RMS	5051	-62.35	-13	Pass	2511
6500	40000	1	RMS	38845	-46.32	-13	Pass	33501




**39.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.56	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.6	-13	Pass	2986
30	1000	0.1	RMS	892.2	-59.36	-13	Pass	9701
1000	3000	1	RMS	2988	-46.14	-13	Pass	2001
3000	3690	1	RMS	3690	-43.91	-13	Pass	691
3690	3990	1	RMS	3818	1.16	60	Pass	601
3990	6500	1	RMS	5049	-62.51	-13	Pass	2511
6500	40000	1	RMS	38873	-45.89	-13	Pass	33501




**39.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.78	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.35	-13	Pass	2986
30	1000	0.1	RMS	846.4	-59.4	-13	Pass	9701
1000	3000	1	RMS	2986	-46.22	-13	Pass	2001
3000	3690	1	RMS	3690	-43.94	-13	Pass	691
3690	3990	1	RMS	3819.5	2.65	60	Pass	601
3990	6500	1	RMS	3999	-61.95	-13	Pass	2511
6500	40000	1	RMS	38849	-45.45	-13	Pass	33501




**39.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.9	-13	Pass	601
0.15	30	0.01	RMS	0.19	-63.01	-13	Pass	2986
30	1000	0.1	RMS	809	-59.41	-13	Pass	9701
1000	3000	1	RMS	2991	-45.98	-13	Pass	2001
3000	3690	1	RMS	3689	-43.86	-13	Pass	691
3690	3990	1	RMS	3907	2.19	60	Pass	601
3990	6500	1	RMS	3992	-36.34	-13	Pass	2511
6500	40000	1	RMS	38836	-46.07	-13	Pass	33501



**39.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:662000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-50.43	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.38	-13	Pass	2986
30	1000	0.1	RMS	881.1	-59.08	-13	Pass	9701
1000	3000	1	RMS	2993	-46.25	-13	Pass	2001
3000	3690	1	RMS	3689	-43.94	-13	Pass	691
3690	3990	1	RMS	3949	2.38	60	Pass	601
3990	6500	1	RMS	4001	-32.72	-13	Pass	2511
6500	40000	1	RMS	38800	-45.86	-13	Pass	33501



40. n77 30kHz(3450-3650)


**40.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.2	-30	Pass	601
0.15	30	0.01	RMS	0.16	-60.66	-30	Pass	2986
30	1000	0.1	RMS	925.6	-56.11	-30	Pass	9701
1000	3000	1	RMS	2997	-42.38	-30	Pass	2001
3000	3439	1	RMS	3272.912	-42.08	-30	Pass	601
3439	3661	1	RMS	3459.72	12.83	60	Pass	601
3661	6500	1	RMS	3763	-59.01	-30	Pass	2840
6500	38000	1	RMS	37933	-45.26	-30	Pass	31501




**40.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.04	-30	Pass	601
0.15	30	0.01	RMS	0.16	-59.17	-30	Pass	2986
30	1000	0.1	RMS	834.7	-55.9	-30	Pass	9701
1000	3000	1	RMS	2994	-42.36	-30	Pass	2001
3000	3439	1	RMS	3280.228	-42.12	-30	Pass	601
3439	3661	1	RMS	3463.05	12.21	60	Pass	601
3661	6500	1	RMS	3764	-58.17	-30	Pass	2840
6500	38000	1	RMS	37968	-45.66	-30	Pass	31501




**40.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-46.65	-30	Pass	601
0.15	30	0.01	RMS	0.17	-59.77	-30	Pass	2986
30	1000	0.1	RMS	867.3	-56.1	-30	Pass	9701
1000	3000	1	RMS	2986	-42.39	-30	Pass	2001
3000	3439	1	RMS	3278.765	-42.08	-30	Pass	601
3439	3661	1	RMS	3547.78	12.26	60	Pass	601
3661	6500	1	RMS	3690	-52.75	-30	Pass	2840
6500	38000	1	RMS	37945	-45.45	-30	Pass	31501




**40.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.9	-30	Pass	601
0.15	30	0.01	RMS	0.16	-62.33	-30	Pass	2986
30	1000	0.1	RMS	996.6	-56.08	-30	Pass	9701
1000	3000	1	RMS	3000	-42.34	-30	Pass	2001
3000	3439	1	RMS	3277.302	-42.15	-30	Pass	601
3439	3661	1	RMS	3553.33	13.04	60	Pass	601
3661	6500	1	RMS	3701	-56.59	-30	Pass	2840
6500	38000	1	RMS	37984	-45.37	-30	Pass	31501




**40.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.88	-30	Pass	601
0.15	30	0.01	RMS	0.15	-59.02	-30	Pass	2986
30	1000	0.1	RMS	956.2	-55.74	-30	Pass	9701
1000	3000	1	RMS	3000	-42.23	-30	Pass	2001
3000	3439	1	RMS	3270.717	-42.14	-30	Pass	601
3439	3661	1	RMS	3639.91	11.08	60	Pass	601
3661	6500	1	RMS	3667	-42.63	-30	Pass	2840
6500	38000	1	RMS	34944	-45.57	-30	Pass	31501




**40.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.9	-30	Pass	601
0.15	30	0.01	RMS	0.15	-60.7	-30	Pass	2986
30	1000	0.1	RMS	934.2	-56.07	-30	Pass	9701
1000	3000	1	RMS	2999	-42.34	-30	Pass	2001
3000	3439	1	RMS	3278.033	-42.07	-30	Pass	601
3439	3661	1	RMS	3636.21	11.05	60	Pass	601
3661	6500	1	RMS	3661	-46.89	-30	Pass	2840
6500	38000	1	RMS	34543	-45.42	-30	Pass	31501




**40.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.19	-30	Pass	601
0.15	30	0.01	RMS	0.2	-61.74	-30	Pass	2986
30	1000	0.1	RMS	919.8	-56.27	-30	Pass	9701
1000	3000	1	RMS	2996	-42.21	-30	Pass	2001
3000	3439	1	RMS	3438.268	-36.65	-30	Pass	601
3439	3661	1	RMS	3478.22	7.35	60	Pass	601
3661	6500	1	RMS	5051	-59.12	-30	Pass	2840
6500	38000	1	RMS	34966	-45.8	-30	Pass	31501




**40.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:632000, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-46.11	-30	Pass	601
0.15	30	0.01	RMS	0.18	-59.83	-30	Pass	2986
30	1000	0.1	RMS	896	-56.09	-30	Pass	9701
1000	3000	1	RMS	2999	-42.31	-30	Pass	2001
3000	3439	1	RMS	3437.537	-36.42	-30	Pass	601
3439	3661	1	RMS	3482.29	5.62	60	Pass	601
3661	6500	1	RMS	5561	-59.03	-30	Pass	2840
6500	38000	1	RMS	37998	-44.79	-30	Pass	31501




**40.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.71	-30	Pass	601
0.15	30	0.01	RMS	0.16	-57.38	-30	Pass	2986
30	1000	0.1	RMS	866.8	-55.81	-30	Pass	9701
1000	3000	1	RMS	2999	-42.26	-30	Pass	2001
3000	3439	1	RMS	3275.107	-42.18	-30	Pass	601
3439	3661	1	RMS	3554.44	6.55	60	Pass	601
3661	6500	1	RMS	3704	-50.72	-30	Pass	2840
6500	38000	1	RMS	34530	-45.4	-30	Pass	31501




**40.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-44.32	-30	Pass	601
0.15	30	0.01	RMS	0.16	-60.54	-30	Pass	2986
30	1000	0.1	RMS	926.3	-55.39	-30	Pass	9701
1000	3000	1	RMS	2995	-42.42	-30	Pass	2001
3000	3439	1	RMS	3277.302	-42.17	-30	Pass	601
3439	3661	1	RMS	3555.92	7.76	60	Pass	601
3661	6500	1	RMS	3712	-58.62	-30	Pass	2840
6500	38000	1	RMS	34513	-45.4	-30	Pass	31501




**40.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:641334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.5	-30	Pass	601
0.15	30	0.01	RMS	0.17	-58.36	-30	Pass	2986
30	1000	0.1	RMS	889.6	-56.16	-30	Pass	9701
1000	3000	1	RMS	2996	-42.31	-30	Pass	2001
3000	3439	1	RMS	3269.985	-42.03	-30	Pass	601
3439	3661	1	RMS	3607.35	6.34	60	Pass	601
3661	6500	1	RMS	3661	-33.36	-30	Pass	2840
6500	38000	1	RMS	34526	-45.42	-30	Pass	31501




**40.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:641334, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.34	-30	Pass	601
0.15	30	0.01	RMS	0.18	-59.8	-30	Pass	2986
30	1000	0.1	RMS	875.2	-55.92	-30	Pass	9701
1000	3000	1	RMS	3000	-42.27	-30	Pass	2001
3000	3439	1	RMS	3269.253	-42.17	-30	Pass	601
3439	3661	1	RMS	3618.82	6.65	60	Pass	601
3661	6500	1	RMS	3666	-41.25	-30	Pass	2840
6500	38000	1	RMS	38000	-45	-30	Pass	31501




**40.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.54	-30	Pass	601
0.15	30	0.01	RMS	0.15	-61.33	-30	Pass	2986
30	1000	0.1	RMS	917.3	-55.25	-30	Pass	9701
1000	3000	1	RMS	2989	-42.26	-30	Pass	2001
3000	3439	1	RMS	3437.537	-36.37	-30	Pass	601
3439	3661	1	RMS	3484.51	5.01	60	Pass	601
3661	6500	1	RMS	3735	-58.76	-30	Pass	2840
6500	38000	1	RMS	35270	-45.7	-30	Pass	31501




**40.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.07	-30	Pass	601
0.15	30	0.01	RMS	0.16	-60.44	-30	Pass	2986
30	1000	0.1	RMS	943.2	-56.06	-30	Pass	9701
1000	3000	1	RMS	2999	-42.33	-30	Pass	2001
3000	3439	1	RMS	3437.537	-36.32	-30	Pass	601
3439	3661	1	RMS	3484.51	5.65	60	Pass	601
3661	6500	1	RMS	3784	-59.02	-30	Pass	2840
6500	38000	1	RMS	35887	-45.59	-30	Pass	31501




**40.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.72	-30	Pass	601
0.15	30	0.01	RMS	0.17	-62.34	-30	Pass	2986
30	1000	0.1	RMS	890.2	-55.29	-30	Pass	9701
1000	3000	1	RMS	2999	-42.3	-30	Pass	2001
3000	3439	1	RMS	3269.985	-42.13	-30	Pass	601
3439	3661	1	RMS	3534.09	3.41	60	Pass	601
3661	6500	1	RMS	3669	-53.81	-30	Pass	2840
6500	38000	1	RMS	35126	-45.39	-30	Pass	31501




**40.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.57	-30	Pass	601
0.15	30	0.01	RMS	0.15	-62.55	-30	Pass	2986
30	1000	0.1	RMS	726.5	-55.47	-30	Pass	9701
1000	3000	1	RMS	2999	-42.24	-30	Pass	2001
3000	3439	1	RMS	3272.912	-42.14	-30	Pass	601
3439	3661	1	RMS	3536.31	5	60	Pass	601
3661	6500	1	RMS	3666	-52.54	-30	Pass	2840
6500	38000	1	RMS	35035	-45.58	-30	Pass	31501




**40.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.11	-30	Pass	601
0.15	30	0.01	RMS	0.15	-59.33	-30	Pass	2986
30	1000	0.1	RMS	886	-56.09	-30	Pass	9701
1000	3000	1	RMS	2997	-42.24	-30	Pass	2001
3000	3439	1	RMS	3273.643	-42.08	-30	Pass	601
3439	3661	1	RMS	3577.75	5.12	60	Pass	601
3661	6500	1	RMS	3662	-33.62	-30	Pass	2840
6500	38000	1	RMS	37982	-45.07	-30	Pass	31501



**40.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.34	-30	Pass	601
0.15	30	0.01	RMS	0.15	-60.68	-30	Pass	2986
30	1000	0.1	RMS	983.7	-55.72	-30	Pass	9701
1000	3000	1	RMS	2999	-42.26	-30	Pass	2001
3000	3439	1	RMS	3270.717	-42.01	-30	Pass	601
3439	3661	1	RMS	3579.6	5.14	60	Pass	601
3661	6500	1	RMS	3663	-34.22	-30	Pass	2840
6500	38000	1	RMS	35025	-45.38	-30	Pass	31501



41. n77 30kHz(3650-3700)


**41.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.96	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.05	-13	Pass	2986
30	1000	0.1	RMS	870.5	-55.73	-13	Pass	9701
1000	3000	1	RMS	2996	-42.32	-13	Pass	2001
3000	3640	1	RMS	3638	-40.54	-13	Pass	641
3640	3710	1	RMS	3660.3	10.79	60	Pass	601
3710	6500	1	RMS	3750	-57.26	-13	Pass	2791
6500	38000	1	RMS	37919	-45.25	-13	Pass	31501




**41.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.37	-13	Pass	2986
30	1000	0.1	RMS	898.1	-55.88	-13	Pass	9701
1000	3000	1	RMS	2996	-42.13	-13	Pass	2001
3000	3640	1	RMS	3640	-40.75	-13	Pass	641
3640	3710	1	RMS	3660.883	10.73	60	Pass	601
3710	6500	1	RMS	3711	-58.47	-13	Pass	2791
6500	38000	1	RMS	34997	-45.13	-13	Pass	31501




**41.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.02	-13	Pass	601
0.15	30	0.01	RMS	0.17	-61.96	-13	Pass	2986
30	1000	0.1	RMS	889.3	-56	-13	Pass	9701
1000	3000	1	RMS	2992	-42.28	-13	Pass	2001
3000	3640	1	RMS	3624	-41.24	-13	Pass	641
3640	3710	1	RMS	3672.317	8.16	60	Pass	601
3710	6500	1	RMS	3711	-57.24	-13	Pass	2791
6500	38000	1	RMS	34532	-45.14	-13	Pass	31501




**41.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-43.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.21	-13	Pass	2986
30	1000	0.1	RMS	976.5	-55.39	-13	Pass	9701
1000	3000	1	RMS	2996	-42.21	-13	Pass	2001
3000	3640	1	RMS	3637	-41.13	-13	Pass	641
3640	3710	1	RMS	3675.7	10.01	60	Pass	601
3710	6500	1	RMS	3712	-56.97	-13	Pass	2791
6500	38000	1	RMS	35149	-45.27	-13	Pass	31501




**41.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.14	-13	Pass	601
0.15	30	0.01	RMS	0.19	-59.87	-13	Pass	2986
30	1000	0.1	RMS	974.4	-55.6	-13	Pass	9701
1000	3000	1	RMS	2997	-42.27	-13	Pass	2001
3000	3640	1	RMS	3614	-41.18	-13	Pass	641
3640	3710	1	RMS	3690.517	9.77	60	Pass	601
3710	6500	1	RMS	3721	-54.14	-13	Pass	2791
6500	38000	1	RMS	34662	-45.76	-13	Pass	31501




**41.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.86	-13	Pass	2986
30	1000	0.1	RMS	932.2	-56.23	-13	Pass	9701
1000	3000	1	RMS	2998	-42.23	-13	Pass	2001
3000	3640	1	RMS	3634	-41.16	-13	Pass	641
3640	3710	1	RMS	3690.983	9.6	60	Pass	601
3710	6500	1	RMS	3711	-49.36	-13	Pass	2791
6500	38000	1	RMS	34530	-45.36	-13	Pass	31501




**41.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644334, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-61.11	-13	Pass	2986
30	1000	0.1	RMS	857.5	-56.11	-13	Pass	9701
1000	3000	1	RMS	2993	-42.36	-13	Pass	2001
3000	3640	1	RMS	3640	-37.85	-13	Pass	641
3640	3710	1	RMS	3659.483	9.06	60	Pass	601
3710	6500	1	RMS	3737	-58.8	-13	Pass	2791
6500	38000	1	RMS	37982	-45.49	-13	Pass	31501




**41.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644334, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-44.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.12	-13	Pass	2986
30	1000	0.1	RMS	846	-56.28	-13	Pass	9701
1000	3000	1	RMS	2995	-42.31	-13	Pass	2001
3000	3640	1	RMS	3638	-40.11	-13	Pass	641
3640	3710	1	RMS	3659.717	9.13	60	Pass	601
3710	6500	1	RMS	3711	-57	-13	Pass	2791
6500	38000	1	RMS	34520	-45.48	-13	Pass	31501




**41.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.24	-13	Pass	601
0.15	30	0.01	RMS	0.18	-61.59	-13	Pass	2986
30	1000	0.1	RMS	894.6	-56.14	-13	Pass	9701
1000	3000	1	RMS	2997	-42.27	-13	Pass	2001
3000	3640	1	RMS	3638	-41.19	-13	Pass	641
3640	3710	1	RMS	3669.633	8.68	60	Pass	601
3710	6500	1	RMS	3723	-57.2	-13	Pass	2791
6500	38000	1	RMS	35000	-45.45	-13	Pass	31501




**41.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.23	-13	Pass	601
0.15	30	0.01	RMS	0.17	-59.19	-13	Pass	2986
30	1000	0.1	RMS	872.2	-55.76	-13	Pass	9701
1000	3000	1	RMS	3000	-42.28	-13	Pass	2001
3000	3640	1	RMS	3606	-41.14	-13	Pass	641
3640	3710	1	RMS	3669.283	8.64	60	Pass	601
3710	6500	1	RMS	3717	-55.44	-13	Pass	2791
6500	38000	1	RMS	37982	-45.33	-13	Pass	31501




**41.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:645666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.03	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.23	-13	Pass	2986
30	1000	0.1	RMS	885.3	-55.72	-13	Pass	9701
1000	3000	1	RMS	2998	-42.33	-13	Pass	2001
3000	3640	1	RMS	3601	-41.19	-13	Pass	641
3640	3710	1	RMS	3681.417	6.9	60	Pass	601
3710	6500	1	RMS	3720	-52.54	-13	Pass	2791
6500	38000	1	RMS	35012	-45.19	-13	Pass	31501




**41.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:645666, Bandwidth:30, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:36, RB Position:18)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.69	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.53	-13	Pass	2986
30	1000	0.1	RMS	897.5	-55.89	-13	Pass	9701
1000	3000	1	RMS	2997	-42.26	-13	Pass	2001
3000	3640	1	RMS	3633	-41.21	-13	Pass	641
3640	3710	1	RMS	3678.967	8.21	60	Pass	601
3710	6500	1	RMS	3715	-49.26	-13	Pass	2791
6500	38000	1	RMS	34526	-45.03	-13	Pass	31501




**41.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-44.03	-13	Pass	601
0.15	30	0.01	RMS	0.19	-60.38	-13	Pass	2986
30	1000	0.1	RMS	894.1	-55.49	-13	Pass	9701
1000	3000	1	RMS	2654	-42.32	-13	Pass	2001
3000	3640	1	RMS	3639	-38.59	-13	Pass	641
3640	3710	1	RMS	3661.467	7.63	60	Pass	601
3710	6500	1	RMS	3720	-55.46	-13	Pass	2791
6500	38000	1	RMS	35024	-45.11	-13	Pass	31501




**41.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-46.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.99	-13	Pass	2986
30	1000	0.1	RMS	834.1	-55.85	-13	Pass	9701
1000	3000	1	RMS	2667	-42.36	-13	Pass	2001
3000	3640	1	RMS	3640	-38.85	-13	Pass	641
3640	3710	1	RMS	3661.583	7.63	60	Pass	601
3710	6500	1	RMS	3715	-53.61	-13	Pass	2791
6500	38000	1	RMS	35091	-45.5	-13	Pass	31501




**41.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-46.15	-13	Pass	601
0.15	30	0.01	RMS	0.17	-58.4	-13	Pass	2986
30	1000	0.1	RMS	860	-55.96	-13	Pass	9701
1000	3000	1	RMS	2997	-42.37	-13	Pass	2001
3000	3640	1	RMS	3638	-40.39	-13	Pass	641
3640	3710	1	RMS	3675.7	6.28	60	Pass	601
3710	6500	1	RMS	3717	-50.34	-13	Pass	2791
6500	38000	1	RMS	37953	-45.55	-13	Pass	31501




**41.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.52	-13	Pass	601
0.15	30	0.01	RMS	0.17	-61.09	-13	Pass	2986
30	1000	0.1	RMS	936.6	-56.05	-13	Pass	9701
1000	3000	1	RMS	2998	-41.93	-13	Pass	2001
3000	3640	1	RMS	3640	-40.31	-13	Pass	641
3640	3710	1	RMS	3666.367	7.42	60	Pass	601
3710	6500	1	RMS	3712	-48.73	-13	Pass	2791
6500	38000	1	RMS	35036	-45.52	-13	Pass	31501




**41.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.81	-13	Pass	2986
30	1000	0.1	RMS	953.9	-55.96	-13	Pass	9701
1000	3000	1	RMS	2996	-42.22	-13	Pass	2001
3000	3640	1	RMS	3639	-40.91	-13	Pass	641
3640	3710	1	RMS	3671.617	5.81	60	Pass	601
3710	6500	1	RMS	3722	-49.97	-13	Pass	2791
6500	38000	1	RMS	37898	-45.39	-13	Pass	31501



**41.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.61	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.33	-13	Pass	2986
30	1000	0.1	RMS	933.5	-56.15	-13	Pass	9701
1000	3000	1	RMS	2991	-42.12	-13	Pass	2001
3000	3640	1	RMS	3640	-40.91	-13	Pass	641
3640	3710	1	RMS	3674.183	7.06	60	Pass	601
3710	6500	1	RMS	3714	-43.15	-13	Pass	2791
6500	38000	1	RMS	35062	-45.34	-13	Pass	31501



42. n78 30kHz(3450-3550)


**42.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-49.85	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.49	-13	Pass	2986
30	1000	0.1	RMS	996.9	-59.07	-13	Pass	9701
1000	3000	1	RMS	2998	-46.02	-13	Pass	2001
3000	3440	1	RMS	3440	-36.82	-13	Pass	601
3440	3560	1	RMS	3460	11.06	60	Pass	601
3560	6500	1	RMS	3561	-55.17	-13	Pass	2941
6500	38000	1	RMS	6924	-45.8	-13	Pass	31501




**42.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.81	-13	Pass	601
0.15	30	0.01	RMS	0.17	-62.92	-13	Pass	2986
30	1000	0.1	RMS	948.4	-58.87	-13	Pass	9701
1000	3000	1	RMS	3000	-46.12	-13	Pass	2001
3000	3440	1	RMS	3439.267	-34.68	-13	Pass	601
3440	3560	1	RMS	3457	11.79	60	Pass	601
3560	6500	1	RMS	3561	-53.09	-13	Pass	2941
6500	38000	1	RMS	37960	-47.99	-13	Pass	31501




**42.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.91	-13	Pass	2986
30	1000	0.1	RMS	940.9	-59.05	-13	Pass	9701
1000	3000	1	RMS	3000	-46.16	-13	Pass	2001
3000	3440	1	RMS	3274.267	-45.55	-13	Pass	601
3440	3560	1	RMS	3499.8	10.8	60	Pass	601
3560	6500	1	RMS	3568	-53.03	-13	Pass	2941
6500	38000	1	RMS	37984	-48.37	-13	Pass	31501




**42.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.44	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.65	-13	Pass	2986
30	1000	0.1	RMS	930.3	-58.94	-13	Pass	9701
1000	3000	1	RMS	2995	-46.12	-13	Pass	2001
3000	3440	1	RMS	3279.4	-45.5	-13	Pass	601
3440	3560	1	RMS	3503.2	10.85	60	Pass	601
3560	6500	1	RMS	3570	-51.82	-13	Pass	2941
6500	38000	1	RMS	37995	-47.94	-13	Pass	31501




**42.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.39	-13	Pass	601
0.15	30	0.01	RMS	0.19	-65.77	-13	Pass	2986
30	1000	0.1	RMS	948.7	-59.42	-13	Pass	9701
1000	3000	1	RMS	2998	-46.21	-13	Pass	2001
3000	3440	1	RMS	3272.067	-45.51	-13	Pass	601
3440	3560	1	RMS	3539.6	10.31	60	Pass	601
3560	6500	1	RMS	3563	-33.41	-13	Pass	2941
6500	38000	1	RMS	37962	-48.39	-13	Pass	31501




**42.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.41	-13	Pass	2986
30	1000	0.1	RMS	979.6	-59.51	-13	Pass	9701
1000	3000	1	RMS	3000	-46.22	-13	Pass	2001
3000	3440	1	RMS	3281.6	-45.48	-13	Pass	601
3440	3560	1	RMS	3541.2	10.65	60	Pass	601
3560	6500	1	RMS	3573	-41.47	-13	Pass	2941
6500	38000	1	RMS	38000	-48.62	-13	Pass	31501




**42.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.16	-13	Pass	2986
30	1000	0.1	RMS	902.1	-59.06	-13	Pass	9701
1000	3000	1	RMS	2992	-46.11	-13	Pass	2001
3000	3440	1	RMS	3439.267	-32.88	-13	Pass	601
3440	3560	1	RMS	3473.8	4.9	60	Pass	601
3560	6500	1	RMS	3570	-48.68	-13	Pass	2941
6500	38000	1	RMS	37925	-48.21	-13	Pass	31501




**42.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.8	-13	Pass	2986
30	1000	0.1	RMS	913.2	-59.31	-13	Pass	9701
1000	3000	1	RMS	2997	-46.24	-13	Pass	2001
3000	3440	1	RMS	3440	-34.33	-13	Pass	601
3440	3560	1	RMS	3472.2	7.95	60	Pass	601
3560	6500	1	RMS	3572	-60.72	-13	Pass	2941
6500	38000	1	RMS	37993	-47.76	-13	Pass	31501




**42.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.95	-13	Pass	601
0.15	30	0.01	RMS	0.19	-65.72	-13	Pass	2986
30	1000	0.1	RMS	978.2	-59.33	-13	Pass	9701
1000	3000	1	RMS	2988	-46.21	-13	Pass	2001
3000	3440	1	RMS	3438.533	-42.29	-13	Pass	601
3440	3560	1	RMS	3495.6	5.04	60	Pass	601
3560	6500	1	RMS	3561	-38.93	-13	Pass	2941
6500	38000	1	RMS	35414	-48.08	-13	Pass	31501




**42.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.23	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.21	-13	Pass	2986
30	1000	0.1	RMS	891.1	-59.5	-13	Pass	9701
1000	3000	1	RMS	2989	-46.18	-13	Pass	2001
3000	3440	1	RMS	3275	-45.49	-13	Pass	601
3440	3560	1	RMS	3497.2	7.92	60	Pass	601
3560	6500	1	RMS	3560	-54.22	-13	Pass	2941
6500	38000	1	RMS	34501	-48.52	-13	Pass	31501




**42.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.74	-13	Pass	601
0.15	30	0.01	RMS	0.18	-63.96	-13	Pass	2986
30	1000	0.1	RMS	911.5	-59.24	-13	Pass	9701
1000	3000	1	RMS	2998	-46.19	-13	Pass	2001
3000	3440	1	RMS	3271.333	-45.45	-13	Pass	601
3440	3560	1	RMS	3523.8	6.71	60	Pass	601
3560	6500	1	RMS	3568	-31.21	-13	Pass	2941
6500	38000	1	RMS	7049	-48.08	-13	Pass	31501




**42.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:635000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.27	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.82	-13	Pass	2986
30	1000	0.1	RMS	908.3	-58.89	-13	Pass	9701
1000	3000	1	RMS	2998	-45.94	-13	Pass	2001
3000	3440	1	RMS	3275	-45.42	-13	Pass	601
3440	3560	1	RMS	3522.8	7.16	60	Pass	601
3560	6500	1	RMS	3570	-34.82	-13	Pass	2941
6500	38000	1	RMS	34956	-48.22	-13	Pass	31501




**42.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-50.59	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.77	-13	Pass	2986
30	1000	0.1	RMS	922.7	-59.64	-13	Pass	9701
1000	3000	1	RMS	2997	-46.28	-13	Pass	2001
3000	3440	1	RMS	3440	-28.28	-13	Pass	601
3440	3560	1	RMS	3497.6	1.41	60	Pass	601
3560	6500	1	RMS	3562	-26.67	-13	Pass	2941
6500	38000	1	RMS	37970	-48.2	-13	Pass	31501



**42.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.02	-13	Pass	601
0.15	30	0.01	RMS	0.16	-62.35	-13	Pass	2986
30	1000	0.1	RMS	784.2	-59.62	-13	Pass	9701
1000	3000	1	RMS	2999	-46.16	-13	Pass	2001
3000	3440	1	RMS	3439.267	-33.36	-13	Pass	601
3440	3560	1	RMS	3486.4	3.49	60	Pass	601
3560	6500	1	RMS	3560	-30.37	-13	Pass	2941
6500	38000	1	RMS	34512	-48.36	-13	Pass	31501



43. n78 30kHz(3700-3800)


**43.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.93	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.46	-13	Pass	2986
30	1000	0.1	RMS	876.3	-59.49	-13	Pass	9701
1000	3000	1	RMS	2664	-46.24	-13	Pass	2001
3000	3690	1	RMS	3688	-41.84	-13	Pass	691
3690	3810	1	RMS	3710.4	9.51	60	Pass	601
3810	6500	1	RMS	4017	-60.41	-13	Pass	2691
6500	38000	1	RMS	37982	-48.24	-13	Pass	31501




**43.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:647334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.72	-13	Pass	601
0.15	30	0.01	RMS	0.17	-63.88	-13	Pass	2986
30	1000	0.1	RMS	918.1	-59.23	-13	Pass	9701
1000	3000	1	RMS	2993	-46.2	-13	Pass	2001
3000	3690	1	RMS	3687	-42.65	-13	Pass	691
3690	3810	1	RMS	3707.4	9.62	60	Pass	601
3810	6500	1	RMS	5555	-62.14	-13	Pass	2691
6500	38000	1	RMS	34509	-48.51	-13	Pass	31501




**43.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-50.28	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.13	-13	Pass	2986
30	1000	0.1	RMS	861.4	-59.43	-13	Pass	9701
1000	3000	1	RMS	2996	-46.16	-13	Pass	2001
3000	3690	1	RMS	3690	-43.86	-13	Pass	691
3690	3810	1	RMS	3749.8	10.15	60	Pass	601
3810	6500	1	RMS	4057	-60.96	-13	Pass	2691
6500	38000	1	RMS	37979	-47.48	-13	Pass	31501




**43.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:650000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.86	-13	Pass	2986
30	1000	0.1	RMS	968.3	-59.54	-13	Pass	9701
1000	3000	1	RMS	3000	-46.05	-13	Pass	2001
3000	3690	1	RMS	3688	-43.88	-13	Pass	691
3690	3810	1	RMS	3746.6	8.95	60	Pass	601
3810	6500	1	RMS	4054	-60.07	-13	Pass	2691
6500	38000	1	RMS	37961	-48.22	-13	Pass	31501




**43.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.8	-13	Pass	2986
30	1000	0.1	RMS	942.4	-59.18	-13	Pass	9701
1000	3000	1	RMS	2996	-46.13	-13	Pass	2001
3000	3690	1	RMS	3689	-43.93	-13	Pass	691
3690	3810	1	RMS	3790.4	10.91	60	Pass	601
3810	6500	1	RMS	3810	-46.07	-13	Pass	2691
6500	38000	1	RMS	35181	-48.33	-13	Pass	31501




**43.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:652666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.61	-13	Pass	2986
30	1000	0.1	RMS	805.2	-59.71	-13	Pass	9701
1000	3000	1	RMS	2998	-46.03	-13	Pass	2001
3000	3690	1	RMS	3690	-43.9	-13	Pass	691
3690	3810	1	RMS	3786.6	11.07	60	Pass	601
3810	6500	1	RMS	3821	-54.59	-13	Pass	2691
6500	38000	1	RMS	37937	-48.54	-13	Pass	31501




**43.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.67	-13	Pass	2986
30	1000	0.1	RMS	963.3	-59.25	-13	Pass	9701
1000	3000	1	RMS	2998	-46.08	-13	Pass	2001
3000	3690	1	RMS	3689	-35.97	-13	Pass	691
3690	3810	1	RMS	3732.6	5.97	60	Pass	601
3810	6500	1	RMS	3818	-60.87	-13	Pass	2691
6500	38000	1	RMS	35156	-48.47	-13	Pass	31501




**43.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:648334, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.63	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.48	-13	Pass	2986
30	1000	0.1	RMS	912.2	-59.31	-13	Pass	9701
1000	3000	1	RMS	2998	-46.24	-13	Pass	2001
3000	3690	1	RMS	3684	-40.54	-13	Pass	691
3690	3810	1	RMS	3722.6	5.89	60	Pass	601
3810	6500	1	RMS	3810	-61.68	-13	Pass	2691
6500	38000	1	RMS	37872	-47.72	-13	Pass	31501




**43.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.32	-13	Pass	601
0.15	30	0.01	RMS	0.19	-62.28	-13	Pass	2986
30	1000	0.1	RMS	889.6	-59.56	-13	Pass	9701
1000	3000	1	RMS	2998	-46.06	-13	Pass	2001
3000	3690	1	RMS	3688	-43.51	-13	Pass	691
3690	3810	1	RMS	3744.8	5.9	60	Pass	601
3810	6500	1	RMS	3816	-54.04	-13	Pass	2691
6500	38000	1	RMS	37966	-47.99	-13	Pass	31501




**43.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:650000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.81	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.38	-13	Pass	2986
30	1000	0.1	RMS	884.8	-59.51	-13	Pass	9701
1000	3000	1	RMS	2985	-46.1	-13	Pass	2001
3000	3690	1	RMS	3684	-43.83	-13	Pass	691
3690	3810	1	RMS	3746.8	5.33	60	Pass	601
3810	6500	1	RMS	3817	-56.8	-13	Pass	2691
6500	38000	1	RMS	37969	-48.18	-13	Pass	31501




**43.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-49.97	-13	Pass	601
0.15	30	0.01	RMS	0.17	-64.9	-13	Pass	2986
30	1000	0.1	RMS	948.8	-58.51	-13	Pass	9701
1000	3000	1	RMS	2991	-46.06	-13	Pass	2001
3000	3690	1	RMS	3687	-43.76	-13	Pass	691
3690	3810	1	RMS	3769.8	6.78	60	Pass	601
3810	6500	1	RMS	3816	-37.67	-13	Pass	2691
6500	38000	1	RMS	35069	-48.25	-13	Pass	31501




**43.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:651666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.01	-13	Pass	601
0.15	30	0.01	RMS	0.17	-65.3	-13	Pass	2986
30	1000	0.1	RMS	874.3	-59.84	-13	Pass	9701
1000	3000	1	RMS	3000	-46.14	-13	Pass	2001
3000	3690	1	RMS	3686	-43.88	-13	Pass	691
3690	3810	1	RMS	3772	7.04	60	Pass	601
3810	6500	1	RMS	3819	-41.74	-13	Pass	2691
6500	38000	1	RMS	35090	-48.49	-13	Pass	31501




**43.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.38	-13	Pass	601
0.15	30	0.01	RMS	0.17	-61.68	-13	Pass	2986
30	1000	0.1	RMS	863.3	-58.89	-13	Pass	9701
1000	3000	1	RMS	3000	-46.07	-13	Pass	2001
3000	3690	1	RMS	3689	-33.99	-13	Pass	691
3690	3810	1	RMS	3734.4	3.26	60	Pass	601
3810	6500	1	RMS	3811	-30.01	-13	Pass	2691
6500	38000	1	RMS	34976	-48.55	-13	Pass	31501



**43.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:650000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.92	-13	Pass	601
0.15	30	0.01	RMS	0.17	-63.27	-13	Pass	2986
30	1000	0.1	RMS	863.1	-59.16	-13	Pass	9701
1000	3000	1	RMS	2993	-46.1	-13	Pass	2001
3000	3690	1	RMS	3682	-33.73	-13	Pass	691
3690	3810	1	RMS	3736.4	1.8	60	Pass	601
3810	6500	1	RMS	3812	-32.39	-13	Pass	2691
6500	38000	1	RMS	34516	-48.4	-13	Pass	31501



44. n78 30kHz(3450-3650)


**44.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.93	-25	Pass	601
0.15	30	0.01	RMS	0.19	-66.23	-25	Pass	2986
30	1000	0.1	RMS	841.6	-59.68	-25	Pass	9701
1000	3000	1	RMS	2998	-46.11	-25	Pass	2001
3000	3440	1	RMS	3438.533	-35.89	-25	Pass	601
3440	3660	1	RMS	3456.5	11.16	60	Pass	601
3660	6500	1	RMS	3730	-59.99	-25	Pass	2841
6500	38000	1	RMS	37892	-48.6	-25	Pass	31501




**44.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.72	-25	Pass	601
0.15	30	0.01	RMS	0.17	-64.01	-25	Pass	2986
30	1000	0.1	RMS	862.4	-59.4	-25	Pass	9701
1000	3000	1	RMS	2994	-46.24	-25	Pass	2001
3000	3440	1	RMS	3439.267	-43.35	-25	Pass	601
3440	3660	1	RMS	3456.867	11.05	60	Pass	601
3660	6500	1	RMS	3767	-60.84	-25	Pass	2841
6500	38000	1	RMS	34515	-48.54	-25	Pass	31501




**44.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-48.69	-25	Pass	601
0.15	30	0.01	RMS	0.2	-64.44	-25	Pass	2986
30	1000	0.1	RMS	871.3	-59.19	-25	Pass	9701
1000	3000	1	RMS	2999	-46.02	-25	Pass	2001
3000	3440	1	RMS	3279.4	-45.5	-25	Pass	601
3440	3660	1	RMS	3547.8	10.01	60	Pass	601
3660	6500	1	RMS	3662	-57.51	-25	Pass	2841
6500	38000	1	RMS	35178	-48.58	-25	Pass	31501




**44.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-50.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-60.99	-25	Pass	2986
30	1000	0.1	RMS	873.4	-59.73	-25	Pass	9701
1000	3000	1	RMS	2995	-45.76	-25	Pass	2001
3000	3440	1	RMS	3274.267	-45.57	-25	Pass	601
3440	3660	1	RMS	3552.567	9.06	60	Pass	601
3660	6500	1	RMS	3672	-56.62	-25	Pass	2841
6500	38000	1	RMS	35068	-48.32	-25	Pass	31501




**44.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.67	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.77	-25	Pass	2986
30	1000	0.1	RMS	944.7	-58.49	-25	Pass	9701
1000	3000	1	RMS	2990	-45.62	-25	Pass	2001
3000	3440	1	RMS	3269.867	-45.48	-25	Pass	601
3440	3660	1	RMS	3640.2	8.67	60	Pass	601
3660	6500	1	RMS	3665	-34.8	-25	Pass	2841
6500	38000	1	RMS	34970	-48.33	-25	Pass	31501




**44.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:642666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.72	-25	Pass	601
0.15	30	0.01	RMS	0.19	-64.29	-25	Pass	2986
30	1000	0.1	RMS	991.1	-58.38	-25	Pass	9701
1000	3000	1	RMS	2998	-45.82	-25	Pass	2001
3000	3440	1	RMS	3271.333	-45.54	-25	Pass	601
3440	3660	1	RMS	3641.3	9.21	60	Pass	601
3660	6500	1	RMS	3672	-40.67	-25	Pass	2841
6500	38000	1	RMS	34596	-48.23	-25	Pass	31501




**44.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.95	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.36	-25	Pass	2986
30	1000	0.1	RMS	855.3	-59.06	-25	Pass	9701
1000	3000	1	RMS	2999	-45.65	-25	Pass	2001
3000	3440	1	RMS	3438.533	-35.29	-25	Pass	601
3440	3660	1	RMS	3482.533	7.2	60	Pass	601
3660	6500	1	RMS	3680	-56.2	-25	Pass	2841
6500	38000	1	RMS	35265	-48.19	-25	Pass	31501




**44.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:631668, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.12	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.74	-25	Pass	2986
30	1000	0.1	RMS	874.9	-59.77	-25	Pass	9701
1000	3000	1	RMS	3000	-45.76	-25	Pass	2001
3000	3440	1	RMS	3439.267	-37.27	-25	Pass	601
3440	3660	1	RMS	3472.633	7.73	60	Pass	601
3660	6500	1	RMS	3771	-61.76	-25	Pass	2841
6500	38000	1	RMS	37981	-48.24	-25	Pass	31501




**44.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.16	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.92	-25	Pass	2986
30	1000	0.1	RMS	900.8	-58.84	-25	Pass	9701
1000	3000	1	RMS	2992	-45.73	-25	Pass	2001
3000	3440	1	RMS	3270.6	-45.56	-25	Pass	601
3440	3660	1	RMS	3544.867	6.44	60	Pass	601
3660	6500	1	RMS	3662	-50.28	-25	Pass	2841
6500	38000	1	RMS	34517	-48.32	-25	Pass	31501




**44.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.68	-25	Pass	601
0.15	30	0.01	RMS	0.18	-63.8	-25	Pass	2986
30	1000	0.1	RMS	887.5	-59.12	-25	Pass	9701
1000	3000	1	RMS	2996	-45.61	-25	Pass	2001
3000	3440	1	RMS	3274.267	-45.41	-25	Pass	601
3440	3660	1	RMS	3547.067	6.69	60	Pass	601
3660	6500	1	RMS	3674	-51.31	-25	Pass	2841
6500	38000	1	RMS	34515	-48.43	-25	Pass	31501




**44.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:641666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-63.64	-25	Pass	2986
30	1000	0.1	RMS	860.1	-59.43	-25	Pass	9701
1000	3000	1	RMS	2995	-45.72	-25	Pass	2001
3000	3440	1	RMS	3269.133	-45.53	-25	Pass	601
3440	3660	1	RMS	3619.667	5.19	60	Pass	601
3660	6500	1	RMS	3668	-30.14	-25	Pass	2841
6500	38000	1	RMS	35258	-48.48	-25	Pass	31501




**44.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:641666, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-50.4	-25	Pass	601
0.15	30	0.01	RMS	0.19	-63.33	-25	Pass	2986
30	1000	0.1	RMS	802.4	-59.38	-25	Pass	9701
1000	3000	1	RMS	2993	-45.61	-25	Pass	2001
3000	3440	1	RMS	3275	-45.54	-25	Pass	601
3440	3660	1	RMS	3617.467	5.54	60	Pass	601
3660	6500	1	RMS	3667	-30.3	-25	Pass	2841
6500	38000	1	RMS	35212	-47.9	-25	Pass	31501




**44.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-50.08	-25	Pass	601
0.15	30	0.01	RMS	0.16	-65.16	-25	Pass	2986
30	1000	0.1	RMS	934.5	-59.66	-25	Pass	9701
1000	3000	1	RMS	2998	-45.69	-25	Pass	2001
3000	3440	1	RMS	3439.267	-27.8	-25	Pass	601
3440	3660	1	RMS	3484.367	1.6	60	Pass	601
3660	6500	1	RMS	3666	-48.59	-25	Pass	2841
6500	38000	1	RMS	35021	-48.46	-25	Pass	31501




**44.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:633334, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.15	-25	Pass	601
0.15	30	0.01	RMS	0.15	-64.53	-25	Pass	2986
30	1000	0.1	RMS	926.6	-59.27	-25	Pass	9701
1000	3000	1	RMS	3000	-45.72	-25	Pass	2001
3000	3440	1	RMS	3439.267	-34.47	-25	Pass	601
3440	3660	1	RMS	3486.2	3.91	60	Pass	601
3660	6500	1	RMS	3660	-60.95	-25	Pass	2841
6500	38000	1	RMS	34932	-48.39	-25	Pass	31501




**44.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:636666, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.47	-25	Pass	601
0.15	30	0.01	RMS	0.16	-63.92	-25	Pass	2986
30	1000	0.1	RMS	864.9	-59.21	-25	Pass	9701
1000	3000	1	RMS	2999	-45.68	-25	Pass	2001
3000	3440	1	RMS	3439.267	-42.27	-25	Pass	601
3440	3660	1	RMS	3533.867	3.11	60	Pass	601
3660	6500	1	RMS	3662	-38.23	-25	Pass	2841
6500	38000	1	RMS	35262	-48.38	-25	Pass	31501




**44.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:636666, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.3	-25	Pass	601
0.15	30	0.01	RMS	0.18	-65.3	-25	Pass	2986
30	1000	0.1	RMS	950.6	-58.98	-25	Pass	9701
1000	3000	1	RMS	2999	-45.72	-25	Pass	2001
3000	3440	1	RMS	3438.533	-42.66	-25	Pass	601
3440	3660	1	RMS	3536.433	3.38	60	Pass	601
3660	6500	1	RMS	3671	-41.59	-25	Pass	2841
6500	38000	1	RMS	35175	-48.29	-25	Pass	31501




**44.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-25	Pass	601
0.15	30	0.01	RMS	0.17	-63.85	-25	Pass	2986
30	1000	0.1	RMS	910.5	-59.12	-25	Pass	9701
1000	3000	1	RMS	3000	-45.54	-25	Pass	2001
3000	3440	1	RMS	3269.133	-45.46	-25	Pass	601
3440	3660	1	RMS	3584.1	2.19	60	Pass	601
3660	6500	1	RMS	3673	-30.28	-25	Pass	2841
6500	38000	1	RMS	35278	-48.43	-25	Pass	31501



**44.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:640000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:135, RB Position:67)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.53	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.45	-25	Pass	2986
30	1000	0.1	RMS	944.8	-59.63	-25	Pass	9701
1000	3000	1	RMS	2997	-45.57	-25	Pass	2001
3000	3440	1	RMS	3271.333	-45.48	-25	Pass	601
3440	3660	1	RMS	3602.067	2.32	60	Pass	601
3660	6500	1	RMS	3701	-31.33	-25	Pass	2841
6500	38000	1	RMS	37946	-48.31	-25	Pass	31501



45. n78 30kHz(3650-3700)


**45.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-50.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-63.37	-13	Pass	2986
30	1000	0.1	RMS	937.8	-59.49	-13	Pass	9701
1000	3000	1	RMS	2994	-45.69	-13	Pass	2001
3000	3640	1	RMS	3638	-37.28	-13	Pass	641
3640	3710	1	RMS	3656.8	9.21	60	Pass	601
3710	6500	1	RMS	3723	-48.83	-13	Pass	2791
6500	38000	1	RMS	35112	-48.09	-13	Pass	31501




**45.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.76	-13	Pass	601
0.15	30	0.01	RMS	0.16	-65.43	-13	Pass	2986
30	1000	0.1	RMS	878.6	-59.41	-13	Pass	9701
1000	3000	1	RMS	2996	-45.58	-13	Pass	2001
3000	3640	1	RMS	3634	-39.75	-13	Pass	641
3640	3710	1	RMS	3657.733	9.47	60	Pass	601
3710	6500	1	RMS	3717	-47.33	-13	Pass	2791
6500	38000	1	RMS	35259	-48.26	-13	Pass	31501




**45.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.58	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62	-13	Pass	2986
30	1000	0.1	RMS	857.6	-58.79	-13	Pass	9701
1000	3000	1	RMS	2999	-45.66	-13	Pass	2001
3000	3640	1	RMS	3640	-42.19	-13	Pass	641
3640	3710	1	RMS	3672.083	9.03	60	Pass	601
3710	6500	1	RMS	3717	-43.04	-13	Pass	2791
6500	38000	1	RMS	35010	-48.48	-13	Pass	31501




**45.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-51.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-64.5	-13	Pass	2986
30	1000	0.1	RMS	805.1	-59.69	-13	Pass	9701
1000	3000	1	RMS	2997	-45.73	-13	Pass	2001
3000	3640	1	RMS	3639	-43.76	-13	Pass	641
3640	3710	1	RMS	3671.383	9.76	60	Pass	601
3710	6500	1	RMS	3712	-42.59	-13	Pass	2791
6500	38000	1	RMS	34514	-48	-13	Pass	31501




**45.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.61	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.88	-13	Pass	2986
30	1000	0.1	RMS	884.7	-58.78	-13	Pass	9701
1000	3000	1	RMS	2996	-45.62	-13	Pass	2001
3000	3640	1	RMS	3638	-43.95	-13	Pass	641
3640	3710	1	RMS	3686.667	9.01	60	Pass	601
3710	6500	1	RMS	3715	-33.9	-13	Pass	2791
6500	38000	1	RMS	34504	-48.24	-13	Pass	31501




**45.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.78	-13	Pass	601
0.15	30	0.01	RMS	0.19	-64.81	-13	Pass	2986
30	1000	0.1	RMS	886	-59.37	-13	Pass	9701
1000	3000	1	RMS	2996	-45.66	-13	Pass	2001
3000	3640	1	RMS	3636	-44.56	-13	Pass	641
3640	3710	1	RMS	3686.433	6.92	60	Pass	601
3710	6500	1	RMS	3721	-51.2	-13	Pass	2791
6500	38000	1	RMS	35218	-48.21	-13	Pass	31501




**45.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-64.36	-13	Pass	2986
30	1000	0.1	RMS	871.5	-59.42	-13	Pass	9701
1000	3000	1	RMS	2991	-45.64	-13	Pass	2001
3000	3640	1	RMS	3638	-33.84	-13	Pass	641
3640	3710	1	RMS	3664.967	6.35	60	Pass	601
3710	6500	1	RMS	3717	-35.09	-13	Pass	2791
6500	38000	1	RMS	34523	-48.3	-13	Pass	31501




**45.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:644668, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.93	-13	Pass	2986
30	1000	0.1	RMS	999.7	-59.33	-13	Pass	9701
1000	3000	1	RMS	3000	-45.69	-13	Pass	2001
3000	3640	1	RMS	3640	-34.05	-13	Pass	641
3640	3710	1	RMS	3668.933	4.86	60	Pass	601
3710	6500	1	RMS	3714	-38.04	-13	Pass	2791
6500	38000	1	RMS	35193	-47.94	-13	Pass	31501




**45.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:645000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.15	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.85	-13	Pass	2986
30	1000	0.1	RMS	840.5	-59.26	-13	Pass	9701
1000	3000	1	RMS	2994	-45.78	-13	Pass	2001
3000	3640	1	RMS	3635	-35.08	-13	Pass	641
3640	3710	1	RMS	3675.583	5.27	60	Pass	601
3710	6500	1	RMS	3711	-30.15	-13	Pass	2791
6500	38000	1	RMS	37960	-48.34	-13	Pass	31501




**45.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:645000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.8	-13	Pass	601
0.15	30	0.01	RMS	0.15	-65.72	-13	Pass	2986
30	1000	0.1	RMS	908	-59.77	-13	Pass	9701
1000	3000	1	RMS	2997	-45.52	-13	Pass	2001
3000	3640	1	RMS	3634	-37.6	-13	Pass	641
3640	3710	1	RMS	3666.6	7.34	60	Pass	601
3710	6500	1	RMS	3711	-29.4	-13	Pass	2791
6500	38000	1	RMS	34548	-48.25	-13	Pass	31501




**45.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-50.13	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.23	-13	Pass	2986
30	1000	0.1	RMS	866.7	-59.24	-13	Pass	9701
1000	3000	1	RMS	2999	-45.78	-13	Pass	2001
3000	3640	1	RMS	3640	-35.11	-13	Pass	641
3640	3710	1	RMS	3675	5.82	60	Pass	601
3710	6500	1	RMS	3713	-28.55	-13	Pass	2791
6500	38000	1	RMS	34980	-48.6	-13	Pass	31501




**45.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:50, RB Position:25)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-49.6	-13	Pass	601
0.15	30	0.01	RMS	0.16	-63.69	-13	Pass	2986
30	1000	0.1	RMS	851.9	-59.11	-13	Pass	9701
1000	3000	1	RMS	2998	-45.72	-13	Pass	2001
3000	3640	1	RMS	3639	-40.68	-13	Pass	641
3640	3710	1	RMS	3671.85	7.26	60	Pass	601
3710	6500	1	RMS	3718	-35.59	-13	Pass	2791
6500	38000	1	RMS	34531	-48.24	-13	Pass	31501




**45.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:64, RB Position:32)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.87	-13	Pass	601
0.15	30	0.01	RMS	0.15	-62.98	-13	Pass	2986
30	1000	0.1	RMS	867.7	-58.92	-13	Pass	9701
1000	3000	1	RMS	2997	-45.63	-13	Pass	2001
3000	3640	1	RMS	3639	-35.04	-13	Pass	641
3640	3710	1	RMS	3670.1	4.99	60	Pass	601
3710	6500	1	RMS	3719	-30.72	-13	Pass	2791
6500	38000	1	RMS	34555	-48.43	-13	Pass	31501



**45.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:645000, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK,
RB Number:64, RB Position:32)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-49.08	-13	Pass	601
0.15	30	0.01	RMS	0.2	-63.84	-13	Pass	2986
30	1000	0.1	RMS	876.2	-59.48	-13	Pass	9701
1000	3000	1	RMS	2996	-45.63	-13	Pass	2001
3000	3640	1	RMS	3640	-35.74	-13	Pass	641
3640	3710	1	RMS	3672.2	6.02	60	Pass	601
3710	6500	1	RMS	3717	-39.19	-13	Pass	2791
6500	38000	1	RMS	37947	-48.71	-13	Pass	31501



46. n41 30kHz_MIMO-ANT0


**46.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.55	-25	Pass	601
0.15	30	0.01	RMS	0.19	-59.18	-25	Pass	2986
30	1000	0.1	RMS	915.3	-55.64	-25	Pass	9701
1000	2486	1	RMS	2483	-41.67	-25	Pass	1487
2486	2700	1	RMS	2507.4	14.04	60	Pass	601
2700	3000	1	RMS	2996	-43.58	-25	Pass	601
3000	6500	1	RMS	5053	-58.76	-25	Pass	3501
6500	18000	1	RMS	17337	-51.86	-25	Pass	11501
18000	27000	1	RMS	26229	-48.68	-25	Pass	9001




**46.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.43	-25	Pass	601
0.15	30	0.01	RMS	0.15	-60.43	-25	Pass	2986
30	1000	0.1	RMS	925	-56.11	-25	Pass	9701
1000	2486	1	RMS	2481	-41.63	-25	Pass	1487
2486	2700	1	RMS	2505.617	14.01	60	Pass	601
2700	3000	1	RMS	2998	-43.59	-25	Pass	601
3000	6500	1	RMS	5055	-58.59	-25	Pass	3501
6500	18000	1	RMS	17760	-51.72	-25	Pass	11501
18000	27000	1	RMS	26224	-48.84	-25	Pass	9001




**46.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.89	-25	Pass	601
0.15	30	0.01	RMS	0.18	-60.06	-25	Pass	2986
30	1000	0.1	RMS	849.9	-55.47	-25	Pass	9701
1000	2486	1	RMS	2484	-42.75	-25	Pass	1487
2486	2700	1	RMS	2594.427	13.85	60	Pass	601
2700	3000	1	RMS	2995.5	-43.67	-25	Pass	601
3000	6500	1	RMS	5059	-58.86	-25	Pass	3501
6500	18000	1	RMS	17347	-51.92	-25	Pass	11501
18000	27000	1	RMS	26308	-48.81	-25	Pass	9001




**46.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.05	-25	Pass	601
0.15	30	0.01	RMS	0.16	-57.38	-25	Pass	2986
30	1000	0.1	RMS	866.2	-55.58	-25	Pass	9701
1000	2486	1	RMS	2477	-42.88	-25	Pass	1487
2486	2700	1	RMS	2591.217	13.91	60	Pass	601
2700	3000	1	RMS	2996.5	-43.6	-25	Pass	601
3000	6500	1	RMS	5053	-58.73	-25	Pass	3501
6500	18000	1	RMS	17552	-51.99	-25	Pass	11501
18000	27000	1	RMS	26207	-48.64	-25	Pass	9001




**46.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.53	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.81	-25	Pass	2986
30	1000	0.1	RMS	938.4	-55.2	-25	Pass	9701
1000	2486	1	RMS	2466	-42.94	-25	Pass	1487
2486	2700	1	RMS	2678.6	13.46	60	Pass	601
2700	3000	1	RMS	2700.5	-40.95	-25	Pass	601
3000	6500	1	RMS	5555	-58.75	-25	Pass	3501
6500	18000	1	RMS	17321	-51.81	-25	Pass	11501
18000	27000	1	RMS	26352	-48.93	-25	Pass	9001




**46.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.73	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.89	-25	Pass	2986
30	1000	0.1	RMS	928.8	-55.78	-25	Pass	9701
1000	2486	1	RMS	2475	-42.76	-25	Pass	1487
2486	2700	1	RMS	2679.67	13.82	60	Pass	601
2700	3000	1	RMS	2700	-41.1	-25	Pass	601
3000	6500	1	RMS	5055	-58.85	-25	Pass	3501
6500	18000	1	RMS	17624	-51.9	-25	Pass	11501
18000	27000	1	RMS	26256	-48.74	-25	Pass	9001




**46.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-46.67	-25	Pass	601
0.15	30	0.01	RMS	0.17	-60.28	-25	Pass	2986
30	1000	0.1	RMS	849.3	-55.6	-25	Pass	9701
1000	2486	1	RMS	2480	-41.35	-25	Pass	1487
2486	2700	1	RMS	2537.717	9.03	60	Pass	601
2700	3000	1	RMS	2999.5	-43.61	-25	Pass	601
3000	6500	1	RMS	5057	-58.77	-25	Pass	3501
6500	18000	1	RMS	17491	-51.94	-25	Pass	11501
18000	27000	1	RMS	26285	-48.74	-25	Pass	9001




**46.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-25	Pass	601
0.15	30	0.01	RMS	0.2	-61.56	-25	Pass	2986
30	1000	0.1	RMS	868	-55.62	-25	Pass	9701
1000	2486	1	RMS	2483	-37.25	-25	Pass	1487
2486	2700	1	RMS	2535.933	9.05	60	Pass	601
2700	3000	1	RMS	2998.5	-43.51	-25	Pass	601
3000	6500	1	RMS	5051	-58.77	-25	Pass	3501
6500	18000	1	RMS	17767	-51.77	-25	Pass	11501
18000	27000	1	RMS	26294	-48.7	-25	Pass	9001




**46.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-47.52	-25	Pass	601
0.15	30	0.01	RMS	0.21	-61.45	-25	Pass	2986
30	1000	0.1	RMS	792.7	-55.79	-25	Pass	9701
1000	2486	1	RMS	2486	-42.88	-25	Pass	1487
2486	2700	1	RMS	2583.727	7.11	60	Pass	601
2700	3000	1	RMS	2998	-43.62	-25	Pass	601
3000	6500	1	RMS	5055	-58.76	-25	Pass	3501
6500	18000	1	RMS	17331	-51.79	-25	Pass	11501
18000	27000	1	RMS	26180	-48.62	-25	Pass	9001




**46.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.54	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.02	-25	Pass	2986
30	1000	0.1	RMS	901.5	-55.5	-25	Pass	9701
1000	2486	1	RMS	2482	-42.88	-25	Pass	1487
2486	2700	1	RMS	2591.93	6.2	60	Pass	601
2700	3000	1	RMS	2993	-43.59	-25	Pass	601
3000	6500	1	RMS	5051	-58.74	-25	Pass	3501
6500	18000	1	RMS	17364	-51.86	-25	Pass	11501
18000	27000	1	RMS	26220	-48.7	-25	Pass	9001




**46.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.09	-25	Pass	601
0.15	30	0.01	RMS	0.16	-59.41	-25	Pass	2986
30	1000	0.1	RMS	982	-55.72	-25	Pass	9701
1000	2486	1	RMS	2467	-42.85	-25	Pass	1487
2486	2700	1	RMS	2667.543	9.08	60	Pass	601
2700	3000	1	RMS	2700.5	-41.59	-25	Pass	601
3000	6500	1	RMS	5553	-58.73	-25	Pass	3501
6500	18000	1	RMS	17526	-51.87	-25	Pass	11501
18000	27000	1	RMS	26313	-48.9	-25	Pass	9001




**46.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.08	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.93	-25	Pass	2986
30	1000	0.1	RMS	891.6	-55.13	-25	Pass	9701
1000	2486	1	RMS	2483	-42.76	-25	Pass	1487
2486	2700	1	RMS	2664.69	9.04	60	Pass	601
2700	3000	1	RMS	2700.5	-38.9	-25	Pass	601
3000	6500	1	RMS	5050	-58.8	-25	Pass	3501
6500	18000	1	RMS	17587	-51.72	-25	Pass	11501
18000	27000	1	RMS	26151	-48.78	-25	Pass	9001




46.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.03	-25	Pass	601
0.15	30	0.01	RMS	0.15	-62.89	-25	Pass	2986
30	1000	0.1	RMS	886	-56.13	-25	Pass	9701
1000	2486	1	RMS	2486	-32.15	-25	Pass	1487
2486	2700	1	RMS	2559.83	6.5	60	Pass	601
2700	3000	1	RMS	2999	-43.5	-25	Pass	601
3000	6500	1	RMS	5051	-58.78	-25	Pass	3501
6500	18000	1	RMS	17716	-52.05	-25	Pass	11501
18000	27000	1	RMS	26303	-48.95	-25	Pass	9001




**46.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-45.77	-25	Pass	601
0.15	30	0.01	RMS	0.19	-59.53	-25	Pass	2986
30	1000	0.1	RMS	893.6	-55.21	-25	Pass	9701
1000	2486	1	RMS	2484	-33.87	-25	Pass	1487
2486	2700	1	RMS	2555.55	6.87	60	Pass	601
2700	3000	1	RMS	2991.5	-43.54	-25	Pass	601
3000	6500	1	RMS	5050	-58.83	-25	Pass	3501
6500	18000	1	RMS	17367	-52.02	-25	Pass	11501
18000	27000	1	RMS	26309	-48.88	-25	Pass	9001




**46.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-46.22	-25	Pass	601
0.15	30	0.01	RMS	0.17	-60.94	-25	Pass	2986
30	1000	0.1	RMS	875.4	-55.04	-25	Pass	9701
1000	2486	1	RMS	2481	-42.65	-25	Pass	1487
2486	2700	1	RMS	2578.733	6.85	60	Pass	601
2700	3000	1	RMS	2997.5	-43.48	-25	Pass	601
3000	6500	1	RMS	5048	-58.77	-25	Pass	3501
6500	18000	1	RMS	17351	-51.95	-25	Pass	11501
18000	27000	1	RMS	26247	-48.69	-25	Pass	9001




**46.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.7	-25	Pass	601
0.15	30	0.01	RMS	0.16	-61.14	-25	Pass	2986
30	1000	0.1	RMS	996.6	-55.92	-25	Pass	9701
1000	2486	1	RMS	2480	-42.17	-25	Pass	1487
2486	2700	1	RMS	2571.243	6.86	60	Pass	601
2700	3000	1	RMS	2997	-43.66	-25	Pass	601
3000	6500	1	RMS	5054	-58.74	-25	Pass	3501
6500	18000	1	RMS	17307	-51.72	-25	Pass	11501
18000	27000	1	RMS	26233	-48.77	-25	Pass	9001




46.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.02	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.62	-25	Pass	2986
30	1000	0.1	RMS	864.4	-55.84	-25	Pass	9701
1000	2486	1	RMS	2481	-42.86	-25	Pass	1487
2486	2700	1	RMS	2661.837	6.66	60	Pass	601
2700	3000	1	RMS	2700.5	-39.36	-25	Pass	601
3000	6500	1	RMS	5050	-58.65	-25	Pass	3501
6500	18000	1	RMS	17837	-52.14	-25	Pass	11501
18000	27000	1	RMS	26209	-48.87	-25	Pass	9001



**46.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-47.89	-25	Pass	601
0.15	30	0.01	RMS	0.18	-60.01	-25	Pass	2986
30	1000	0.1	RMS	871.2	-55.72	-25	Pass	9701
1000	2486	1	RMS	2482	-42.88	-25	Pass	1487
2486	2700	1	RMS	2661.48	6.69	60	Pass	601
2700	3000	1	RMS	2701	-54.36	-25	Pass	601
3000	6500	1	RMS	5050	-58.88	-25	Pass	3501
6500	18000	1	RMS	17988	-51.71	-25	Pass	11501
18000	27000	1	RMS	26202	-48.81	-25	Pass	9001



47. n41 30kHz_MIMO-ANT3


**47.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.28	-25	Pass	601
0.15	30	0.01	RMS	0.16	-60	-25	Pass	2986
30	1000	0.1	RMS	942.2	-56.93	-25	Pass	9701
1000	2486	1	RMS	2485	-40.7	-25	Pass	1487
2486	2700	1	RMS	2509.183	9.33	60	Pass	601
2700	3000	1	RMS	2998.5	-43.61	-25	Pass	601
3000	6500	1	RMS	5554	-58.92	-25	Pass	3501
6500	18000	1	RMS	17537	-52.33	-25	Pass	11501
18000	27000	1	RMS	26279	-49.26	-25	Pass	9001




**47.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.78	-25	Pass	2986
30	1000	0.1	RMS	929.8	-56.96	-25	Pass	9701
1000	2486	1	RMS	2484	-41.64	-25	Pass	1487
2486	2700	1	RMS	2506.33	9.27	60	Pass	601
2700	3000	1	RMS	3000	-43.66	-25	Pass	601
3000	6500	1	RMS	5049	-58.88	-25	Pass	3501
6500	18000	1	RMS	17345	-52.37	-25	Pass	11501
18000	27000	1	RMS	26293	-49.17	-25	Pass	9001




**47.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.51	-25	Pass	601
0.15	30	0.01	RMS	0.17	-61.48	-25	Pass	2986
30	1000	0.1	RMS	919.6	-56.41	-25	Pass	9701
1000	2486	1	RMS	2483	-42.91	-25	Pass	1487
2486	2700	1	RMS	2594.07	9.15	60	Pass	601
2700	3000	1	RMS	2998.5	-43.71	-25	Pass	601
3000	6500	1	RMS	5045	-59.02	-25	Pass	3501
6500	18000	1	RMS	17341	-52.33	-25	Pass	11501
18000	27000	1	RMS	26232	-49.26	-25	Pass	9001




**47.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-47.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.91	-25	Pass	2986
30	1000	0.1	RMS	976.4	-57.15	-25	Pass	9701
1000	2486	1	RMS	2485	-43	-25	Pass	1487
2486	2700	1	RMS	2593	9.25	60	Pass	601
2700	3000	1	RMS	3000	-43.63	-25	Pass	601
3000	6500	1	RMS	5052	-58.97	-25	Pass	3501
6500	18000	1	RMS	17357	-52.42	-25	Pass	11501
18000	27000	1	RMS	26208	-49.12	-25	Pass	9001




**47.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.87	-25	Pass	601
0.15	30	0.01	RMS	0.15	-61.11	-25	Pass	2986
30	1000	0.1	RMS	882.3	-57.05	-25	Pass	9701
1000	2486	1	RMS	2484	-42.9	-25	Pass	1487
2486	2700	1	RMS	2676.103	9.13	60	Pass	601
2700	3000	1	RMS	2700	-42.46	-25	Pass	601
3000	6500	1	RMS	5051	-58.93	-25	Pass	3501
6500	18000	1	RMS	17315	-52.32	-25	Pass	11501
18000	27000	1	RMS	26244	-49.17	-25	Pass	9001




**47.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-47.64	-25	Pass	601
0.15	30	0.01	RMS	0.15	-60	-25	Pass	2986
30	1000	0.1	RMS	998.7	-56.91	-25	Pass	9701
1000	2486	1	RMS	2483	-42.98	-25	Pass	1487
2486	2700	1	RMS	2676.46	9.1	60	Pass	601
2700	3000	1	RMS	2700	-43	-25	Pass	601
3000	6500	1	RMS	5048	-58.94	-25	Pass	3501
6500	18000	1	RMS	17335	-52.18	-25	Pass	11501
18000	27000	1	RMS	26305	-48.93	-25	Pass	9001




**47.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.05	-25	Pass	601
0.15	30	0.01	RMS	0.16	-58.92	-25	Pass	2986
30	1000	0.1	RMS	803.2	-57	-25	Pass	9701
1000	2486	1	RMS	2485	-37.74	-25	Pass	1487
2486	2700	1	RMS	2532.367	4.37	60	Pass	601
2700	3000	1	RMS	2997	-43.64	-25	Pass	601
3000	6500	1	RMS	5050	-58.96	-25	Pass	3501
6500	18000	1	RMS	17789	-52.25	-25	Pass	11501
18000	27000	1	RMS	26211	-49.24	-25	Pass	9001




**47.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-58.8	-25	Pass	2986
30	1000	0.1	RMS	874.6	-56.73	-25	Pass	9701
1000	2486	1	RMS	2486	-35.19	-25	Pass	1487
2486	2700	1	RMS	2525.233	4.42	60	Pass	601
2700	3000	1	RMS	3000	-43.67	-25	Pass	601
3000	6500	1	RMS	5048	-58.87	-25	Pass	3501
6500	18000	1	RMS	17304	-52.44	-25	Pass	11501
18000	27000	1	RMS	26342	-49.11	-25	Pass	9001




**47.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.85	-25	Pass	601
0.15	30	0.01	RMS	0.15	-60.13	-25	Pass	2986
30	1000	0.1	RMS	995.5	-56.27	-25	Pass	9701
1000	2486	1	RMS	2481	-42.9	-25	Pass	1487
2486	2700	1	RMS	2583.727	4.28	60	Pass	601
2700	3000	1	RMS	3000	-43.63	-25	Pass	601
3000	6500	1	RMS	5048	-58.9	-25	Pass	3501
6500	18000	1	RMS	17305	-52.2	-25	Pass	11501
18000	27000	1	RMS	26355	-49.09	-25	Pass	9001




**47.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.41	-25	Pass	601
0.15	30	0.01	RMS	0.15	-59.86	-25	Pass	2986
30	1000	0.1	RMS	992.8	-57.07	-25	Pass	9701
1000	2486	1	RMS	2485	-42.96	-25	Pass	1487
2486	2700	1	RMS	2580.16	4.2	60	Pass	601
2700	3000	1	RMS	2998.5	-43.68	-25	Pass	601
3000	6500	1	RMS	5050	-58.91	-25	Pass	3501
6500	18000	1	RMS	17339	-52.38	-25	Pass	11501
18000	27000	1	RMS	26262	-49.13	-25	Pass	9001




**47.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.7	-25	Pass	601
0.15	30	0.01	RMS	0.15	-61.19	-25	Pass	2986
30	1000	0.1	RMS	871.6	-56.82	-25	Pass	9701
1000	2486	1	RMS	2484	-42.94	-25	Pass	1487
2486	2700	1	RMS	2666.117	4.42	60	Pass	601
2700	3000	1	RMS	2700	-42.46	-25	Pass	601
3000	6500	1	RMS	5049	-58.92	-25	Pass	3501
6500	18000	1	RMS	17364	-52.27	-25	Pass	11501
18000	27000	1	RMS	26345	-49.21	-25	Pass	9001




**47.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.31	-25	Pass	601
0.15	30	0.01	RMS	0.16	-61.14	-25	Pass	2986
30	1000	0.1	RMS	864.2	-56.93	-25	Pass	9701
1000	2486	1	RMS	2486	-42.87	-25	Pass	1487
2486	2700	1	RMS	2664.333	4.39	60	Pass	601
2700	3000	1	RMS	2700	-41.49	-25	Pass	601
3000	6500	1	RMS	5051	-58.85	-25	Pass	3501
6500	18000	1	RMS	17454	-52.36	-25	Pass	11501
18000	27000	1	RMS	26243	-49.22	-25	Pass	9001




47.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-48.2	-25	Pass	601
0.15	30	0.01	RMS	0.15	-61.1	-25	Pass	2986
30	1000	0.1	RMS	860.4	-56.83	-25	Pass	9701
1000	2486	1	RMS	2484	-38.54	-25	Pass	1487
2486	2700	1	RMS	2558.047	2	60	Pass	601
2700	3000	1	RMS	2995.5	-43.63	-25	Pass	601
3000	6500	1	RMS	5054	-58.78	-25	Pass	3501
6500	18000	1	RMS	17717	-52.26	-25	Pass	11501
18000	27000	1	RMS	26366	-49.07	-25	Pass	9001




**47.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-48.01	-25	Pass	601
0.15	30	0.01	RMS	0.17	-59.59	-25	Pass	2986
30	1000	0.1	RMS	926.1	-57.09	-25	Pass	9701
1000	2486	1	RMS	2486	-35.18	-25	Pass	1487
2486	2700	1	RMS	2558.403	2.06	60	Pass	601
2700	3000	1	RMS	2999	-43.7	-25	Pass	601
3000	6500	1	RMS	5050	-58.88	-25	Pass	3501
6500	18000	1	RMS	17323	-52.29	-25	Pass	11501
18000	27000	1	RMS	26353	-49.2	-25	Pass	9001




**47.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-47.13	-25	Pass	601
0.15	30	0.01	RMS	0.16	-61.21	-25	Pass	2986
30	1000	0.1	RMS	975.8	-56.72	-25	Pass	9701
1000	2486	1	RMS	2485	-42.45	-25	Pass	1487
2486	2700	1	RMS	2579.09	2.12	60	Pass	601
2700	3000	1	RMS	3000	-43.64	-25	Pass	601
3000	6500	1	RMS	5051	-58.88	-25	Pass	3501
6500	18000	1	RMS	17322	-52.33	-25	Pass	11501
18000	27000	1	RMS	26258	-49.02	-25	Pass	9001




**47.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-47.72	-25	Pass	601
0.15	30	0.01	RMS	0.16	-60.55	-25	Pass	2986
30	1000	0.1	RMS	985.9	-56.69	-25	Pass	9701
1000	2486	1	RMS	2484	-42.74	-25	Pass	1487
2486	2700	1	RMS	2576.95	2.19	60	Pass	601
2700	3000	1	RMS	2998.5	-43.66	-25	Pass	601
3000	6500	1	RMS	5047	-58.9	-25	Pass	3501
6500	18000	1	RMS	17345	-52.25	-25	Pass	11501
18000	27000	1	RMS	26262	-49.18	-25	Pass	9001




47.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-48.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-60.03	-25	Pass	2986
30	1000	0.1	RMS	898.7	-56.77	-25	Pass	9701
1000	2486	1	RMS	2479	-42.96	-25	Pass	1487
2486	2700	1	RMS	2661.48	1.96	60	Pass	601
2700	3000	1	RMS	2700	-41.53	-25	Pass	601
3000	6500	1	RMS	5051	-58.95	-25	Pass	3501
6500	18000	1	RMS	17294	-52.42	-25	Pass	11501
18000	27000	1	RMS	26220	-49.06	-25	Pass	9001



**47.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.51	-25	Pass	601
0.15	30	0.01	RMS	0.16	-60.98	-25	Pass	2986
30	1000	0.1	RMS	924.7	-57.1	-25	Pass	9701
1000	2486	1	RMS	2485	-42.9	-25	Pass	1487
2486	2700	1	RMS	2652.207	1.94	60	Pass	601
2700	3000	1	RMS	2700	-56.3	-25	Pass	601
3000	6500	1	RMS	5560	-58.91	-25	Pass	3501
6500	18000	1	RMS	17341	-52.43	-25	Pass	11501
18000	27000	1	RMS	26222	-49.2	-25	Pass	9001



48. n77 30kHz(3450-3550)_MIMO-ANT1


**48.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.09	-13	Pass	601
0.15	30	0.01	RMS	0.16	-61.69	-13	Pass	2986
30	1000	0.1	RMS	966.8	-56.03	-13	Pass	9701
1000	3000	1	RMS	3000	-42.37	-13	Pass	2001
3000	3440	1	RMS	3440	-40.72	-13	Pass	601
3440	3560	1	RMS	3461	14.16	60	Pass	601
3560	6500	1	RMS	3593	-57.93	-13	Pass	2941
6500	18000	1	RMS	17333	-51.98	-13	Pass	11501
18000	38000	1	RMS	37999	-42.72	-13	Pass	20001




**48.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.31	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.56	-13	Pass	2986
30	1000	0.1	RMS	878.9	-56.04	-13	Pass	9701
1000	3000	1	RMS	2999	-42.34	-13	Pass	2001
3000	3440	1	RMS	3278.667	-41.83	-13	Pass	601
3440	3560	1	RMS	3459.2	14.09	60	Pass	601
3560	6500	1	RMS	3595	-58.51	-13	Pass	2941
6500	18000	1	RMS	17627	-52.02	-13	Pass	11501
18000	38000	1	RMS	37985	-42.96	-13	Pass	20001




**48.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.42	-13	Pass	601
0.15	30	0.01	RMS	0.17	-59.09	-13	Pass	2986
30	1000	0.1	RMS	938.7	-55.95	-13	Pass	9701
1000	3000	1	RMS	2998	-42.42	-13	Pass	2001
3000	3440	1	RMS	3272.8	-41.77	-13	Pass	601
3440	3560	1	RMS	3501.4	13.63	60	Pass	601
3560	6500	1	RMS	3804	-57.31	-13	Pass	2941
6500	18000	1	RMS	17353	-51.55	-13	Pass	11501
18000	38000	1	RMS	37972	-42.88	-13	Pass	20001




**48.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.73	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.03	-13	Pass	2986
30	1000	0.1	RMS	819.2	-55.48	-13	Pass	9701
1000	3000	1	RMS	2998	-42.39	-13	Pass	2001
3000	3440	1	RMS	3279.4	-41.79	-13	Pass	601
3440	3560	1	RMS	3501.2	14.33	60	Pass	601
3560	6500	1	RMS	3806	-57.53	-13	Pass	2941
6500	18000	1	RMS	17604	-51.77	-13	Pass	11501
18000	38000	1	RMS	37979	-42.85	-13	Pass	20001




**48.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.59	-13	Pass	2986
30	1000	0.1	RMS	932.5	-55.81	-13	Pass	9701
1000	3000	1	RMS	2997	-42.36	-13	Pass	2001
3000	3440	1	RMS	3274.267	-41.81	-13	Pass	601
3440	3560	1	RMS	3539.8	12.33	60	Pass	601
3560	6500	1	RMS	3567	-47.97	-13	Pass	2941
6500	18000	1	RMS	17937	-51.9	-13	Pass	11501
18000	38000	1	RMS	37986	-42.27	-13	Pass	20001




**48.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.62	-13	Pass	2986
30	1000	0.1	RMS	877	-55.72	-13	Pass	9701
1000	3000	1	RMS	2994	-42.31	-13	Pass	2001
3000	3440	1	RMS	3277.933	-41.84	-13	Pass	601
3440	3560	1	RMS	3541	14.12	60	Pass	601
3560	6500	1	RMS	3571	-51.15	-13	Pass	2941
6500	18000	1	RMS	17851	-51.92	-13	Pass	11501
18000	38000	1	RMS	37987	-42.96	-13	Pass	20001




**48.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:631668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.99	-13	Pass	601
0.15	30	0.01	RMS	0.16	-61.48	-13	Pass	2986
30	1000	0.1	RMS	931.6	-55.44	-13	Pass	9701
1000	3000	1	RMS	2990	-42.17	-13	Pass	2001
3000	3440	1	RMS	3438.533	-37.63	-13	Pass	601
3440	3560	1	RMS	3470.2	10.23	60	Pass	601
3560	6500	1	RMS	3560	-58.07	-13	Pass	2941
6500	18000	1	RMS	17668	-51.81	-13	Pass	11501
18000	38000	1	RMS	37975	-42.61	-13	Pass	20001




**48.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:631668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.88	-13	Pass	601
0.15	30	0.01	RMS	0.18	-58.96	-13	Pass	2986
30	1000	0.1	RMS	981.9	-55.65	-13	Pass	9701
1000	3000	1	RMS	3000	-42.34	-13	Pass	2001
3000	3440	1	RMS	3439.267	-39.17	-13	Pass	601
3440	3560	1	RMS	3472.2	9.72	60	Pass	601
3560	6500	1	RMS	3595	-58.28	-13	Pass	2941
6500	18000	1	RMS	17524	-51.87	-13	Pass	11501
18000	38000	1	RMS	37946	-42.6	-13	Pass	20001




**48.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.43	-13	Pass	2986
30	1000	0.1	RMS	965.1	-55.65	-13	Pass	9701
1000	3000	1	RMS	2997	-42.33	-13	Pass	2001
3000	3440	1	RMS	3273.533	-41.83	-13	Pass	601
3440	3560	1	RMS	3494.6	9.7	60	Pass	601
3560	6500	1	RMS	3560	-54.51	-13	Pass	2941
6500	18000	1	RMS	17538	-52.08	-13	Pass	11501
18000	38000	1	RMS	37972	-43.02	-13	Pass	20001




**48.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-45.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.68	-13	Pass	2986
30	1000	0.1	RMS	808.8	-55.34	-13	Pass	9701
1000	3000	1	RMS	2998	-42.48	-13	Pass	2001
3000	3440	1	RMS	3275.733	-41.73	-13	Pass	601
3440	3560	1	RMS	3497	9.41	60	Pass	601
3560	6500	1	RMS	3560	-55.56	-13	Pass	2941
6500	18000	1	RMS	17289	-51.77	-13	Pass	11501
18000	38000	1	RMS	37940	-42.86	-13	Pass	20001




**48.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:635000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.45	-13	Pass	601
0.15	30	0.01	RMS	0.19	-61.3	-13	Pass	2986
30	1000	0.1	RMS	903.9	-55.7	-13	Pass	9701
1000	3000	1	RMS	2993	-42.54	-13	Pass	2001
3000	3440	1	RMS	3276.467	-41.63	-13	Pass	601
3440	3560	1	RMS	3519.8	10.17	60	Pass	601
3560	6500	1	RMS	3560	-37.18	-13	Pass	2941
6500	18000	1	RMS	17278	-51.98	-13	Pass	11501
18000	38000	1	RMS	37952	-42.74	-13	Pass	20001




**48.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:635000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.12	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.68	-13	Pass	2986
30	1000	0.1	RMS	920.9	-56.05	-13	Pass	9701
1000	3000	1	RMS	2999	-42.38	-13	Pass	2001
3000	3440	1	RMS	3277.2	-41.84	-13	Pass	601
3440	3560	1	RMS	3522.2	10.04	60	Pass	601
3560	6500	1	RMS	3570	-42.3	-13	Pass	2941
6500	18000	1	RMS	17328	-51.68	-13	Pass	11501
18000	38000	1	RMS	37994	-42.76	-13	Pass	20001




**48.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.64	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.64	-13	Pass	2986
30	1000	0.1	RMS	884.1	-54.94	-13	Pass	9701
1000	3000	1	RMS	2997	-42.42	-13	Pass	2001
3000	3440	1	RMS	3440	-36.03	-13	Pass	601
3440	3560	1	RMS	3470.4	11.47	60	Pass	601
3560	6500	1	RMS	3771	-57.88	-13	Pass	2941
6500	18000	1	RMS	17293	-51.8	-13	Pass	11501
18000	38000	1	RMS	37988	-42.62	-13	Pass	20001



**48.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:137, RB Position:68)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.65	-13	Pass	2986
30	1000	0.1	RMS	903	-55.97	-13	Pass	9701
1000	3000	1	RMS	3000	-42.36	-13	Pass	2001
3000	3440	1	RMS	3439.267	-38.84	-13	Pass	601
3440	3560	1	RMS	3472.8	11.51	60	Pass	601
3560	6500	1	RMS	3776	-58.06	-13	Pass	2941
6500	18000	1	RMS	17579	-51.64	-13	Pass	11501
18000	38000	1	RMS	37999	-42.7	-13	Pass	20001



49. n77 30kHz(3450-3550)_MIMO-ANT4


**49.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-45.79	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.04	-13	Pass	2986
30	1000	0.1	RMS	927.2	-55.57	-13	Pass	9701
1000	3000	1	RMS	2999	-42.31	-13	Pass	2001
3000	3440	1	RMS	3440	-41.76	-13	Pass	601
3440	3560	1	RMS	3463.4	13.91	60	Pass	601
3560	6500	1	RMS	3564	-58.69	-13	Pass	2941
6500	18000	1	RMS	17727	-51.73	-13	Pass	11501
18000	40000	1	RMS	38867	-40.06	-13	Pass	22001




**49.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-45.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.66	-13	Pass	2986
30	1000	0.1	RMS	937.7	-55.86	-13	Pass	9701
1000	3000	1	RMS	2997	-42.39	-13	Pass	2001
3000	3440	1	RMS	3272.8	-41.73	-13	Pass	601
3440	3560	1	RMS	3459.8	13.99	60	Pass	601
3560	6500	1	RMS	3765	-57.24	-13	Pass	2941
6500	18000	1	RMS	17334	-51.82	-13	Pass	11501
18000	40000	1	RMS	38845	-39.71	-13	Pass	22001




**49.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.99	-13	Pass	601
0.15	30	0.01	RMS	0.17	-59.93	-13	Pass	2986
30	1000	0.1	RMS	929	-55.38	-13	Pass	9701
1000	3000	1	RMS	3000	-42.3	-13	Pass	2001
3000	3440	1	RMS	3278.667	-41.81	-13	Pass	601
3440	3560	1	RMS	3501	14.14	60	Pass	601
3560	6500	1	RMS	3809	-57.87	-13	Pass	2941
6500	18000	1	RMS	17590	-52.08	-13	Pass	11501
18000	40000	1	RMS	38875	-40.37	-13	Pass	22001




**49.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.86	-13	Pass	2986
30	1000	0.1	RMS	897.6	-54.96	-13	Pass	9701
1000	3000	1	RMS	2997	-42.38	-13	Pass	2001
3000	3440	1	RMS	3280.867	-41.81	-13	Pass	601
3440	3560	1	RMS	3497.8	11.56	60	Pass	601
3560	6500	1	RMS	3564	-58.58	-13	Pass	2941
6500	18000	1	RMS	17686	-51.9	-13	Pass	11501
18000	40000	1	RMS	38840	-43.01	-13	Pass	22001




**49.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.79	-13	Pass	2986
30	1000	0.1	RMS	864.6	-55.82	-13	Pass	9701
1000	3000	1	RMS	2997	-42.35	-13	Pass	2001
3000	3440	1	RMS	3282.333	-41.72	-13	Pass	601
3440	3560	1	RMS	3540.6	13.86	60	Pass	601
3560	6500	1	RMS	3567	-48.59	-13	Pass	2941
6500	18000	1	RMS	17340	-51.77	-13	Pass	11501
18000	40000	1	RMS	38907	-40.02	-13	Pass	22001




**49.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.14	-13	Pass	2986
30	1000	0.1	RMS	951.8	-55.72	-13	Pass	9701
1000	3000	1	RMS	3000	-42.47	-13	Pass	2001
3000	3440	1	RMS	3276.467	-41.75	-13	Pass	601
3440	3560	1	RMS	3539.4	13.93	60	Pass	601
3560	6500	1	RMS	3568	-41.3	-13	Pass	2941
6500	18000	1	RMS	17752	-51.8	-13	Pass	11501
18000	40000	1	RMS	38823	-40.1	-13	Pass	22001




**49.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-45.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.16	-13	Pass	2986
30	1000	0.1	RMS	906.9	-55.52	-13	Pass	9701
1000	3000	1	RMS	2999	-42.41	-13	Pass	2001
3000	3440	1	RMS	3440	-36.19	-13	Pass	601
3440	3560	1	RMS	3486.6	7.73	60	Pass	601
3560	6500	1	RMS	3573	-57.72	-13	Pass	2941
6500	18000	1	RMS	17734	-51.87	-13	Pass	11501
18000	40000	1	RMS	38817	-40.2	-13	Pass	22001




**49.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-45.33	-13	Pass	601
0.15	30	0.01	RMS	0.15	-61.67	-13	Pass	2986
30	1000	0.1	RMS	844.2	-55.04	-13	Pass	9701
1000	3000	1	RMS	2997	-42.34	-13	Pass	2001
3000	3440	1	RMS	3439.267	-35.1	-13	Pass	601
3440	3560	1	RMS	3478.6	8.97	60	Pass	601
3560	6500	1	RMS	3560	-56.52	-13	Pass	2941
6500	18000	1	RMS	17608	-51.38	-13	Pass	11501
18000	40000	1	RMS	38848	-40.05	-13	Pass	22001




**49.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:633334, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.74	-13	Pass	601
0.15	30	0.01	RMS	0.17	-59.31	-13	Pass	2986
30	1000	0.1	RMS	895.6	-55.65	-13	Pass	9701
1000	3000	1	RMS	2999	-42.37	-13	Pass	2001
3000	3440	1	RMS	3272.067	-41.82	-13	Pass	601
3440	3560	1	RMS	3498.8	9.1	60	Pass	601
3560	6500	1	RMS	3572	-53.61	-13	Pass	2941
6500	18000	1	RMS	17321	-51.34	-13	Pass	11501
18000	40000	1	RMS	38775	-39.86	-13	Pass	22001




**49.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:633334, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-46.3	-13	Pass	601
0.15	30	0.01	RMS	0.2	-61.44	-13	Pass	2986
30	1000	0.1	RMS	857.7	-55.75	-13	Pass	9701
1000	3000	1	RMS	2997	-42.41	-13	Pass	2001
3000	3440	1	RMS	3272.8	-41.78	-13	Pass	601
3440	3560	1	RMS	3500.4	9.18	60	Pass	601
3560	6500	1	RMS	3563	-44.8	-13	Pass	2941
6500	18000	1	RMS	17348	-51.71	-13	Pass	11501
18000	40000	1	RMS	38868	-44.4	-13	Pass	22001




**49.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:634664, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-46.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.56	-13	Pass	2986
30	1000	0.1	RMS	868.3	-55.54	-13	Pass	9701
1000	3000	1	RMS	2996	-42.32	-13	Pass	2001
3000	3440	1	RMS	3280.133	-41.79	-13	Pass	601
3440	3560	1	RMS	3526.2	8.96	60	Pass	601
3560	6500	1	RMS	3570	-40.19	-13	Pass	2941
6500	18000	1	RMS	17292	-51.82	-13	Pass	11501
18000	40000	1	RMS	38829	-39.88	-13	Pass	22001




**49.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:634664, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-47.24	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.64	-13	Pass	2986
30	1000	0.1	RMS	877.1	-55.72	-13	Pass	9701
1000	3000	1	RMS	3000	-42.16	-13	Pass	2001
3000	3440	1	RMS	3270.6	-41.8	-13	Pass	601
3440	3560	1	RMS	3520.4	8.96	60	Pass	601
3560	6500	1	RMS	3566	-36.94	-13	Pass	2941
6500	18000	1	RMS	17340	-51.85	-13	Pass	11501
18000	40000	1	RMS	38828	-39.84	-13	Pass	22001




**49.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.21	-13	Pass	2986
30	1000	0.1	RMS	897.9	-55.84	-13	Pass	9701
1000	3000	1	RMS	2998	-42.4	-13	Pass	2001
3000	3440	1	RMS	3436.333	-36.52	-13	Pass	601
3440	3560	1	RMS	3485.6	5.19	60	Pass	601
3560	6500	1	RMS	3568	-32.49	-13	Pass	2941
6500	18000	1	RMS	17839	-51.84	-13	Pass	11501
18000	40000	1	RMS	38812	-40.09	-13	Pass	22001



**49.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:633334, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-46.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.92	-13	Pass	2986
30	1000	0.1	RMS	876.5	-55.42	-13	Pass	9701
1000	3000	1	RMS	2998	-42.49	-13	Pass	2001
3000	3440	1	RMS	3439.267	-35.2	-13	Pass	601
3440	3560	1	RMS	3484.4	6.76	60	Pass	601
3560	6500	1	RMS	3567	-33.24	-13	Pass	2941
6500	18000	1	RMS	17320	-51.94	-13	Pass	11501
18000	40000	1	RMS	38862	-39.98	-13	Pass	22001



50. n77 30kHz(3700-3980)_MIMO-ANT1


**50.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-45.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.72	-13	Pass	2986
30	1000	0.1	RMS	854.9	-55.47	-13	Pass	9701
1000	3000	1	RMS	2998	-42.56	-13	Pass	2001
3000	3690	1	RMS	3687	-40.13	-13	Pass	691
3690	3990	1	RMS	3713.5	10.91	60	Pass	601
3990	6500	1	RMS	5047	-58.83	-13	Pass	2511
6500	18000	1	RMS	17517	-51.84	-13	Pass	11501
18000	40000	1	RMS	38740	-40.51	-13	Pass	22001




**50.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-45.53	-13	Pass	601
0.15	30	0.01	RMS	0.17	-60.91	-13	Pass	2986
30	1000	0.1	RMS	957.7	-55.89	-13	Pass	9701
1000	3000	1	RMS	2990	-42.39	-13	Pass	2001
3000	3690	1	RMS	3690	-39.89	-13	Pass	691
3690	3990	1	RMS	3709	10.83	60	Pass	601
3990	6500	1	RMS	5056	-58.65	-13	Pass	2511
6500	18000	1	RMS	17697	-51.92	-13	Pass	11501
18000	40000	1	RMS	38846	-40.3	-13	Pass	22001




**50.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.95	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.9	-13	Pass	2986
30	1000	0.1	RMS	944.7	-55.57	-13	Pass	9701
1000	3000	1	RMS	2997	-42.5	-13	Pass	2001
3000	3690	1	RMS	3689	-40.32	-13	Pass	691
3690	3990	1	RMS	3838.5	11.75	60	Pass	601
3990	6500	1	RMS	5054	-58.72	-13	Pass	2511
6500	18000	1	RMS	17357	-51.88	-13	Pass	11501
18000	40000	1	RMS	38831	-40.23	-13	Pass	22001




**50.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.35	-13	Pass	601
0.15	30	0.01	RMS	0.17	-59.92	-13	Pass	2986
30	1000	0.1	RMS	913.7	-55.64	-13	Pass	9701
1000	3000	1	RMS	3000	-42.41	-13	Pass	2001
3000	3690	1	RMS	3690	-40.39	-13	Pass	691
3690	3990	1	RMS	3839.5	11.82	60	Pass	601
3990	6500	1	RMS	4146	-57.74	-13	Pass	2511
6500	18000	1	RMS	17564	-51.73	-13	Pass	11501
18000	40000	1	RMS	38789	-42.82	-13	Pass	22001




**50.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-47.09	-13	Pass	601
0.15	30	0.01	RMS	0.17	-60.73	-13	Pass	2986
30	1000	0.1	RMS	939.3	-55.29	-13	Pass	9701
1000	3000	1	RMS	3000	-42.36	-13	Pass	2001
3000	3690	1	RMS	3690	-40.32	-13	Pass	691
3690	3990	1	RMS	3971	9.05	60	Pass	601
3990	6500	1	RMS	3996	-49.33	-13	Pass	2511
6500	18000	1	RMS	17348	-52.05	-13	Pass	11501
18000	40000	1	RMS	38821	-40.05	-13	Pass	22001




**50.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.61	-13	Pass	601
0.15	30	0.01	RMS	0.18	-57.95	-13	Pass	2986
30	1000	0.1	RMS	883	-55.98	-13	Pass	9701
1000	3000	1	RMS	2997	-42.44	-13	Pass	2001
3000	3690	1	RMS	3689	-40.32	-13	Pass	691
3690	3990	1	RMS	3970	11.42	60	Pass	601
3990	6500	1	RMS	3998	-52.96	-13	Pass	2511
6500	18000	1	RMS	17941	-51.94	-13	Pass	11501
18000	40000	1	RMS	38832	-40.29	-13	Pass	22001




**50.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1,
Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-43.89	-13	Pass	601
0.15	30	0.01	RMS	0.16	-60.52	-13	Pass	2986
30	1000	0.1	RMS	875.7	-55.48	-13	Pass	9701
1000	3000	1	RMS	3000	-42.4	-13	Pass	2001
3000	3690	1	RMS	3688	-36.82	-13	Pass	691
3690	3990	1	RMS	3738.5	6.14	60	Pass	601
3990	6500	1	RMS	5048	-58.78	-13	Pass	2511
6500	18000	1	RMS	17504	-52.11	-13	Pass	11501
18000	40000	1	RMS	38864	-39.99	-13	Pass	22001




**50.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.52	-13	Pass	601
0.15	30	0.01	RMS	0.15	-59.22	-13	Pass	2986
30	1000	0.1	RMS	900.2	-55.55	-13	Pass	9701
1000	3000	1	RMS	3000	-42.41	-13	Pass	2001
3000	3690	1	RMS	3687	-36.45	-13	Pass	691
3690	3990	1	RMS	3730	5.94	60	Pass	601
3990	6500	1	RMS	5049	-58.82	-13	Pass	2511
6500	18000	1	RMS	17730	-51.98	-13	Pass	11501
18000	40000	1	RMS	38828	-40.54	-13	Pass	22001




**50.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3,
Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.94	-13	Pass	601
0.15	30	0.01	RMS	0.15	-58.95	-13	Pass	2986
30	1000	0.1	RMS	861.7	-55.71	-13	Pass	9701
1000	3000	1	RMS	2996	-42.55	-13	Pass	2001
3000	3690	1	RMS	3689	-40.48	-13	Pass	691
3690	3990	1	RMS	3829	6.67	60	Pass	601
3990	6500	1	RMS	5050	-58.64	-13	Pass	2511
6500	18000	1	RMS	17319	-51.76	-13	Pass	11501
18000	40000	1	RMS	38823	-39.83	-13	Pass	22001




**50.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4,
Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-45.35	-13	Pass	601
0.15	30	0.01	RMS	0.16	-58.53	-13	Pass	2986
30	1000	0.1	RMS	960.6	-55.5	-13	Pass	9701
1000	3000	1	RMS	2989	-42.51	-13	Pass	2001
3000	3690	1	RMS	3690	-40.29	-13	Pass	691
3690	3990	1	RMS	3827	7.04	60	Pass	601
3990	6500	1	RMS	5050	-58.85	-13	Pass	2511
6500	18000	1	RMS	17320	-51.72	-13	Pass	11501
18000	40000	1	RMS	38861	-44.13	-13	Pass	22001




**50.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-46.22	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.89	-13	Pass	2986
30	1000	0.1	RMS	891.9	-55.84	-13	Pass	9701
1000	3000	1	RMS	2664	-42.53	-13	Pass	2001
3000	3690	1	RMS	3690	-40.38	-13	Pass	691
3690	3990	1	RMS	3957	6.33	60	Pass	601
3990	6500	1	RMS	3990	-33.56	-13	Pass	2511
6500	18000	1	RMS	17972	-52.1	-13	Pass	11501
18000	40000	1	RMS	38777	-40.29	-13	Pass	22001




**50.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6,
Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB
Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-45.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-60.46	-13	Pass	2986
30	1000	0.1	RMS	853	-55.91	-13	Pass	9701
1000	3000	1	RMS	3000	-42.37	-13	Pass	2001
3000	3690	1	RMS	3689	-40.35	-13	Pass	691
3690	3990	1	RMS	3950.5	4.38	60	Pass	601
3990	6500	1	RMS	3992	-34.13	-13	Pass	2511
6500	18000	1	RMS	17326	-51.72	-13	Pass	11501
18000	40000	1	RMS	38826	-40.11	-13	Pass	22001



50.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:137, RB Position:68)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-46.98	-13	Pass	601
0.15	30	0.01	RMS	0.18	-62.17	-13	Pass	2986
30	1000	0.1	RMS	960.4	-55.85	-13	Pass	9701
1000	3000	1	RMS	3000	-42.13	-13	Pass	2001
3000	3690	1	RMS	3679	-37.24	-13	Pass	691
3690	3990	1	RMS	3763.5	4.29	60	Pass	601
3990	6500	1	RMS	5552	-58.95	-13	Pass	2511
6500	18000	1	RMS	17670	-51.81	-13	Pass	11501
18000	40000	1	RMS	38837	-40.34	-13	Pass	22001



**50.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2,
Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM,
RB Number:137, RB Position:68)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-47.17	-13	Pass	601
0.15	30	0.01	RMS	0.16	-59.67	-13	Pass	2986
30	1000	0.1	RMS	947.1	-55.76	-13	Pass	9701
1000	3000	1	RMS	3000	-42.35	-13	Pass	2001
3000	3690	1	RMS	3689	-36.68	-13	Pass	691
3690	3990	1	RMS	3771	4.25	60	Pass	601
3990	6500	1	RMS	5053	-58.79	-13	Pass	2511
6500	18000	1	RMS	17339	-51.6	-13	Pass	11501
18000	40000	1	RMS	38823	-39.98	-13	Pass	22001

